



NR41_30 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 138 of 321





NR41_30 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 139 of 321





NR41_30 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 140 of 321





NR41_30 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 141 of 321





NR41_30 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 142 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS Ref LvI Offset 27.47 dB Ref Value 40.00 dBm 80.000 MHz Scale/Div 10.0 dB CF Step 8.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 820.00 kHz Span 80 MHz #Sweep 50.0 ms (1001 pts) #Video BW 3.0000 MHz 2 Metrics Occupied Bandwidth 35.953 MHz Total Power 32.6 dBm Transmit Freq Error x dB Bandwidth -1.1346 MHz 38.87 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:31:45 AM

NR41_40 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 143 of 321





NR41_40 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 144 of 321






NR41_40 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 145 of 321





NR41_40 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 146 of 321





NR41_40 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 147 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 100.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 10.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.0000 MHz Span 100 MHz #Sweep 50.0 ms (1001 pts) #Video BW 4.0000 MHz 2 Metrics Occupied Bandwidth 46.005 MHz Total Power 32.6 dBm Transmit Freq Error x dB Bandwidth -943.34 kHz 50.27 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:39:30 AM

NR41_50 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 148 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 100.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 10.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.0000 MHz Span 100 MHz #Sweep 50.0 ms (1001 pts) #Video BW 4.0000 MHz 2 Metrics Occupied Bandwidth 45.991 MHz Total Power 32.4 dBm Transmit Freq Error x dB Bandwidth -906.03 kHz 50.58 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:40:18 AM

NR41_50 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 149 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 100.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 10.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.0000 MHz Span 100 MHz #Sweep 50.0 ms (1001 pts) #Video BW 4.0000 MHz 2 Metrics Occupied Bandwidth 45.948 MHz Total Power 31.2 dBm Transmit Freq Error x dB Bandwidth -977.86 kHz 50.56 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:41:05 AM

NR41_50 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 150 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 100.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 10.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.0000 MHz Span 100 MHz #Sweep 50.0 ms (1001 pts) #Video BW 4.0000 MHz 2 Metrics Occupied Bandwidth 46.010 MHz Total Power 30.5 dBm Transmit Freq Error x dB Bandwidth -934.41 kHz 50.22 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:41:50 AM

NR41_50 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 151 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 100.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 10.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.0000 MHz Span 100 MHz #Sweep 50.0 ms (1001 pts) #Video BW 4.0000 MHz 2 Metrics Occupied Bandwidth 45.823 MHz Total Power 28.3 dBm Transmit Freq Error x dB Bandwidth -925.17 kHz 50.19 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:42:38 AM

NR41_50 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 152 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 120.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 12.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.2000 MHz Span 120 MHz #Sweep 50.0 ms (1001 pts) #Video BW 5.0000 MHz 2 Metrics Occupied Bandwidth 58.221 MHz Total Power 32.7 dBm Transmit Freq Error x dB Bandwidth -78.867 kHz 65.71 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:47:19 AM

NR41_60 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 153 of 321





NR41_60 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 154 of 321





NR41_60 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 155 of 321





NR41_60 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 156 of 321





NR41_60 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 157 of 321





NR41_70 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 158 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS Ref LvI Offset 27.47 dB Ref Value 40.00 dBm 140.00 MHz Scale/Div 10.0 dB CF Step 14.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.5000 MHz Span 140 MHz #Sweep 50.0 ms (1001 pts) #Video BW 6.0000 MHz 2 Metrics Occupied Bandwidth 64.766 MHz Total Power 32.4 dBm Transmit Freq Error x dB Bandwidth -1.7293 MHz 72.94 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:55:57 AM

NR41_70 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 159 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 140.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 14.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.5000 MHz Span 140 MHz #Sweep 50.0 ms (1001 pts) #Video BW 6.0000 MHz 2 Metrics Occupied Bandwidth 64.659 MHz Total Power 31.2 dBm Transmit Freq Error x dB Bandwidth -1.7538 MHz 72.82 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:56:44 AM

NR41_70 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 160 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 140.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 14.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.5000 MHz Span 140 MHz #Sweep 50.0 ms (1001 pts) #Video BW 6.0000 MHz 2 Metrics Occupied Bandwidth 64.728 MHz Total Power 30.4 dBm Transmit Freq Error x dB Bandwidth -1.7900 MHz 73.18 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 10:57:30 AM

NR41_70 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 161 of 321





NR41_70 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 162 of 321





NR41_80 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 163 of 321





NR41_80 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 164 of 321






NR41_80 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 165 of 321





NR41_80 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 166 of 321




Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 160.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 16.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.6000 MHz Span 160 MHz #Sweep 50.0 ms (1001 pts) #Video BW 6.0000 MHz 2 Metrics Occupied Bandwidth 77.635 MHz Total Power 28.4 dBm Transmit Freq Error x dB Bandwidth -147.96 kHz 85.58 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 11:06:12 AM

NR41_80 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 167 of 321





NR41_90 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 168 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 180.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 18.000000 MHz Auto Man Freq Offset 0 Hz Center 2.59299 GHz #Res BW 1.8000 MHz Span 180 MHz #Sweep 50.0 ms (1001 pts) Video BW 8.0000 MHz 2 Metrics Occupied Bandwidth 87.227 MHz Total Power 32.5 dBm Transmit Freq Error x dB Bandwidth -469.67 kHz 96.52 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 03, 2025 11:11:50 AM

NR41_90 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 169 of 321






NR41_90 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 170 of 321





NR41_90 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 171 of 321






NR41_90 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 172 of 321





NR41_100 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 173 of 321






NR41_100 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 174 of 321





NR41_100 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 175 of 321



Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 200.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 20.000000 MHz Auto Man Freq Offset 0 Hz Center 2.5930 GHz #Res BW 2.0000 MHz Span 200 MHz #Sweep 50.0 ms (1001 pts) #Video BW 8.0000 MHz 2 Metrics Occupied Bandwidth 96.741 MHz Total Power 30.6 dBm Transmit Freq Error x dB Bandwidth -642.80 kHz 105.7 MHz 99.00 % -26.00 dB % of OBW Power x dB # 5 C Feb 03, 2025 11:21:22 AM

NR41_100 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 176 of 321




Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 2.592990000 GHz Avg|Hold: 500/500 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low Settings RL -- Align: Auto 2.592990000 GHz DI PASS 200.00 MHz Ref LvI Offset 27.47 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 20.000000 MHz Auto Man Freq Offset 0 Hz Center 2.5930 GHz #Res BW 2.0000 MHz Span 200 MHz #Sweep 50.0 ms (1001 pts) #Video BW 8.0000 MHz 2 Metrics Occupied Bandwidth 96.915 MHz Total Power 28.6 dBm Transmit Freq Error x dB Bandwidth -583.51 kHz 104.9 MHz 99.00 % -26.00 dB % of OBW Power x dB 1 5 C 7 Feb 03, 2025 511:22:10 AM

NR41_100 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 177 of 321





NR41_10 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 178 of 321





NR41_10 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 179 of 321





NR41_10 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 180 of 321





NR41_15 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 181 of 321





NR41_15 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 182 of 321





NR41_15 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 183 of 321





NR41_20 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 184 of 321





NR41_20 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 185 of 321





NR41_20 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 186 of 321





NR41_30 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 187 of 321





NR41_30 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 188 of 321





NR41_30 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 189 of 321






NR41_40 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 190 of 321





NR41_40 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 191 of 321





NR41_40 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 192 of 321





NR41_50 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 193 of 321





NR41_50 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 194 of 321





NR41_50 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 195 of 321





NR41_60 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 196 of 321





NR41_60 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 197 of 321





NR41_60 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 198 of 321





NR41_70 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 199 of 321





NR41_70 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 200 of 321





NR41_70 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 201 of 321





NR41_80 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 202 of 321





NR41_80 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 203 of 321






NR41_80 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 204 of 321





NR41_90 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 205 of 321





NR41_90 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 206 of 321





NR41_90 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 207 of 321





NR41_100 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 208 of 321





NR41_100 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 209 of 321