



n77(3700~3980 MHz)_80 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 530 of 760





n77(3700~3980 MHz)_80 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 531 of 760





n77(3700~3980 MHz)_80 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 532 of 760





n77(3700~3980 MHz)_80 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 533 of 760




Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 3.840000000 GHz Avg|Hold: 50/50 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Bypass #IF Gain: Low Settings 3.840000000 GHz N PASS 1 Graph Ref LvI Offset 27.54 dB Ref Value 40.00 dBm 180.00 MHz Scale/Div 10.0 dB CF Step 18.000000 MHz Auto Man Freq Offset 0 Hz Center 3.84000 GHz #Res BW 1.8000 MHz Span 180 MHz #Sweep 50.0 ms (1001 pts) Video BW 8.0000 MHz 2 Metrics Occupied Bandwidth 87.084 MHz Total Power 34.1 dBm Transmit Freq Error x dB Bandwidth -445.60 kHz 95.20 MHz 99.00 % -26.00 dB % of OBW Power x dB Feb 04, 2025 10:55:22 AM

n77(3700~3980 MHz)_90 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 534 of 760





n77(3700~3980 MHz)_90 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 535 of 760





n77(3700~3980 MHz)_90 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 536 of 760





n77(3700~3980 MHz)_90 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 537 of 760





n77(3700~3980 MHz)_90 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 538 of 760





n77(3700~3980 MHz)_100 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 539 of 760





n77(3700~3980 MHz)_100 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 540 of 760





n77(3700~3980 MHz)_100 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 541 of 760





n77(3700~3980 MHz)_100 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 542 of 760



1961

Spectrum Analyzer 1 Occupied BW ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Center Freq: 3.840000000 GHz Avg|Hold: 50/50 Radio Std: None KEYSIGHT Input RF Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Bypass #IF Gain: Low Settings 3.840000000 GHz N PASS 1 Graph Ref Lvi Offset 27.54 dB Ref Value 40.00 dBm 200.00 MHz Scale/Div 10.0 dB CF Step 20.000000 MHz Auto Man Freq Offset 0 Hz Center 3.8400 GHz #Res BW 2.0000 MHz Span 200 MHz #Sweep 50.0 ms (1001 pts) #Video BW 8.0000 MHz 2 Metrics Occupied Bandwidth 97.067 MHz Total Power 30.3 dBm Transmit Freq Error x dB Bandwidth -391.30 kHz 104.8 MHz 99.00 % -26.00 dB % of OBW Power x dB

n77(3700~3980 MHz)_100 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 543 of 760






n77(3700~3980 MHz)_10 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 544 of 760






n77(3700~3980 MHz)_10 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 545 of 760





n77(3700~3980 MHz)_10 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 546 of 760





n77(3700~3980 MHz)_15 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 547 of 760




pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 5.015000000 GHz PPPPPP ĻΧI Mkr1 4.695 96 GHz 9.97000000 GHz -62.46 dBm Scale/Div 10 dB Ref Level 4.00 dBm Swept Span Zero Span 2 Full Span Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz **AUTO TUNE** Stop 10.000 GHz Sweep ~18.1 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz CF Step 997.000000 MHz 5 Marker Table Auto Man Function Width Function Value Freq Offset 0 Hz X Axis Scale Log Lin 9:14:44 AM .:. ¥

n77(3700~3980 MHz)_15 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 548 of 760





n77(3700~3980 MHz)_15 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 549 of 760






n77(3700~3980 MHz)_20 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 550 of 760






n77(3700~3980 MHz)_20 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 551 of 760





n77(3700~3980 MHz)_20 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 552 of 760





n77(3700~3980 MHz)_25 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 553 of 760




pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 5.015000000 GHz PPPPPP ĻΧI Mkr1 5.164 55 GHz 9.97000000 GHz -61.47 dBm Scale/Div 10 dB Ref Level 4.00 dBm Swept Span Zero Span 2 Full Span Start Freq 30.000000 MHz **(1**) Stop Freq 10.000000000 GHz **AUTO TUNE** Stop 10.000 GHz Sweep ~18.1 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz CF Step 997.000000 MHz 5 Marker Table Auto Man Function Width Function Value Function Freq Offset 0 Hz X Axis Scale Log Lin Feb 04, 2025 9:38:09 AM .:. ¥

n77(3700~3980 MHz)_25 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 554 of 760






n77(3700~3980 MHz)_25 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 555 of 760





n77(3700~3980 MHz)_30 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 556 of 760




pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 5.015000000 GHz PPPPPP ĻΧI Mkr1 4.935 24 GHz 9.97000000 GHz -61.42 dBm Scale/Div 10 dB Ref Level 4.00 dBm Swept Span Zero Span 2 Full Span Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz **AUTO TUNE** Stop 10.000 GHz Sweep ~18.1 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz CF Step 997.000000 MHz 5 Marker Table Auto Man Function Width Function Value Function Freq Offset 0 Hz X Axis Scale Log Lin 9:49:57 AM .:. ¥

n77(3700~3980 MHz)_30 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 557 of 760





n77(3700~3980 MHz)_30 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 558 of 760





n77(3700~3980 MHz)_40 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 559 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 5.015000000 GHz PPPPPP ĻΧI Mkr1 9.162 52 GHz 9.97000000 GHz -60.76 dBm Scale/Div 10 dB Ref Level 4.00 dBm Swept Span Zero Span 2 Full Span Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz **AUTO TUNE** Stop 10.000 GHz Sweep ~18.1 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz CF Step 997.000000 MHz 5 Marker Table Auto Man Function Width Function Value -60.76 dBm 2.494 dBm Freq Offset 0 Hz X Axis Scale Log Lin Feb 04, 2025 10:01:45 AM .:. ¥

n77(3700~3980 MHz)_40 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 560 of 760





n77(3700~3980 MHz)_40 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 561 of 760





n77(3700~3980 MHz)_50 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 562 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 5.015000000 GHz PPPPPP ĻΧI Mkr1 7.637 11 GHz 9.97000000 GHz -61.54 dBm Scale/Div 10 dB Ref Level 4.00 dBm Swept Span Zero Span 2 Full Span Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz **AUTO TUNE** Stop 10.000 GHz Sweep ~18.1 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz CF Step 997.000000 MHz 5 Marker Table Auto Man Function Width Function Value Function Freq Offset 0 Hz X Axis Scale Log Lin Feb 04, 2025 10:12:49 AM .:. ¥

n77(3700~3980 MHz)_50 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 563 of 760





n77(3700~3980 MHz)_50 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 564 of 760





n77(3700~3980 MHz)_60 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 565 of 760





n77(3700~3980 MHz)_60 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 566 of 760






n77(3700~3980 MHz)_60 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 567 of 760





n77(3700~3980 MHz)_70 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 568 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 5.015000000 GHz PPPPPP ĻΧI Mkr1 6.012 00 GHz 1 Spectrum 9.97000000 GHz -61.72 dBm Scale/Div 10 dB Ref Level 4.00 dBm Swept Span Zero Span 2 Full Span Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz **AUTO TUNE** Stop 10.000 GHz Sweep ~18.1 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz CF Step 997.000000 MHz 5 Marker Table Auto Man Function Width Function Value -61.72 dBm 2.081 dBm Freq Offset 0 Hz X Axis Scale Log Lin 7 Feb 04, 2025 10:35:12 AM .:. ¥

n77(3700~3980 MHz)_70 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 569 of 760





n77(3700~3980 MHz)_70 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 570 of 760





n77(3700~3980 MHz)_80 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 571 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 5.015000000 GHz PPPPPP ĻΧI Mkr1 7.607 20 GHz 1 Spectrum 9.97000000 GHz -61.64 dBm Scale/Div 10 dB Ref Level 4.00 dBm Swept Span Zero Span 2 Full Span Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz **AUTO TUNE** Stop 10.000 GHz Sweep ~18.1 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz CF Step 997.000000 MHz 5 Marker Table Auto Man Function Width Function Value -61.64 dBm 1.971 dBm Freq Offset 0 Hz X Axis Scale Log Lin 7 Feb 04, 2025 10:46:25 AM .:. ¥

n77(3700~3980 MHz)_80 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 572 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive #Atten: 14 dB PNO: Fast Preamp: Off Gate: Off µW Path: Standard IF Gain: Low Sig Track: Off KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 5.015000000 GHz PPPPPP ĻΧI Mkr1 4.915 30 GHz 1 Spectrum 9.97000000 GHz -62.49 dBm Scale/Div 10 dB Ref Level 4.00 dBm Swept Span Zero Span Full Span Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz **AUTO TUNE** Stop 10.000 GHz Sweep ~18.1 ms (1001 pts) Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz CF Step 997.000000 MHz 5 Marker Table Auto Man Function Width Function Value Function Freq Offset 0 Hz X Axis Scale Log Lin .:. ¥

n77(3700~3980 MHz)_80 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 573 of 760






n77(3700~3980 MHz)_90 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 574 of 760





n77(3700~3980 MHz)_90 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 575 of 760





n77(3700~3980 MHz)_90 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 576 of 760






n77(3700~3980 MHz)_100 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 577 of 760





n77(3700~3980 MHz)_100 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 578 of 760





n77(3700~3980 MHz)_100 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 579 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 38.23 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -69.03 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz AUTO TUNE CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)


.::

? Feb 04, 2025 8:59:06 AM

n77(3700~3980 MHz)_10 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 580 of 760





n77(3700~3980 MHz)_10 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 581 of 760






n77(3700~3980 MHz)_10 M_Conducted Spurious(Above10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 582 of 760





.::

? Feb 04, 2025 9:10:55 AM

n77(3700~3980 MHz)_15 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 583 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 38.35 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -68.35 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz SO O BASTACANATAY LATASAH MARANAH MARA **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)


.::

? Feb 04, 2025 9:14:56 AM

n77(3700~3980 MHz)_15 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 584 of 760





n77(3700~3980 MHz)_15 M_Conducted Spurious(Above10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 585 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 35.68 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -67.44 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq ાદાભાશિકે પ્રકૃતિ કર્માં કર્માં તાલી ભાગ કૃષ્ટિ કૃષ્ટ કર્માં મુખ્યા કે કિલ્લા કૃષ્ય કૃષ્ટ કૃષ્ 40.000000000 GHz **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)

.::

? Feb 04, 2025 9:22:41 AM

n77(3700~3980 MHz)_20 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 586 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 39.16 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -67.13 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz Specifican also superful de the site of the antique in the state of the contract of the superior of the superi **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts) ? Feb 04, 2025 9:26:40 AM

.::

n77(3700~3980 MHz)_20 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 587 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 38.77 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -68.53 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz naussisteretaki firite operation oleh olembakai energipe pikangan propertieretak propertieretak beliar saming **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)

.::

? Feb 04, 2025 9:30:24 AM

n77(3700~3980 MHz)_20 M_Conducted Spurious(Above10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 588 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 39.13 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -67.97 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz depotentier to the depote the depote the second section of the second section of the section of the section of **AUTO TUNE** a british saybad that the property that is CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)

.:. 🎉

? Feb 04, 2025 9:34:21 AM

n77(3700~3980 MHz)_25 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 589 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 39.13 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -66.83 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz datestiper floor forther for "feter and front of the section by the classical and become an anti-contract and branch and **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)

.::

? Feb 04, 2025 9:38:22 AM

n77(3700~3980 MHz)_25 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 590 of 760




pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 38.59 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -67.82 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz da_{le}derid vallede egiteletik situalistik erden perioristik protektik isak karalitar ori jela berek erden e **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts) ? Feb 04, 2025 9:42:07 AM .::

n77(3700~3980 MHz)_25 M_Conducted Spurious(Above10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 591 of 760





n77(3700~3980 MHz)_30 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 592 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 38.35 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -67.38 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz enribustikaler periodistriken kriteria berekatari beribustan beribustus beribusta kentaktir beriberiak beriber AUTO TUNE #UNITED AND THE PROPERTY OF TH CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)

.::

? Feb 04, 2025 9:50:10 AM

n77(3700~3980 MHz)_30 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 593 of 760




pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 39.13 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -67.95 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz this to record the first of the restand and the state of the state of the second of th **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts) ? Feb 04, 2025 9:53:55 AM .::

n77(3700~3980 MHz)_30 M_Conducted Spurious(Above10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 594 of 760





.::

n77(3700~3980 MHz)_40 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 595 of 760




pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 38.89 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -66.66 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz The of the part of any and the first of the angelian and any and the first of the f **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)

.::

n77(3700~3980 MHz)_40 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 596 of 760





n77(3700~3980 MHz)_40 M_Conducted Spurious(Above10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 597 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 36.79 GHz 1 Spectrum 30.0000000 GHz Scale/Div 10 dB -68.49 dBm Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz with the file of the transfer of the first properties the properties of the constraint of the field that the forest properties of the constraint of the cons AUTO TUNE CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)

.::

? Feb 04, 2025 10:09:45 AM

n77(3700~3980 MHz)_50 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 598 of 760



pectrum Analyzer 1 wept SA ø Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive KEYSIGHT Input RF #Avg Type: Power (RMS 1 2 3 4 5 (Trig: Free Run Settings 25.000000000 GHz PPPPPP ĻΧI Mkr1 38.71 GHz -68.44 dBm 1 Spectrum 30.0000000 GHz Scale/Div 10 dB Ref Level -20.00 dBm Swept Span Zero Span Full Span Start Freq 10.000000000 GHz Stop Freq 40.000000000 GHz Marchine participates to the contraction of the participates of the contraction of the co **AUTO TUNE** CF Step 3.000000000 GHz Auto Man Freq Offset 0 Hz X Axis Scale Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz Stop 40.00 GHz Sweep ~54.0 ms (1001 pts)

.::

? Feb 04, 2025 10:13:01 AM

n77(3700~3980 MHz)_50 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 599 of 760