



n77(3450~3550 MHz)_15 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 158 of 760





n77(3450~3550 MHz)_15 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 159 of 760





n77(3450~3550 MHz)_15 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 160 of 760






n77(3450~3550 MHz)_20 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 161 of 760





n77(3450~3550 MHz)_20 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 162 of 760





n77(3450~3550 MHz)_20 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 163 of 760





n77(3450~3550 MHz)_20 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 164 of 760






n77(3450~3550 MHz)_20 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 165 of 760





n77(3450~3550 MHz)_25 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 166 of 760





n77(3450~3550 MHz)_25 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 167 of 760





n77(3450~3550 MHz)_25 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 168 of 760





n77(3450~3550 MHz)_25 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 169 of 760





n77(3450~3550 MHz)_25 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 170 of 760





n77(3450~3550 MHz)_30 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 171 of 760



ø Center Freq: 3.500010000 GHz Avg|Hold: 200/200 Radio Std: None Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low KEYSIGHT Input: RF RL --- Align: Auto Settings 3.500010000 GHz DI PASS 1 Graph 60.000 MHz Ref LvI Offset 27.56 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 6.000000 MHz Auto Man Freq Offset 0 Hz Center 3.50001 GHz #Res BW 620.00 kHz Span 60 MHz #Sweep 50.0 ms (1001 pts) #Video BW 2.4000 MHz 2 Metrics Occupied Bandwidth 26.947 MHz Total Power 34.2 dBm Transmit Freq Error x dB Bandwidth -531.89 kHz 29.45 MHz 99.00 % -26.00 dB % of OBW Power 1 5 6

n77(3450~3550 MHz)_30 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 172 of 760





n77(3450~3550 MHz)_30 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 173 of 760





n77(3450~3550 MHz)_30 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 174 of 760






n77(3450~3550 MHz)_30 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 175 of 760






n77(3450~3550 MHz)_40 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 176 of 760





n77(3450~3550 MHz)_40 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 177 of 760






n77(3450~3550 MHz)_40 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 178 of 760





n77(3450~3550 MHz)_40 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 179 of 760





n77(3450~3550 MHz)_40 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 180 of 760






n77(3450~3550 MHz)_50 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 181 of 760





n77(3450~3550 MHz)_50 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 182 of 760





n77(3450~3550 MHz)_50 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 183 of 760





n77(3450~3550 MHz)_50 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 184 of 760





n77(3450~3550 MHz)_50 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 185 of 760





n77(3450~3550 MHz)_60 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 186 of 760





n77(3450~3550 MHz)_60 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 187 of 760





n77(3450~3550 MHz)_60 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 188 of 760





n77(3450~3550 MHz)_60 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 189 of 760





n77(3450~3550 MHz)_60 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 190 of 760






n77(3450~3550 MHz)_70 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 191 of 760





n77(3450~3550 MHz)_70 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 192 of 760






n77(3450~3550 MHz)_70 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 193 of 760





n77(3450~3550 MHz)_70 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 194 of 760



ø Center Freq: 3.500010000 GHz Avg|Hold: 200/200 Radio Std: None Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low KEYSIGHT Input: RF RL --- Coupling: L Align: Auto Settings 3.500010000 GHz DI PASS 1 Graph 140.00 MHz Ref LvI Offset 27.56 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 14.000000 MHz Auto Man Freq Offset 0 Hz Span 140 MHz #Sweep 50.0 ms (1001 pts) Center 3.50001 GHz #Res BW 1.5000 MHz #Video BW 6.0000 MHz 2 Metrics Occupied Bandwidth 64.940 MHz 30.9 dBm Total Power -1.3556 MHz 72.08 MHz Transmit Freq Error x dB Bandwidth 99.00 % -26.00 dB % of OBW Power 1 5 6 1

n77(3450~3550 MHz)_70 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 195 of 760





n77(3450~3550 MHz)_80 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 196 of 760





n77(3450~3550 MHz)_80 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 197 of 760





n77(3450~3550 MHz)_80 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 198 of 760





n77(3450~3550 MHz)_80 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 199 of 760





n77(3450~3550 MHz)_80 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 200 of 760





n77(3450~3550 MHz)_90 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 201 of 760




ø Center Freq: 3.500010000 GHz Avg|Hold: 200/200 Radio Std: None Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) NFE: Adaptive Atten: 14 dB Trig: Free Run Preamp: Off Gate: Off µW Path: Standard #IF Gain: Low KEYSIGHT Input: RF RL --- Align: Auto Settings 3.500010000 GHz LXI PASS 1 Graph 180.00 MHz Ref LvI Offset 27.56 dB Ref Value 40.00 dBm Scale/Div 10.0 dB CF Step 18.000000 MHz Auto Man Freq Offset 0 Hz Center 3.50001 GHz #Res BW 1.8000 MHz Span 180 MHz #Sweep 50.0 ms (1001 pts) Video BW 8.0000 MHz 2 Metrics Occupied Bandwidth 87.172 MHz 34.6 dBm Total Power -235.16 kHz 95.36 MHz Transmit Freq Error x dB Bandwidth 99.00 % -26.00 dB % of OBW Power

n77(3450~3550 MHz)_90 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 202 of 760





n77(3450~3550 MHz)_90 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 203 of 760





n77(3450~3550 MHz)_90 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 204 of 760






n77(3450~3550 MHz)_90 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 205 of 760





n77(3450~3550 MHz)_100 M_OBW_Mid_BPSK_FullRB

F-TP22-03 (Rev. 06) Page 206 of 760





n77(3450~3550 MHz)_100 M_OBW_Mid_QPSK_FullRB

F-TP22-03 (Rev. 06) Page 207 of 760





n77(3450~3550 MHz)_100 M_OBW_Mid_16QAM_FullRB

F-TP22-03 (Rev. 06) Page 208 of 760





n77(3450~3550 MHz)_100 M_OBW_Mid_64QAM_FullRB

F-TP22-03 (Rev. 06) Page 209 of 760





n77(3450~3550 MHz)_100 M_OBW_Mid_256QAM_FullRB

F-TP22-03 (Rev. 06) Page 210 of 760





n77(3450~3550 MHz)_10 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 211 of 760





n77(3450~3550 MHz)_10 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 212 of 760





n77(3450~3550 MHz)_10 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 213 of 760





n77(3450~3550 MHz)_15 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 214 of 760






n77(3450~3550 MHz)_15 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 215 of 760





n77(3450~3550 MHz)_15 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 216 of 760





n77(3450~3550 MHz)_20 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 217 of 760





n77(3450~3550 MHz)_20 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 218 of 760





n77(3450~3550 MHz)_20 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 219 of 760





n77(3450~3550 MHz)_25 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 220 of 760





n77(3450~3550 MHz)_25 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 221 of 760





n77(3450~3550 MHz)_25 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 222 of 760





n77(3450~3550 MHz)_30 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 223 of 760





n77(3450~3550 MHz)_30 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 224 of 760





n77(3450~3550 MHz)_30 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 225 of 760





n77(3450~3550 MHz)_40 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 226 of 760





n77(3450~3550 MHz)_40 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 227 of 760





n77(3450~3550 MHz)_40 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB

F-TP22-03 (Rev. 06) Page 228 of 760






n77(3450~3550 MHz)_50 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB

F-TP22-03 (Rev. 06) Page 229 of 760





n77(3450~3550 MHz)_50 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB

F-TP22-03 (Rev. 06) Page 230 of 760