



HARMONICS AND SPURIOUS EMISSIONS

0 CHANNEL RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.8062	39.26	PK2	34.3	-30.1	0	43.46	-	-	74	-30.54	0	100	H
* 4.80374	39.84	PK2	34.3	-30.1	0	44.04	-	-	74	-29.96	0	100	V
7.20656	35.26	PK2	35.8	-25.8	0	45.26	-	-	74	-28.74	0	100	H
7.20649	35.46	PK2	35.8	-25.8	0	45.46	-	-	74	-28.54	0	100	V
9.61018	32.85	PK2	36.7	-21.7	0	47.85	-	-	74	-26.15	0	100	H
9.60854	32.74	PK2	36.7	-21.7	0	47.74	-	-	74	-26.26	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

19 CHANNEL RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.88191	39.48	PK2	34.2	-30.9	0	42.78	-	-	74	-31.22	0	100	H
* 4.87976	40.14	PK2	34.2	-30.9	0	43.44	-	-	74	-30.56	0	100	V
* 7.32118	35.29	PK2	35.8	-25.4	0	45.69	-	-	74	-28.31	0	100	H
* 7.3224	35.36	PK2	35.8	-25.4	0	45.76	-	-	74	-28.24	0	100	V
9.76249	31.72	PK2	36.9	-21.2	0	47.42	-	-	74	-26.58	0	100	H
9.7611	31.89	PK2	36.9	-21.2	0	47.59	-	-	74	-26.41	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

39 CHANNEL RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.95944	39.57	PK2	34.3	-30.5	0	43.37	-	-	74	-30.63	0	100	H
* 4.9617	39.56	PK2	34.3	-30.6	0	43.26	-	-	74	-30.74	0	100	V
* 7.43986	34.54	PK2	35.7	-25.1	0	45.14	-	-	74	-28.86	0	100	H
* 7.43969	34.49	PK2	35.7	-25.1	0	45.09	-	-	74	-28.91	0	100	V
9.92242	31.62	PK2	37.1	-21.4	0	47.32	-	-	74	-26.68	0	100	H
9.91919	31.34	PK2	37.1	-21.3	0	47.14	-	-	74	-26.86	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

10.2.3. 2 Mbps ANT1

BANDEDGE (0 CHANNEL)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBu/m)	Det	3117_00218957	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	41.6	Pk	32.1	-25.1	0	48.6	-	-	74	-25.4	215	195	H
2	* 2.37377	44.54	Pk	32	-25.1	0	51.44	-	-	74	-22.56	215	195	H
3	* 2.39	32.03	RMS	32.1	-25.1	1.19	40.22	54	-13.78	-	-	215	195	H
4	* 2.38778	32.89	RMS	32.1	-25.1	1.19	41.08	54	-12.92	-	-	215	195	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	41.56	Pk	32.1	-25.1	0	48.56	-	-	74	-25.44	158	355	V
2	* 2.35618	44.91	Pk	32	-25.1	0	51.81	-	-	74	-22.19	158	355	V
3	* 2.39	31.58	RMS	32.1	-25.1	1.19	39.77	54	-14.23	-	-	158	355	V
4	* 2.37616	32.97	RMS	32.1	-25.1	1.19	41.16	54	-12.84	-	-	158	355	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

BANDEDGE (39 CHANNEL)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	42.44	Pk	32.4	-25	0	49.84	-	-	74	-24.16	210	100	H
2	* 2.48354	46.18	Pk	32.4	-25	0	63.58	-	-	74	-20.42	210	100	H
3	* 2.4835	32.13	RMS	32.4	-25	1.19	40.72	54	-13.28	-	-	210	100	H
4	2.53846	33.05	RMS	32.4	-24.9	1.19	41.74	54	-12.26	-	-	210	100	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	42.66	Pk	32.4	-25	0	50.06	-	-	74	-23.94	192	334	V
2	* 2.52654	44.72	Pk	32.4	-24.9	0	52.22	-	-	74	-21.78	192	334	V
3	* 2.4835	31.53	RMS	32.4	-25	1.19	40.12	54	-13.88	-	-	192	334	V
4	* 2.48593	33.11	RMS	32.4	-25	1.19	41.7	54	-12.3	-	-	192	334	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

HARMONICS AND SPURIOUS EMISSIONS

0 CHANNEL RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.80352	39.05	PK2	34.3	-30.1	0	43.25	-	-	74	-30.75	0	100	H
* 4.80393	40.17	PK2	34.3	-30.1	0	44.37	-	-	74	-29.63	0	100	V
7.20711	35.34	PK2	35.8	-25.8	0	45.34	-	-	74	-28.66	0	100	H
7.2048	35.38	PK2	35.8	-25.8	0	45.38	-	-	74	-28.62	0	100	V
9.61065	32.7	PK2	36.7	-21.6	0	47.8	-	-	74	-26.2	0	100	H
9.60929	32.44	PK2	36.7	-21.7	0	47.44	-	-	74	-26.56	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

19 CHANNEL RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.88204	39.64	PK2	34.2	-30.9	0	42.94	-	-	74	-31.06	0	100	H
* 4.87867	40.33	PK2	34.2	-30.8	0	43.73	-	-	74	-30.27	0	100	V
* 7.31995	35.98	PK2	35.8	-25.3	0	46.48	-	-	74	-27.52	0	100	H
* 7.32217	35.24	PK2	35.8	-25.4	0	45.64	-	-	74	-28.36	0	100	V
9.75942	31.87	PK2	36.9	-21.2	0	47.57	-	-	74	-26.43	0	100	H
9.75894	32.01	PK2	36.9	-21.1	0	47.81	-	-	74	-26.19	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

39 CHANNEL RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.96264	39.01	PK2	34.3	-30.5	0	42.81	-	-	74	-31.19	0	100	H
* 4.96138	39.43	PK2	34.3	-30.5	0	43.23	-	-	74	-30.77	0	100	V
* 7.43943	34.95	PK2	35.7	-25.1	0	45.55	-	-	74	-28.45	0	100	H
* 7.4432	34.88	PK2	35.7	-25.2	0	45.38	-	-	74	-28.62	0	100	V
9.91888	31.79	PK2	37.1	-21.3	0	47.59	-	-	74	-26.41	0	100	H
9.91886	31.35	PK2	37.1	-21.3	0	47.15	-	-	74	-26.85	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

10.2.4. 2 Mbps ANT2

BANDEDGE (0 CHANNEL)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBu)	Det	3117_00218957	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	41.19	Pk	32.1	-25.1	0	48.19	-	-	74	-25.81	147	126	H
2	* 2.37732	44.62	Pk	32.1	-25.1	0	51.62	-	-	74	-22.38	147	126	H
3	* 2.39	31.71	RMS	32.1	-25.1	1.19	39.9	54	-14.1	-	-	147	126	H
4	* 2.31231	33.37	RMS	31.8	-25.1	1.19	41.26	54	-12.74	-	-	147	126	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBu/m)	Average Limit (dBu/m)	Margin (dB)	Peak Limit (dBu/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	42.14	Pk	32.1	-25.1	0	49.14	-	-	74	-24.86	194	317	V
2	* 2.37998	44.25	Pk	32.1	-25.1	0	51.25	-	-	74	-22.75	194	317	V
3	* 2.39	31.68	RMS	32.1	-25.1	1.19	39.67	54	-14.13	-	-	194	317	V
4	* 2.3381	33.07	RMS	31.9	-25.1	1.19	41.06	54	-12.94	-	-	194	317	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

BANDEDGE (39 CHANNEL)

HORIZONTAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	42.18	Pk	32.4	-25	0	49.58	-	-	74	-24.42	148	166	H
2	2.50526	44.69	Pk	32.4	-24.9	0	62.19	-	-	74	-21.81	148	166	H
3	* 2.4835	31.67	RMS	32.4	-25	1.19	40.26	54	-13.74	-	-	148	166	H
4	* 2.49756	33.21	RMS	32.4	-25.1	1.19	41.7	54	-12.3	-	-	148	166	H

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Trace Markers

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	10dB_ATT(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	42.66	Pk	32.4	-25	0	50.06	-	-	74	-23.94	192	334	V
2	* 2.52654	44.72	Pk	32.4	-24.9	0	52.22	-	-	74	-21.78	192	334	V
3	* 2.4835	31.53	RMS	32.4	-25	1.19	40.12	54	-13.88	-	-	192	334	V
4	* 2.48593	33.11	RMS	32.4	-25	1.19	41.7	54	-12.3	-	-	192	334	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK - Peak detector
 RMS - RMS detection

HARMONICS AND SPURIOUS EMISSIONS

0 CHANNEL RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.80394	40.29	PK2	34.3	-30.1	0	44.49	-	-	74	-29.51	0	100	H
* 4.80315	39.6	PK2	34.3	-30.1	0	43.8	-	-	74	-30.2	0	100	V
7.2073	35.32	PK2	35.8	-25.8	0	45.32	-	-	74	-28.68	0	100	H
7.20786	34.96	PK2	35.8	-25.9	0	44.86	-	-	74	-29.14	0	100	V
9.60949	32.35	PK2	36.7	-21.7	0	47.35	-	-	74	-26.65	0	100	H
9.60672	32.42	PK2	36.7	-21.6	0	47.52	-	-	74	-26.48	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

19 CHANNEL RESULTS



HORIZONTAL



VERTICAL


Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.

Radiated Emissions


Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.8784	39.39	PK2	34.2	-30.8	0	42.79	-	-	74	-31.21	0	100	H
* 4.87978	39.54	PK2	34.2	-30.9	0	42.84	-	-	74	-31.16	0	100	V
* 7.32024	35.07	PK2	35.8	-25.3	0	45.57	-	-	74	-28.43	0	100	H
* 7.32168	35.05	PK2	35.8	-25.4	0	45.45	-	-	74	-28.55	0	100	V
9.76148	32.27	PK2	36.9	-21.2	0	47.97	-	-	74	-26.03	0	100	H
9.76084	32.16	PK2	36.9	-21.2	0	47.86	-	-	74	-26.14	0	100	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

39 CHANNEL RESULTS



HORIZONTAL



VERTICAL

Note: Emission was scanned up to 26GHz; No emissions were detected above the noise floor which was at least 20dB below the specification limit.


Radiated Emissions

Frequency (GHz)	Meter Reading (dBuV)	Det	3117_00218957	3GHz_HP(dB)	DC Corr (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
* 4.96269	39.54	PK2	34.3	-30.5	0	43.34	-	-	74	-30.66	0	100	H
* 4.96198	39.27	PK2	34.3	-30.6	0	42.97	-	-	74	-31.03	0	100	V
* 7.44218	35.33	PK2	35.7	-25.1	0	45.93	-	-	74	-28.07	0	100	H
* 7.44075	35.21	PK2	35.7	-25.1	0	45.81	-	-	74	-28.19	0	100	V
9.91977	31.07	PK2	37.1	-21.4	0	46.77	-	-	74	-27.23	0	100	H
9.92501	31.33	PK2	37.2	-21.4	0	47.13	-	-	74	-26.87	0	100	V


* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 PK2 - KDB558074 Method: Maximum Peak

10.3. WORST CASE BELOW 1 GHZ

SPURIOUS EMISSIONS 30 TO 1000 MHz (WORST-CASE CONFIGURATION)



HORIZONTAL



VERTICAL

Trace Markers

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	VULB9163_845	Below_1G(dB)	Corrected Reading (dBuV/m)	QPK Limit (dBuV/m)	Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	64.5841	39.49	Pk	17	-31.7	24.79	40	-15.21	0-360	300	H
3	* 162.6127	40.74	Pk	14.3	-31	24.04	43.52	-19.48	0-360	100	H
5	* 275.7263	41.41	Pk	18.2	-30.5	29.11	46.02	-16.91	0-360	100	H
2	30.097	48.69	Pk	15.9	-32	32.59	40	-7.41	0-360	100	V
4	160.1874	41.41	Pk	14.2	-31.1	24.51	43.52	-19.01	0-360	100	V
6	589.8447	35.73	Pk	24.1	-29.6	30.23	46.02	-15.79	0-360	300	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band
 Pk - Peak detector

11. AC POWER LINE CONDUCTED EMISSIONS

LIMITS

FCC §15.207 (a)

IC RSS-Gen (7) & (8.8)

Frequency of Emission (MHz)	Conducted Limit (dBuV)	
	Quasi-peak	Average
0.15-0.5	66 to 56	56 to 46
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.

TEST PROCEDURE

The EUT is placed on a non-conducting table 40 cm from the vertical ground plane and 80 cm above the horizontal ground plane. The EUT is configured in accordance with ANSI C63.10.


The receiver is set to a resolution bandwidth of 9 kHz. Peak detection is used unless otherwise noted as quasi-peak or average.

Line conducted data is recorded for both NEUTRAL and HOT lines.

RESULTS

11.1. AC Power Line

LINE 1 RESULTS



Trace Markers

Range 1: Phase L1 .15 - 30MHz

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	101836_Wit h EX_L1[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
1	.156	51.01	Pk	9.8	.1	60.91	65.67	-4.76	-	-
2	.165	37.9	Av	9.9	.1	47.9	-	-	55.21	-7.31
3	.24	41.51	Pk	9.7	.2	51.41	62.1	-10.69	-	-
4	.24	27.64	Av	9.7	.2	37.54	-	-	52.1	-14.56
5	.321	38.66	Pk	9.7	.2	48.56	59.68	-11.12	-	-
6	.321	19.88	Av	9.7	.2	29.78	-	-	49.68	-19.9
7	.426	34.65	Pk	9.8	.2	44.65	57.33	-12.68	-	-
8	.408	16.07	Av	9.8	.2	26.07	-	-	47.69	-21.62
9	.69	29.88	Pk	9.8	.2	39.88	56	-16.12	-	-
10	.756	10.74	Av	9.8	.2	20.74	-	-	46	-25.26
11	21.135	45.1	Pk	10.2	.4	55.7	60	-4.3	-	-
12	21.27	30.28	Av	10.2	.4	40.88	-	-	50	-9.12

Pk - Peak detector

Av - Average detection


Quasi-Peak Emissions

Range 1: Phase L1 .15 - 30MHz

Frequency (MHz)	Meter Reading (dBuV)	Det	101836_Wit h EX_L1[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
.15675	42.16	Qp	9.8	.1	52.06	65.63	-13.57	-	-
.16425	41.77	Qp	9.9	.1	51.77	65.25	-13.48	-	-
21.1352	36.99	Qp	10.2	.4	47.59	60	-12.41	-	-
21.2693	36.69	Qp	10.2	.4	47.29	60	-12.71	-	-

Qp - Quasi-Peak detector

LINE 2 RESULTS



Trace Markers

Range 2: Phase N .15 - 30MHz

Marker	Frequency (MHz)	Meter Reading (dBuV)	Det	101836_Wit h EX_N[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
13	.162	45.26	Pk	9.9	.1	55.26	65.36	-10.1	-	-
14	.162	28.63	Av	9.9	.1	38.63	-	-	55.36	-16.73
15	.243	38.65	Pk	9.6	.2	48.45	61.99	-13.54	-	-
16	.255	24.02	Av	9.6	.2	33.82	-	-	51.59	-17.77
17	.336	36.79	Pk	9.8	.2	46.79	59.3	-12.51	-	-
18	.33	20.86	Av	9.8	.2	30.86	-	-	49.45	-18.59
19	.414	32.88	Pk	9.8	.2	42.88	57.57	-14.69	-	-
20	.405	13.95	Av	9.8	.2	23.95	-	-	47.75	-23.8
21	.69	29.81	Pk	9.8	.2	39.81	56	-16.19	-	-
22	.708	9.32	Av	9.8	.2	19.32	-	-	46	-26.68
23	21.33	39.92	Pk	10.3	.4	50.62	60	-9.38	-	-
24	21.213	28.74	Av	10.3	.4	39.44	-	-	50	-10.56

Pk - Peak detector

Av - Average detection

Quasi-Peak Emissions

Range 2: Phase N .15 - 30MHz

Frequency (MHz)	Meter Reading (dBuV)	Det	101836_Wit h EX_N[dB]	CABLELOS S(dB)	Corrected Reading (dB(uVolts))	CFR 47 FCC PART 15 Class B QP	Margin (dB)	CFR 47 FCC PART 15 Class B AV	Margin (dB)
21.3308	33.87	Qp	10.3	.4	44.57	60	-15.43	-	-

Qp - Quasi-Peak detector

END OF TEST REPORT