


Page 49 of 614


# 2TX CDD MODE - 52T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5260	21.76	20.68
Mid	5300	19.88	19.04
High	5320	21.16	20.40


# LOW CHANNEL



# MID CHANNEL




Page 50 of 614




# 2TX CDD MODE - 106T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5260	22.84	22.32
Mid	5300	23.12	22.24
High	5320	22.24	21.68


# LOW CHANNEL



# MID CHANNEL




Page 52 of 614




# 2TX CDD MODE - 242T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5260	35.76	26.12
Mid	5300	27.84	24.36
High	5320	27.96	22.76


# LOW CHANNEL



# MID CHANNEL



Page 54 of 614




Page 55 of 614

# 9.2.14. 802.11ax HE40 MODE IN THE 5.3 GHz BAND


# 2TX CDD MODE - 484T

ľ	Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
			Chain 0	Chain 1
		(MHz)	(MHz)	(MHz)
	Low	5270	91.20	71.80
	High	5310	50.60	54.50

# LOW CHANNEL



# **HIGH CHANNEL**




Page 56 of 614

# 9.2.15. 802.11ax HE80 MODE IN THE 5.3 GHz BAND

# 2TX CDD MODE - 996T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Mid	5290	182.30	196.80

### **MID CHANNEL**




# 9.2.16. 802.11ax HE160 MODE IN THE 5.2 AND 5.3 GHz BAND

# 2TX CDD MODE - 2x996T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Antenna 1	Antenna 2
	(MHz)	(MHz)	(MHz)
Mid	5250	168.32	168.32

### **MID CHANNEL**




# 9.2.17. 802.11a MODE IN THE 5.6 GHz BAND


### 2TX CDD MODE

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5500	19.84	19.60
Mid	5580	19.60	19.68
High	5700	19.88	19.60
144	5720	15.12	14.84

# LOW CHANNEL








UL LLC 12 Laboratory Drive, Research Triangle Park, NC 27709; USA This report shall not be reproduced except in full, without the written approval of UL LLC

Page 59 of 614








Page 60 of 614


# 9.2.18. 802.11n HT20 MODE IN THE 5.6 GHz BAND

### 2TX CDD MODE

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5500	20.92	20.80
Mid	5580	20.92	20.72
High	5700	20.88	20.68
144	5720	15.56	15.48


# LOW CHANNEL






MID CHANNEL

Page 61 of 614








Page 62 of 614


# 9.2.19. 802.11n HT40 MODE IN THE 5.6 GHz BAND

### 2TX CDD MODE

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5510	40.64	40.72
Mid	5550	40.80	40.72
High	5670	40.80	40.48
142	5710	35.40	35.48


# LOW CHANNEL






### **MID CHANNEL**

Page 63 of 614








Page 64 of 614


### 9.2.20. 802.11ac VHT80 MODE IN THE 5.6 GHz BAND

### 2TX CDD MODE

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5530	84.32	83.68
High	5610	83.84	83.68
138	5690	77.08	76.60


# LOW CHANNEL





Page 65 of 614

# **HIGH CHANNEL**



### **CHANNEL 138**


Page 66 of 614

# 9.2.1. 802.11ac VHT160 MODE IN THE 5.6 GHz BAND

# 2TX CDD MODE

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Antenna 1	Antenna 2
	(MHz)	(MHz)	(MHz)
High	5570	168.64	166.72

### **MID CHANNEL**




Page 67 of 614

# 9.2.2. 802.11ax HE20 MODE IN THE 5.6 GHz BAND


# <u>2TX CDD MODE – 26T</u>

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5500	21.16	20.48
Mid	5580	19.24	18.76
High	5700	20.76	20.20
144	5720	16.44	16.02


# LOW CHANNEL




# MID CHANNEL



Page 68 of 614



### CHANNEL 144




Page 69 of 614


# 2TX CDD MODE - 52T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5500	21.76	20.72
Mid	5580	19.96	19.08
High	5700	21.16	20.44
144	5720	16.68	16.12


# LOW CHANNEL








Page 70 of 614




CHANNEL 144




# 2TX CDD MODE - 106T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5500	22.88	21.72
Mid	5580	22.80	22.40
High	5700	22.16	21.64
144	5720	17.24	16.80

# LOW CHANNEL




# **MID CHANNEL**




UL LLC 12 Laboratory Drive, Research Triangle Park, NC 27709; USA This report shall not be reproduced except in full, without the written approval of UL LLC

Page 72 of 614








Page 73 of 614


# 2TX CDD MODE - 242T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5500	23.92	23.48
Mid	5580	23.84	23.20
High	5700	23.76	23.16
144	5720	16.44	16.92


# LOW CHANNEL




# **MID CHANNEL**



Page 74 of 614








Page 75 of 614

# 9.2.3. 802.11ax HE40 MODE IN THE 5.6 GHz BAND


# 2TX CDD MODE - 484T

Channel	Frequency	26 dB Bandwidth	26 dB Bandwidth
		Chain 0	Chain 1
	(MHz)	(MHz)	(MHz)
Low	5510	45.76	46.48
Mid	5550	46.88	46.48
High	5670	45.92	46.48
142	5710	38.28	38.52

# LOW CHANNEL



# MID CHANNEL



Page 76 of 614