



HCT Co., Ltd.
74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383
KOREA Tel. +82 31 634 6300 Fax. +82 31 645 6401

FCC ID: A3LSMX810

Appendix A.

- S-Pen RF-Exposure SETUP PHOTOGRAPHS


REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	May 16, 2023	Initial Release


- S-Pen RF-Exposure SETUP PHOTOGRAPHS

Positions of SPEN and DUT during charging.



Thickness of SPEN: 8 mm


1. Test setup Photo of Direct contact from the edge of the Device to Probe Surface
(The distance between the surface and the center of the probe is 5.45 cm.)




Main Rear side




Sub Rear side



Main Left side




Main Left side




Main Right side




Sub Right side




Main Top side



Sub Top side




Main Bottom side



Sub Bottom side

2. Test setup Photo of the distance of 2cm from DUT to the surface of Probe.
(The distance between the surface and the center of the probe is 7.45 cm.)




Main Rear side




Sub Rear side

3. Test setup Photo of the distance of 4cm from DUT to the surface of Probe.
(The distance between the surface and the center of the probe is 9.45 cm.)




Main Rear side




Sub Rear side

4. Test setup Photo of the distance of 6cm from DUT to the surface of Probe.
(The distance between the surface and the center of the probe is 11.45 cm.)




Main Rear side




Sub Rear side

5. Test setup Photo of the distance of 8cm from DUT to the surface of Probe.
(The distance between the surface and the center of the probe is 13.45 cm.)




Main Rear side




Sub Rear side

6. Test setup Photo of the distance of 10cm from DUT to the surface of Probe.
(The distance between the surface and the center of the probe is 15.45 cm.)




Main Rear side




Sub Rear side

7. Test setup Photo of the distance of 12cm from DUT to the surface of Probe.
(The distance between the surface and the center of the probe is 17.45 cm.)




Main Rear side




Sub Rear side

8. Test setup Photo of the distance of 14cm from DUT to the surface of Probe.
(The distance between the surface and the center of the probe is 17.45 cm.)




Main Rear side




Sub Rear side

9. Test setup Photo of the distance of 16cm from DUT to the surface of Probe.
(The distance between the surface and the center of the probe is 19.45 cm.)




Main Rear side



Sub Rear side

10. Test setup Photo of the distance of 18cm from DUT to the surface of Probe. (The distance between the surface and the center of the probe is 21.45 cm.)




Main Rear side




Sub Rear side

11. Test setup Photo of the distance of 20cm from DUT to the surface of Probe. (The distance between the surface and the center of the probe is 23.45 cm.)



Main Rear side



Sub Rear side