



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA
Tel. +82 31 634 6300 Fax. +82 31 645 6401

<h1 style="margin: 0;">Appendix A:</h1> <h2 style="margin: 0;">Test Setup</h2> <h3 style="margin: 0;">Photo</h3>	<p>FCC ID A3LSMX810</p>
	<p>File No.</p>
	<p>HCT-RF-2305-FC046-P HCT-RF-2305-FC047-P</p>
	<p>HCT-RF-2305-FC048-P HCT-RF-2305-FC049-P</p>
	<p>HCT-RF-2305-FC050-P HCT-RF-2305-FC051-P</p>
	<p>HCT-RF-2305-FC052-P HCT-RF-2305-FC053-P</p> <p>HCT-RF-2305-FC054-P</p>

REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	May 16, 2023	Initial Release


File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	

1. Radiated Test Setup Photo


Radiated spurious emissions & Restricted Band Edge (Above 1 GHz)




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	


Radiated spurious emissions (Below 1GHz)




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	

WPS Radiated Test Setup Photo for




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	


WPS Radiated Test Setup Photo for 30 MHz ~ 1 GHz :




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	

2. Conducted Test Setup Photo



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	

3. DFS Test Setup Photo



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	

4. AC Power Line Conducted Test Setup Photo




File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	

AC PowerLine Conducted Test WPS(S-pen) Setup Photo



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	

5. Contention Based Protocol



File No.	HCT-RF-2305-FC046-P	HCT-RF-2305-FC047-P	HCT-RF-2305-FC048-P	HCT-RF-2305-FC049-P	HCT-RF-2305-FC050-P
	HCT-RF-2305-FC051-P	HCT-RF-2305-FC052-P	HCT-RF-2305-FC053-P	HCT-RF-2305-FC054-P	