802.11 ax HE20 / UNII-7 / CH185 6875 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-45.52	(-14.00)	-1.000 M	-59.36	(-27.84)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-44.80	(-13.09)	-1.215 M	-66.06	(-26.78)	9.806 M
10.08 MHz	20.16 MHz	200.0 kHz	-66.66	(-15.30)	-20.02 M	-65.79	(-14.87)	19.66 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.93	(-14.41)	-35.22 M	-65.34	(-13.82)	32.64 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (4 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-57.51	(-25.53)	-1.000 M	-61.63	(-29.65)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-66.24	(-26.35)	-9.987 M	-66.35	(-26.38)	10.08 M
10.08 MHz	20.16 MHz	200.0 kHz	-66.75	(-14.94)	-20.02 M	-66.03	(-14.22)	20.02 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.61	(-13.63)	-36.12 M	-65.39	(-13.42)	35.52 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (8 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-57.70	(-25.94)	-1.000 M	-47.65	(-15.89)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-55.81	(-23.91)	-1.155 M	-48.23	(-16.33)	1.155 M
10.08 MHz	20.16 MHz	200.0 kHz	-66.37	(-14.63)	-20.14 M	-65.94	(-14.41)	19.96 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.81	(-14.05)	-34.08 M	-65.31	(-13.54)	46.03 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-46.93	(-14.52)	-1.000 M	-60.83	(-28.42)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-47.08	(-14.63)	-1.040 M	-65.58	(-25.35)	10.08 M
10.30 MHz	20.59 MHz	200.0 kHz	-66.27	(-13.87)	-20.58 M	-66.05	(-14.14)	20.15 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.70	(-13.29)	-38.12 M	-65.55	(-13.14)	26.30 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (4 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-61.30	(-28.30)	-1.000 M	-62.45	(-29.44)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-66.01	(-25.09)	-10.21 M	-65.68	(-25.01)	9.904 M
10.30 MHz	20.59 MHz	200.0 kHz	-66.52	(-13.74)	-20.40 M	-65.75	(-12.83)	20.52 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.81	(-12.80)	-48.73 M	-65.46	(-12.46)	34.62 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (8 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-61.52	(-28.90)	-1.000 M	-48.77	(-16.15)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-66.31	(-26.08)	-9.844 M	-49.48	(-16.52)	1.402 M
10.30 MHz	20.59 MHz	200.0 kHz	-66.38	(-13.85)	-20.52 M	-65.43	(-12.90)	20.52 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.78	(-13.16)	-26.30 M	-65.37	(-12.75)	25.88 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE20 / UNII-8 / CH189 6895 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-45.77	(-13.99)	-1.000 M	-59.62	(-27.84)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-44.99	(-12.96)	-1.275 M	-66.15	(-26.40)	10.05 M
10.08 MHz	20.16 MHz	200.0 kHz	-66.09	(-14.47)	-20.02 M	-66.11	(-14.71)	19.84 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.57	(-13.79)	-21.28 M	-65.34	(-13.56)	25.13 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (4 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-58.82	(-28.23)	-939.9 k	-61.21	(-29.42)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-58.61	(-26.57)	-1.275 M	-65.92	(-26.13)	10.08 M
10.08 MHz	20.16 MHz	200.0 kHz	-66.49	(-14.70)	-20.16 M	-66.19	(-14.56)	20.02 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.83	(-14.04)	-48.50 M	-65.06	(-13.27)	47.48 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (8 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-59.08	(-27.49)	-1.000 M	-47.38	(-15.79)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-57.36	(-25.64)	-1.155 M	-47.16	(-15.57)	1.000 M
10.08 MHz	20.16 MHz	200.0 kHz	-66.11	(-14.83)	-19.90 M	-66.46	(-14.87)	20.16 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.80	(-14.21)	-41.77 M	-65.08	(-13.50)	23.62 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-48.16	(-15.20)	-1.000 M	-60.82	(-27.86)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-48.25	(-15.10)	-1.221 M	-65.47	(-25.21)	9.482 M
10.30 MHz	20.59 MHz	200.0 kHz	-66.11	(-13.16)	-20.58 M	-65.75	(-13.01)	20.40 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.63	(-12.66)	-22.26 M	-65.34	(-12.38)	31.25 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (4 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-62.35	(-29.30)	-1.000 M	-61.60	(-28.56)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-65.98	(-25.07)	-10.15 M	-65.67	(-24.96)	9.904 M
10.30 MHz	20.59 MHz	200.0 kHz	-66.24	(-13.42)	-20.40 M	-66.13	(-13.31)	20.40 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.47	(-12.43)	-24.31 M	-64.92	(-11.88)	45.72 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (8 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-60.86	(-28.13)	-1.000 M	-48.92	(-16.19)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-66.41	(-25.76)	-10.21 M	-48.12	(-15.30)	1.101 M
10.30 MHz	20.59 MHz	200.0 kHz	-65.86	(-13.64)	-20.15 M	-65.32	(-12.82)	20.40 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.86	(-13.13)	-31.49 M	-65.14	(-12.41)	38.97 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE20 / UNII-8 / CH209 6995 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-43.77	(-13.62)	-939.9 k	-58.58	(-27.23)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-44.43	(-12.99)	-1.095 M	-65.43	(-26.16)	9.987 M
10.08 MHz	20.16 MHz	200.0 kHz	-66.18	(-14.83)	-20.16 M	-65.83	(-14.48)	20.16 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.23	(-13.88)	-27.59 M	-65.07	(-13.73)	29.09 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (4 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-59.19	(-27.60)	-1.000 M	-60.48	(-28.89)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-65.44	(-26.09)	-9.806 M	-57.70	(-26.07)	1.035 M
10.08 MHz	20.16 MHz	200.0 kHz	-65.81	(-14.39)	-20.02 M	-66.14	(-14.57)	20.14 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.41	(-13.82)	-40.33 M	-65.21	(-13.62)	25.01 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (8 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-57.98	(-26.47)	-1.000 M	-46.80	(-15.29)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-54.52	(-22.98)	-1.035 M	-45.56	(-14.05)	1.000 M
10.08 MHz	20.16 MHz	200.0 kHz	-65.99	(-14.65)	-20.02 M	-66.29	(-14.79)	20.16 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.45	(-13.95)	-23.81 M	-65.06	(-13.55)	36.48 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-47.47	(-15.63)	-1.000 M	-60.97	(-29.14)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-48.02	(-16.10)	-1.101 M	-65.17	(-25.78)	9.783 M
10.30 MHz	20.59 MHz	200.0 kHz	-65.94	(-14.12)	-20.58 M	-66.47	(-14.64)	20.59 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.49	(-13.66)	-25.34 M	-65.11	(-13.28)	24.19 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (4 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-61.12	(-29.15)	-1.000 M	-60.83	(-28.87)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-65.86	(-25.89)	-10.30 M	-65.63	(-25.85)	10.08 M
10.30 MHz	20.59 MHz	200.0 kHz	-65.36	(-13.83)	-20.21 M	-65.98	(-14.45)	20.21 M
20.59 MHz	50.00 MHz	200.0 kHz	-64.87	(-12.90)	-23.95 M	-65.25	(-13.29)	38.60 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (8 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-60.65	(-28.49)	-1.000 M	-48.70	(-16.54)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-65.24	(-25.37)	-9.964 M	-48.93	(-16.58)	1.221 M
10.30 MHz	20.59 MHz	200.0 kHz	-65.89	(-14.02)	-20.33 M	-66.10	(-13.95)	20.58 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.32	(-13.16)	-36.43 M	-65.11	(-12.95)	46.08 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE20 / UNII-8 / CH233 7115 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-46.30	(-14.24)	-1.000 M	-59.19	(-27.12)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-46.43	(-14.23)	-1.155 M	-65.44	(-25.46)	9.987 M
10.08 MHz	20.16 MHz	200.0 kHz	-65.95	(-14.06)	-20.02 M	-65.52	(-13.62)	20.02 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.20	(-13.13)	-24.11 M	-65.20	(-13.14)	46.40 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-46.92	(-14.73)	-1.000 M	-59.77	(-27.57)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-46.09	(-13.89)	-1.000 M	-65.99	(-25.87)	10.21 M
10.30 MHz	20.59 MHz	200.0 kHz	-66.22	(-14.11)	-20.52 M	-65.57	(-13.46)	20.52 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.50	(-13.30)	-29.86 M	-65.22	(-13.02)	35.29 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (4 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-60.19	(-27.74)	-1.000 M	-60.28	(-27.83)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-65.38	(-25.33)	-9.626 M	-65.36	(-24.94)	10.05 M
10.08 MHz	20.16 MHz	200.0 kHz	-65.89	(-13.68)	-19.96 M	-65.76	(-13.40)	20.08 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.27	(-12.82)	-39.85 M	-65.06	(-12.61)	34.32 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (4 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-60.90	(-28.80)	-1.000 M	-60.37	(-28.28)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-65.99	(-25.98)	-10.21 M	-65.80	(-26.04)	9.904 M
10.30 MHz	20.59 MHz	200.0 kHz	-66.09	(-14.00)	-20.59 M	-65.55	(-13.69)	20.40 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.38	(-13.29)	-48.07 M	-64.96	(-12.87)	28.41 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (8 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-58.87	(-26.86)	-1.000 M	-47.84	(-15.83)	1.000 M
1.000 MHz	10.08 MHz	200.0 kHz	-65.49	(-25.61)	-9.927 M	-47.03	(-15.01)	1.000 M
10.08 MHz	20.16 MHz	200.0 kHz	-65.52	(-13.60)	-20.08 M	-65.79	(-13.94)	20.02 M
20.16 MHz	50.00 MHz	200.0 kHz	-65.37	(-13.36)	-30.59 M	-65.10	(-13.09)	35.22 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (8 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	200.0 kHz	-59.79	(-27.83)	-1.000 M	-48.18	(-16.22)	1.000 M
1.000 MHz	10.30 MHz	200.0 kHz	-65.81	(-25.88)	-10.27 M	-47.10	(-14.90)	1.282 M
10.30 MHz	20.59 MHz	200.0 kHz	-65.45	(-13.64)	-20.46 M	-64.96	(-13.30)	20.33 M
20.59 MHz	50.00 MHz	200.0 kHz	-65.13	(-13.17)	-30.59 M	-65.06	(-13.10)	31.85 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.2.7. 802.11 ax HE40 RU MODE

802.11 ax HE40 / UNII-5 / CH3 5965 MHz	
ANT1	ANT2
26T (0 RU)	
	
26T (9 RU)	
	
26T (17 RU)	
	

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-5 / CH43 6165 MHz

ANT1

26T (0 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-44.88	(-13.36)	-1.000 M	-58.27	(-26.75)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-44.88	(-13.36)	-1.000 M	-60.45	(-20.93)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.94	(-8.65)	-39.44 M	-59.69	(-8.21)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.15	(-7.62)	-84.06 M	-59.44	(-7.92)	43.62 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.56	(-13.89)	-1.000 M	-58.10	(-28.43)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.54	(-13.87)	-1.016 M	-60.36	(-22.73)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.97	(-10.47)	-39.55 M	-59.48	(-10.18)	39.22 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.12	(-9.45)	-78.46 M	-59.26	(-9.59)	62.19 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-59.03	(-28.20)	-1.000 M	-58.97	(-28.14)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.28	(-21.59)	-19.59 M	-60.47	(-21.68)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.05	(-9.31)	-39.66 M	-60.00	(-9.47)	39.33 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.31	(-8.48)	-78.13 M	-59.12	(-8.29)	67.58 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.59	(-29.06)	-1.000 M	-58.58	(-29.04)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.34	(-22.81)	-19.92 M	-60.46	(-22.93)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.79	(-10.26)	-39.83 M	-59.63	(-10.52)	39.11 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.27	(-9.74)	-55.71 M	-59.37	(-9.83)	46.80 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.76	(-27.69)	-1.000 M	-45.59	(-14.51)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.37	(-21.34)	-19.81 M	-45.26	(-14.13)	1.126 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.50	(-8.46)	-39.77 M	-60.07	(-9.09)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.22	(-8.14)	-42.96 M	-59.21	(-8.14)	60.87 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.48	(-26.63)	-1.000 M	-44.57	(-13.71)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.41	(-21.56)	-19.92 M	-44.57	(-13.71)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.54	(-8.72)	-39.77 M	-59.68	(-9.32)	39.00 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.30	(-8.45)	-46.36 M	-59.22	(-8.36)	63.18 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-5 / CH91 6405 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-44.53	(-13.97)	-1.000 M	-58.42	(-27.86)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-44.53	(-13.97)	-1.000 M	-60.23	(-21.72)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.51	(-9.99)	-39.77 M	-60.16	(-9.60)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.50	(-8.94)	-48.23 M	-59.46	(-8.90)	78.35 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-45.00	(-13.60)	-1.000 M	-58.72	(-27.31)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-45.00	(-13.60)	-1.000 M	-60.48	(-21.12)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.57	(-8.20)	-39.77 M	-60.19	(-8.79)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.47	(-8.07)	-54.39 M	-59.34	(-7.93)	40.10 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.04	(-28.08)	-1.000 M	-58.46	(-28.50)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.60	(-22.64)	-19.92 M	-60.49	(-22.53)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.75	(-10.35)	-38.89 M	-59.67	(-10.08)	39.22 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.42	(-9.46)	-55.93 M	-59.48	(-9.52)	41.75 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-59.08	(-28.33)	-1.000 M	-58.98	(-28.23)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.30	(-21.61)	-19.81 M	-60.36	(-21.71)	19.70 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.82	(-9.70)	-38.78 M	-59.78	(-9.14)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.55	(-8.80)	-45.26 M	-59.45	(-8.71)	81.87 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.18	(-27.88)	-1.000 M	-44.43	(-14.13)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.39	(-22.09)	-19.92 M	-44.43	(-14.13)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.23	(-10.10)	-39.55 M	-60.11	(-10.05)	39.44 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.53	(-9.23)	-67.25 M	-59.15	(-8.85)	65.05 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.30	(-26.88)	-1.000 M	-45.67	(-14.25)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.57	(-21.15)	-19.92 M	-45.69	(-14.22)	1.126 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.92	(-9.07)	-38.89 M	-60.09	(-8.71)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.45	(-8.03)	-52.41 M	-59.33	(-7.91)	46.47 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-6 / CH99 6445 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.83	(-13.62)	-1.000 M	-58.18	(-27.97)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.84	(-13.62)	-1.016 M	-60.55	(-22.33)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.64	(-9.85)	-39.11 M	-59.66	(-10.08)	38.78 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.38	(-9.16)	-42.52 M	-59.34	(-9.13)	69.34 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.90	(-28.15)	-1.000 M	-58.61	(-28.85)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.55	(-22.80)	-19.92 M	-60.51	(-22.76)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.98	(-10.33)	-39.66 M	-59.84	(-10.46)	39.22 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.35	(-9.59)	-48.89 M	-59.41	(-9.65)	77.36 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.35	(-27.93)	-1.000 M	-43.55	(-13.12)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.45	(-22.03)	-19.92 M	-43.54	(-13.10)	1.016 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.40	(-9.28)	-39.33 M	-59.86	(-9.53)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.22	(-8.80)	-87.03 M	-59.15	(-8.73)	43.62 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-44.66	(-13.78)	-1.000 M	-58.13	(-27.25)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-44.66	(-13.78)	-1.000 M	-60.55	(-21.71)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.83	(-8.94)	-39.83 M	-59.69	(-8.84)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.28	(-8.40)	-54.94 M	-59.47	(-8.59)	62.63 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.56	(-28.59)	-1.000 M	-58.49	(-28.53)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.40	(-22.44)	-19.92 M	-60.44	(-22.48)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.61	(-9.75)	-39.66 M	-59.81	(-9.95)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.27	(-9.31)	-67.91 M	-59.71	(-9.75)	80.55 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.07	(-27.42)	-1.000 M	-44.21	(-13.56)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.42	(-21.82)	-19.81 M	-44.21	(-13.56)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.89	(-9.34)	-39.66 M	-59.75	(-9.14)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.95	(-8.30)	-48.67 M	-59.44	(-8.79)	74.39 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-6 / CH115 6525 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.60	(-13.91)	-1.000 M	-58.23	(-28.54)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.60	(-13.91)	-1.000 M	-60.80	(-23.11)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.24	(-9.85)	-39.33 M	-59.77	(-10.25)	39.55 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.90	(-9.21)	-82.20 M	-59.25	(-9.56)	89.78 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.94	(-29.72)	-1.000 M	-58.47	(-29.25)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.50	(-23.29)	-19.92 M	-60.65	(-23.43)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.67	(-10.55)	-39.66 M	-60.24	(-11.19)	39.55 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.15	(-9.93)	-84.83 M	-59.25	(-10.03)	75.38 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.39	(-28.56)	-1.000 M	-43.49	(-13.67)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.50	(-22.77)	-19.70 M	-43.49	(-13.67)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.75	(-10.03)	-39.66 M	-59.97	(-10.32)	39.55 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.97	(-9.15)	-53.95 M	-58.92	(-9.10)	89.34 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.81	(-14.14)	-1.000 M	-58.43	(-28.76)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.81	(-14.14)	-1.000 M	-60.65	(-23.03)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.95	(-10.58)	-39.33 M	-59.82	(-10.19)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.19	(-9.52)	-59.22 M	-59.46	(-9.79)	79.12 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.56	(-29.42)	-1.000 M	-58.62	(-29.48)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.53	(-23.40)	-19.92 M	-60.72	(-23.62)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.73	(-10.62)	-39.77 M	-59.72	(-10.75)	39.55 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.90	(-9.76)	-75.60 M	-59.18	(-10.05)	88.79 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.28	(-28.31)	-1.000 M	-43.56	(-13.58)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.54	(-22.56)	-19.92 M	-43.56	(-13.58)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.60	(-9.86)	-39.44 M	-59.49	(-10.15)	38.78 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.97	(-9.00)	-47.79 M	-59.55	(-9.58)	55.82 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-7 / CH123 6565 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.55	(-14.15)	-1.000 M	-58.22	(-28.82)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.55	(-14.15)	-1.000 M	-60.78	(-23.43)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.87	(-10.98)	-39.00 M	-60.12	(-11.22)	39.00 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.34	(-9.95)	-81.10 M	-59.07	(-9.68)	76.26 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.80	(-13.83)	-1.000 M	-58.00	(-28.02)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.80	(-13.83)	-1.000 M	-60.72	(-22.79)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.99	(-10.45)	-39.11 M	-60.46	(-10.53)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.17	(-9.20)	-44.28 M	-59.24	(-9.27)	57.47 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.47	(-29.06)	-1.000 M	-58.29	(-28.88)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.67	(-23.34)	-19.70 M	-60.62	(-23.30)	19.70 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.12	(-10.70)	-39.83 M	-60.05	(-10.68)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.27	(-9.85)	-53.62 M	-59.32	(-9.91)	81.10 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.53	(-29.56)	-1.000 M	-58.36	(-29.39)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.62	(-23.65)	-19.92 M	-60.73	(-23.81)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.19	(-11.26)	-39.77 M	-60.30	(-11.43)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.15	(-10.18)	-57.79 M	-59.32	(-10.35)	46.36 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.33	(-28.69)	-1.000 M	-44.05	(-14.41)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.73	(-23.09)	-19.92 M	-43.94	(-14.25)	1.126 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.96	(-10.32)	-39.83 M	-60.28	(-10.64)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.18	(-9.54)	-71.09 M	-59.41	(-9.77)	52.96 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.46	(-28.79)	-1.000 M	-43.93	(-14.26)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.70	(-23.03)	-19.92 M	-43.97	(-14.25)	1.126 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.25	(-10.69)	-39.66 M	-59.61	(-10.58)	38.78 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.35	(-9.68)	-62.30 M	-59.24	(-9.58)	59.33 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-7 / CH147 6685 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.85	(-13.85)	-1.000 M	-58.40	(-28.40)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.85	(-13.85)	-1.000 M	-60.55	(-22.55)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.00	(-10.03)	-39.77 M	-59.81	(-9.80)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.28	(-9.28)	-59.33 M	-59.28	(-9.28)	75.82 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-44.01	(-13.69)	-1.000 M	-58.33	(-28.01)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-44.01	(-13.69)	-1.000 M	-60.48	(-22.21)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.39	(-10.17)	-39.66 M	-59.82	(-9.60)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.42	(-9.10)	-76.81 M	-58.87	(-8.55)	67.47 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.40	(-29.21)	-1.000 M	-58.45	(-29.26)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.64	(-23.45)	-19.92 M	-60.35	(-23.26)	19.70 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.84	(-10.76)	-39.66 M	-59.85	(-10.76)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.40	(-10.21)	-81.32 M	-59.24	(-10.05)	76.26 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.73	(-28.77)	-1.000 M	-58.53	(-28.57)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.42	(-22.65)	-19.48 M	-60.48	(-22.52)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.19	(-10.47)	-39.44 M	-59.37	(-10.11)	38.67 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.30	(-9.34)	-53.07 M	-59.27	(-9.31)	56.04 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.14	(-28.14)	-1.000 M	-44.22	(-14.22)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.64	(-22.64)	-19.92 M	-44.22	(-14.22)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.65	(-10.64)	-39.83 M	-59.43	(-9.92)	39.00 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.49	(-9.49)	-46.58 M	-59.31	(-9.31)	58.12 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.70	(-27.05)	-1.000 M	-44.30	(-13.65)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.55	(-21.90)	-19.92 M	-44.29	(-13.63)	1.016 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.19	(-9.54)	-39.83 M	-59.50	(-9.15)	39.33 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.40	(-8.75)	-89.45 M	-59.34	(-8.69)	75.60 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.