802.11 ax HE40 / UNII-7 / CH179 6845 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-42.66	(-14.06)	-1.000 M	-57.41	(-28.81)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-42.66	(-14.06)	-1.000 M	-59.92	(-23.37)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-60.21	(-11.61)	-39.83 M	-59.34	(-10.78)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.37	(-10.78)	-60.65 M	-58.36	(-9.77)	61.09 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-44.17	(-14.40)	-1.000 M	-58.01	(-28.24)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-44.17	(-14.40)	-1.000 M	-59.86	(-22.14)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.39	(-9.92)	-39.33 M	-59.25	(-9.49)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.18	(-9.41)	-59.77 M	-58.22	(-8.46)	55.60 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.36	(-29.09)	-1.000 M	-58.07	(-29.80)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.37	(-24.10)	-19.92 M	-59.82	(-23.60)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.96	(-11.69)	-39.83 M	-59.65	(-11.38)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.32	(-11.05)	-41.09 M	-58.41	(-10.14)	62.19 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.75	(-29.20)	-1.000 M	-58.38	(-28.83)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.31	(-22.80)	-19.81 M	-59.96	(-22.41)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.85	(-10.47)	-39.55 M	-59.16	(-9.78)	39.55 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.41	(-9.86)	-52.74 M	-58.67	(-9.12)	74.72 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-56.99	(-27.69)	-1.000 M	-43.16	(-13.86)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.24	(-22.98)	-19.81 M	-43.16	(-13.86)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.38	(-10.18)	-39.66 M	-59.32	(-10.02)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.35	(-10.05)	-41.20 M	-58.46	(-9.16)	49.22 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.10	(-27.87)	-1.000 M	-43.72	(-13.49)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.26	(-22.08)	-19.81 M	-43.72	(-13.49)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.83	(-9.76)	-39.55 M	-59.18	(-8.95)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.15	(-8.92)	-48.45 M	-58.64	(-8.41)	42.30 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-8 / CH187 6885 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.04	(-14.13)	-1.000 M	-57.44	(-28.52)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.04	(-14.13)	-1.000 M	-59.71	(-22.84)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.44	(-10.56)	-39.77 M	-58.94	(-10.03)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.91	(-9.99)	-43.40 M	-58.43	(-9.51)	42.30 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-44.44	(-13.74)	-1.000 M	-58.15	(-27.45)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-44.44	(-13.74)	-1.000 M	-59.79	(-21.09)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.40	(-8.87)	-39.55 M	-59.29	(-8.75)	39.55 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.27	(-8.57)	-53.51 M	-58.38	(-7.68)	80.44 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.75	(-29.38)	-1.000 M	-57.89	(-29.52)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.16	(-23.79)	-19.92 M	-59.63	(-23.40)	19.59 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.89	(-11.55)	-39.77 M	-58.83	(-11.09)	38.78 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.93	(-10.56)	-64.28 M	-58.36	(-9.99)	44.39 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.80	(-28.57)	-1.000 M	-58.05	(-27.82)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.11	(-21.88)	-19.92 M	-59.67	(-21.49)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-58.88	(-9.88)	-37.79 M	-58.68	(-8.82)	39.22 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.19	(-8.96)	-55.71 M	-58.21	(-7.99)	85.38 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.29	(-28.13)	-1.000 M	-43.26	(-14.09)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.06	(-22.98)	-19.70 M	-43.26	(-14.09)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.32	(-10.16)	-39.83 M	-58.91	(-9.98)	39.44 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.00	(-9.83)	-39.88 M	-58.51	(-9.35)	77.58 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.24	(-27.62)	-1.000 M	-44.41	(-13.80)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-60.17	(-21.56)	-19.92 M	-44.41	(-13.80)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.71	(-9.27)	-39.55 M	-59.35	(-8.74)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-59.10	(-8.49)	-52.85 M	-58.38	(-7.76)	51.53 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-8 / CH203 6965 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.58	(-14.33)	-1.000 M	-57.38	(-28.12)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.33	(-14.03)	-1.126 M	-59.58	(-22.38)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-58.99	(-10.23)	-39.00 M	-58.65	(-9.83)	39.11 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.68	(-9.43)	-50.54 M	-58.42	(-9.16)	78.02 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.72	(-29.14)	-1.000 M	-57.88	(-29.30)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-59.59	(-23.01)	-19.92 M	-59.49	(-23.14)	19.37 M
19.92 MHz	39.83 MHz	390.0 kHz	-58.98	(-10.56)	-39.55 M	-58.71	(-10.23)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.74	(-10.16)	-51.64 M	-58.28	(-9.70)	82.31 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-56.89	(-27.67)	-1.000 M	-43.62	(-14.40)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-59.67	(-22.49)	-19.81 M	-43.62	(-14.40)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.32	(-10.21)	-39.66 M	-58.90	(-9.71)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.86	(-9.64)	-40.21 M	-58.21	(-8.99)	82.53 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.77	(-13.42)	-1.000 M	-57.59	(-27.25)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.77	(-13.42)	-1.000 M	-59.67	(-21.32)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-58.78	(-9.01)	-38.89 M	-59.11	(-8.77)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.72	(-8.38)	-55.71 M	-58.33	(-7.99)	85.27 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.13	(-27.49)	-1.000 M	-57.73	(-28.10)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-59.58	(-22.13)	-19.48 M	-59.55	(-22.01)	19.70 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.54	(-9.91)	-39.83 M	-58.68	(-9.14)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.89	(-9.26)	-54.39 M	-58.35	(-8.71)	77.47 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.94	(-28.02)	-1.000 M	-43.80	(-13.88)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-59.73	(-21.80)	-19.92 M	-43.80	(-13.88)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.36	(-9.61)	-39.55 M	-59.10	(-9.22)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.82	(-8.90)	-72.19 M	-58.33	(-8.40)	84.39 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE40 / UNII-8 / CH227 7085 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.61	(-13.68)	-1.000 M	-57.36	(-27.43)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.61	(-13.68)	-1.000 M	-59.37	(-21.48)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.22	(-9.39)	-39.66 M	-59.01	(-9.11)	39.77 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.68	(-8.75)	-40.54 M	-58.21	(-8.28)	86.04 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-43.62	(-13.54)	-1.000 M	-57.45	(-27.38)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-43.62	(-13.54)	-1.000 M	-59.44	(-21.51)	19.59 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.41	(-9.37)	-39.77 M	-59.19	(-9.23)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.49	(-8.42)	-40.87 M	-57.74	(-7.66)	75.05 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-58.31	(-28.99)	-1.000 M	-57.88	(-28.56)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-59.71	(-22.39)	-19.92 M	-59.51	(-22.19)	19.92 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.45	(-10.17)	-39.77 M	-58.85	(-9.77)	39.44 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.57	(-9.26)	-53.29 M	-58.01	(-8.70)	54.72 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (9 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.62	(-28.39)	-1.000 M	-57.65	(-28.42)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-59.79	(-22.61)	-19.81 M	-59.56	(-22.38)	19.81 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.21	(-10.22)	-39.44 M	-58.74	(-9.75)	39.44 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.74	(-9.51)	-75.93 M	-58.17	(-8.95)	54.72 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.49	(-27.62)	-1.000 M	-43.38	(-13.51)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-59.68	(-21.82)	-19.92 M	-43.38	(-13.51)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.15	(-9.45)	-39.55 M	-59.06	(-9.30)	39.66 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.75	(-8.88)	-62.08 M	-58.02	(-8.15)	66.26 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (17 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	390.0 kHz	-57.68	(-27.92)	-1.000 M	-43.46	(-13.70)	1.000 M
1.000 MHz	19.92 MHz	390.0 kHz	-59.66	(-21.94)	-19.81 M	-43.46	(-13.70)	1.000 M
19.92 MHz	39.83 MHz	390.0 kHz	-59.12	(-9.39)	-39.77 M	-58.88	(-9.12)	39.83 M
39.83 MHz	90.00 MHz	390.0 kHz	-58.66	(-8.89)	-77.14 M	-58.21	(-8.44)	82.53 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.2.8. 802.11 ax HE80 RU MODE

802.11 ax HE80 / UNII-5 / CH7 5985 MHz	
ANT1	ANT2
26T (0 RU)	
	
26T (18 RU)	
	
26T (36 RU)	
	

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE80 / UNII-5 / CH39 6145 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-42.69	(-14.63)	-1.000 M	-56.12	(-28.06)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-42.69	(-14.63)	-1.000 M	-57.26	(-21.20)	40.68 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.52	(-8.59)	-80.93 M	-56.12	(-8.19)	80.93 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.53	(-7.47)	-113.8 M	-55.68	(-7.63)	102.6 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.76	(-28.80)	-1.000 M	-56.48	(-28.52)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.32	(-21.44)	-40.28 M	-57.33	(-21.37)	40.68 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.48	(-8.52)	-81.36 M	-56.07	(-8.18)	81.13 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.54	(-7.58)	-85.95 M	-55.68	(-7.72)	88.16 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.12	(-28.31)	-1.000 M	-43.23	(-15.42)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.30	(-21.53)	-40.48 M	-43.23	(-15.42)	1.000 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.34	(-8.83)	-80.33 M	-55.80	(-8.41)	79.93 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.50	(-7.68)	-152.6 M	-55.85	(-8.03)	146.2 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-40.86	(-14.39)	-1.000 M	-55.89	(-29.43)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-40.86	(-14.39)	-1.000 M	-57.28	(-22.86)	40.24 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.31	(-9.87)	-80.82 M	-56.24	(-10.09)	79.82 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.96	(-9.50)	-118.5 M	-56.10	(-9.63)	126.3 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.54	(-29.59)	-1.000 M	-56.54	(-29.59)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-57.29	(-22.34)	-40.45 M	-57.28	(-22.33)	40.45 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.95	(-10.02)	-80.82 M	-56.74	(-9.87)	80.62 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.51	(-8.56)	-127.1 M	-55.98	(-9.03)	107.1 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.78	(-28.07)	-1.000 M	-42.26	(-14.55)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-57.33	(-21.62)	-40.45 M	-42.26	(-14.55)	1.000 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.66	(-8.96)	-80.82 M	-56.65	(-9.01)	80.62 M
80.89 MHz	160.0 MHz	820.0 kHz	-56.04	(-8.33)	-153.4 M	-56.00	(-8.28)	138.4 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE80 / UNII-5 / CH87 6385 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-41.89	(-15.19)	-1.000 M	-55.57	(-28.88)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-41.77	(-15.04)	-1.154 M	-57.01	(-22.31)	40.68 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.31	(-10.09)	-79.73 M	-56.30	(-9.61)	81.33 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.42	(-8.72)	-96.59 M	-55.54	(-8.84)	117.1 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.52	(-29.20)	-1.000 M	-56.41	(-29.08)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.01	(-21.69)	-40.68 M	-56.99	(-21.70)	40.48 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.91	(-9.89)	-80.33 M	-56.07	(-8.98)	80.53 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.49	(-8.17)	-109.0 M	-55.85	(-8.52)	85.15 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.61	(-29.15)	-1.000 M	-41.59	(-15.13)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.09	(-22.71)	-40.28 M	-41.59	(-15.13)	1.000 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.29	(-10.25)	-79.93 M	-56.39	(-10.17)	80.53 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.30	(-8.83)	-142.3 M	-55.79	(-9.33)	90.56 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-41.90	(-13.83)	-1.000 M	-55.70	(-27.64)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-41.90	(-13.83)	-1.000 M	-56.94	(-20.91)	40.24 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.38	(-8.51)	-80.22 M	-56.25	(-8.56)	79.62 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.69	(-7.63)	-148.6 M	-56.09	(-8.02)	129.1 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.50	(-28.31)	-1.000 M	-56.57	(-28.38)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-57.20	(-21.01)	-40.45 M	-56.95	(-20.80)	40.24 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.54	(-8.37)	-80.82 M	-56.61	(-8.62)	80.22 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.62	(-7.43)	-149.0 M	-55.86	(-7.67)	83.23 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.80	(-27.90)	-1.000 M	-42.60	(-14.69)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-57.11	(-21.24)	-40.24 M	-42.60	(-14.69)	1.000 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.80	(-8.98)	-80.62 M	-55.99	(-8.64)	79.02 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.79	(-7.89)	-131.1 M	-56.02	(-8.12)	90.85 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE80 / UNII-6 / CH103 6465 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-41.76	(-15.33)	-1.000 M	-55.56	(-29.13)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-41.76	(-15.33)	-1.000 M	-57.26	(-22.92)	40.28 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.00	(-9.58)	-81.36 M	-56.43	(-10.60)	79.33 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.74	(-9.31)	-81.53 M	-55.60	(-9.17)	150.6 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-41.54	(-14.28)	-1.000 M	-55.83	(-28.57)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-41.54	(-14.28)	-1.000 M	-57.26	(-22.00)	40.45 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.55	(-9.37)	-80.62 M	-56.44	(-9.32)	80.42 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.86	(-8.60)	-140.4 M	-55.87	(-8.61)	153.6 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.12	(-29.12)	-1.000 M	-56.48	(-29.48)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-56.89	(-21.93)	-40.48 M	-57.25	(-22.25)	40.68 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.53	(-9.53)	-81.36 M	-56.75	(-9.81)	81.13 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.79	(-8.79)	-132.1 M	-55.53	(-8.53)	135.3 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.37	(-29.24)	-1.000 M	-56.10	(-28.97)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-56.97	(-21.83)	-40.45 M	-57.24	(-22.10)	40.45 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.42	(-9.54)	-80.02 M	-56.92	(-9.81)	80.82 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.93	(-8.79)	-131.1 M	-55.93	(-8.79)	152.4 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.63	(-30.32)	-1.000 M	-41.85	(-16.54)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.11	(-23.80)	-40.68 M	-41.85	(-16.54)	1.000 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.46	(-11.51)	-80.13 M	-56.33	(-11.08)	81.13 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.74	(-10.43)	-148.4 M	-55.74	(-10.43)	118.1 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.68	(-28.70)	-1.000 M	-41.82	(-14.83)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-56.98	(-22.00)	-40.45 M	-41.82	(-14.83)	1.000 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.55	(-9.76)	-80.22 M	-56.64	(-9.73)	80.62 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.83	(-8.84)	-122.7 M	-55.68	(-8.70)	139.6 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE80 / UNII-7 / CH119 6545 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-41.31	(-15.37)	-1.000 M	-55.76	(-29.82)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-41.31	(-15.37)	-1.000 M	-57.24	(-23.31)	40.68 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.56	(-10.81)	-80.73 M	-55.79	(-9.87)	81.33 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.24	(-9.31)	-81.73 M	-55.25	(-9.32)	125.9 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-40.09	(-13.26)	-1.000 M	-55.74	(-28.91)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-40.09	(-13.26)	-1.001 M	-57.20	(-22.41)	40.24 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.32	(-9.63)	-80.42 M	-56.30	(-9.49)	80.82 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.81	(-8.98)	-146.6 M	-55.99	(-9.16)	138.8 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.51	(-29.60)	-1.000 M	-56.38	(-29.47)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-56.89	(-22.02)	-40.48 M	-57.12	(-22.29)	40.28 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.43	(-9.52)	-81.36 M	-56.16	(-9.62)	80.13 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.43	(-8.53)	-139.1 M	-55.64	(-8.73)	148.2 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.27	(-29.27)	-1.000 M	-56.63	(-29.64)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-56.93	(-21.97)	-40.24 M	-57.18	(-22.18)	40.45 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.29	(-9.29)	-80.89 M	-56.63	(-9.83)	80.22 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.76	(-8.76)	-155.8 M	-55.94	(-8.94)	148.2 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.49	(-29.08)	-1.000 M	-42.09	(-15.69)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.04	(-22.64)	-40.68 M	-42.09	(-15.69)	1.000 M
40.68 MHz	81.36 MHz	820.0 kHz	-55.91	(-10.22)	-78.93 M	-56.06	(-9.79)	80.93 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.47	(-9.06)	-137.5 M	-55.00	(-8.60)	152.6 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.65	(-28.84)	-1.000 M	-41.41	(-14.60)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-56.98	(-22.16)	-40.45 M	-41.41	(-14.60)	1.000 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.62	(-9.80)	-80.89 M	-56.17	(-9.37)	80.82 M
80.89 MHz	160.0 MHz	820.0 kHz	-56.01	(-9.19)	-83.43 M	-55.78	(-8.97)	129.7 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E(04)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE80 / UNII-7 / CH151 6705 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-41.59	(-15.19)	-1.000 M	-55.52	(-29.13)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-41.59	(-15.19)	-1.000 M	-56.89	(-22.49)	40.68 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.33	(-10.24)	-80.33 M	-55.71	(-10.03)	78.93 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.59	(-9.19)	-157.0 M	-54.85	(-8.45)	143.9 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-40.96	(-13.82)	-1.000 M	-55.57	(-28.44)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-40.96	(-13.82)	-1.000 M	-56.86	(-21.77)	40.24 M
40.45 MHz	80.89 MHz	820.0 kHz	-57.18	(-10.04)	-80.89 M	-56.20	(-9.20)	80.42 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.94	(-8.81)	-155.2 M	-55.37	(-8.24)	157.6 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.28	(-29.73)	-1.000 M	-56.11	(-29.56)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.20	(-22.65)	-40.68 M	-56.99	(-22.44)	40.68 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.21	(-9.91)	-80.53 M	-55.53	(-9.46)	79.73 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.70	(-9.15)	-91.37 M	-54.77	(-8.22)	155.2 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.36	(-29.39)	-1.000 M	-55.95	(-28.98)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-57.21	(-22.24)	-40.45 M	-56.93	(-21.96)	40.45 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.84	(-10.43)	-79.02 M	-56.12	(-9.17)	80.82 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.88	(-8.91)	-134.7 M	-55.52	(-8.55)	157.4 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.50	(-29.16)	-1.000 M	-42.00	(-15.66)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.14	(-22.89)	-40.28 M	-42.00	(-15.66)	1.000 M
40.68 MHz	81.36 MHz	820.0 kHz	-55.98	(-10.30)	-79.13 M	-55.66	(-10.04)	78.93 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.69	(-9.35)	-83.14 M	-54.45	(-8.12)	150.8 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.82	(-28.57)	-1.000 M	-41.80	(-14.55)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-57.19	(-21.94)	-40.45 M	-41.80	(-14.55)	1.000 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.41	(-9.18)	-80.82 M	-56.12	(-9.01)	80.42 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.95	(-8.70)	-146.0 M	-55.20	(-7.96)	155.2 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

802.11 ax HE80 / UNII-7 / CH183 6865 MHz

ANT1

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-40.57	(-15.26)	-1.000 M	-55.11	(-29.80)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-40.57	(-15.26)	-1.000 M	-56.45	(-23.22)	40.28 M
40.68 MHz	81.36 MHz	820.0 kHz	-55.95	(-10.65)	-81.33 M	-55.32	(-10.20)	80.73 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.50	(-10.20)	-151.4 M	-54.96	(-9.66)	150.4 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.26	(-30.10)	-1.000 M	-56.04	(-29.87)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.24	(-23.08)	-40.68 M	-56.49	(-22.33)	40.68 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.52	(-10.60)	-80.53 M	-55.65	(-9.48)	81.36 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.33	(-9.17)	-113.6 M	-54.99	(-8.83)	96.38 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.33	(-28.97)	-1.000 M	-41.57	(-15.22)	1.000 M
1.000 MHz	40.68 MHz	820.0 kHz	-57.18	(-22.87)	-40.48 M	-41.57	(-15.22)	1.000 M
40.68 MHz	81.36 MHz	820.0 kHz	-56.78	(-10.43)	-81.33 M	-55.38	(-9.15)	80.93 M
81.36 MHz	160.0 MHz	820.0 kHz	-55.82	(-9.46)	-139.3 M	-54.78	(-8.42)	94.78 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

ANT2

26T (0 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-40.84	(-13.87)	-1.000 M	-55.06	(-28.09)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-40.84	(-13.87)	-1.000 M	-56.42	(-21.45)	40.45 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.23	(-9.75)	-79.22 M	-55.55	(-9.02)	79.42 M
80.89 MHz	160.0 MHz	820.0 kHz	-55.78	(-8.81)	-142.0 M	-55.26	(-8.28)	125.3 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (18 RU)



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-56.27	(-28.79)	-1.000 M	-55.52	(-28.04)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-57.11	(-21.63)	-40.45 M	-56.34	(-20.90)	40.24 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.29	(-8.89)	-80.62 M	-55.95	(-8.47)	80.89 M
80.89 MHz	160.0 MHz	820.0 kHz	-56.06	(-8.58)	-113.9 M	-55.13	(-7.65)	141.8 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

26T (36 RU)

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<-Peak-> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-55.52	(-29.23)	-1.000 M	-41.21	(-14.92)	1.000 M
1.000 MHz	40.45 MHz	820.0 kHz	-57.09	(-22.81)	-40.45 M	-41.21	(-14.92)	1.000 M
40.45 MHz	80.89 MHz	820.0 kHz	-56.23	(-10.20)	-80.02 M	-55.87	(-9.58)	80.89 M
80.89 MHz	160.0 MHz	820.0 kHz	-56.20	(-9.91)	-107.9 M	-54.81	(-8.52)	109.5 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.