



HCT CO., LTD.

CERTIFICATION DIVISION

SAN 136-1, AMI-RI , BUBAL-EUP, ICHEON-SI, KYOUNGKI-DO, 467-701, KOREA

TEL : +82 31 639 8518 FAX : +82 31 639 8525 www.hct.co.kr

CERTIFICATE OF COMPLIANCE

FCC PART 27 Certification


Applicant Name: SAMSUNG Electronics Co., Ltd. 416, Maetan-3dong, Yeongtong-gu, Suwon-si, Gyeonggi-do, Korea	Date of Issue: January 26, 2011 Test Site/Location: HCT CO., LTD., 105-1, Jangam-ri, Majang-Myeon, Icheon-si, Kyunggi-Do, Korea Test Report No.: HCTR1101FR19
---	--


FCC ID	:	A3LSPI-2210012502
APPLICANT	:	SAMSUNG Electronics Co., Ltd.

EUT Type	:	Mobile WiMAX Indoor RAS
Manufacturer	:	SAMSUNG Electronics Co., Ltd.
Model name	:	SPI-2210012502
Frequency of Operation	:	2496 MHz ~ 2596 MHz 2624 MHz ~ 2690 MHz 2642 MHz ~ 2672 MHz
Output Power	:	10 W (40 dBm) / Carrier / Path
FCC Rule Part(s)	:	FCC Part 27 Subpart (m).
Test Procedure(s)	:	ANSI/TIA-603C-2004
Application Type	:	Class II Permissive Change

Engineering Statement:

The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of FCC Part 27 of the FCC Rules under normal use and maintenance.


 Report prepared by
 : Chang Seok Choi
 Test engineer of RF Team


 Approved by
 : Sang Jun Lee
 Manager of RF Team

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 1 of 240

Revision

TEST REPORT NO.	DATE	DESCRIPTION
HCTR1101FR19	January 26, 2011	First Approval Report

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 2 of 240

C O N T E N T S

1. GENERAL INFORMATION.....	7
1.1. CLIENT INFORMATION	7
1.2. PRODUCT INFORMATION	7
1.3. INTRODUCTION OF EUT.....	8
2. TEST SUMMARY	9
2.1. STANDARDS	9
2.2. MODE OF OPERATION DURING THE TEST	9
3. STANDARDS ENVIRONMENTAL TEST CONDITIONS	10
4. TEST EQUIPMENT	11
5. CONDUCTED OUTPUT POWER.....	12
5.1. Applicable Standard	12
5.2. Test Equipment List and Details	12
5.3. Test Procedure.....	12
5.3.1. Environmental Conditions:	13
5.4. Test Result	13
5.4.1. Test Data at Output Port Alpha 1	14
5.4.2. Test Data at Output Port Alpha 2	14
5.4.3. Combined Test Data at Output Port.....	15
5.4.4. Test Data at Output Port Beta 1.....	15
5.4.5. Test Data at Output Port Beta 2.....	16
5.4.6. Combined Test Data at Output Port.....	16
5.4.7. Test Data at Output Port Gamma 1	17
5.4.8. Test Data at Output Port Gamma 2	17
5.4.9. Combined Test Data at Output Port.....	18
5.4.10. Plot Data for Output Port Alpha 1 (Conducted Output Power)	19
5.4.11. Plot Data for Output Port Alpha 2 (Conducted Output Power)	24
5.4.12. Combined Plot Data for Output (Conducted Output Power).....	29
5.4.13. Plot Data for Output Port Beta 1 (Conducted Output Power)	34
5.4.14. Plot Data for Output Port Beta 2 (Conducted Output Power)	39
5.4.15. Combined Plot Data for Output (Conducted Output Power).....	44
5.4.16. Plot Data for Output Port Gamma 1 (Conducted Output Power).....	49
5.4.17. Plot Data for Output Port Gamma 2 (Conducted Output Power).....	54
5.4.18. Combined Plot Data for Output (Conducted Output Power).....	59

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 3 of 240

6. OCCUPIED BANDWIDTH	64
6.1. Applicable Standard	64
6.2. Test Equipment List and Details	64
6.3. Test Procedure.....	64
6.3.1. Environmental Conditions:	65
6.4. Test Result	65
6.4.1. Test Data at Output Alpha 1	66
6.4.2. Test Data at Output Port Alpha 2	66
6.4.3. Combined Test Data at Output Port.....	67
6.4.4. Test Data at Output Beta 1	67
6.4.5. Test Data at Output Port Beta 2.....	68
6.4.6. Combined Test Data at Output Port.....	68
6.4.7. Test Data at Output Gamma 1	69
6.4.8. Test Data at Output Port Gamma 2	69
6.4.9. Combined Test Data at Output Port.....	70
6.4.10. Test Plot at Output Port Alpha 1	71
6.4.11. Test Plot at Output Port Alpha 2.....	76
6.4.12. Combined Test Plot at Output Port.....	81
6.4.13. Test Plot at Output Port Beta 1	86
6.4.14. Test Plot at Output Port Beta 2	91
6.4.15. Combined Test Plot at Output Port.....	96
6.4.16. Test Plot at Output Port Gamma 1	101
6.4.17. Test Plot at Output Port Gamma 2.....	106
6.4.18. Combined Test Plot at Output Port.....	111
7. BAND EDGES	116
7.1. Applicable Standard	116
7.2. Test Equipment List and Details	116
7.3. Test Procedure.....	116
7.3.1. Environmental Conditions.....	117
7.4. Test Result	117
7.4.1. Test data at Output Alpha 1	117
7.4.2. Test data at Output Alpha 2	117
7.4.3. Combined Test data at Output	118
7.4.4. Test data at Output Beta 1	118
7.4.5. Test data at Output Beta 2	118
7.4.6. Combined Test data at Output	119

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 4 of 240

7.4.7. Test data at Output Gamma 1	119
7.4.8. Test data at Output Gamma 2	119
7.4.9. Combined Test data at Output	120
7.4.10. Plot Data at Output Alpha 1	121
7.4.11. Plot Data at Output Alpha 2	124
7.4.12. Combined Plot Data at Output	127
7.4.13. Plot Data at Output Beta 1	130
7.4.14. Plot Data at Output Beta 2	133
7.4.15. Combined Plot Data at Output	136
7.4.16. Plot Data at Output Gamma 1	139
7.4.17. Plot Data at Output Gamma 2	142
7.4.18. Combined Plot Data at Output	145
8. SPURIOUS EMISSION AT ANTENNA TERMINAL	148
8.1. Applicable Standard: CFR 47§2.1051, §27.53	148
8.2. Test Equipment List and Details	148
8.3. Test Procedure.....	148
8.3.1 Environmental Conditions:	149
8.4. Test Result	149
8.4.1. Plot Data at Output Port Alpha 1	150
8.4.2. Plot Data at Output Port Alpha 2	159
8.4.3. Combined Plot Data at Output	168
8.4.4. Plot Data at Output Port Beta 1	177
8.4.5. Plot Data at Output Port Beta 2	186
8.4.6. Combined Plot Data at Output	195
8.4.7. Plot Data at Output Port Gamma 1	204
8.4.8. Plot Data at Output Port Gamma 2	213
8.4.9. Combined Plot Data at Output	222
9. RADIATED SPURIOUS EMISSION	231
9.1 Applicable Standard.....	231
9.2 Test Equipment List and Details	231
9.3 Test Procedure.....	232
9.3.1 Radiated Spurious Emissions Test Setup	232
9.3.2 Environmental Conditions:	232
9.4 Test Result	233
10. FREQUEECNY STABILITY	234
10.1 Applicable Standard	234

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 5 of 240

10.2 Test Equipment List and Details	234
10.3 Test Procedure.....	234
10.3.1. Environmental conditions	235
10.4. Test Result	235
10.4.1. Frequency Stability over Temperature and Voltage variation.....	236
11. RF EXPOSURE STATEMENT	238

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 6 of 240

1. GENERAL INFORMATION

1.1. CLIENT INFORMATION

Company	Samsung Electronics Co., Ltd.
Contact Point	416, Maetan-3dong, Yeongtong-gu, Suwon-si, Gyeonggi-do, Korea
Contact person	Name: JOON-HO LEE / Senior Research Engineer E-mail : joonho@samsung.com Tel: +82-31-279-3552 Fax: +82-31-279-7576

1.2. PRODUCT INFORMATION

EUT TYPE	Mobile WiMAX Indoor RAS
EMISSION DESIGNATOR	4M64G7D (QPSK), 4M57W7D(16QAM/64QAM)
OPERATING FREQUENCY	2496 MHz ~ 2596 MHz (BW: 100 MHz) 2624 MHz ~ 2690 MHz(BW: 60 MHz) 2642 MHz ~ 2672 MHz(BW: 30 MHz)
TX OUTPUT POWER	5 W (37 dBm) / Carrier / Path (SISO) 10 W (40 dBm) / Carrier / Path (MIMO)
CHANNEL BANDWIDTH	10 MHz
MODULATION TYPE	OFDMA (QPSK, 16QAM, 64QAM)
MAXIMUM NUMBER OF CARRIERS/SECTORS	3 Carriers / 3 Sectors
SYSTEM INPUT VOLTAGE	DC - 48 V

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 7 of 240

1.3. INTRODUCTION OF EUT

The Indoor SPI-2210, RAS of Mobile WiMAX, is controlled by ACR and connects Mobile WiMAX calls to MS.

The Indoor SPI-2210 interfaces with MS via a wireless channel observing the Mobile WiMAX standard (IEEE 802.16) and provides high-speed data service and multimedia service in wireless broadband.

To this end, the Indoor SPI-2210 provides the following functions: modulation/demodulation of packet traffic signal, scheduling and radio bandwidth allocation to manage air resources efficiently and ensure Quality of Service (QoS), Automatic Repeat request (ARQ) processing, ranging function, connection control function to transmit the information on the Indoor SPI-2210 and set/hold/disconnect the packet call connection, handover control and ACR interface function and system operation management function.

The Indoor SPI-2210 interfaces with ACR in one way of Fast Ethernet/Gigabit Ethernet and can exchange various control signals and traffic signals stably.

The Indoor SPI-2210 is installed in the Indoor environment and managed in the omni or sector method according to the property of the installed area. In addition, the Indoor SPI-2210 supports the capacity of the maximum 3Carrier/3Sector and MIMO only with the basic cabinet.

The characteristics of the Indoor SPI-2210 are as follows:

- Application of the OFDMA Method
- Support of Broadband Channel Bandwidth
- Support of 3Carrier/3Sector
- Support of MIMO
- Support of Frequency Reuse Pattern (FRP)
- Support of 4-Branch Rx Diversity (Optional)
- Support of Various Frequency Allocation

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 8 of 240

2. TEST SUMMARY

2.1. STANDARDS

The following tests were conducted on a sample of the equipment for the purpose of demonstrating compliance With **FCC Part 27**

SECTION	TEST ITEMS	RESULTS
2.1046, 27.50(h)	Conducted Output Power	Compliant
2.1049, 27.53(m)	Occupied Bandwidth	Compliant
2.1051, 27.53(m)	Spurious Emissions at Antenna Terminals	Compliant
2.1051, 27.53(m)	Band edge	Compliant
2.1053, 27.53(m)	Spurious Radiated Emissions.	Compliant
2.1055(a)(1), 27.54	Frequency Stability over Temperature variation	Compliant
2.1055(d), 27.54	Frequency stability over Voltage variation	Compliant

2.2. MODE OF OPERATION DURING THE TEST

The EUT was operated in a manner representative of the typical usage of the equipment.

During all testing, system components were manipulated within the confines of typical usage to maximize each emission. All Modulation (QPSK, 16QAM, and 64QAM) modes were tested, and the worst case was recorded in this test report.

The device does not supply antenna(s) with the system, so the dummy loads were connected to the RF output ports for radiated spurious emission testing.

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 9 of 240

3. STANDARDS ENVIRONMENTAL TEST CONDITIONS

Temperature :	+ 15 °C to + 35 °C
Relative humidity:	30 % to 60 %
Air pressure	860 mbar to 1060 mbar

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 10 of 240

4. TEST EQUIPMENT

Manufacturer	Model / Equipment	Serial No.	Calibration Due
Schwarzbeck	BBHA 9120D / Double Ridged Horn Antenna	296	09/23/2011
Schwarzbeck	BBHA 9120D / Double Ridged Horn Antenna	147	04/13/2011
Schwarzbeck	VULB 9168 / TRILOG Antenna	9168-255	05/28/2011
HD	MA240 / Antenna Position Tower	556	N/A
EMCO	1050 / Turn Table	114	N/A
HD GmbH	HD 100 / Controller	13	N/A
HD GmbH	KMS 560 / SlideBar	12	N/A
MITEQ	AFS44-00102650-42-10P44-PS	1532439	04/05/2011
EMCO	6502/Loop Antenna	9009-2536	01/13/2012
R&S	ESI40 / EMI TEST Receiver	831564/003	10/30/2011
Wainwright Instrument	WHF6.0/26.5G-6SS / High Pass Filter	1	05/12/2011
Agilent	6674A / DC Power Supply	3501A00901	05/14/2011
WEINSCHHEL	67-30-33 / Attenuator	BU5347	11/29/2011
WEINSCHHEL	67-30-33 / Attenuator	BR0530	11/29/2011
WEINSCHHEL	AF9003-69-31 / STEP ATTENUATOR	11787	11/12/2011
WEINSCHHEL	AF9003-69-31 / STEP ATTENUATOR	639	11/12/2011
Agilent	N9020A / MXA Signal Analyzer	US46220219	03/03/2011
Agilent	11636B / Power Divider	11377	12/29/2011

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 11 of 240

5. CONDUCTED OUTPUT POWER

5.1. Applicable Standard

According to FCC §2.1046 & 27.50(h)

1) *Main, booster and base stations.* (i) The maximum EIRP of a main, booster or base station shall not exceed $33 \text{ dBW} + 10\log(X/Y) \text{ dBW}$, where X is the actual channel width in MHz and Y is either 6 MHz if prior to transition or the station is in the MBS following transition or 5.5 MHz if the station is in the LBS and UBS following transition, except as provided in paragraph (h)(1)(ii) of this section.


5.2. Test Equipment List and Details

Manufacturer	Model / Equipment	Serial No.	Calibration Due
Agilent	87302C / Power Divider	3239A01051	03/19/2011
Agilent	6674A / DC Power Supply	3501A00901	05/14/2011
WEINSCHTEL	67-30-33 / Attenuator	BU5347	12/29/2011
WEINSCHTEL	67-30-33 / Attenuator	BR0530	12/29/2011
WEINSCHTEL	AF9003-69-31 / STEP ATTENUATOR	11787	11/12/2011
WEINSCHTEL	AF9003-69-31 / STEP ATTENUATOR	639	11/12/2011
Agilent	N9020A / MXA Signal Analyzer	US46220219	03/03/2011

5.3. Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSP1-2210012502	Page 12 of 240



According to FCC §2.1046 (A), for transmitters other than single sideband, independent sideband and controlled carrier radiotelephone, power output shall be measured at the RF output terminals when the transmitter is adjusted in accordance with the tune-up procedure to give the values of current and voltage on the circuit elements specified in § 2.1033(c). The electrical characteristics of the radio frequency load attached to the output terminals when this test is made shall be stated.

- 1) The radio frequency load attached to the EUT antenna terminal was 50 Ohm. The loss of the cables the test system is calibrated to correct the reading.
- 2) The spectrum analyzer was set to RMS Detector function and Average mode.
- 3) The resolution bandwidth of the spectrum analyzer was comparable to the emission bandwidth.

5.3.1. Environmental Conditions:

Temperature:	27 °C
Relative Humidity:	25 %

5.4. Test Result

: PASS

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 13 of 240

5.4.1. Test Data at Output Port Alpha 1

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2499.00	36.99	5.0003
	Middle	2543.25	36.60	4.5709
	High	2593.00	36.58	4.5499
16QAM	Low	2499.00	36.54	4.5082
	Middle	2543.25	36.42	4.3853
	High	2593.00	36.13	4.1020
64QAM	Low	2499.00	36.44	4.4055
	Middle	2543.25	36.36	4.3251
	High	2593.00	36.23	4.1976

5.4.2. Test Data at Output Port Alpha 2

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2499.00	36.32	4.2855
	Middle	2543.25	36.60	4.5709
	High	2593.00	36.62	4.5920
16QAM	Low	2499.00	36.27	4.2364
	Middle	2543.25	36.78	4.7643
	High	2593.00	36.43	4.3954
64QAM	Low	2499.00	36.66	4.6345
	Middle	2543.25	36.34	4.3053
	High	2593.00	36.38	4.3451

5.4.3. Combined Test Data at Output Port

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2499.00	39.91	9.7949
	Middle	2543.25	39.79	9.5280
	High	2593.00	39.57	9.0573
16QAM	Low	2499.00	39.96	9.9083
	Middle	2543.25	40.43	11.0408
	High	2593.00	39.67	9.2683
64QAM	Low	2499.00	39.96	9.9083
	Middle	2543.25	40.19	10.4472
	High	2593.00	39.70	9.3325

5.4.4. Test Data at Output Port Beta 1

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2627.25	36.36	4.3251
	Middle	2660.25	35.97	3.9537
	High	2686.75	36.10	4.0738
16QAM	Low	2627.25	36.28	4.2462
	Middle	2660.25	35.94	3.9264
	High	2686.75	36.08	4.0551
64QAM	Low	2627.25	36.26	4.2267
	Middle	2660.25	35.92	3.9084
	High	2686.75	36.06	4.0365

5.4.5. Test Data at Output Port Beta 2

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2627.25	36.71	4.6881
	Middle	2660.25	36.12	4.0926
	High	2686.75	36.09	4.0644
16QAM	Low	2627.25	36.79	4.7753
	Middle	2660.25	36.25	4.2170
	High	2686.75	36.13	4.1020
64QAM	Low	2627.25	36.44	4.4055
	Middle	2660.25	36.25	4.2170
	High	2686.75	36.15	4.1210

5.4.6. Combined Test Data at Output Port

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2627.25	40.27	10.6414
	Middle	2660.25	40.05	10.1158
	High	2686.75	40.31	10.7399
16QAM	Low	2627.25	40.29	10.6905
	Middle	2660.25	40.27	10.6414
	High	2686.75	40.33	10.7895
64QAM	Low	2627.25	40.29	10.6905
	Middle	2660.25	40.26	10.6170
	High	2686.75	40.38	10.9144

FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 16 of 240

5.4.7. Test Data at Output Port Gamma 1

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2648.75	36.86	4.8529
	Middle	2653.75	37.05	5.0699
	High	2665.25	37.16	5.2000
16QAM	Low	2648.75	36.84	4.8306
	Middle	2653.75	37.04	5.0582
	High	2665.25	37.23	5.2845
64QAM	Low	2648.75	36.87	4.8641
	Middle	2653.75	37.04	5.0582
	High	2665.25	37.21	5.2602

5.4.8. Test Data at Output Port Gamma 2

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2648.75	37.10	5.1286
	Middle	2653.75	37.06	5.0816
	High	2665.25	37.41	5.5081
16QAM	Low	2648.75	36.99	5.0003
	Middle	2653.75	37.02	5.0350
	High	2665.25	37.48	5.5976
64QAM	Low	2648.75	37.00	5.0119
	Middle	2653.75	37.03	5.0466
	High	2665.25	37.48	5.5976

5.4.9. Combined Test Data at Output Port

Modulation	Channel	Frequency	Measured Output Power	
			dBm	W
QPSK	Low	2648.75	39.87	9.7051
	Middle	2653.75	40.36	10.8643
	High	2665.25	40.03	10.0693
16QAM	Low	2648.75	40.06	10.1391
	Middle	2653.75	40.30	10.7152
	High	2665.25	40.14	10.3276
64QAM	Low	2648.75	40.14	10.3276
	Middle	2653.75	40.30	10.7152
	High	2665.25	40.20	10.4713

5.4.10. Plot Data for Output Port Alpha 1 (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 19 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 20 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 21 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 22 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 23 of 240

5.4.11. Plot Data for Output Port Alpha 2 (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 24 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 25 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 26 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 27 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 28 of 240

5.4.12. Combined Plot Data for Output (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 29 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 30 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 31 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 32 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 33 of 240

5.4.13. Plot Data for Output Port Beta 1 (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 34 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 35 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 36 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 37 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 38 of 240

5.4.14. Plot Data for Output Port Beta 2 (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 39 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 40 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 41 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 42 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 43 of 240

5.4.15. Combined Plot Data for Output (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 44 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 45 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 46 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 47 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 48 of 240

5.4.16. Plot Data for Output Port Gamma 1 (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 49 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 50 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 51 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 52 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 53 of 240

5.4.17. Plot Data for Output Port Gamma 2 (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 54 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 55 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 56 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 57 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 58 of 240

5.4.18. Combined Plot Data for Output (Conducted Output Power)
(QPSK Low Channel)



(QPSK Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 59 of 240

(QPSK High Channel)



(16QAM Low Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 60 of 240

(16QAM Middle Channel)



(16QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 61 of 240

(64QAM Low Channel)



(64QAM Middle Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 62 of 240

(64QAM High Channel)



FCC PT.27 TEST REPORT	FCC CERTIFICATION REPORT			HCT PT.27 TEST REPORT
Test Report No. HCTR1101FR19	Date of Issue: January 26, 2011	EUT Type: Mobile WiMAX Indoor RAS	FCC ID: A3LSPI-2210012502	Page 63 of 240