



Gateway INCORPORATED

This device complies with Part 15 of FCC Rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) This device must accept any interference received,
including interference that may cause undesired operation.

INPUT : 12V --- 3.2A(MAX)

Apparatus Classe de U.S. Power Req. 4,800,000
4,800,000 A, 4,800,000 and 4,800,000 (limited for
limited viewing area only)

This class B digital apparatus meets all requirements of the
Canadian Interference-Causing Equipment Regulations.
Cet appareil numérique de la classe B respecte toutes les
exigences du Règlement sur le matériel brouilleur du Canada.

FCC ID: A3LSQ10 (1-ether)
FCC ID: A3LSQ10WL
(2004) Class 1, 400,000,000

CE

RoHS

WEEE

Recycling symbol





AC ADAPTER
型号: AP-4243 (R)
MODEL: AP-4243 (R)

INPUT: 100-240V 50/60Hz
OUTPUT: 5V 1.5A

UL LISTED
UL 1459
UL 1459
UL 1459

CAUTION: DO NOT TOUCH THE ADAPTER WHEN IT IS HOT.
DO NOT USE THE ADAPTER IN A WET OR DAMP LOCATION.
DO NOT USE THE ADAPTER IN A LOCATION WITH EXCESSIVE VIBRATION OR SHOCK.
DO NOT USE THE ADAPTER IN A LOCATION WITH EXCESSIVE HEAT OR COLD.

WARNING: DO NOT USE THE ADAPTER IN A LOCATION WITH EXCESSIVE VIBRATION OR SHOCK.
DO NOT USE THE ADAPTER IN A LOCATION WITH EXCESSIVE HEAT OR COLD.

U.S. LISTED
UL 1459
UL 1459
UL 1459

UL LISTED
UL 1459
UL 1459
UL 1459