










CTK Co., Ltd.
(Ho-dong), 113, Yejik-ro, Cheoin-gu,
Yongin-si, Gyeonggi-do, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

Report No.:
CTK-2021-03419
Page (115) / (248) Pages



ANT2_802.11ax_HE20_SU_UNI I 7






ANT2_802.11ax_HE20_SU_UNI I 8





CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (116) / (248) Pages



ANT1_802.11ax_HE40_SU_UNI I 5






ANT1_802.11ax_HE40_SU_UNI I 6






CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (117) / (248) Pages



ANT1_802.11ax_HE40_SU_UNI I 7






ANT1_802.11ax_HE40_SU_UNI I 8





CTK Co., Ltd.
(Ho-dong), 113, Yejik-ro, Cheoin-gu,
Yongin-si, Gyeonggi-do, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

Report No.:
CTK-2021-03419
Page (118) / (248) Pages



ANT2_802.11ax_HE40_SU_UNI I 5






ANT2_802.11ax_HE40_SU_UNI I 6






CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (119) / (248) Pages



ANT2_802.11ax_HE40_SU_UNI I 7






ANT2_802.11ax_HE40_SU_UNI I 8




CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (120) / (248) Pages



ANT1_802.11ax_HE80_SU_UNI I 5






ANT1_802.11ax_HE80_SU_UNI I 6





CTK Co., Ltd.
(Ho-dong), 113, Yejik-ro, Cheoin-gu,
Yongin-si, Gyeonggi-do, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

Report No.:
CTK-2021-03419
Page (121) / (248) Pages



ANT1_802.11ax_HE80_SU_UNI I 7






ANT1_802.11ax_HE80_SU_UNI I 8




CTK Co., Ltd.
(Ho-dong), 113, Yejik-ro, Cheoin-gu,
Yongin-si, Gyeonggi-do, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

Report No.:
CTK-2021-03419
Page (122) / (248) Pages



ANT2_802.11ax_HE80_SU_UNI I 5






ANT2_802.11ax_HE80_SU_UNI I 6





CTK Co., Ltd.
(Ho-dong), 113, Yejik-ro, Cheoin-gu,
Yongin-si, Gyeonggi-do, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

Report No.:
CTK-2021-03419
Page (123) / (248) Pages



ANT2_802.11ax_HE80_SU_UNI I 7



ANT2_802.11ax_HE80_SU_UNI I 8



4.3 Power Spectral Density

Test Procedures

KDB 987594 – Section F
KDB 789033 – Section F (Method SA-2, Maximum Power Spectral Density)
KDB 662911 D01, D02 (Multiple Transmitter Output)

The peak power density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating in transmission mode at the appropriate frequencies.

Test Settings :

Center frequency = the highest, middle and the lowest channels

- a) RBW = 1 MHz
- b) VBW = 3 MHz
- c) Sweep time = auto
- d) Detector = power averaging (rms)
- e) Trace mode = Average at least 100
- f) Duty cycle factor = $10\log(1/x)$

| Test mode | Duty Cycle Factor (dB) |
|-------------------------|------------------------|
| 802.11ax_HE20_SU | 0.80 |
| 802.11ax_HE40_SU | 0.81 |
| 802.11ax_HE80_SU | 0.87 |
| 802.11ax HE20/40/80 26T | 0.24 |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (125) / (248) Pages

Limit

| Operating Mode | ANT Configuration | ANT Gain (dBi) | Mode | Band | Limit (dBm) |
|----------------|-------------------|----------------|----------|--------|---------------|
| SISO | ANT1, ANT2 | -0.97, 0.74 | 802.11ax | UNII 5 | -1.00 ERIP |
| | | | | UNII 6 | |
| | | | | UNII 7 | |
| | | | | UNII 8 | |
| MIMO (2Tx) | ANT1 + ANT2 | 2.94 | 802.11ax | UNII 5 | |
| | | | | UNII 6 | |
| | | | | UNII 7 | |
| | | | | UNII 8 | |



Test Data
ANT1

| Test Mode | Frequency (MHz) | Measured Power Density (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|--------------------------|-----------------|------------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE20 _SU | 5 955 | -9.16 | 0.80 | -0.97 | -9.33 | -1.00 | 8.33 |
| | 6 175 | -11.11 | 0.80 | | -11.28 | -1.00 | 10.28 |
| | 6 415 | -9.39 | 0.80 | | -9.56 | -1.00 | 8.56 |
| | 6 435 | -9.45 | 0.80 | | -9.62 | -1.00 | 8.62 |
| | 6 475 | -9.23 | 0.80 | | -9.40 | -1.00 | 8.40 |
| | 6 515 | -9.55 | 0.80 | | -9.72 | -1.00 | 8.72 |
| | 6 535 | -9.22 | 0.80 | | -9.39 | -1.00 | 8.39 |
| | 6 695 | -9.03 | 0.80 | | -9.20 | -1.00 | 8.20 |
| | 6 855 | -10.20 | 0.80 | | -10.37 | -1.00 | 9.37 |
| | 6 875 | -8.20 | 0.80 | | -8.37 | -1.00 | 7.37 |
| | 6 995 | -8.37 | 0.80 | | -8.54 | -1.00 | 7.54 |
| | 7 095 | -10.07 | 0.80 | | -10.24 | -1.00 | 9.24 |
| | 7 115 | -25.21 | 0.80 | | -25.38 | -1.00 | 24.38 |
| 802.11ax _HE40 _SU | 5 965 | -8.82 | 0.81 | -0.97 | -8.98 | -1.00 | 7.98 |
| | 6 165 | -11.18 | 0.81 | | -11.34 | -1.00 | 10.34 |
| | 6 405 | -8.92 | 0.81 | | -9.08 | -1.00 | 8.08 |
| | 6 445 | -9.20 | 0.81 | | -9.36 | -1.00 | 8.36 |
| | 6 485 | -9.46 | 0.81 | | -9.62 | -1.00 | 8.62 |
| | 6 525 | -9.77 | 0.81 | | -9.93 | -1.00 | 8.93 |
| | 6 685 | -8.71 | 0.81 | | -8.87 | -1.00 | 7.87 |
| | 6 845 | -8.97 | 0.81 | | -9.13 | -1.00 | 8.13 |
| | 6 885 | -7.96 | 0.81 | | -8.12 | -1.00 | 7.12 |
| | 7 005 | -8.58 | 0.81 | | -8.74 | -1.00 | 7.74 |
| 7 085 | -9.67 | 0.81 | -9.83 | -1.00 | 8.83 | | |
| 802.11ax _HE80 _SU | 5 985 | -10.08 | 0.87 | -0.97 | -10.18 | -1.00 | 9.18 |
| | 6 145 | -11.18 | 0.87 | | -11.28 | -1.00 | 10.28 |
| | 6 385 | -9.12 | 0.87 | | -9.22 | -1.00 | 8.22 |
| | 6 465 | -9.74 | 0.87 | | -9.84 | -1.00 | 8.84 |
| | 6 545 | -9.45 | 0.87 | | -9.55 | -1.00 | 8.55 |
| | 6 705 | -8.96 | 0.87 | | -9.06 | -1.00 | 8.06 |
| | 6 865 | -10.25 | 0.87 | | -10.35 | -1.00 | 9.35 |
| | 6 945 | -7.94 | 0.87 | | -8.04 | -1.00 | 7.04 |
| 7 025 | -9.69 | 0.87 | -9.79 | -1.00 | 8.79 | | |
| Measurement uncertainty | | 1.5 dB | | | | | |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (127) / (248) Pages

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------|-----------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE20 _26T | 5 955 | Low | -10.33 | 0.24 | -0.97 | -11.06 | -1.00 | 10.06 |
| | | Mid | -11.41 | 0.24 | | -12.14 | -1.00 | 11.14 |
| | | High | -10.36 | 0.24 | | -11.09 | -1.00 | 10.09 |
| | 6 175 | Low | -12.24 | 0.24 | | -12.97 | -1.00 | 11.97 |
| | | Mid | -13.08 | 0.24 | | -13.81 | -1.00 | 12.81 |
| | | High | -12.10 | 0.24 | | -12.83 | -1.00 | 11.83 |
| | 6 415 | Low | -9.83 | 0.24 | | -10.56 | -1.00 | 9.56 |
| | | Mid | -11.17 | 0.24 | | -11.90 | -1.00 | 10.90 |
| | | High | -10.00 | 0.24 | | -10.73 | -1.00 | 9.73 |
| | 6 435 | Low | -9.97 | 0.24 | | -10.70 | -1.00 | 9.70 |
| | | Mid | -10.83 | 0.24 | | -11.56 | -1.00 | 10.56 |
| | | High | -10.14 | 0.24 | | -10.87 | -1.00 | 9.87 |
| | 6 475 | Low | -9.89 | 0.24 | | -10.62 | -1.00 | 9.62 |
| | | Mid | -10.73 | 0.24 | | -11.46 | -1.00 | 10.46 |
| | | High | -10.08 | 0.24 | | -10.81 | -1.00 | 9.81 |
| | 6 515 | Low | -9.90 | 0.24 | | -10.63 | -1.00 | 9.63 |
| | | Mid | -11.15 | 0.24 | | -11.88 | -1.00 | 10.88 |
| | | High | -9.85 | 0.24 | | -10.58 | -1.00 | 9.58 |
| | 6 535 | Low | -9.49 | 0.24 | | -10.22 | -1.00 | 9.22 |
| | | Mid | -10.76 | 0.24 | | -11.49 | -1.00 | 10.49 |
| | | High | -9.64 | 0.24 | | -10.37 | -1.00 | 9.37 |
| | 6 695 | Low | -10.05 | 0.24 | | -10.78 | -1.00 | 9.78 |
| | | Mid | -10.94 | 0.24 | | -11.67 | -1.00 | 10.67 |
| | | High | -10.15 | 0.24 | | -10.88 | -1.00 | 9.88 |
| | 6 855 | Low | -11.20 | 0.24 | | -11.93 | -1.00 | 10.93 |
| | | Mid | -12.13 | 0.24 | | -12.86 | -1.00 | 11.86 |
| | | High | -11.11 | 0.24 | | -11.84 | -1.00 | 10.84 |
| 6 875 | Low | -10.97 | 0.24 | -11.70 | -1.00 | 10.70 | | |
| | Mid | -11.78 | 0.24 | -12.51 | -1.00 | 11.51 | | |
| | High | -11.27 | 0.24 | -12.00 | -1.00 | 11.00 | | |
| 6 995 | Low | -10.71 | 0.24 | -11.44 | -1.00 | 10.44 | | |
| | Mid | -11.42 | 0.24 | -12.15 | -1.00 | 11.15 | | |
| | High | -10.08 | 0.24 | -10.81 | -1.00 | 9.81 | | |
| 7 095 | Low | -12.86 | 0.24 | -13.59 | -1.00 | 12.59 | | |
| | Mid | -13.34 | 0.24 | -14.07 | -1.00 | 13.07 | | |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (128) / (248) Pages

| | | | | | | | |
|-------------------------|------|--------|------|--|--------|-------|-------|
| 7 115 | High | -12.68 | 0.24 | | -13.41 | -1.00 | 12.41 |
| | Low | -16.50 | 0.24 | | -17.23 | -1.00 | 16.23 |
| | Mid | -17.28 | 0.24 | | -18.01 | -1.00 | 17.01 |
| | High | -16.76 | 0.24 | | -17.49 | -1.00 | 16.49 |
| Measurement uncertainty | | 1.5 dB | | | | | |

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------|-----------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE40 _26T | 5 965 | Low | -9.72 | 0.24 | -0.97 | -10.45 | -1.00 | 9.45 |
| | | Mid | -9.68 | 0.24 | | -10.41 | -1.00 | 9.41 |
| | | High | -9.41 | 0.24 | | -10.14 | -1.00 | 9.14 |
| | 6 165 | Low | -9.24 | 0.24 | | -9.97 | -1.00 | 8.97 |
| | | Mid | -9.16 | 0.24 | | -9.89 | -1.00 | 8.89 |
| | | High | -9.46 | 0.24 | | -10.19 | -1.00 | 9.19 |
| | 6 405 | Low | -9.51 | 0.24 | | -10.24 | -1.00 | 9.24 |
| | | Mid | -9.42 | 0.24 | | -10.15 | -1.00 | 9.15 |
| | | High | -9.39 | 0.24 | | -10.12 | -1.00 | 9.12 |
| | 6 445 | Low | -9.06 | 0.24 | | -9.79 | -1.00 | 8.79 |
| | | Mid | -9.05 | 0.24 | | -9.78 | -1.00 | 8.78 |
| | | High | -9.60 | 0.24 | | -10.33 | -1.00 | 9.33 |
| | 6 485 | Low | -9.63 | 0.24 | | -10.36 | -1.00 | 9.36 |
| | | Mid | -9.31 | 0.24 | | -10.04 | -1.00 | 9.04 |
| | | High | -9.40 | 0.24 | | -10.13 | -1.00 | 9.13 |
| | 6 525 | Low | -9.43 | 0.24 | | -10.16 | -1.00 | 9.16 |
| | | Mid | -9.36 | 0.24 | | -10.09 | -1.00 | 9.09 |
| | | High | -9.30 | 0.24 | | -10.03 | -1.00 | 9.03 |
| | 6 685 | Low | -9.65 | 0.24 | | -10.38 | -1.00 | 9.38 |
| | | Mid | -9.44 | 0.24 | | -10.17 | -1.00 | 9.17 |
| | | High | -9.63 | 0.24 | | -10.36 | -1.00 | 9.36 |
| | 6 845 | Low | -9.31 | 0.24 | | -10.04 | -1.00 | 9.04 |
| | | Mid | -9.26 | 0.24 | | -9.99 | -1.00 | 8.99 |
| | | High | -9.19 | 0.24 | | -9.92 | -1.00 | 8.92 |
| | 6 885 | Low | -9.87 | 0.24 | | -10.60 | -1.00 | 9.60 |
| | | Mid | -9.63 | 0.24 | | -10.36 | -1.00 | 9.36 |
| | | High | -9.63 | 0.24 | | -10.36 | -1.00 | 9.36 |
| | 7 005 | Low | -9.26 | 0.24 | | -9.99 | -1.00 | 8.99 |
| | | Mid | -8.77 | 0.24 | | -9.50 | -1.00 | 8.50 |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (129) / (248) Pages

| | | | | | | | | |
|-------------------------|-------|------|--------|------|--|--------|-------|------|
| | | High | -9.05 | 0.24 | | -9.78 | -1.00 | 8.78 |
| | 7 085 | Low | -9.70 | 0.24 | | -10.43 | -1.00 | 9.43 |
| | | Mid | -9.87 | 0.24 | | -10.60 | -1.00 | 9.60 |
| | | High | -9.90 | 0.24 | | -10.63 | -1.00 | 9.63 |
| Measurement uncertainty | | | 1.5 dB | | | | | |

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) | | |
|---------------------------|-------------------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|--|--|
| 802.11ax _HE80 _26T | 5 985 | Low | -11.78 | 0.24 | -0.97 | -12.51 | -1.00 | 11.51 | | |
| | | Mid | -13.87 | 0.24 | | -14.60 | -1.00 | 13.60 | | |
| | | High | -11.03 | 0.24 | | -11.76 | -1.00 | 10.76 | | |
| | 6 145 | Low | -10.40 | 0.24 | | -11.13 | -1.00 | 10.13 | | |
| | | Mid | -10.35 | 0.24 | | -11.08 | -1.00 | 10.08 | | |
| | | High | -9.18 | 0.24 | | -9.91 | -1.00 | 8.91 | | |
| | 6 385 | Low | -12.01 | 0.24 | | -12.74 | -1.00 | 11.74 | | |
| | | Mid | -9.64 | 0.24 | | -10.37 | -1.00 | 9.37 | | |
| | | High | -9.79 | 0.24 | | -10.52 | -1.00 | 9.52 | | |
| | 6 465 | Low | -11.81 | 0.24 | | -12.54 | -1.00 | 11.54 | | |
| | | Mid | -11.20 | 0.24 | | -11.93 | -1.00 | 10.93 | | |
| | | High | -10.18 | 0.24 | | -10.91 | -1.00 | 9.91 | | |
| | 6 545 | Low | -10.36 | 0.24 | | -11.09 | -1.00 | 10.09 | | |
| | | Mid | -11.20 | 0.24 | | -11.93 | -1.00 | 10.93 | | |
| | | High | -10.34 | 0.24 | | -11.07 | -1.00 | 10.07 | | |
| | 6 705 | Low | -10.60 | 0.24 | | -11.33 | -1.00 | 10.33 | | |
| | | Mid | -11.88 | 0.24 | | -12.61 | -1.00 | 11.61 | | |
| | | High | -9.90 | 0.24 | | -10.63 | -1.00 | 9.63 | | |
| | 6 865 | Low | -9.79 | 0.24 | | -10.52 | -1.00 | 9.52 | | |
| | | Mid | -10.68 | 0.24 | | -11.41 | -1.00 | 10.41 | | |
| | | High | -10.97 | 0.24 | | -11.70 | -1.00 | 10.70 | | |
| | 6 945 | Low | -9.34 | 0.24 | | -10.07 | -1.00 | 9.07 | | |
| | | Mid | -8.83 | 0.24 | | -9.56 | -1.00 | 8.56 | | |
| | | High | -9.45 | 0.24 | | -10.18 | -1.00 | 9.18 | | |
| | 7 025 | Low | -8.09 | 0.24 | | -8.82 | -1.00 | 7.82 | | |
| | | Mid | -8.39 | 0.24 | | -9.12 | -1.00 | 8.12 | | |
| | | High | -7.87 | 0.24 | | -8.60 | -1.00 | 7.60 | | |
| | Measurement uncertainty | | 1.5 dB | | | | | | | |



ANT2

| Test Mode | Frequency (MHz) | Measured Power Density (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|--------------------------|-----------------|------------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE20 _SU | 5 955 | -10.27 | 0.80 | 0.74 | -8.73 | -1.00 | 7.73 |
| | 6 175 | -12.26 | 0.80 | | -10.72 | -1.00 | 9.72 |
| | 6 415 | -8.15 | 0.80 | | -6.61 | -1.00 | 5.61 |
| | 6 435 | -8.78 | 0.80 | | -7.24 | -1.00 | 6.24 |
| | 6 475 | -8.36 | 0.80 | | -6.82 | -1.00 | 5.82 |
| | 6 515 | -8.63 | 0.80 | | -7.09 | -1.00 | 6.09 |
| | 6 535 | -8.00 | 0.80 | | -6.46 | -1.00 | 5.46 |
| | 6 695 | -10.90 | 0.80 | | -9.36 | -1.00 | 8.36 |
| | 6 855 | -12.14 | 0.80 | | -10.60 | -1.00 | 9.60 |
| | 6 875 | -9.84 | 0.80 | | -8.30 | -1.00 | 7.30 |
| | 6 995 | -8.85 | 0.80 | | -7.31 | -1.00 | 6.31 |
| | 7 095 | -8.91 | 0.80 | | -7.37 | -1.00 | 6.37 |
| 7 115 | -23.00 | 0.80 | -21.46 | -1.00 | 20.46 | | |
| 802.11ax _HE40 _SU | 5 965 | -9.78 | 0.81 | 0.74 | -8.23 | -1.00 | 7.23 |
| | 6 165 | -12.20 | 0.81 | | -10.65 | -1.00 | 9.65 |
| | 6 405 | -8.22 | 0.81 | | -6.67 | -1.00 | 5.67 |
| | 6 445 | -8.50 | 0.81 | | -6.95 | -1.00 | 5.95 |
| | 6 485 | -8.27 | 0.81 | | -6.72 | -1.00 | 5.72 |
| | 6 525 | -8.16 | 0.81 | | -6.61 | -1.00 | 5.61 |
| | 6 685 | -10.52 | 0.81 | | -8.97 | -1.00 | 7.97 |
| | 6 845 | -10.48 | 0.81 | | -8.93 | -1.00 | 7.93 |
| | 6 885 | -9.16 | 0.81 | | -7.61 | -1.00 | 6.61 |
| | 7 005 | -8.11 | 0.81 | | -6.56 | -1.00 | 5.56 |
| 7 085 | -9.27 | 0.81 | -7.72 | -1.00 | 6.72 | | |
| 802.11ax _HE80 _SU | 5 985 | -9.09 | 0.87 | 0.74 | -7.48 | -1.00 | 6.48 |
| | 6 145 | -11.39 | 0.87 | | -9.78 | -1.00 | 8.78 |
| | 6 385 | -7.73 | 0.87 | | -6.12 | -1.00 | 5.12 |
| | 6 465 | -8.17 | 0.87 | | -6.56 | -1.00 | 5.56 |
| | 6 545 | -7.48 | 0.87 | | -5.87 | -1.00 | 4.87 |
| | 6 705 | -9.67 | 0.87 | | -8.06 | -1.00 | 7.06 |
| | 6 865 | -11.01 | 0.87 | | -9.40 | -1.00 | 8.40 |
| | 6 945 | -9.53 | 0.87 | | -7.92 | -1.00 | 6.92 |
| 7 025 | -8.50 | 0.87 | -6.89 | -1.00 | 5.89 | | |
| Measurement uncertainty | | 1.5 dB | | | | | |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (131) / (248) Pages

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------|-----------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE20 _26T | 5 955 | Low | -10.60 | 0.24 | 0.74 | -9.62 | -1.00 | 8.62 |
| | | Mid | -11.09 | 0.24 | | -10.11 | -1.00 | 9.11 |
| | | High | -10.35 | 0.24 | | -9.37 | -1.00 | 8.37 |
| | 6 175 | Low | -12.53 | 0.24 | | -11.55 | -1.00 | 10.55 |
| | | Mid | -13.55 | 0.24 | | -12.57 | -1.00 | 11.57 |
| | | High | -12.37 | 0.24 | | -11.39 | -1.00 | 10.39 |
| | 6 415 | Low | -8.48 | 0.24 | | -7.50 | -1.00 | 6.50 |
| | | Mid | -9.45 | 0.24 | | -8.47 | -1.00 | 7.47 |
| | | High | -8.71 | 0.24 | | -7.73 | -1.00 | 6.73 |
| | 6 435 | Low | -9.04 | 0.24 | | -8.06 | -1.00 | 7.06 |
| | | Mid | -9.77 | 0.24 | | -8.79 | -1.00 | 7.79 |
| | | High | -8.88 | 0.24 | | -7.90 | -1.00 | 6.90 |
| | 6 475 | Low | -8.77 | 0.24 | | -7.79 | -1.00 | 6.79 |
| | | Mid | -9.54 | 0.24 | | -8.56 | -1.00 | 7.56 |
| | | High | -8.81 | 0.24 | | -7.83 | -1.00 | 6.83 |
| | 6 515 | Low | -8.56 | 0.24 | | -7.58 | -1.00 | 6.58 |
| | | Mid | -9.63 | 0.24 | | -8.65 | -1.00 | 7.65 |
| | | High | -8.49 | 0.24 | | -7.51 | -1.00 | 6.51 |
| | 6 535 | Low | -7.86 | 0.24 | | -6.88 | -1.00 | 5.88 |
| | | Mid | -8.74 | 0.24 | | -7.76 | -1.00 | 6.76 |
| | | High | -7.84 | 0.24 | | -6.86 | -1.00 | 5.86 |
| | 6 695 | Low | -10.54 | 0.24 | | -9.56 | -1.00 | 8.56 |
| | | Mid | -11.33 | 0.24 | | -10.35 | -1.00 | 9.35 |
| | | High | -11.26 | 0.24 | | -10.28 | -1.00 | 9.28 |
| | 6 855 | Low | -12.18 | 0.24 | | -11.20 | -1.00 | 10.20 |
| | | Mid | -13.03 | 0.24 | | -12.05 | -1.00 | 11.05 |
| | | High | -12.08 | 0.24 | | -11.10 | -1.00 | 10.10 |
| 6 875 | Low | -12.44 | 0.24 | -11.46 | -1.00 | 10.46 | | |
| | Mid | -12.97 | 0.24 | -11.99 | -1.00 | 10.99 | | |
| | High | -11.89 | 0.24 | -10.91 | -1.00 | 9.91 | | |
| 6 995 | Low | -10.05 | 0.24 | -9.07 | -1.00 | 8.07 | | |
| | Mid | -10.71 | 0.24 | -9.73 | -1.00 | 8.73 | | |
| | High | -9.66 | 0.24 | -8.68 | -1.00 | 7.68 | | |
| 7 095 | Low | -9.57 | 0.24 | -8.59 | -1.00 | 7.59 | | |
| | Mid | -10.59 | 0.24 | -9.61 | -1.00 | 8.61 | | |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (132) / (248) Pages

| | | | | | | | | |
|-------------------------|-------|------|--------|------|--|--------|-------|-------|
| | | High | -9.59 | 0.24 | | -8.61 | -1.00 | 7.61 |
| | 7 115 | Low | -13.64 | 0.24 | | -12.66 | -1.00 | 11.66 |
| | | Mid | -14.30 | 0.24 | | -13.32 | -1.00 | 12.32 |
| | | High | -13.26 | 0.24 | | -12.28 | -1.00 | 11.28 |
| Measurement uncertainty | | | 1.5 dB | | | | | |

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------|-----------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE40 _26T | 5 965 | Low | -8.66 | 0.24 | 0.74 | -7.68 | -1.00 | 6.68 |
| | | Mid | -8.20 | 0.24 | | -7.22 | -1.00 | 6.22 |
| | | High | -8.77 | 0.24 | | -7.79 | -1.00 | 6.79 |
| | 6 165 | Low | -8.89 | 0.24 | | -7.91 | -1.00 | 6.91 |
| | | Mid | -8.64 | 0.24 | | -7.66 | -1.00 | 6.66 |
| | | High | -8.83 | 0.24 | | -7.85 | -1.00 | 6.85 |
| | 6 405 | Low | -9.28 | 0.24 | | -8.30 | -1.00 | 7.30 |
| | | Mid | -9.17 | 0.24 | | -8.19 | -1.00 | 7.19 |
| | | High | -9.44 | 0.24 | | -8.46 | -1.00 | 7.46 |
| | 6 445 | Low | -9.81 | 0.24 | | -8.83 | -1.00 | 7.83 |
| | | Mid | -9.12 | 0.24 | | -8.14 | -1.00 | 7.14 |
| | | High | -9.19 | 0.24 | | -8.21 | -1.00 | 7.21 |
| | 6 485 | Low | -9.40 | 0.24 | | -8.42 | -1.00 | 7.42 |
| | | Mid | -9.54 | 0.24 | | -8.56 | -1.00 | 7.56 |
| | | High | -9.83 | 0.24 | | -8.85 | -1.00 | 7.85 |
| | 6 525 | Low | -9.14 | 0.24 | | -8.16 | -1.00 | 7.16 |
| | | Mid | -9.36 | 0.24 | | -8.38 | -1.00 | 7.38 |
| | | High | -9.00 | 0.24 | | -8.02 | -1.00 | 7.02 |
| | 6 685 | Low | -9.20 | 0.24 | | -8.22 | -1.00 | 7.22 |
| | | Mid | -8.86 | 0.24 | | -7.88 | -1.00 | 6.88 |
| | | High | -9.83 | 0.24 | | -8.85 | -1.00 | 7.85 |
| | 6 845 | Low | -9.87 | 0.24 | | -8.89 | -1.00 | 7.89 |
| | | Mid | -9.40 | 0.24 | | -8.42 | -1.00 | 7.42 |
| | | High | -10.01 | 0.24 | | -9.03 | -1.00 | 8.03 |
| | 6 885 | Low | -10.01 | 0.24 | | -9.03 | -1.00 | 8.03 |
| | | Mid | -9.37 | 0.24 | | -8.39 | -1.00 | 7.39 |
| | | High | -9.18 | 0.24 | | -8.20 | -1.00 | 7.20 |
| | 7 005 | Low | -9.44 | 0.24 | | -8.46 | -1.00 | 7.46 |
| | | Mid | -8.78 | 0.24 | | -7.80 | -1.00 | 6.80 |
| | | High | -8.82 | 0.24 | | -7.84 | -1.00 | 6.84 |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (133) / (248) Pages

| | | | | | | | |
|-------------------------|------|--------|------|--|-------|-------|------|
| 7 085 | Low | -8.47 | 0.24 | | -7.49 | -1.00 | 6.49 |
| | Mid | -8.44 | 0.24 | | -7.46 | -1.00 | 6.46 |
| | High | -8.43 | 0.24 | | -7.45 | -1.00 | 6.45 |
| Measurement uncertainty | | 1.5 dB | | | | | |

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) | |
|---------------------------|-------------------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|--|
| 802.11ax _HE80 _26T | 5 985 | Low | -9.17 | 0.24 | 0.74 | -8.19 | -1.00 | 7.19 | |
| | | Mid | -10.16 | 0.24 | | -9.18 | -1.00 | 8.18 | |
| | | High | -10.03 | 0.24 | | -9.05 | -1.00 | 8.05 | |
| | 6 145 | Low | -10.07 | 0.24 | | -9.09 | -1.00 | 8.09 | |
| | | Mid | -10.73 | 0.24 | | -9.75 | -1.00 | 8.75 | |
| | | High | -9.72 | 0.24 | | -8.74 | -1.00 | 7.74 | |
| | 6 385 | Low | -10.44 | 0.24 | | -9.46 | -1.00 | 8.46 | |
| | | Mid | -11.27 | 0.24 | | -10.29 | -1.00 | 9.29 | |
| | | High | -10.73 | 0.24 | | -9.75 | -1.00 | 8.75 | |
| | 6 465 | Low | -10.71 | 0.24 | | -9.73 | -1.00 | 8.73 | |
| | | Mid | -11.48 | 0.24 | | -10.50 | -1.00 | 9.50 | |
| | | High | -10.91 | 0.24 | | -9.93 | -1.00 | 8.93 | |
| | 6 545 | Low | -9.88 | 0.24 | | -8.90 | -1.00 | 7.90 | |
| | | Mid | -10.22 | 0.24 | | -9.24 | -1.00 | 8.24 | |
| | | High | -9.72 | 0.24 | | -8.74 | -1.00 | 7.74 | |
| | 6 705 | Low | -10.36 | 0.24 | | -9.38 | -1.00 | 8.38 | |
| | | Mid | -11.77 | 0.24 | | -10.79 | -1.00 | 9.79 | |
| | | High | -10.17 | 0.24 | | -9.19 | -1.00 | 8.19 | |
| | 6 865 | Low | -10.20 | 0.24 | | -9.22 | -1.00 | 8.22 | |
| | | Mid | -11.99 | 0.24 | | -11.01 | -1.00 | 10.01 | |
| | | High | -10.27 | 0.24 | | -9.29 | -1.00 | 8.29 | |
| | 6 945 | Low | -9.14 | 0.24 | | -8.16 | -1.00 | 7.16 | |
| | | Mid | -10.61 | 0.24 | | -9.63 | -1.00 | 8.63 | |
| | | High | -9.18 | 0.24 | | -8.20 | -1.00 | 7.20 | |
| | 7 025 | Low | -7.80 | 0.24 | | -6.82 | -1.00 | 5.82 | |
| | | Mid | -8.18 | 0.24 | | -7.20 | -1.00 | 6.20 | |
| | | High | -7.12 | 0.24 | | -6.14 | -1.00 | 5.14 | |
| | Measurement uncertainty | | 1.5 dB | | | | | | |



ANT1 + ANT2

| Test Mode | Frequency (MHz) | Measured Power Density (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|--------------------------|-----------------|------------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE20 _SU | 5 955 | -6.67 | 0.80 | 2.94 | -2.93 | -1.00 | 1.93 |
| | 6 175 | -8.64 | 0.80 | | -4.90 | -1.00 | 3.90 |
| | 6 415 | -5.72 | 0.80 | | -1.98 | -1.00 | 0.98 |
| | 6 435 | -6.09 | 0.80 | | -2.35 | -1.00 | 1.35 |
| | 6 475 | -5.76 | 0.80 | | -2.02 | -1.00 | 1.02 |
| | 6 515 | -6.06 | 0.80 | | -2.32 | -1.00 | 1.32 |
| | 6 535 | -5.56 | 0.80 | | -1.82 | -1.00 | 0.82 |
| | 6 695 | -6.85 | 0.80 | | -3.11 | -1.00 | 2.11 |
| | 6 855 | -8.05 | 0.80 | | -4.31 | -1.00 | 3.31 |
| | 6 875 | -5.93 | 0.80 | | -2.19 | -1.00 | 1.19 |
| | 6 995 | -5.59 | 0.80 | | -1.85 | -1.00 | 0.85 |
| | 7 095 | -6.44 | 0.80 | | -2.70 | -1.00 | 1.70 |
| 7 115 | -20.96 | 0.80 | -17.22 | -1.00 | 16.22 | | |
| 802.11ax _HE40 _SU | 5 965 | -6.26 | 0.81 | 2.94 | -2.51 | -1.00 | 1.51 |
| | 6 165 | -8.65 | 0.81 | | -4.90 | -1.00 | 3.90 |
| | 6 405 | -5.55 | 0.81 | | -1.80 | -1.00 | 0.80 |
| | 6 445 | -5.83 | 0.81 | | -2.08 | -1.00 | 1.08 |
| | 6 485 | -5.81 | 0.81 | | -2.06 | -1.00 | 1.06 |
| | 6 525 | -5.88 | 0.81 | | -2.13 | -1.00 | 1.13 |
| | 6 685 | -6.51 | 0.81 | | -2.76 | -1.00 | 1.76 |
| | 6 845 | -6.65 | 0.81 | | -2.90 | -1.00 | 1.90 |
| | 6 885 | -5.51 | 0.81 | | -1.76 | -1.00 | 0.76 |
| | 7 005 | -5.33 | 0.81 | | -1.58 | -1.00 | 0.58 |
| 7 085 | -6.46 | 0.81 | -2.71 | -1.00 | 1.71 | | |
| 802.11ax _HE80 _SU | 5 985 | -6.55 | 0.87 | 2.94 | -2.74 | -1.00 | 1.74 |
| | 6 145 | -8.27 | 0.87 | | -4.46 | -1.00 | 3.46 |
| | 6 385 | -5.36 | 0.87 | | -1.55 | -1.00 | 0.55 |
| | 6 465 | -5.87 | 0.87 | | -2.06 | -1.00 | 1.06 |
| | 6 545 | -5.34 | 0.87 | | -1.53 | -1.00 | 0.53 |
| | 6 705 | -6.29 | 0.87 | | -2.48 | -1.00 | 1.48 |
| | 6 865 | -7.60 | 0.87 | | -3.79 | -1.00 | 2.79 |
| | 6 945 | -5.65 | 0.87 | | -1.84 | -1.00 | 0.84 |
| 7 025 | -6.04 | 0.87 | -2.23 | -1.00 | 1.23 | | |
| Measurement uncertainty | | 1.5 dB | | | | | |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (135) / (248) Pages

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------|-----------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE20 _26T | 5 955 | Low | -7.45 | 0.24 | 2.94 | -4.27 | -1.00 | 3.27 |
| | | Mid | -8.24 | 0.24 | | -5.06 | -1.00 | 4.06 |
| | | High | -7.34 | 0.24 | | -4.16 | -1.00 | 3.16 |
| | 6 175 | Low | -9.37 | 0.24 | | -6.19 | -1.00 | 5.19 |
| | | Mid | -10.30 | 0.24 | | -7.12 | -1.00 | 6.12 |
| | | High | -9.22 | 0.24 | | -6.04 | -1.00 | 5.04 |
| | 6 415 | Low | -6.09 | 0.24 | | -2.91 | -1.00 | 1.91 |
| | | Mid | -7.22 | 0.24 | | -4.04 | -1.00 | 3.04 |
| | | High | -6.30 | 0.24 | | -3.12 | -1.00 | 2.12 |
| | 6 435 | Low | -6.47 | 0.24 | | -3.29 | -1.00 | 2.29 |
| | | Mid | -7.26 | 0.24 | | -4.08 | -1.00 | 3.08 |
| | | High | -6.45 | 0.24 | | -3.27 | -1.00 | 2.27 |
| | 6 475 | Low | -6.28 | 0.24 | | -3.10 | -1.00 | 2.10 |
| | | Mid | -7.08 | 0.24 | | -3.90 | -1.00 | 2.90 |
| | | High | -6.39 | 0.24 | | -3.21 | -1.00 | 2.21 |
| | 6 515 | Low | -6.17 | 0.24 | | -2.99 | -1.00 | 1.99 |
| | | Mid | -7.31 | 0.24 | | -4.13 | -1.00 | 3.13 |
| | | High | -6.11 | 0.24 | | -2.93 | -1.00 | 1.93 |
| | 6 535 | Low | -5.59 | 0.24 | | -2.41 | -1.00 | 1.41 |
| | | Mid | -6.62 | 0.24 | | -3.44 | -1.00 | 2.44 |
| | | High | -5.64 | 0.24 | | -2.46 | -1.00 | 1.46 |
| | 6 695 | Low | -7.28 | 0.24 | | -4.10 | -1.00 | 3.10 |
| | | Mid | -8.12 | 0.24 | | -4.94 | -1.00 | 3.94 |
| | | High | -7.66 | 0.24 | | -4.48 | -1.00 | 3.48 |
| | 6 855 | Low | -8.65 | 0.24 | | -5.47 | -1.00 | 4.47 |
| | | Mid | -9.55 | 0.24 | | -6.37 | -1.00 | 5.37 |
| | | High | -8.56 | 0.24 | | -5.38 | -1.00 | 4.38 |
| | 6 875 | Low | -8.63 | 0.24 | | -5.45 | -1.00 | 4.45 |
| | | Mid | -9.32 | 0.24 | | -6.14 | -1.00 | 5.14 |
| | | High | -8.56 | 0.24 | | -5.38 | -1.00 | 4.38 |
| 6 995 | Low | -7.36 | 0.24 | -4.18 | -1.00 | 3.18 | | |
| | Mid | -8.04 | 0.24 | -4.86 | -1.00 | 3.86 | | |
| | High | -6.85 | 0.24 | -3.67 | -1.00 | 2.67 | | |
| 7 095 | Low | -7.90 | 0.24 | -4.72 | -1.00 | 3.72 | | |
| | Mid | -8.74 | 0.24 | -5.56 | -1.00 | 4.56 | | |



CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (136) / (248) Pages

| | | | | | | | | |
|-------------------------|-------|------|--------|------|--|-------|-------|------|
| | | High | -7.86 | 0.24 | | -4.68 | -1.00 | 3.68 |
| | 7 115 | Low | -11.83 | 0.24 | | -8.65 | -1.00 | 7.65 |
| | | Mid | -12.53 | 0.24 | | -9.35 | -1.00 | 8.35 |
| | | High | -11.66 | 0.24 | | -8.48 | -1.00 | 7.48 |
| Measurement uncertainty | | | 1.5 dB | | | | | |

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------|-----------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE40 _26T | 5 965 | Low | -6.15 | 0.24 | 2.94 | -2.97 | -1.00 | 1.97 |
| | | Mid | -5.87 | 0.24 | | -2.69 | -1.00 | 1.69 |
| | | High | -6.07 | 0.24 | | -2.89 | -1.00 | 1.89 |
| | 6 165 | Low | -6.05 | 0.24 | | -2.87 | -1.00 | 1.87 |
| | | Mid | -5.88 | 0.24 | | -2.70 | -1.00 | 1.70 |
| | | High | -6.12 | 0.24 | | -2.94 | -1.00 | 1.94 |
| | 6 405 | Low | -6.38 | 0.24 | | -3.20 | -1.00 | 2.20 |
| | | Mid | -6.28 | 0.24 | | -3.10 | -1.00 | 2.10 |
| | | High | -6.40 | 0.24 | | -3.22 | -1.00 | 2.22 |
| | 6 445 | Low | -6.41 | 0.24 | | -3.23 | -1.00 | 2.23 |
| | | Mid | -6.07 | 0.24 | | -2.89 | -1.00 | 1.89 |
| | | High | -6.38 | 0.24 | | -3.20 | -1.00 | 2.20 |
| | 6 485 | Low | -6.50 | 0.24 | | -3.32 | -1.00 | 2.32 |
| | | Mid | -6.41 | 0.24 | | -3.23 | -1.00 | 2.23 |
| | | High | -6.60 | 0.24 | | -3.42 | -1.00 | 2.42 |
| | 6 525 | Low | -6.27 | 0.24 | | -3.09 | -1.00 | 2.09 |
| | | Mid | -6.35 | 0.24 | | -3.17 | -1.00 | 2.17 |
| | | High | -6.14 | 0.24 | | -2.96 | -1.00 | 1.96 |
| | 6 685 | Low | -6.41 | 0.24 | | -3.23 | -1.00 | 2.23 |
| | | Mid | -6.13 | 0.24 | | -2.95 | -1.00 | 1.95 |
| | | High | -6.72 | 0.24 | | -3.54 | -1.00 | 2.54 |
| | 6 845 | Low | -6.57 | 0.24 | | -3.39 | -1.00 | 2.39 |
| | | Mid | -6.32 | 0.24 | | -3.14 | -1.00 | 2.14 |
| | | High | -6.57 | 0.24 | | -3.39 | -1.00 | 2.39 |
| | 6 885 | Low | -6.93 | 0.24 | | -3.75 | -1.00 | 2.75 |
| | | Mid | -6.49 | 0.24 | | -3.31 | -1.00 | 2.31 |
| | | High | -6.39 | 0.24 | | -3.21 | -1.00 | 2.21 |
| | 7 005 | Low | -6.34 | 0.24 | | -3.16 | -1.00 | 2.16 |
| | | Mid | -5.76 | 0.24 | | -2.58 | -1.00 | 1.58 |




CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (137) / (248) Pages


| | | | | | | | | |
|-------------------------|-------|------|--------|------|--|-------|-------|------|
| | | High | -5.92 | 0.24 | | -2.74 | -1.00 | 1.74 |
| | 7 085 | Low | -6.03 | 0.24 | | -2.85 | -1.00 | 1.85 |
| | | Mid | -6.09 | 0.24 | | -2.91 | -1.00 | 1.91 |
| | | High | -6.09 | 0.24 | | -2.91 | -1.00 | 1.91 |
| Measurement uncertainty | | | 1.5 dB | | | | | |

| Test Mode | Frequency (MHz) | RU Index | Measured Output Power (dBm) | Duty cycle Factor (dB) | Antenna Gain (dBi) | Result Output Power (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------|-----------------|----------|-----------------------------|------------------------|--------------------|---------------------------|-------------|-------------|
| 802.11ax _HE80 _26T | 5 985 | Low | -7.27 | 0.24 | 2.94 | -4.09 | -1.00 | 3.09 |
| | | Mid | -8.62 | 0.24 | | -5.44 | -1.00 | 4.44 |
| | | High | -7.49 | 0.24 | | -4.31 | -1.00 | 3.31 |
| | 6 145 | Low | -7.22 | 0.24 | | -4.04 | -1.00 | 3.04 |
| | | Mid | -7.53 | 0.24 | | -4.35 | -1.00 | 3.35 |
| | | High | -6.43 | 0.24 | | -3.25 | -1.00 | 2.25 |
| | 6 385 | Low | -8.14 | 0.24 | | -4.96 | -1.00 | 3.96 |
| | | Mid | -7.37 | 0.24 | | -4.19 | -1.00 | 3.19 |
| | | High | -7.22 | 0.24 | | -4.04 | -1.00 | 3.04 |
| | 6 465 | Low | -8.21 | 0.24 | | -5.03 | -1.00 | 4.03 |
| | | Mid | -8.33 | 0.24 | | -5.15 | -1.00 | 4.15 |
| | | High | -7.52 | 0.24 | | -4.34 | -1.00 | 3.34 |
| | 6 545 | Low | -7.10 | 0.24 | | -3.92 | -1.00 | 2.92 |
| | | Mid | -7.67 | 0.24 | | -4.49 | -1.00 | 3.49 |
| | | High | -7.01 | 0.24 | | -3.83 | -1.00 | 2.83 |
| | 6 705 | Low | -7.47 | 0.24 | | -4.29 | -1.00 | 3.29 |
| | | Mid | -8.81 | 0.24 | | -5.63 | -1.00 | 4.63 |
| | | High | -7.02 | 0.24 | | -3.84 | -1.00 | 2.84 |
| | 6 865 | Low | -6.98 | 0.24 | | -3.80 | -1.00 | 2.80 |
| | | Mid | -8.28 | 0.24 | | -5.10 | -1.00 | 4.10 |
| | | High | -7.60 | 0.24 | | -4.42 | -1.00 | 3.42 |
| | 6 945 | Low | -6.23 | 0.24 | | -3.05 | -1.00 | 2.05 |
| | | Mid | -6.62 | 0.24 | | -3.44 | -1.00 | 2.44 |
| | | High | -6.30 | 0.24 | | -3.12 | -1.00 | 2.12 |
| 7 025 | Low | -4.93 | 0.24 | -1.75 | -1.00 | 0.75 | | |
| | Mid | -5.27 | 0.24 | -2.09 | -1.00 | 1.09 | | |
| | High | -4.47 | 0.24 | -1.29 | -1.00 | 0.29 | | |
| Measurement uncertainty | | 1.5 dB | | | | | | |

See next pages for actual measured spectrum plots.



ANT1_802.11ax_HE20_SU_UNI I 5






ANT1_802.11ax_HE20_SU_UNI I 6







CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (139) / (248) Pages



ANT1_802.11ax_HE20_SU_UNI I 7






ANT1_802.11ax_HE20_SU_UNI I 8






CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (140) / (248) Pages



ANT2_802.11ax_HE20_SU_UNI I 5






ANT2_802.11ax_HE20_SU_UNI I 6







CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (141) / (248) Pages



ANT2_802.11ax_HE20_SU_UNI I 7






ANT2_802.11ax_HE20_SU_UNI I 8





CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (142) / (248) Pages



ANT1_802.11ax_HE40_SU_UNI I 5






ANT1_802.11ax_HE40_SU_UNI I 6






CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501




Report No.:
 CTK-2021-03419
 Page (143) / (248) Pages





ANT1_802.11ax_HE40_SU_UNI I 7



ANT1_802.11ax_HE40_SU_UNI I 8



ANT2_802.11ax_HE40_SU_UNI I 5






ANT2_802.11ax_HE40_SU_UNI I 6






CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501

Report No.:
 CTK-2021-03419
 Page (145) / (248) Pages



ANT2_802.11ax_HE40_SU_UNI I 7






ANT2_802.11ax_HE40_SU_UNI I 8




CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501




Report No.:
 CTK-2021-03419
 Page (146) / (248) Pages





ANT1_802.11ax_HE80_SU_UNI I 5



ANT1_802.11ax_HE80_SU_UNI I 6



ANT1_802.11ax_HE80_SU_UNI I 7






ANT1_802.11ax_HE80_SU_UNI I 8




CTK Co., Ltd.
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,
 Yongin-si, Gyeonggi-do, Korea
 Tel: +82-31-339-9970
 Fax: +82-31-624-9501




Report No.:
 CTK-2021-03419
 Page (148) / (248) Pages





ANT2_802.11ax_HE80_SU_UNI I 5



ANT2_802.11ax_HE80_SU_UNI I 6



ANT2_802.11ax_HE80_SU_UNI I 7



ANT2_802.11ax_HE80_SU_UNI I 8