

# TEST REPORT



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-00951  
Page (1) / (659) Pages

## 1. Applicant

- Name : Samsung Electronics Co Ltd
- Address : 19 Chapin Rd, Building D. Pine Brook, New Jersey, United States
- Date of Receipt : 2023-03-20

## 2. Manufacturer

- Name : Samsung Electronics Co., Ltd.
- Address : 129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Republic of Korea

## 3. Factory

- Name #1: CHEMTRONICS CO.,LTD.
- Address #1: 35, Buk-ri, Namsa-myeon, Cheoin-gu, Yongin-si, Gyeonggi-do, Korea
- Name #2: Chengdu Xuguang Technology Co., Ltd.
- Address #2: No.86 2nd Section, Park Road, Longquanyi District, Chengdu City, Sichuan Province, P.R.China
- Name #3: CHEMTROVINA COMPANY LIMITED
- Address #3: Nhon Trach 2 - Loc Khang IZ, Hiep Phuoc Town, Nhon Trach District, Dong Nai Province, Vietnam

**4. Use of Report** : For FCC Conformance

**5. Test Sample / Model:** Wi-Fi/BT Transceiver / WCC940M

**6. Date of Test** : 2023-03-21 to 2023-05-02

**7. Test Standard(method) used** : FCC 47 CFR part 15 subpart E 15.407

**8. Testing Environment:** Temp.: (23 ± 1) °C, Humidity: (28 ± 3) % R.H.

**9. Test Results** : Compliance

**10. Location of Test** :  Permanent Testing Lab  On Site Testing

(Address : (Unhak-Dong) 5, Dongbu-ro 221beon-gil, Cheoin-gu, Yong-in-si, Gyeonggi-do, Korea)


The results shown in this test report refer only to the sample(s) tested unless otherwise stated.

This report cannot be reproduced or copied without the written consent of CTK.



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-00951  
Page (2) / (659) Pages

Approval	Tested by  Ji-Hye, Kim: (Signature)	Technical Manager  Won-Jae, Hwang: (Signature)
----------	--	---

Remark. This report is not related to KOLAS accreditation and relevant regulation.

2023-05-10

**CTK Co., Ltd.**



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-00951  
Page (3) / (659) Pages

## REPORT REVISION HISTORY

Date	Revision	Page No
2023-05-10	Issued (CTK-2023-00951)	all

*This report shall not be reproduced except in full, without the written approval of CTK Co., Ltd. This document may be altered or revised by CTK Co., Ltd. personnel only, and shall be noted in the revision section of the document. Any alteration of this document not carried out by CTK Co., Ltd. will constitute fraud and shall nullify the document.*



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-00951  
Page (4) / (659) Pages

## CONTENTS

1. General Product Description .....	5
1.1 Applicant Information .....	5
1.2 Product Information.....	5
1.3 Peripheral Devices .....	8
1.4 Model Differences.....	8
2. Accreditations .....	9
2.1 Laboratory Accreditations and Listings.....	9
2.2 Calibration Details of Equipment Used for Measurement .....	9
3. Test Specifications .....	10
3.1 Standards .....	10
3.2 Mode of operation during the test .....	11
3.3 Device Modifications .....	14
3.4 Maximum Measurement Uncertainty .....	14
3.5 Test Software .....	14
4. Technical Characteristic Test.....	15
4.1 6dB Bandwidth .....	15
4.2 26 dB Bandwidth and 99% Bandwidth .....	45
4.3 OUTPUT POWER.....	128
4.4 Power Spectral Density .....	209
4.5 Frequency Stability.....	419
4.6 Unwanted Emissions .....	421
4.7 AC Conducted Emissions .....	655
APPENDIX A – Test Equipment Used For Tests .....	658



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (5) / (659) Pages

# 1. General Product Description

## 1.1 Applicant Information

<b>Company</b>	Samsung Electronics Co., Ltd.
<b>Contact Point</b>	129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Republic of Korea
<b>Contact Person</b>	Name : Minhyung Cho E-mail : mh719.cho@samsung.com Tel : +82-31-277-2688 Fax : -

## 1.2 Product Information

<b>FCC ID</b>	A3LWCC940M	
<b>Product Description</b>	Wi-Fi/BT Transceiver	
<b>Model name</b>	WCC940M	
<b>Variant Model name</b>	-	
<b>Operating Frequency</b>	UNII 1	20 MHz_BW : 5 180 MHz – 5 240 MHz 40 MHz_BW : 5 190 MHz – 5 230 MHz 80 MHz_BW : 5 210 MHz
	UNII 2A	20 MHz_BW : 5 260 MHz – 5 320 MHz 40 MHz_BW : 5 270 MHz – 5 310 MHz 80 MHz_BW : 5 290 MHz
	UNII 2C	20 MHz_BW : 5 500 MHz – 5 720 MHz 40 MHz_BW : 5 510 MHz – 5 710 MHz 80 MHz_BW : 5 530 MHz – 5 690 MHz
	UNII 3	20 MHz_BW : 5 745 MHz – 5 825 MHz 40 MHz_BW : 5 755 MHz – 5 795 MHz 80 MHz_BW : 5 775 MHz
	UNII 4	20 MHz_BW : 5 845 MHz – 5 885 MHz 40 MHz_BW : 5 835 MHz – 5 875 MHz 80 MHz_BW : 5 855 MHz
<b>RF Output Power</b>	802.11a : 17.65 dBm (58.21 mW) 802.11n_HT20 : 23.34 dBm (215.77 mW) 802.11n_HT40 : 24.25 dBm (266.07 mW) 802.11ac_VHT20 : 23.55 dBm (226.46 mW) 802.11ac_VHT40 : 24.22 dBm (264.24 mW) 802.11ac_VHT80 : 24.88 dBm (307.61 mW) 802.11ax_HE20 : 22.65 dBm (184.08 mW) 802.11ax_HE40 : 23.35 dBm (216.27 mW) 802.11ax_HE80 : 23.14 dBm (206.06 mW)	
<b>Antenna Specification</b>	Antenna type : Chip Antenna	
	UNII 1, UNII 2A	Peak Gain : 0.33 dBi (ANT0), 0.08 dBi (ANT1)
	UNII 2C, UNII 3	Peak Gain : 1.61 dBi (ANT0), 1.58 dBi (ANT1)
	UNII 4	Peak Gain : 0.32 dBi (ANT0), -0.33 dBi (ANT1)



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (6) / (659) Pages

<b>Antenna Configurations</b>	802.11a : SISO(ANT0, ANT1) 802.11n : SISO(ANT0, ANT1), MIMO(ANT0+ANT1) 802.11ac : SISO(ANT0, ANT1), MIMO(ANT0+ANT1) 802.11ax : SISO(ANT0, ANT1), MIMO(ANT0+ANT1)
<b>Type of Modulation</b>	802.11a/n/ac : OFDM 802.11ax : OFDMA
<b>Data Rate</b>	802.11a : 54 / 48 / 36 / 24 / 18 / 12 / 9 / 6 Mbps 802.11n : up to 300 Mbps 802.11ac : up to 867 Mbps 802.11ax : up to 1 200 Mbps
<b>Power Source</b>	DC 5 V
<b>Hardware Rev</b>	V1.0
<b>Software Rev</b>	FC 3
<b>Dynamic Frequency Selection</b>	Slave without radar detection

### RF Power setting in Test SW

Mode	Frequency Band	Power Setting Value
802.11a	UNII 1	15.0
	UNII 2A	13.5
	UNII 2C	12.0
	UNII 3	15.0
	UNII 4	15.0
802.11n_HT20	UNII 1	12.0
	UNII 2A	13.0
	UNII 2C	12.0
	UNII 3	15.0
	UNII 4	15.0
802.11n_HT40	UNII 1	15.0
	UNII 2A	15.0
	UNII 2C	13.0
	UNII 3	17.0
	UNII 4	17.0
802.11ac_VHT20	UNII 1	12.0
	UNII 2A	15.0
	UNII 2C	13.0
	UNII 3	15.0
	UNII 4	15.0
802.11ac_VHT40	UNII 1	15.0
	UNII 2A	14.0
	UNII 2C	12.0
	UNII 3	17.0
	UNII 4	17.0
802.11ac_VHT80	UNII 1	15.0
	UNII 2A	13.0
	UNII 2C	11.5
	UNII 3	17.0
	UNII 4	18.0



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (7) / (659) Pages

802.11ax _HE20	26T	UNII 1	4.0
		UNII 2A	6.5
		UNII 2C	6.0
		UNII 3	10.5
		UNII 4	7.0
	52T	UNII 1	5.5
		UNII 2A	8.0
		UNII 2C	8.0
		UNII 3	10.5
	106T	UNII 4	9.0
		UNII 1	7.5
		UNII 2A	10.5
		UNII 2C	10.5
	242T	UNII 3	12.0
		UNII 4	12.0
		UNII 1	12.0
UNII 2A		12.0	
802.11ax _HE40	26T	UNII 2C	12.0
		UNII 3	15.0
		UNII 4	15.0
		UNII 1	4.5
		UNII 2A	7.5
	52T	UNII 2C	6.5
		UNII 3	11.5
		UNII 4	7.5
		UNII 1	6.0
	106T	UNII 2A	9.5
		UNII 2C	8.5
		UNII 3	11.5
		UNII 4	10.0
	242T	UNII 1	8.5
		UNII 2A	13.0
		UNII 2C	12.0
UNII 3		12.0	
484T	UNII 4	13.0	
	UNII 1	12.5	
	UNII 2A	14.0	
	UNII 2C	12.0	
484T	UNII 3	13.0	
	UNII 4	13.0	
	UNII 1	12.5	
	UNII 2A	14.0	
484T	UNII 2C	12.0	
	UNII 3	17.0	
	UNII 4	17.0	
	UNII 1	12.5	



802.11ax _HE80	26T	UNII 1	4.0
		UNII 2A	7.5
		UNII 2C	6.5
		UNII 3	10.0
		UNII 4	7.5
	52T	UNII 1	6.0
		UNII 2A	9.5
		UNII 2C	8.5
		UNII 3	11.0
		UNII 4	10.0
	106T	UNII 1	9.0
		UNII 2A	13.0
		UNII 2C	12.0
		UNII 3	12.0
		UNII 4	12.0
	242T	UNII 1	12.5
		UNII 2A	15.5
		UNII 2C	12.5
		UNII 3	14.0
		UNII 4	15.5
484T	UNII 1	12.5	
	UNII 2A	13.0	
	UNII 2C	11.5	
	UNII 3	16.0	
	UNII 4	15.5	
996T	UNII 1	12.5	
	UNII 2A	13.0	
	UNII 2C	11.5	
	UNII 3	16.5	
	UNII 4	17.0	

### 1.3 Peripheral Devices

Device	Manufacturer	Model No.	Serial No.
Note Computer	HP	15-bs563TU	CND7253QPR
AC/DC Adapter	HP	HSTNN-LA40	-
Note Computer	Samsung Electronics Co., Ltd.	NT-RC530-WS55	HPFG91EC300116B
AC/DC Adapter	Samsung Electronics Co., Ltd.	PA-1600-66	-

### 1.4 Model Differences

Not applicable



## 2. Accreditations

### 2.1 Laboratory Accreditations and Listings

Country	Agency	Registration Number
USA	FCC	805871
CANADA	ISED	8737A
KOREA	NRRA	KR0025

### 2.2 Calibration Details of Equipment Used for Measurement

Test equipment and test accessories are calibrated on regular basis. The maximum time between calibrations is one year or what is recommended by the manufacturer, whichever is less. All test equipment calibrations are traceable to the Korea Research Institute of Standards and Science (KRISS), therefore, all test data recorded in this report is traceable to KRISS.



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (10) / (659) Pages

### 3. Test Specifications

#### 3.1 Standards

FCC Part Section(s)	Requirement(s)	Limit	Status (Note 1)	Test Condition
15.407 (e)	6 dB Bandwidth	> 500 kHz (5 725 – 5 850 MHz, 5 850 – 5 895 MHz)	C	Conducted
15.407 (a)	26 dB Bandwidth and 99% Bandwidth	NA	C	
15.407 (a)(1),(2),(3)	Conducted Output Power	< 250 mW (5 150 – 5 250 MHz)	C	
		< 250 mW (5 250 – 5 350 MHz, 5 470 – 5 725 MHz)		
		< 1 W (5 725 – 5 850 MHz)		
15.407 (a)(1),(2),(3)	Power Spectral Density	< 30 dBm EIRP (5 850 – 5 895 MHz)	C	
		< 11 dBm/MHz (5 150 – 5 250 MHz)		
		< 11 dBm/MHz (5 250 – 5 350 MHz, 5 470 – 5 725 MHz)		
15.407 (g)	Frequency Stability	NA	C	
15.407 (b)	Undesirable emission	< -27 dBm/MHz EIRP (5 150 – 5 250 MHz, 5 250 – 5 350 MHz, 5 470 – 5 725 MHz)	C	Radiated
		< -27 dBm/MHz EIRP < 10 dBm/MHz EIRP < 15.6 dBm/MHz EIRP < 27 dBm/MHz EIRP (5 725 – 5 850 MHz)		
15.205, 15.407 (b)(9),(10)	Radiated Spurious Emission	< -27 dBm/MHz EIRP < 10 dBm/MHz EIRP < 15.6 dBm/MHz EIRP < 27 dBm/MHz EIRP < -27 dBm/MHz EIRP < -5 dBm/MHz EIRP (5 850 – 5 895 MHz)	C	
		15.209(a)		
15.407 (b)(9)	AC Conducted Emissions	15.207(a)	C	Line Conducted
<i>Note 1:</i> C=Complies NC=Not Complies NT=Not Tested NA=Not Applicable				
<i>Note 2:</i> The data in this test report are traceable to the national or international standards.				
<i>Note 3:</i> The sample was tested according to the following specification: FCC Part 15.407, ANSI C63.10-2013				
<i>Note 4:</i> The tests were performed according to the method of measurements prescribed in KDB No.789033, KDB No.987594				



### 3.2 Mode of operation during the test

The EUT is operated in a manner representative of the typical of the equipments. During at testing, system components were manipulated within the confines of typical usage to maximize each emission. For WLAN function, the engineering test program was provided and enabled to make EUT continuous transmit. All modulation modes were tests. The results are only attached worst cases.

The Output power and Power Spectral Density for the 802.11 ax mode were investigated between all different tones, and we found that the highest tone had the highest output power and lowest tone had the highest PSD readings. Therefore, full testing was performed on both the highest and lowest tones.

#### Test Frequency & Bandwidth

- 802.11a, 802.11n\_HT20, 802.11ac\_VHT20, 802.11ax\_HE20

	Lowest channel	Middle channel	Highest channel
<b>UNII 1</b>	5 180 MHz	5 200 MHz	5 240 MHz
<b>UNII 2A</b>	5 260 MHz	5 300 MHz	5 320 MHz
<b>UNII 2C</b>	5 500 MHz	5 600 MHz	5 700 MHz, 5 720 MHz
<b>UNII 3</b>	5 745 MHz	5 785 MHz	5 825 MHz
<b>UNII 4</b>	5 845 MHz	5 865 MHz	5 885 MHz

- 802.11n\_HT40, 802.11ac\_VHT40, 802.11ax\_HE40

	Lowest channel	Middle channel	Highest channel
<b>UNII 1</b>	5 190 MHz	-	5 230 MHz
<b>UNII 2A</b>	5 270 MHz	-	5 310 MHz
<b>UNII 2C</b>	5 510 MHz	5 590 MHz	5 670 MHz, 5 710 MHz
<b>UNII 3</b>	5 755 MHz	-	5 795 MHz
<b>UNII 4</b>	5 835 MHz	-	5 875 MHz

- 802.11ac\_VHT80, 802.11ax\_HE80


	Lowest channel	Middle channel	Highest channel
<b>UNII 1</b>	5 210 MHz	-	-
<b>UNII 2A</b>	5 290 MHz	-	-
<b>UNII 2C</b>	5 530 MHz	5 610 MHz	5 690 MHz
<b>UNII 3</b>	5 775 MHz	-	-
<b>UNII 4</b>	5 855 MHz	-	-



**Test mode & Worst case**

Test mode	Modulation	Data rate	Duty Cycle	Duty Cycle Factor
802.11a	OFDM	6 Mbps	97.2 %	0.12 dB
802.11n_HT20	OFDM	MCS 0	96.8 %	0.14 dB
802.11n_HT40		MCS 0	93.8 %	0.28 dB
802.11ac_VHT20		MNSS 0	94.2 %	0.26 dB
802.11ac_VHT40		MNSS 0	89.4 %	0.49 dB
802.11ac_VHT80		MNSS 0	81.0 %	0.91 dB
802.11ax_HE20_26T		OFDMA	MCS 0	95.2 %
802.11ax_HE20_52T	95.1 %			0.22 dB
802.11ax_HE20_106T	94.7 %			0.24 dB
802.11ax_HE20_242T	93.9 %			0.27 dB
802.11ax_HE40_26T	95.2 %			0.21 dB
802.11ax_HE40_52T	95.0 %			0.22 dB
802.11ax_HE40_106T	94.6 %			0.24 dB
802.11ax_HE40_242T	93.9 %			0.27 dB
802.11ax HE40 484T	93.8 %			0.28 dB
802.11ax HE80 26T	95.3 %			0.21 dB
802.11ax HE80 52T	95.2 %			0.21 dB
802.11ax HE80 106T	94.7 %			0.24 dB
802.11ax HE80 242T	94.0 %			0.27 dB
802.11ax HE80 484T	93.8 %			0.28 dB
802.11ax HE80 996T	93.6 %			0.29 dB

**802.11ax RU Locations**





**Test RU Index for Tones**

Mode	Tones	RU Index		
802.11ax_HE20	26T	Low	0	
		Mid	4	
		High	8	
	52T	Low	37	
		Mid	39	
		High	40	
	106T	Low	53	
		Mid	-	
		High	54	
	242T / SU	61 / NA	61 / NA	
	802.11ax_HE40	26T	Low	0
			Mid	9
High			17	
52T		Low	37	
		Mid	41	
		High	44	
106T		Low	53	
		Mid	55	
		High	56	
242T		Low	61	
		Mid	-	
		High	62	
484T / SU		65 / NA	65 / NA	
802.11ax_HE80		26T	Low	0
			Mid	18
	High		36	
	52T	Low	37	
		Mid	45	
		High	52	
	106T	Low	53	
		Mid	57	
		High	60	
	242T	Low	61	
		Mid	63	
		High	64	
	484T	Low	65	
		Mid	-	
		High	66	
	996T / SU	67 / NA	67 / NA	

Full RU(Resource Unit) mode and SU(Single Unit) mode have no difference in physical waveform. This Report has been reported the Full RU(Resource Unit) mode with worst output power.



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-00951  
Page (14) / (659) Pages

### 3.3 Device Modifications

The following modifications were necessary for compliance:

Not applicable

### 3.4 Maximum Measurement Uncertainty

The value of the measurement uncertainty for the measurement of each parameter.  
Coverage factor  $k = 2$ , Confidence levels of 95 %

Description	Uncertainty
Conducted RF Output Power	1.5 dB (C.L.: Approx. 95 %, $k = 2$ )
Power Spectral Density	1.5 dB (C.L.: Approx. 95 %, $k = 2$ )
Occupied Bandwidth	0.1 MHz (C.L.: Approx. 95 %, $k = 2$ )
Unwanted Emission(conducted)	3.0 dB (C.L.: Approx. 95 %, $k = 2$ )
Radiated Emissions ( $f \leq 1$ GHz)	3.88 dB (C.L.: Approx. 95 %, $k = 2$ )
Radiated Emissions ( $f > 1$ GHz)	4.50 dB (C.L.: Approx. 95 %, $k = 2$ )
Line Conducted Emission	1.94 dB (C.L.: Approx. 95 %, $k = 2$ )

### 3.5 Test Software

Conducted Test	Ics Pro Ver. 6.0.3
Radiated Test	EP5RE Ver. 6.0.1.0, ES10 Ver. 10.001
Line Conducted Test	EMC32 Ver. 10.50.00



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-00951  
Page (15) / (659) Pages

## 4. Technical Characteristic Test

### 4.1 6dB Bandwidth

#### Test Procedures

KDB 789033 – Section C.2  
ANSI C63.10-2013 - Section 6.9.2

Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

#### Test Settings :

Center frequency = the highest, middle and the lowest channels

- a) RBW = 100 kHz
- b) VBW  $\geq 3 \times$  RBW
- c) Detector = peak
- d) Trace mode = Max hold
- e) Sweep = auto couple
- f) Allow trace to fully stabilize
- g) Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

#### **Minimum Standard:**

---

6 dB Bandwidth > 500 kHz

---



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (16) / (659) Pages

**Test Data:**

**ANTO**

	6 dB Bandwidth (MHz)			
Mode	802.11a	802.11n_HT20	802.11ac_VHT20	802.11ax_HE20_242T
Frequency				
5 745 MHz	16.30	17.58	17.53	18.75
5 785 MHz	16.35	17.59	17.57	18.90
5 825 MHz	16.30	17.55	17.54	18.84
5 845 MHz	16.34	16.92	17.57	18.49
5 865 MHz	16.34	16.68	17.53	18.82
5 885 MHz	16.33	16.93	17.58	18.84
Measurement uncertainty	± 0.1 MHz			

	6 dB Bandwidth (MHz)		
Mode	802.11ax_HE20_26T		
Frequency	Low	Mid	High
5 745 MHz	2.07	2.65	2.11
5 785 MHz	2.06	2.65	2.09
5 825 MHz	2.10	2.66	2.12
5 845 MHz	2.12	2.64	2.11
5 865 MHz	2.11	2.66	2.09
5 885 MHz	2.11	2.66	2.06
Measurement uncertainty	± 0.1 MHz		





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (17) / (659) Pages

6 dB Bandwidth (MHz)			
Mode	802.11n_HT40	802.11ac_VHT40	802.11ax_HE40_484T
Frequency			
5 755 MHz	33.78	34.97	35.11
5 795 MHz	35.03	32.60	35.08
5 835 MHz	35.04	35.05	33.88
5 875 MHz	33.80	33.81	35.34
Measurement uncertainty	± 0.1 MHz		

6 dB Bandwidth (MHz)			
Mode	802.11ax_HE40_26T		
Frequency	Low	Mid	High
5 755 MHz	2.11	2.12	2.12
5 795 MHz	2.08	2.02	2.10
5 835 MHz	2.10	2.12	2.11
5 875 MHz	2.10	2.14	2.09
Measurement uncertainty	± 0.1 MHz		

6 dB Bandwidth (MHz)		
Mode	802.11ac_VHT80	802.11ax_HE80_996T
Frequency		
5 775 MHz	75.14	75.75
5 855 MHz	75.11	75.14
Measurement uncertainty	± 0.1 MHz	

6 dB Bandwidth (MHz)			
Mode	802.11ax_HE80_26T		
Frequency	Low	Mid	High
5 775 MHz	2.14	2.00	2.07
5 855 MHz	2.09	2.13	2.07
Measurement uncertainty	± 0.1 MHz		



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (18) / (659) Pages

**ANT1**

	6 dB Bandwidth (MHz)			
Mode	802.11a	802.11n_HT20	802.11ac_VHT20	802.11ax_HE20_242T
Frequency				
5 745 MHz	16.35	17.62	17.57	19.01
5 785 MHz	16.35	17.59	17.56	18.65
5 825 MHz	16.33	17.57	17.59	18.89
5 845 MHz	16.39	17.58	17.60	18.93
5 865 MHz	16.28	17.63	17.61	19.00
5 885 MHz	16.32	17.63	17.62	18.68
Measurement uncertainty	± 0.1 MHz			

	6 dB Bandwidth (MHz)		
Mode	802.11ax_HE20_26T		
Frequency	Low	Mid	High
5 745 MHz	2.11	2.67	2.10
5 785 MHz	2.10	2.69	2.11
5 825 MHz	2.10	2.69	2.11
5 845 MHz	2.12	2.64	2.06
5 865 MHz	2.12	2.61	2.14
5 885 MHz	2.14	2.66	2.10
Measurement uncertainty	± 0.1 MHz		



6 dB Bandwidth (MHz)			
Mode	802.11n_HT40	802.11ac_VHT40	802.11ax_HE40_484T
Frequency			
5 755 MHz	35.06	35.03	35.07
5 795 MHz	34.98	32.57	33.15
5 835 MHz	32.63	35.02	35.04
5 875 MHz	32.66	35.02	35.11
Measurement uncertainty	± 0.1 MHz		

6 dB Bandwidth (MHz)			
Mode	802.11ax_HE40_26T		
Frequency	Low	Mid	High
5 755 MHz	16.56	2.08	16.55
5 795 MHz	2.09	2.09	2.14
5 835 MHz	2.08	2.11	2.07
5 875 MHz	16.53	2.12	2.07
Measurement uncertainty	± 0.1 MHz		

6 dB Bandwidth (MHz)		
Mode	802.11ac_VHT80	802.11ax_HE80_996T
Frequency		
5 775 MHz	75.10	75.15
5 855 MHz	75.12	75.15
Measurement uncertainty	± 0.1 MHz	

6 dB Bandwidth (MHz)			
Mode	802.11ax_HE80_26T		
Frequency	Low	Mid	High
5 775 MHz	2.21	2.16	2.13
5 855 MHz	2.13	2.09	2.12
Measurement uncertainty	± 0.1 MHz		

See next pages for actual measured spectrum plots.





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (20) / (659) Pages



**ANTO\_802.11a\_UNII 3**



**ANTO\_802.11a\_UNII 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (21) / (659) Pages



**ANT1\_802.11a\_UNII 3**





**ANT1\_802.11a\_UNII 4**





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (22) / (659) Pages



**ANTO\_802.11n\_HT20\_UNII 3**





**ANTO\_802.11n\_HT20\_UNII 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (23) / (659) Pages



**ANT1\_802.11n\_HT20\_UNII 3**



**ANT1\_802.11n\_HT20\_UNII 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (24) / (659) Pages



**ANTO\_802.11ac\_VHT20\_UNII 3**




**ANTO\_802.11ac\_VHT20\_UNII 4**








**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (25) / (659) Pages



**ANT1\_802.11ac\_VHT20\_UNII 3**





**ANT1\_802.11ac\_VHT20\_UNII 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (26) / (659) Pages



**ANTO\_802.11ax\_HE20\_26T\_Low\_UNII 3**




**ANTO\_802.11ax\_HE20\_26T\_Low\_UNII 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (27) / (659) Pages



ANT1\_802.11ax\_HE20\_26T\_Low\_UNII 3



ANT1\_802.11ax\_HE20\_26T\_Low\_UNII 4





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (28) / (659) Pages



**ANTO\_802.11ax\_HE20\_26T\_Mid\_UNI I 3**



**ANTO\_802.11ax\_HE20\_26T\_Mid\_UNI I 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (29) / (659) Pages



ANT1\_802.11ax\_HE20\_26T\_Mid\_UNI I 3





ANT1\_802.11ax\_HE20\_26T\_Mid\_UNI I 4






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (30) / (659) Pages



**ANTO\_802.11ax\_HE20\_26T\_High\_UNI 3**





**ANTO\_802.11ax\_HE20\_26T\_High\_UNI 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (31) / (659) Pages



**ANT1\_802.11ax\_HE20\_26T\_High\_UNI I 3**




**ANT1\_802.11ax\_HE20\_26T\_High\_UNI I 4**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (32) / (659) Pages



ANTO\_802.11ax\_HE20\_242T\_UNII 3






ANTO\_802.11ax\_HE20\_242T\_UNII 4








**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (33) / (659) Pages



ANT1\_802.11ax\_HE20\_242T\_UNII 3



ANT1\_802.11ax\_HE20\_242T\_UNII 4



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501



Report No.:  
 CTK-2023-00951  
 Page (34) / (659) Pages





**ANTO\_802.11n\_HT40\_UNII 3**



**ANTO\_802.11n\_HT40\_UNII 4**



**ANT1\_802.11n\_HT40\_UNII 3**




**ANT1\_802.11n\_HT40\_UNII 4**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501



Report No.:  
 CTK-2023-00951  
 Page (35) / (659) Pages





**ANTO\_802.11ac\_VHT40\_UNI1 3**



**ANTO\_802.11ac\_VHT40\_UNI1 4**



**ANT1\_802.11ac\_VHT40\_UNI1 3**





**ANT1\_802.11ac\_VHT40\_UNI1 4**





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501


Report No.:  
 CTK-2023-00951  
 Page (36) / (659) Pages





**ANTO\_802.11ax\_HE40\_26T\_Low\_UNI 3**



**ANTO\_802.11ax\_HE40\_26T\_Low\_UNI I 4**



**ANT1\_802.11ax\_HE40\_26T\_Low\_UNI 3**



**ANT1\_802.11ax\_HE40\_26T\_Low\_UNI I 4**





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501



Report No.:  
 CTK-2023-00951  
 Page (37) / (659) Pages





**ANTO\_802.11ax\_HE40\_26T\_Mid\_UNI I 3**



**ANTO\_802.11ax\_HE40\_26T\_Mid\_UNI I 4**



**ANT1\_802.11ax\_HE40\_26T\_Mid\_UNI I 3**





**ANT1\_802.11ax\_HE40\_26T\_Mid\_UNI I 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (38) / (659) Pages




**ANTO\_802.11ax\_HE40\_26T\_High\_UNI 3**



**ANTO\_802.11ax\_HE40\_26T\_High\_UNI 4**



**ANT1\_802.11ax\_HE40\_26T\_High\_UNI 3**





**ANT1\_802.11ax\_HE40\_26T\_High\_UNI I 4**




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501


Report No.:  
 CTK-2023-00951  
 Page (39) / (659) Pages





**ANTO\_802.11ax\_HE40\_484T\_UNI 3**



**ANTO\_802.11ax\_HE40\_484T\_UNI 4**




**ANT1\_802.11ax\_HE40\_484T\_UNI 3**




**ANT1\_802.11ax\_HE40\_484T\_UNI 4**




**ANTO\_802.11ac\_VHT80\_UNII 3**



**ANTO\_802.11ac\_VHT80\_UNII 4**




**ANT1\_802.11ac\_VHT80\_UNII 3**




**ANT1\_802.11ac\_VHT80\_UNII 4**







**ANTO\_802.11ax\_HE80\_26T\_Low\_UNI I 3**




**ANTO\_802.11ax\_HE80\_26T\_Low\_UNI I 4**




**ANT1\_802.11ax\_HE80\_26T\_Low\_UNI I 3**




**ANT1\_802.11ax\_HE80\_26T\_Low\_UNI I 4**



**ANTO\_802.11ax\_HE80\_26T\_Mid\_UNI I 3**



**ANTO\_802.11ax\_HE80\_26T\_Mid\_UNI I 4**




**ANT1\_802.11ax\_HE80\_26T\_Mid\_UNI I 3**




**ANT1\_802.11ax\_HE80\_26T\_Mid\_UNI I 4**




**ANTO\_802.11ax\_HE80\_26T\_High\_UNI I 3**



**ANTO\_802.11ax\_HE80\_26T\_High\_UNI I 4**



**ANT1\_802.11ax\_HE80\_26T\_High\_UNI I 3**




**ANT1\_802.11ax\_HE80\_26T\_High\_UNI I 4**



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (44) / (659) Pages




**ANTO\_802.11ax\_HE80\_996T\_UNII 3**



**ANTO\_802.11ax\_HE80\_996T\_UNII 4**



**ANT1\_802.11ax\_HE80\_996T\_UNII 3**



**ANT1\_802.11ax\_HE80\_996T\_UNII 4**



## 4.2 26 dB Bandwidth and 99% Bandwidth

### Test Procedures

KDB 789033 – Section C.1  
ANSI C63.10-2013 - Section 6.9.2

Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 26 dB relative to the maximum level measured in the fundamental emission.

### Test Procedures

KDB 789033 – Section C.1  
ANSI C63.10-2013 - Section 6.9.3

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers are each equal to 0.5% of the total mean power of the given emission.

Use the 99% power bandwidth function of the instrument and report the measured bandwidth.

### Test Settings :

Center frequency = the highest, middle and the lowest channels

- a) RBW = approximately 1 % of the emission bandwidth
- b) VBW  $\geq$  RBW
- c) Detector = peak
- d) Trace mode = Max hold
- e) Measure the maximum width of the emission that is 26 dB down from the maximum of the emission. Compare this with the RBW setting of the analyzer. Readjust RBW and repeat measurement as needed until the RBW/EBW ratio is approximately 1%.

### Minimum Standard:

---

---

NA

---

---



**Test Data:**

**ANTO**

	26 dB Bandwidth and 99 % Bandwidth (MHz)							
Mode	802.11a		802.11n_HT20		802.11ac_VHT20		802.11ax_HE20_242T	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 180 MHz	23.18	16.76	24.00	17.89	23.94	17.90	23.30	19.02
5 200 MHz	23.68	16.85	24.50	17.95	23.94	17.92	23.33	19.02
5 240 MHz	20.52	16.52	20.06	17.58	20.01	17.56	19.86	18.83
5 260 MHz	24.51	16.79	23.58	17.94	28.02	18.17	23.10	19.00
5 300 MHz	24.27	16.78	25.19	17.95	26.23	18.01	25.36	19.00
5 320 MHz	24.97	16.78	24.47	17.94	26.83	18.09	24.39	19.01
5 500 MHz	23.05	16.76	24.33	17.94	24.58	17.95	24.47	19.02
5 600 MHz	23.34	16.77	24.11	17.91	23.92	17.91	23.92	19.00
5 700 MHz	23.43	16.81	24.31	17.94	24.75	17.93	22.74	19.03
5 720 MHz	22.71	16.76	23.91	17.91	24.28	17.89	22.40	18.98
5 745 MHz	24.22	16.85	23.83	17.94	24.01	17.93	25.16	19.04
5 785 MHz	23.69	16.79	24.25	17.98	24.69	17.96	25.06	19.05
5 825 MHz	23.55	16.82	23.75	17.97	25.39	17.96	25.15	19.03
5 845 MHz	22.69	16.78	23.82	17.90	24.16	17.92	21.99	19.00
5 865 MHz	23.79	16.83	25.22	17.99	25.58	17.95	23.42	19.03
5 885 MHz	24.37	16.76	24.96	17.98	25.11	17.94	23.73	19.00
Measurement uncertainty	± 0.1 MHz							

	26 dB Bandwidth and 99 % Bandwidth (MHz)					
Mode	802.11ax_HE20_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 180 MHz	20.10	18.47	18.20	17.01	20.46	18.48
5 200 MHz	19.96	18.49	18.08	17.03	20.51	18.52
5 240 MHz	18.93	18.01	18.10	17.05	19.05	18.18
5 260 MHz	20.32	18.56	18.09	16.98	19.90	18.41
5 300 MHz	20.29	18.51	18.09	16.98	20.48	18.43
5 320 MHz	20.45	18.46	18.09	16.95	20.33	18.44
5 500 MHz	20.21	18.49	18.04	16.96	20.09	18.45
5 600 MHz	20.18	18.40	18.02	17.00	20.65	18.59



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (47) / (659) Pages

5 700 MHz	19.97	18.46	18.06	16.97	20.39	18.54
5 720 MHz	20.32	18.45	18.19	17.03	20.58	18.47
5 745 MHz	19.95	18.52	18.07	16.91	19.85	18.43
5 785 MHz	20.38	18.51	18.04	16.96	20.69	18.44
5 825 MHz	20.34	18.52	18.10	16.95	20.37	18.46
5 845 MHz	20.16	18.38	18.19	17.00	19.99	18.54
5 865 MHz	20.36	18.44	18.17	17.07	20.48	18.53
5 885 MHz	20.27	18.43	18.04	16.99	20.30	18.53
Measurement uncertainty	± 0.1 MHz					

26 dB Bandwidth and 99% Bandwidth (MHz)						
Mode	802.11n_HT40		802.11ac_VHT40		802.11ax_HE40_484T	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 190 MHz	40.51	35.93	39.78	35.88	39.46	37.47
5 230 MHz	40.09	35.94	39.70	35.85	39.44	37.48
5 270 MHz	42.27	35.98	39.80	35.87	39.36	37.46
5 310 MHz	41.70	35.96	40.14	35.86	39.56	37.52
5 510 MHz	40.05	35.92	40.15	35.84	39.47	37.53
5 590 MHz	39.87	35.86	39.66	35.82	39.57	37.49
5 670 MHz	39.79	35.87	40.03	35.87	39.53	37.51
5 710 MHz	39.80	35.92	40.03	35.85	39.55	37.50
5 755 MHz	40.63	35.97	40.39	35.87	39.44	37.43
5 795 MHz	42.16	36.00	40.12	35.95	39.45	37.53
5 835 MHz	53.66	36.07	40.32	35.95	39.50	37.52
5 875 MHz	53.61	36.08	43.51	35.96	39.62	37.62
Measurement uncertainty	± 0.1 MHz					

26 dB Bandwidth and 99% Bandwidth (MHz)						
Mode	802.11ax_HE40_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 190 MHz	19.14	17.78	22.30	20.27	19.39	17.98
5 230 MHz	19.12	17.81	22.46	20.12	19.30	18.03
5 270 MHz	19.27	17.90	22.33	20.14	19.29	18.03
5 310 MHz	19.13	17.96	23.57	20.32	19.25	17.92



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (48) / (659) Pages

5 510 MHz	19.23	17.87	21.64	20.04	19.14	17.94
5 590 MHz	18.47	17.45	22.80	20.13	19.19	17.92
5 670 MHz	19.23	17.86	22.56	19.96	19.13	17.94
5 710 MHz	19.27	17.96	22.18	20.01	19.25	17.94
5 755 MHz	19.27	17.92	21.82	19.85	19.21	17.95
5 795 MHz	19.03	17.82	21.76	20.14	19.21	17.92
5 835 MHz	19.26	17.94	22.30	20.13	19.26	17.97
5 875 MHz	19.23	17.87	22.13	20.07	19.14	17.92
Measurement uncertainty	± 0.1 MHz					

26 dB Bandwidth and 99% Bandwidth (MHz)				
Mode	802.11ac_VHT80		802.11ax_HE80_996T	
Frequency	26 dB	99 %	26 dB	99 %
5 210 MHz	79.54	75.19	80.15	76.79
5 290 MHz	79.56	75.19	80.08	76.76
5 530 MHz	79.43	75.24	79.91	76.80
5 610 MHz	79.78	75.25	79.93	76.88
5 690 MHz	79.47	75.22	79.86	76.83
5 775 MHz	79.51	75.28	79.88	76.86
5 855 MHz	123.3	75.57	79.97	76.76
Measurement uncertainty	± 0.1 MHz			

26 dB Bandwidth and 99% Bandwidth (MHz)						
Mode	802.11ax_HE80_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 210 MHz	20.77	18.67	22.73	20.75	20.18	18.77
5 290 MHz	20.03	18.64	24.63	20.92	20.67	18.70
5 530 MHz	20.18	18.55	21.31	20.98	20.80	18.75
5 610 MHz	20.56	18.70	23.41	21.06	20.88	18.71
5 690 MHz	20.66	18.60	24.18	21.47	20.51	18.81
5 775 MHz	20.31	18.73	23.00	21.01	20.57	18.63
5 855 MHz	20.41	18.48	23.24	21.07	20.79	18.67
Measurement uncertainty	± 0.1 MHz					





**ANT1**

26 dB Bandwidth and 99 % Bandwidth (MHz)								
Mode	802.11a		802.11n_HT20		802.11ac_VHT20		802.11ax_HE20_242T	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 180 MHz	23.06	16.77	23.06	17.82	23.11	17.85	22.64	18.98
5 200 MHz	23.85	16.82	23.68	17.85	23.36	17.84	23.18	18.99
5 240 MHz	19.89	16.46	19.85	17.57	19.86	17.56	19.84	18.81
5 260 MHz	23.23	16.72	23.44	17.82	24.79	17.97	22.43	18.95
5 300 MHz	23.77	16.78	22.72	17.86	26.61	17.96	23.12	19.00
5 320 MHz	23.68	16.74	23.40	17.86	26.46	17.99	24.22	19.02
5 500 MHz	22.74	16.75	23.73	17.84	23.82	17.81	22.87	18.99
5 600 MHz	23.35	16.76	23.33	17.84	23.70	17.83	21.66	19.01
5 700 MHz	24.04	16.80	23.53	17.87	23.54	17.83	22.28	18.98
5 720 MHz	23.44	16.77	23.20	17.83	23.06	17.82	22.81	19.00
5 745 MHz	23.94	16.82	25.87	17.89	24.16	17.88	23.46	19.05
5 785 MHz	23.62	16.80	25.58	17.96	24.54	17.90	25.38	19.00
5 825 MHz	24.82	16.73	27.01	17.94	25.36	17.92	22.49	19.01
5 845 MHz	23.08	16.75	26.42	17.89	24.14	17.89	23.34	19.02
5 865 MHz	23.70	16.79	24.36	17.93	24.11	17.90	25.23	19.01
5 885 MHz	23.95	16.79	25.41	17.89	25.08	17.92	22.72	18.98
Measurement uncertainty	± 0.1 MHz							

26 dB Bandwidth and 99 % Bandwidth (MHz)						
Mode	802.11ax_HE20_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 180 MHz	20.33	18.58	18.04	17.03	20.22	18.50
5 200 MHz	20.09	18.51	18.09	17.06	20.62	18.59
5 240 MHz	18.94	18.00	18.08	16.84	19.05	18.02
5 260 MHz	20.11	18.50	18.05	17.10	20.51	18.55
5 300 MHz	20.02	18.54	18.08	17.11	19.89	18.41
5 320 MHz	20.21	18.54	18.09	17.09	20.65	18.67
5 500 MHz	20.35	18.48	18.06	17.05	20.44	18.63
5 600 MHz	20.14	18.46	18.11	17.06	20.28	18.52
5 700 MHz	20.18	18.47	18.10	17.11	20.38	18.59
5 720 MHz	20.10	18.52	18.15	17.1	20.03	18.49



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (50) / (659) Pages

5 745 MHz	20.65	18.52	18.09	17.06	20.11	18.65
5 785 MHz	20.50	18.53	18.07	17.04	21.04	18.59
5 825 MHz	20.41	18.43	18.08	17.09	20.52	18.62
5 845 MHz	20.22	18.48	18.10	17.05	20.16	18.42
5 865 MHz	20.10	18.45	18.11	17.13	20.79	18.56
5 885 MHz	20.65	18.56	18.12	17.04	20.12	18.49
Measurement uncertainty	± 0.1 MHz					

26 dB Bandwidth and 99% Bandwidth (MHz)						
Mode	802.11n_HT40		802.11ac_VHT40		802.11ax_HE40_484T	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 190 MHz	39.34	35.87	39.62	35.85	39.40	37.48
5 230 MHz	39.45	35.87	39.34	35.74	39.37	37.50
5 270 MHz	39.50	35.90	39.26	35.82	39.44	37.50
5 310 MHz	40.00	35.92	39.64	35.81	39.45	37.47
5 510 MHz	39.47	35.83	39.47	35.82	39.33	37.45
5 590 MHz	39.38	35.86	39.50	35.84	39.38	37.44
5 670 MHz	39.49	35.85	39.39	35.87	39.30	37.52
5 710 MHz	39.38	35.86	39.08	35.82	39.38	37.47
5 755 MHz	40.85	36.05	39.60	35.91	39.59	37.55
5 795 MHz	41.29	36.05	40.06	36.00	39.42	37.55
5 835 MHz	49.14	36.10	42.08	35.99	40.05	37.64
5 875 MHz	53.66	36.06	42.83	35.99	41.31	37.65
Measurement uncertainty	± 0.1 MHz					

26 dB Bandwidth and 99% Bandwidth (MHz)						
Mode	802.11ax_HE40_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 190 MHz	19.20	17.79	21.97	19.90	19.12	17.82
5 230 MHz	19.27	17.91	21.59	19.79	19.07	17.77
5 270 MHz	19.13	17.83	22.27	20.00	19.08	17.84
5 310 MHz	19.23	17.79	21.50	19.67	19.11	17.73
5 510 MHz	19.20	17.90	22.20	19.99	19.04	17.77
5 590 MHz	19.05	17.81	22.38	19.92	19.05	17.80



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (51) / (659) Pages

5 670 MHz	19.25	17.81	21.86	19.80	19.04	17.81
5 710 MHz	19.02	17.84	21.69	19.84	19.09	17.82
5 755 MHz	19.16	17.85	22.35	19.86	19.04	17.87
5 795 MHz	19.26	17.93	22.20	19.93	19.02	17.83
5 835 MHz	19.30	17.76	22.75	19.70	19.04	17.83
5 875 MHz	19.18	17.83	21.93	19.83	19.04	17.79
Measurement uncertainty	± 0.1 MHz					

26 dB Bandwidth and 99% Bandwidth (MHz)				
Mode	802.11ac_VHT80		802.11ax_HE80_996T	
Frequency	26 dB	99 %	26 dB	99 %
5 210 MHz	79.21	75.08	80.04	76.86
5 290 MHz	79.43	75.12	79.96	76.78
5 530 MHz	79.40	75.13	79.97	76.71
5 610 MHz	79.27	75.16	79.85	76.78
5 690 MHz	79.11	75.15	79.84	76.86
5 775 MHz	79.17	75.25	79.91	77.00
5 855 MHz	119.4	75.55	79.89	76.85
Measurement uncertainty	± 0.1 MHz			


26 dB Bandwidth and 99% Bandwidth (MHz)						
Mode	802.11ax_HE80_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 210 MHz	20.20	18.27	23.49	20.16	19.85	18.34
5 290 MHz	20.22	18.30	22.23	19.92	19.60	18.24
5 530 MHz	20.22	18.47	22.85	20.28	19.87	18.32
5 610 MHz	19.50	18.27	22.48	20.23	19.58	18.39
5 690 MHz	19.73	18.30	24.04	20.18	19.58	18.32
5 775 MHz	20.22	18.42	23.11	20.33	19.66	18.19
5 855 MHz	19.70	18.24	22.07	20.27	19.79	18.35
Measurement uncertainty	± 0.1 MHz					

See next pages for actual measured spectrum plots.




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (52) / (659) Pages



**ANTO\_802.11a\_UNII 1**





**ANTO\_802.11a\_UNII 2A**



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (53) / (659) Pages



**ANTO\_802.11a\_UNII 2C**





**ANTO\_802.11a\_UNII 3**



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (54) / (659) Pages





ANTO\_802.11a\_UNII 4





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (55) / (659) Pages



**ANT1\_802.11a\_UNII 1**






**ANT1\_802.11a\_UNII 2A**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (56) / (659) Pages



ANT1\_802.11a\_UNII 2C






ANT1\_802.11a\_UNII 3





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (57) / (659) Pages



ANT1\_802.11a\_UNII 4





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (58) / (659) Pages



**ANTO\_802.11n\_HT20\_UNI I 1**




**ANTO\_802.11n\_HT20\_UNI I 2A**







**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (59) / (659) Pages



**ANTO\_802.11n\_HT20\_UNII 2C**






**ANTO\_802.11n\_HT20\_UNII 3**



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-00951  
 Page (60) / (659) Pages



ANTO\_802.11n\_HT20\_UNII 4