

# TEST REPORT



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01432  
Page (1) / (427) Pages

## 1. Applicant

- Name : Samsung Electronics Co Ltd
- Address : 19 Chapin Rd, Building D. Pine Brook, New Jersey, United States
- Date of Receipt : 2023-03-20

## 2. Manufacturer

- Name : Samsung Electronics Co., Ltd.
- Address : 129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Republic of Korea

## 3. Factory

- Name #1: CHEMTRONICS CO.,LTD.
- Address #1: 35, Buk-ri, Namsa-myeon, Cheoin-gu, Yongin-si, Gyeonggi-do, Korea
- Name #2: Chengdu Xuguang Technology Co., Ltd.
- Address #2: No.86 2nd Section, Park Road, Longquanyi District, Chengdu City, Sichuan Province, P.R.China
- Name #3: CHEMTROVINA COMPANY LIMITED
- Address #3: Nhon Trach 2 - Loc Khang IZ, Hiep Phuoc Town, Nhon Trach District, Dong Nai Province, Vietnam

## 4. Use of Report : For FCC Conformance

## 5. Test Sample / Model: Wi-Fi/BT Transceiver / WCC941M

## 6. Date of Test : 2023-04-10 to 2023-06-08

## 7. Test Standard(method) used : FCC 47 CFR part 15 subpart E 15.407

## 8. Testing Environment: Temp.: (23 ± 1) °C, Humidity: (36 ± 3) % R.H.

## 9. Test Results : Compliance

## 10. Location of Test : Permanent Testing Lab On Site Testing

(Address : (Unhak-Dong) 5, Dongbu-ro 221beon-gil, Cheoin-gu, Yong-in-si, Gyeonggi-do, Korea)

The results shown in this test report refer only to the sample(s) tested unless otherwise stated.

This report cannot be reproduced or copied without the written consent of CTK.



CTK Co., Ltd.  
The First Leader of Global Regulatory Compliance

**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01432  
Page (2) / (427) Pages

Approval	Tested by  Ji-Hye, Kim: (Signature)	Technical Manager  Won-Jae, Hwang: (Signature)
----------	--	---

Remark. This report is not related to KOLAS accreditation and relevant regulation.

2023-06-29

**CTK Co., Ltd.**



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (3) / (427) Pages

## REPORT REVISION HISTORY

Date	Revision	Page No
2023-06-29	Issued (CTK-2023-01432)	all

***This report shall not be reproduced except in full, without the written approval of CTK Co., Ltd. This document may be altered or revised by CTK Co., Ltd. personnel only, and shall be noted in the revision section of the document. Any alteration of this document not carried out by CTK Co., Ltd. will constitute fraud and shall nullify the document.***



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01432  
Page (4) / (427) Pages

## **CONTENTS**

1. General Product Description .....	5
1.1 Applicant Information .....	5
1.2 Product Information.....	5
1.3 Peripheral Devices .....	7
1.4 Model Differences.....	7
2. Accreditations .....	8
2.1 Laboratory Accreditations and Listings.....	8
2.2 Calibration Details of Equipment Used for Measurement.....	8
3. Test Specifications .....	9
3.1 Standards .....	9
3.2 Mode of operation during the test .....	10
3.3 Device Modifications .....	13
3.4 Maximum Measurement Uncertainty .....	13
3.5 Test Software .....	13
4. Technical Characteristic Test.....	14
4.1 26 dB Bandwidth and 99% Bandwidth .....	14
4.2 OUTPUT POWER.....	75
4.3 Power Spectral Density .....	129
4.4 In-Band Emissions.....	326
4.5 Frequency Stability.....	344
4.6 Contention Based Protocol .....	346
4.7 Unwanted Emissions .....	354
4.8 AC Conducted Emissions .....	423
APPENDIX A – Test Equipment Used For Tests .....	426



**CTK Co., Ltd.**  
(Ho-dong), 113, Yejik-ro, Cheoin-gu,  
Yongin-si, Gyeonggi-do, Korea  
Tel: +82-31-339-9970  
Fax: +82-31-624-9501

Report No.:  
CTK-2023-01432  
Page (5) / (427) Pages

## 1. General Product Description

### 1.1 Applicant Information

<b>Company</b>	Samsung Electronics Co., Ltd.
<b>Contact Point</b>	129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677, Republic of Korea
<b>Contact Person</b>	Name : Minhyung Cho E-mail : mh719.cho@samsung.com Tel : +82-31-277-2688 Fax : -

### 1.2 Product Information

<b>FCC ID</b>	A3LWCC941M
<b>Product Description</b>	Wi-Fi/BT Transceiver
<b>Model name</b>	WCC941M
<b>Variant Model name</b>	-
<b>Device Type</b>	Indoor Client
<b>Operating Frequency</b>	UNII 5 20 MHz_BW : 5 955 MHz – 6 415 MHz 40 MHz_BW : 5 965 MHz – 6 405 MHz 80 MHz_BW : 5 985 MHz – 6 385 MHz
	UNII 6 20 MHz_BW : 6 435 MHz – 6 515 MHz 40 MHz_BW : 6 445 MHz – 6 485 MHz 80 MHz_BW : 6 465 MHz
	UNII 7 20 MHz_BW : 6 535 MHz – 6 855 MHz 40 MHz_BW : 6 525 MHz – 6 845 MHz 80 MHz_BW : 6 545 MHz – 6 865 MHz
	UNII 8 20 MHz_BW : 6 875 MHz – 7 115 MHz 40 MHz_BW : 6 885 MHz – 7 085 MHz 80 MHz_BW : 6 945 MHz – 7 025 MHz
<b>RF Output Power</b>	802.11a : 8.82 dBm(7.62 mW) (EIRP) 802.11ax_HE20 : 8.83 dBm(7.64 mW) (EIRP) 802.11ax_HE40 : 11.06 dBm(12.76 mW) (EIRP) 802.11ax_HE80 : 14.11 dBm(25.76 mW) (EIRP)
<b>Antenna Specification</b>	Antenna type : Metal Antenna Peak Gain : 0.84 dBi (ANT L), 0.95 dBi (ANT R)
<b>Antenna Configurations</b>	802.11a : SISO(ANT L, ANT R) 802.11ax : SISO(ANT L, ANT R), MIMO(ANT L+ANT R)
<b>Type of Modulation</b>	802.11a : OFDM 802.11ax : OFDMA
<b>Data Rate</b>	802.11a : 54 / 48 / 36 / 24 / 18 / 12 / 9 / 6 Mbps 802.11ax : up to 1 200 Mbps
<b>Power Source</b>	DC 5 V
<b>Hardware Rev</b>	V2.1
<b>Software Rev</b>	FC 3



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (6) / (427) Pages

**RF Power setting in Test SW**

Mode		Frequency Band	Power Setting Value
802.11a		UNII 5	7.5
		UNII 6	6.0
		UNII 7	4.5
		UNII 8	5.5
802.11ax _HE20	26T	UNII 5	-8.0
		UNII 6	-9.0
		UNII 7	-10.0
		UNII 8	-10.0 (Only 7 115 MHz : -13.0)
	52T	UNII 5	-5.5
		UNII 6	-6.5
		UNII 7	-7.5
		UNII 8	-7.5 (Only 7 115 MHz : -10.0)
	106T	UNII 5	-2.5
		UNII 6	-4.0
		UNII 7	-5.0
		UNII 8	-5.0 (Only 7 115 MHz : -8.0)
	242T	UNII 5	1.0
		UNII 6	-0.5
		UNII 7	-1.5
		UNII 8	-1.5 (Only 7 115 MHz : -2.5)
802.11ax _HE40	26T	UNII 5	-8.5
		UNII 6	-9.0
		UNII 7	-9.0
		UNII 8	-9.5
	52T	UNII 5	-6.0
		UNII 6	-6.5
		UNII 7	-6.5
		UNII 8	-7.0
	106T	UNII 5	-3.5
		UNII 6	-3.5
		UNII 7	-3.5
		UNII 8	-4.0
	242T	UNII 5	0.5
		UNII 6	0.5
		UNII 7	0.5
		UNII 8	0.5
	484T	UNII 5	4.0
		UNII 6	3.0
		UNII 7	3.0
		UNII 8	2.5
802.11ax _HE80	26T	UNII 5	-8.5
		UNII 6	-8.5
		UNII 7	-8.5

		UNII 8	-9.0
52T		UNII 5	-6.0
		UNII 6	-6.0
		UNII 7	-6.0
		UNII 8	-6.5
106T		UNII 5	-3.0
		UNII 6	-3.0
		UNII 7	-3.0
		UNII 8	-3.5
242T		UNII 5	0.5
		UNII 6	0.5
		UNII 7	0.5
		UNII 8	0.5
484T		UNII 5	4.0
		UNII 6	4.5
		UNII 7	4.5
		UNII 8	4.5
996T		UNII 5	7.0
		UNII 6	7.0
		UNII 7	5.5
		UNII 8	5.5

### 1.3 Peripheral Devices

Device	Manufacturer	Model No.	Serial No.
Note Computer	HP	15-bs563TU	CND7253R6N
AC/DC Adapter	HP	HSTNN-LA40	-
Note Computer	Samsung Electronics Co., Ltd.	NT-RC530-WS55	HPFG91EC300116B
AC/DC Adapter	Samsung Electronics Co., Ltd.	PA-1600-66	-
Note Computer	Samsung Electronics Co., Ltd.	NT751BBC	4LMA9FGNC00112B
AC/DC Adapter	Samsung Electronics Co., Ltd.	GST40A12	-
AXE5400 Tri-Band Wi-Fi 6E Router	TP-Link Corporation Limited	Archer AXE75	22221J6000455
AC/DC Adapter	Dong Guan City Gang Qi Electronic Co., Ltd	GQ48-120300-AK	-

### 1.4 Model Differences

Not applicable

## 2. Accreditations

### 2.1 Laboratory Accreditations and Listings

Country	Agency	Registration Number
USA	FCC	805871
CANADA	ISED	8737A
KOREA	NRRA	KR0025

### 2.2 Calibration Details of Equipment Used for Measurement

Test equipment and test accessories are calibrated on regular basis. The maximum time between calibrations is one year or what is recommended by the manufacturer, whichever is less. All test equipment calibrations are traceable to the Korea Research Institute of Standards and Science (KRISS), therefore, all test data recorded in this report is traceable to KRISS.





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (9) / (427) Pages

### 3. Test Specifications

#### 3.1 Standards

FCC Part Section(s)	Requirement(s)	Limit	Status (Note 1)	Test Condition
15.407(a)(10)	26 dB Bandwidth and 99% Bandwidth	<= 320 MHz	C	Conducted
15.407(a)(8)	Conducted Output Power	< 24 dBm EIRP	C	
15.407(a)(8)	Power Spectral Density	< -1 dBm/MHz EIRP	C	
15.407(b)(7)	In-Band Emissions	a. Suppressed by 20 dB at 1MHz outside of the channel edge b. Suppressed by 28 dB at one channel bandwidth from the channel center. c. Suppressed by 40 dB at one-and one-half times the channel bandwidth from the channel center.	C	
15.407(g)	Frequency Stability	NA	C	
15.407(d)(6)	Contention Based Protocol	Detect co-channel energy with 90% or greater certainty	C	
15.407 (b)(6)	Undesirable emission	< -27 dBm/MHz EIRP	C	Radiated
15.205, 15.407 (b)(9),(10)	Radiated Spurious Emission	15.209(a)	C	Line Conducted
15.407 (b)(9)	AC Conducted Emissions	15.207(a)	C	
<i>Note 1:</i> C=Complies NC=Not Complies NT=Not Tested NA=Not Applicable				
<i>Note 2:</i> The data in this test report are traceable to the national or international standards.				
<i>Note 3:</i> The sample was tested according to the following specification: FCC Part 15.407, ANSI C63.10-2013				
<i>Note 4:</i> The tests were performed according to the method of measurements prescribed in KDB No.987594, No.789033				

### 3.2 Mode of operation during the test

The EUT is operated in a manner representative of the typical of the equipments. During at testing, system components were manipulated within the confines of typical usage to maximize each emission.

For WLAN function, the engineering test program was provided and enabled to make EUT continuous transmit.

All modulation modes were tests. The results are only attached worst cases.

The Output power and Power Spectral Density for the 802.11 ax mode were investigated between all different tones, and we found that the highest tone had the highest output power and lowest tone had the highest PSD readings. Therefore, full testing was performed on both the highest and lowest tones.

#### Test Frequency & Bandwidth

- 802.11a

	Lowest channel	Middle channel	Highest channel
<b>UNII 5</b>	5 975 MHz	6 215 MHz	6 375 MHz
<b>UNII 6</b>	6 455 MHz	-	-
<b>UNII 7</b>	6 535 MHz	6 695 MHz	6 855 MHz
<b>UNII 8</b>	6 935 MHz	7 105 MHz	7 095 MHz

- 802.11ax\_HE20

	Lowest channel	Middle channel	Highest1 channel	Highest2 channel
<b>UNII 5</b>	5 955 MHz	6 175 MHz	6 415 MHz	-
<b>UNII 6</b>	6 435 MHz	6 475 MHz	6 515 MHz	-
<b>UNII 7</b>	6 535 MHz	6 695 MHz	6 855 MHz	-
<b>UNII 8</b>	6 875 MHz	6 995 MHz	7 095 MHz	7 115 MHz

- 802.11ax\_HE40

	Lowest channel	Middle channel	Highest channel
<b>UNII 5</b>	5 965 MHz	6 165 MHz	6 405 MHz
<b>UNII 6</b>	6 445 MHz	-	6 485 MHz
<b>UNII 7</b>	6 525 MHz	6 685 MHz	6 845 MHz
<b>UNII 8</b>	6 885 MHz	7 005 MHz	7 085 MHz


- 802.11ax\_HE80

	Lowest channel	Middle channel	Highest channel
<b>UNII 5</b>	5 985 MHz	6 145 MHz	6 385 MHz
<b>UNII 6</b>	6 465 MHz	-	-
<b>UNII 7</b>	6 545 MHz	6 705 MHz	6 865 MHz
<b>UNII 8</b>	6 945 MHz	-	7 025 MHz

### Test mode & Worst case

Test mode	Modulation	Data rate	Duty Cycle	Duty Cycle Factor
802.11a	OFDM	6 Mbps	97.1 %	0.13 dB
802.11ax_HE20_26T	OFDMA	MCS 0	95.3 %	0.21 dB
802.11ax_HE20_52T			95.0 %	0.22 dB
802.11ax_HE20_106T			94.7 %	0.24 dB
802.11ax_HE20_242T			93.9 %	0.27 dB
802.11ax_HE40_26T			95.3 %	0.21 dB
802.11ax_HE40_52T			95.0 %	0.22 dB
802.11ax_HE40_106T			94.6 %	0.24 dB
802.11ax_HE40_242T			93.9 %	0.27 dB
802.11ax HE40 484T			93.8 %	0.28 dB
802.11ax HE80 26T			95.2 %	0.21 dB
802.11ax HE80 52T			95.1 %	0.22 dB
802.11ax HE80 106T			94.7 %	0.24 dB
802.11ax HE80 242T			94.0 %	0.27 dB
802.11ax HE80 484T			93.8 %	0.28 dB
802.11ax HE80 996T			93.6 %	0.29 dB

### 802.11ax RU Locations





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (12) / (427) Pages

**Test RU Index for Tones**

Mode	Tones	RU Index		
802.11ax_HE20	26T	Low	0	
		Mid	4	
		High	8	
	52T	Low	37	
		Mid	39	
		High	40	
	106T	Low	53	
		Mid	-	
		High	54	
	242T / SU		61 / NA	61 / NA
	802.11ax_HE40	26T	Low	0
			Mid	9
High			17	
52T		Low	37	
		Mid	41	
		High	44	
106T		Low	53	
		Mid	55	
		High	56	
242T		Low	61	
		Mid	-	
		High	62	
484T / SU		65 / NA	65 / NA	
802.11ax_HE80	26T	Low	0	
		Mid	18	
		High	36	
	52T	Low	37	
		Mid	45	
		High	52	
	106T	Low	53	
		Mid	57	
		High	60	
	242T	Low	61	
		Mid	63	
		High	64	
	484T	Low	65	
		Mid	-	
		High	66	
996T / SU		67 / NA	67 / NA	

Full RU(Resource Unit) mode and SU(Single Unit) mode have no difference in physical waveform. This Report has been reported the Full RU(Resource Unit) mode with worst output power.

### 3.3 Device Modifications

The following modifications were necessary for compliance:

Not applicable

### 3.4 Maximum Measurement Uncertainty

The value of the measurement uncertainty for the measurement of each parameter.  
 Coverage factor  $k = 2$ , Confidence levels of 95 %

Description	Uncertainty
Conducted RF Output Power	1.5 dB (C.L.: Approx. 95 %, $k = 2$ )
Power Spectral Density	1.5 dB (C.L.: Approx. 95 %, $k = 2$ )
Occupied Bandwidth	0.1 MHz (C.L.: Approx. 95 %, $k = 2$ )
Unwanted Emission(conducted)	3.0 dB (C.L.: Approx. 95 %, $k = 2$ )
Radiated Emissions ( $f \leq 1$ GHz)	3.88 dB (C.L.: Approx. 95 %, $k = 2$ )
Radiated Emissions ( $f > 1$ GHz)	4.50 dB (C.L.: Approx. 95 %, $k = 2$ )
Line Conducted Emission	1.94 dB (C.L.: Approx. 95 %, $k = 2$ )

### 3.5 Test Software

Conducted Test	Ics Pro Ver. 6.0.3
Radiated Test	EP5RE Ver. 6.0.1.0, ES10 Ver. 10.001
Line Conducted Test	EMC32 Ver. 10.50.00



## 4. Technical Characteristic Test

### 4.1 26 dB Bandwidth and 99% Bandwidth

#### Test Procedures

KDB 987594 – Section C  
KDB 789033 – Section C.1  
ANSI C63.10-2013 - Section 12.4.1

Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 26 dB relative to the maximum level measured in the fundamental emission.

#### Test Procedures

KDB 987594 – Section D  
KDB 789033 – Section D  
ANSI C63.10-2013 - Section 6.9.3

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers are each equal to 0.5% of the total mean power of the given emission.

Use the 99% power bandwidth function of the instrument and report the measured bandwidth.

#### Test Settings :

Center frequency = the highest, middle and the lowest channels

- a) RBW = approximately 1 % of the emission bandwidth
- b) VBW  $\geq$  RBW
- c) Detector = peak
- d) Trace mode = Max hold
- e) Measure the maximum width of the emission that is 26 dB down from the maximum of the emission. Compare this with the RBW setting of the analyzer. Readjust RBW and repeat measurement as needed until the RBW/EBW ratio is approximately 1%.

#### **Minimum Standard:**

---

<= 320 MHz

---



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (15) / (427) Pages

**Test Data**

**ANT L**

26 dB Bandwidth and 99 % Bandwidth (MHz)		
Mode	802.11a	
Frequency	26 dB	99 %
5 975 MHz	23.68	16.73
6 215 MHz	24.02	16.76
6 375 MHz	22.71	16.81
6 455 MHz	24.31	16.78
6 535 MHz	23.69	16.78
6 695 MHz	23.79	16.77
6 855 MHz	24.37	16.77
6 935 MHz	23.93	16.77
7 105 MHz	23.67	16.74
7 095 MHz	24.47	16.80
Measurement uncertainty	± 0.1 MHz	

26 dB Bandwidth and 99 % Bandwidth (MHz)						
Mode	802.11ax_HE20_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 955 MHz	20.47	18.57	18.22	17.03	20.59	18.62
6 175 MHz	20.77	18.59	18.24	17.10	20.35	18.56
6 415 MHz	21.26	18.69	18.18	17.02	20.28	18.57
6 435 MHz	20.46	18.61	18.23	17.07	20.64	18.52
6 475 MHz	20.50	18.58	18.21	17.00	20.40	18.50
6 515 MHz	20.51	18.62	18.24	17.06	19.28	17.59
6 535 MHz	20.65	18.57	18.15	16.97	20.70	18.47
6 695 MHz	20.44	18.64	18.20	17.08	20.38	18.59
6 855 MHz	20.27	18.50	18.20	17.01	20.74	18.53
6 875 MHz	20.88	18.57	18.20	17.07	20.34	18.48
6 995 MHz	20.69	18.62	18.15	17.04	20.04	18.56
7 095 MHz	20.64	18.62	18.23	17.07	20.71	18.61
7 115 MHz	20.72	18.66	18.19	17.04	20.68	18.51
Measurement uncertainty	± 0.1 MHz					



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (16) / (427) Pages

26 dB Bandwidth and 99 % Bandwidth (MHz)		
Mode	802.11ax_HE20_242T	
Frequency	26 dB	99 %
5 955 MHz	23.16	19.02
6 175 MHz	25.78	19.02
6 415 MHz	22.51	19.02
6 435 MHz	24.46	19.02
6 475 MHz	27.27	19.01
6 515 MHz	23.39	19.00
6 535 MHz	24.61	18.99
6 695 MHz	23.09	19.00
6 855 MHz	23.18	19.01
6 875 MHz	22.19	18.98
6 995 MHz	26.42	19.03
7 095 MHz	23.63	18.99
7 115 MHz	26.27	19.01
Measurement uncertainty	± 0.1 MHz	

26 dB Bandwidth and 99 % Bandwidth (MHz)						
Mode	802.11ax_HE40_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 965 MHz	19.08	17.85	22.10	20.10	19.42	17.85
6 165 MHz	19.21	17.84	22.21	20.45	19.28	17.94
6 405 MHz	19.20	17.88	21.99	20.15	19.41	17.96
6 445 MHz	19.18	17.89	22.42	20.24	19.39	17.94
6 485 MHz	19.18	17.85	22.07	20.16	19.32	17.96
6 525 MHz	19.14	17.88	22.11	20.18	19.29	17.89
6 685 MHz	19.20	17.90	22.84	20.22	19.27	17.93
6 845 MHz	19.20	17.88	21.83	20.19	19.44	17.99
6 885 MHz	19.15	17.85	22.03	20.22	19.23	17.98
7 005 MHz	19.13	17.93	22.81	20.10	19.29	17.92
7 085 MHz	19.34	17.90	22.11	20.09	19.43	18.03
Measurement uncertainty	± 0.1 MHz					





**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (17) / (427) Pages

26 dB Bandwidth and 99 % Bandwidth (MHz)		
Mode	802.11ax_HE40_484T	
Frequency	26 dB	99 %
5 965 MHz	39.49	37.50
6 165 MHz	39.41	37.49
6 405 MHz	39.52	37.52
6 445 MHz	39.59	37.53
6 485 MHz	39.45	37.52
6 525 MHz	39.36	37.47
6 685 MHz	39.48	37.48
6 845 MHz	39.57	37.43
6 885 MHz	39.52	37.53
7 005 MHz	39.75	37.44
7 085 MHz	39.64	37.53
Measurement uncertainty	± 0.1 MHz	

26 dB Bandwidth and 99 % Bandwidth (MHz)						
Mode	802.11ax_HE80_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 985 MHz	20.32	18.56	22.29	20.61	20.76	18.71
6 145 MHz	20.16	18.56	22.65	20.49	20.65	18.81
6 385 MHz	21.04	18.69	24.25	21.50	20.32	18.73
6 465 MHz	20.41	18.74	25.26	21.21	20.46	18.72
6 545 MHz	19.97	18.52	23.86	21.26	21.24	18.84
6 705 MHz	20.43	18.57	22.93	21.12	20.60	18.66
6 865 MHz	20.25	18.66	24.14	21.27	20.77	18.71
6 945 MHz	20.90	18.76	23.36	21.27	20.26	18.68
7 025 MHz	20.82	18.46	23.40	20.85	21.15	19.09
Measurement uncertainty	± 0.1 MHz					



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (18) / (427) Pages

	26 dB Bandwidth and 99 % Bandwidth (MHz)	
Mode	802.11ax_HE80_996T	
Frequency	26 dB	99 %
5 985 MHz	79.94	76.78
6 145 MHz	79.92	76.70
6 385 MHz	79.83	76.85
6 465 MHz	79.93	76.84
6 545 MHz	79.80	76.84
6 705 MHz	80.05	76.82
6 865 MHz	79.99	76.81
6 945 MHz	80.10	76.76
7 025 MHz	79.89	76.87
Measurement uncertainty	± 0.1 MHz	



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (19) / (427) Pages

**ANT R**

26 dB Bandwidth and 99 % Bandwidth (MHz)		
Mode	802.11a	
Frequency	26 dB	99 %
5 975 MHz	23.34	16.76
6 215 MHz	23.08	16.74
6 375 MHz	24.77	16.80
6 455 MHz	23.33	16.76
6 535 MHz	22.58	16.74
6 695 MHz	23.59	16.76
6 855 MHz	23.56	16.74
6 935 MHz	24.78	16.83
7 105 MHz	24.42	16.74
7 095 MHz	24.09	16.77
Measurement uncertainty	± 0.1 MHz	

26 dB Bandwidth and 99 % Bandwidth (MHz)						
Mode	802.11ax_HE20_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 955 MHz	20.53	18.50	18.12	17.01	20.09	18.49
6 175 MHz	20.45	18.49	18.08	17.08	20.67	18.59
6 415 MHz	20.26	18.36	18.11	17.09	20.31	18.57
6 435 MHz	19.91	18.47	18.04	17.07	20.10	18.46
6 475 MHz	20.29	18.48	18.02	17.03	20.06	18.43
6 515 MHz	20.14	18.50	18.16	17.09	20.32	18.53
6 535 MHz	19.92	18.47	18.16	17.07	20.17	18.55
6 695 MHz	20.12	18.48	18.18	17.09	19.69	18.34
6 855 MHz	20.16	18.43	18.09	17.06	20.56	18.45
6 875 MHz	20.06	18.45	18.09	17.11	19.98	18.47
6 995 MHz	20.55	18.52	18.04	17.01	19.99	18.42
7 095 MHz	20.04	18.49	18.06	17.06	20.18	18.52
7 115 MHz	20.28	18.45	18.16	17.11	19.96	18.47
Measurement uncertainty	± 0.1 MHz					



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (20) / (427) Pages

26 dB Bandwidth and 99 % Bandwidth (MHz)		
Mode	802.11ax_HE20_242T	
Frequency	26 dB	99 %
5 955 MHz	23.01	18.99
6 175 MHz	22.43	19.01
6 415 MHz	23.13	19.02
6 435 MHz	24.25	18.99
6 475 MHz	21.77	18.99
6 515 MHz	22.74	19.02
6 535 MHz	23.47	19.00
6 695 MHz	22.77	18.97
6 855 MHz	22.12	18.96
6 875 MHz	23.58	18.99
6 995 MHz	22.77	18.99
7 095 MHz	23.30	19.00
7 115 MHz	22.70	18.99
Measurement uncertainty	± 0.1 MHz	

26 dB Bandwidth and 99 % Bandwidth (MHz)						
Mode	802.11ax_HE40_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 965 MHz	19.18	17.84	22.05	19.90	19.04	17.82
6 165 MHz	19.01	17.88	22.86	19.85	19.08	17.86
6 405 MHz	19.23	17.79	21.50	19.76	19.05	17.88
6 445 MHz	19.34	17.82	21.58	19.84	19.10	17.83
6 485 MHz	19.11	17.86	21.81	19.88	19.02	17.84
6 525 MHz	19.21	17.86	21.82	19.61	19.01	17.81
6 685 MHz	19.21	17.80	21.51	19.89	18.92	17.85
6 845 MHz	19.20	17.82	22.13	19.79	19.01	17.79
6 885 MHz	19.19	17.94	21.42	19.87	18.90	17.74
7 005 MHz	19.22	17.87	21.96	19.69	18.96	17.79
7 085 MHz	19.30	17.84	21.96	19.86	18.98	17.83
Measurement uncertainty	± 0.1 MHz					



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (21) / (427) Pages

26 dB Bandwidth and 99 % Bandwidth (MHz)		
Mode	802.11ax_HE40_484T	
Frequency	26 dB	99 %
5 965 MHz	39.33	37.47
6 165 MHz	39.47	37.49
6 405 MHz	39.39	37.51
6 445 MHz	39.41	37.38
6 485 MHz	39.30	37.45
6 525 MHz	39.46	37.48
6 685 MHz	39.48	37.46
6 845 MHz	39.42	37.47
6 885 MHz	39.46	37.47
7 005 MHz	39.36	37.48
7 085 MHz	39.42	37.49
Measurement uncertainty	± 0.1 MHz	

26 dB Bandwidth and 99 % Bandwidth (MHz)						
Mode	802.11ax_HE80_26T					
RU Index	Low		Mid		High	
Frequency	26 dB	99 %	26 dB	99 %	26 dB	99 %
5 985 MHz	19.85	18.39	22.62	20.28	19.45	18.28
6 145 MHz	20.04	18.33	23.82	20.50	19.87	18.26
6 385 MHz	19.95	18.35	22.49	20.16	20.03	18.33
6 465 MHz	20.00	18.38	23.40	20.26	20.05	18.41
6 545 MHz	19.78	18.24	23.14	20.50	19.47	18.34
6 705 MHz	19.84	18.32	22.07	20.25	19.73	18.31
6 865 MHz	19.74	18.33	22.58	20.48	19.64	18.28
6 945 MHz	19.78	18.28	23.44	20.28	19.51	18.34
7 025 MHz	19.80	18.34	21.80	20.10	19.60	18.26
Measurement uncertainty	± 0.1 MHz					



**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (22) / (427) Pages




	26 dB Bandwidth and 99 % Bandwidth (MHz)	
Mode	802.11ax_HE80_996T	
Frequency	26 dB	99 %
5 985 MHz	80.00	76.75
6 145 MHz	79.90	76.82
6 385 MHz	79.98	76.82
6 465 MHz	79.91	76.77
6 545 MHz	79.74	76.81
6 705 MHz	79.93	76.84
6 865 MHz	79.90	76.83
6 945 MHz	79.90	76.94
7 025 MHz	79.86	76.92
Measurement uncertainty	± 0.1 MHz	

See next pages for actual measured spectrum plots.




**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (23) / (427) Pages



**ANT L\_802.11a\_UNII 5**






**ANT L\_802.11a\_UNII 6**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (24) / (427) Pages



**ANT L\_802.11a\_UNII 7**






**ANT L\_802.11a\_UNII 8**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501




Report No.:  
 CTK-2023-01432  
 Page (25) / (427) Pages






**ANT R\_802.11a\_UNII 5**






**ANT R\_802.11a\_UNII 6**






**ANT R\_802.11a\_UNII 7**






**ANT R\_802.11a\_UNII 8**







**ANT L\_802.11ax\_HE20\_26T\_Low\_UNII 5**






**ANT L\_802.11ax\_HE20\_26T\_Low\_UNII 6**






**ANT L\_802.11ax\_HE20\_26T\_Low\_UNII 7**



**ANT L\_802.11ax\_HE20\_26T\_Low\_UNII 8**



**ANT R\_802.11ax\_HE20\_26T\_Low\_UNII 5**






**ANT R\_802.11ax\_HE20\_26T\_Low\_UNII 6**







**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (30) / (427) Pages



**ANT R\_802.11ax\_HE20\_26T\_Low\_UNII 7**






**ANT R\_802.11ax\_HE20\_26T\_Low\_UNII 8**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501




Report No.:  
 CTK-2023-01432  
 Page (31) / (427) Pages







**ANT L\_802.11ax\_HE20\_26T\_Mid\_UNII 5**



**ANT L\_802.11ax\_HE20\_26T\_Mid\_UNII 6**






**ANT L\_802.11ax\_HE20\_26T\_Mid\_UNII 7**






**ANT L\_802.11ax\_HE20\_26T\_Mid\_UNII 8**





**ANT\_R\_802.11ax\_HE20\_26T\_Mid\_UNII 5**






**ANT\_R\_802.11ax\_HE20\_26T\_Mid\_UNII 6**







**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (34) / (427) Pages



**ANT R\_802.11ax\_HE20\_26T\_Mid\_UNII 7**






**ANT R\_802.11ax\_HE20\_26T\_Mid\_UNII 8**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501




Report No.:  
 CTK-2023-01432  
 Page (35) / (427) Pages







**ANT L\_802.11ax\_HE20\_26T\_High\_UNII 5**






**ANT L\_802.11ax\_HE20\_26T\_High\_UNII 6**






**ANT L\_802.11ax\_HE20\_26T\_High\_UNII 7**



**ANT L\_802.11ax\_HE20\_26T\_High\_UNII 8**



**ANT R\_802.11ax\_HE20\_26T\_High\_UNII 5**






**ANT R\_802.11ax\_HE20\_26T\_High\_UNII 6**







**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501




Report No.:  
 CTK-2023-01432  
 Page (38) / (427) Pages






**ANT R\_802.11ax\_HE20\_26T\_High\_UNII 7**






**ANT R\_802.11ax\_HE20\_26T\_High\_UNII 8**







**ANT L\_802.11ax\_HE20\_242T\_UNII 5**



**ANT L\_802.11ax\_HE20\_242T\_UNII 6**



**ANT L\_802.11ax\_HE20\_242T\_UNII 7**






**ANT L\_802.11ax\_HE20\_242T\_UNII 8**








**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501




Report No.:  
 CTK-2023-01432  
 Page (41) / (427) Pages







**ANT R\_802.11ax\_HE20\_242T\_UNII 5**






**ANT R\_802.11ax\_HE20\_242T\_UNII 6**





**ANT R\_802.11ax\_HE20\_242T\_UNII 7**



**ANT R\_802.11ax\_HE20\_242T\_UNII 8**



**ANT L\_802.11ax\_HE40\_26T\_Low\_UNII 5**






**ANT L\_802.11ax\_HE40\_26T\_Low\_UNII 6**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501




Report No.:  
 CTK-2023-01432  
 Page (44) / (427) Pages





**ANT L\_802.11ax\_HE40\_26T\_Low\_UNII 7**






**ANT L\_802.11ax\_HE40\_26T\_Low\_UNII 8**






**ANT R\_802.11ax\_HE40\_26T\_Low\_UNII 5**






**ANT R\_802.11ax\_HE40\_26T\_Low\_UNII 6**





**ANT R\_802.11ax\_HE40\_26T\_Low\_UNII 7**



**ANT R\_802.11ax\_HE40\_26T\_Low\_UNII 8**



**ANT L\_802.11ax\_HE40\_26T\_Mid\_UNII 5**






**ANT L\_802.11ax\_HE40\_26T\_Mid\_UNII 6**






**CTK Co., Ltd.**  
 (Ho-dong), 113, Yejik-ro, Cheoin-gu,  
 Yongin-si, Gyeonggi-do, Korea  
 Tel: +82-31-339-9970  
 Fax: +82-31-624-9501

Report No.:  
 CTK-2023-01432  
 Page (48) / (427) Pages



**ANT L\_802.11ax\_HE40\_26T\_Mid\_UNII 7**



**ANT L\_802.11ax\_HE40\_26T\_Mid\_UNII 8**