



Test Mode:	802.11ax HE80 AV (26Tone Ru0)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5057.740	2.99	40.18	43.17	54.00	-10.83	AVG
2	5150.000	2.80	40.27	43.07	54.00	-10.93	AVG

Test Mode:	802.11ax HE80 PK (52Tone Ru37)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	15.61	40.27	55.88	74.00	-18.12	peak

Test Mode:	802.11ax HE80 AV (52Tone Ru37)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	2.95	40.27	43.22	54.00	-10.78	AVG

Test Mode:	802.11ax HE80 PK (106Tone Ru53)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	15.51	40.27	55.78	74.00	-18.22	peak

Test Mode:	802.11ax HE80 AV (106Tone Ru53)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	2.95	40.27	43.22	54.00	-10.78	AVG

Test Mode:	802.11ax HE80 PK (242Tone Ru61)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	15.68	40.27	55.95	74.00	-18.05	peak

Test Mode:	802.11ax HE80 AV (242Tone Ru61)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	3.36	40.27	43.63	54.00	-10.37	AVG

Test Mode:	802.11ax HE80 PK (484Tone Ru65)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	23.12	40.27	63.39	74.00	-10.61	peak

Test Mode:	802.11ax HE80 AV (484Tone Ru65)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	6.32	40.27	46.59	54.00	-7.41	AVG

Test Mode:	802.11ax HE80 PK (996Tone Ru67)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	18.81	40.27	59.08	74.00	-14.92	peak

Test Mode:	802.11ax HE80 AV (996Tone Ru67)	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	5.80	40.27	46.07	54.00	-7.93	AVG

Test Mode:	802.11ax HE80 PK (26Tone Ru36)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	16.15	40.49	56.64	74.00	-17.36	peak
2	5357.040	16.90	40.50	57.40	74.00	-16.60	peak

Test Mode:	802.11ax HE80 AV (26Tone Ru36)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	3.04	40.49	43.53	54.00	-10.47	AVG
2	5357.040	3.09	40.50	43.59	54.00	-10.41	AVG

Test Mode:	802.11ax HE80 PK (52Tone Ru52)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	15.61	40.49	56.10	74.00	-17.90	peak
2	5400.160	19.82	40.55	60.37	74.00	-13.63	peak

Test Mode:	802.11ax HE80 AV (52Tone Ru52)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	4.81	40.49	45.30	54.00	-8.70	AVG
2	5400.160	5.21	40.55	45.76	54.00	-8.24	AVG

Test Mode:	802.11ax HE80 PK (106Tone Ru60)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	17.86	40.49	58.35	74.00	-15.65	peak
2	5397.520	19.23	40.55	59.78	74.00	-14.22	peak

Test Mode:	802.11ax HE80 AV (106Tone Ru60)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	4.14	40.49	44.63	54.00	-9.37	AVG
2	5397.520	4.11	40.55	44.66	54.00	-9.34	AVG

Test Mode:	802.11ax HE80 PK (242Tone Ru64)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	26.07	40.49	66.56	74.00	-7.44	peak
2	5352.640	28.15	40.50	68.65	74.00	-5.35	peak

Test Mode:	802.11ax HE80 AV (242Tone Ru64)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	7.85	40.49	48.34	54.00	-5.66	AVG
2	5352.640	7.36	40.50	47.86	54.00	-6.14	AVG

Test Mode:	802.11ax HE80 PK (484Tone Ru66)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	20.74	40.49	61.23	74.00	-12.77	peak
2	5352.200	22.13	40.49	62.62	74.00	-11.38	peak

Test Mode:	802.11ax HE80 AV (484Tone Ru66)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	5.33	40.49	45.82	54.00	-8.18	AVG
2	5352.200	5.00	40.49	45.49	54.00	-8.51	AVG

Test Mode:	802.11ax HE80 PK (996Tone Ru67)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	20.05	40.49	60.54	74.00	-13.46	peak
2	5351.540	24.07	40.49	64.56	74.00	-9.44	peak

Test Mode:	802.11ax HE80 AV (996Tone Ru67)	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	8.38	40.49	48.87	54.00	-5.13	AVG
2	5351.540	9.15	40.49	49.64	54.00	-4.36	AVG

Test Mode:	802.11ax HE80 PK (26Tone Ru0)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	16.45	40.62	57.07	68.20	-11.13	peak
2	5470.000	16.71	40.63	57.34	68.20	-10.86	peak

Test Mode:	802.11ax HE80 AV (26Tone Ru0)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	3.33	40.62	43.95	54.00	-10.05	AVG
2	5470.000	3.58	40.63	44.21	/	/	AVG

Test Mode:	802.11ax HE80 PK (52Tone Ru37)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	16.25	40.62	56.87	68.20	-11.33	peak
2	5470.000	16.63	40.63	57.26	68.20	-10.94	peak

Test Mode:	802.11ax HE80 AV (52Tone Ru37)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	3.55	40.62	44.17	54.00	-9.83	AVG
2	5470.000	3.56	40.63	44.19	/	/	AVG

Test Mode:	802.11ax HE80 PK (106Tone Ru53)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5425.670	20.58	40.58	61.16	74.00	-12.84	peak
2	5460.000	16.30	40.62	56.92	68.20	-11.28	peak
3	5470.000	16.29	40.63	56.92	68.20	-11.28	peak

Test Mode:	802.11ax HE80 AV (106Tone Ru53)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5425.670	6.11	40.58	46.69	54.00	-7.31	AVG
2	5460.000	5.19	40.62	45.81	54.00	-8.19	AVG
3	5470.000	4.03	40.63	44.66	/	/	AVG

Test Mode:	802.11ax HE80 PK (242Tone Ru61)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5441.080	21.35	40.59	61.94	74.00	-12.06	peak
2	5460.000	17.76	40.62	58.38	68.20	-9.82	peak
3	5470.000	18.70	40.63	59.33	68.20	-8.87	peak

Test Mode:	802.11ax HE80 AV (242Tone Ru61)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5441.080	6.63	40.59	47.22	54.00	-6.78	AVG
2	5460.000	5.03	40.62	45.65	54.00	-8.35	AVG
3	5470.000	5.26	40.63	45.89	/	/	AVG

Test Mode:	802.11ax HE80 PK (484Tone Ru65)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	17.87	40.62	58.49	68.20	-9.71	peak
2	5470.000	17.91	40.63	58.54	68.20	-9.66	peak

Test Mode:	802.11ax HE80 AV (484Tone Ru65)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	4.96	40.62	45.58	54.00	-8.42	AVG
2	5470.000	5.90	40.63	46.53	/	/	AVG

Test Mode:	802.11ax HE80 PK (996Tone Ru67)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	17.90	40.62	58.52	68.20	-9.68	peak
2	5470.000	19.16	40.63	59.79	68.20	-8.41	peak

Test Mode:	802.11ax HE80 AV (996Tone Ru67)	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	6.71	40.62	47.33	54.00	-6.67	AVG
2	5470.000	6.74	40.63	47.37	/	/	AVG

Test Mode:	802.11ax HE80 PK (26Tone Ru36)	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	16.34	41.27	57.61	68.20	-10.59	peak
2	5733.000	18.15	41.28	59.43	68.20	-8.77	peak

Test Mode:	802.11ax HE80 PK (52Tone Ru52)	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	16.98	41.27	58.25	68.20	-9.95	peak
2	5733.600	18.00	41.28	59.28	68.20	-8.92	peak

Test Mode:	802.11ax HE80 PK (106Tone Ru60)	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	17.36	41.27	58.63	68.20	-9.57	peak
2	5745.900	17.81	41.32	59.13	68.20	-9.07	peak

Test Mode:	802.11ax HE80 PK (242Tone Ru64)	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	16.75	41.27	58.02	68.20	-10.18	peak
2	5750.400	18.20	41.33	59.53	68.20	-8.67	peak

Test Mode:	802.11ax HE80 PK (484Tone Ru66)	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	17.04	41.27	58.31	68.20	-9.89	peak
2	5777.700	18.25	41.41	59.66	68.20	-8.54	peak

Test Mode:	802.11ax HE80 PK (996Tone Ru67)	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	18.56	41.27	59.83	68.20	-8.37	peak
2	5729.700	19.37	41.28	60.65	68.20	-7.55	peak

Test Mode:	802.11ax HE80 PK (26Tone Ru0)	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5644.000	18.45	41.04	59.49	68.20	-8.71	peak
2	5725.000	34.06	41.27	75.33	122.20	-46.87	peak
3	5850.000	18.32	41.60	59.92	122.20	-62.28	peak
4	5948.400	18.35	41.86	60.21	68.20	-7.99	peak

Test Mode:	802.11ax HE80 PK (52Tone Ru37)	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5643.200	18.24	41.04	59.28	68.20	-8.92	peak
2	5725.000	34.62	41.27	75.89	122.20	-46.31	peak
3	5850.000	17.18	41.60	58.78	122.20	-63.42	peak
4	5954.800	18.18	41.87	60.05	68.20	-8.15	peak

Test Mode:	802.11ax HE80 PK (106Tone Ru53)	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5604.000	23.61	40.93	64.54	68.20	-3.66	peak
2	5725.000	35.09	41.27	76.36	122.20	-45.84	peak
3	5850.000	17.51	41.60	59.11	122.20	-63.09	peak
4	5955.600	18.63	41.89	60.52	68.20	-7.68	peak

Test Mode:	802.11ax HE80 PK (242Tone Ru61)	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5639.200	20.44	41.03	61.47	68.20	-6.73	peak
2	5725.000	37.69	41.27	78.96	122.20	-43.24	peak
3	5850.000	21.71	41.60	63.31	122.20	-58.89	peak
4	5950.000	18.52	41.87	60.39	68.20	-7.81	peak

Test Mode:	802.11ax HE80 PK (484Tone Ru65)	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5647.600	20.17	41.06	61.23	68.20	-6.97	peak
2	5725.000	34.94	41.27	76.21	122.20	-45.99	peak
3	5850.000	20.74	41.60	62.34	122.20	-59.86	peak
4	5969.200	19.44	41.92	61.36	68.20	-6.84	peak


Test Mode:	802.11ax HE80 PK (996Tone Ru67)	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5643.200	19.67	41.04	60.71	68.20	-7.49	peak
2	5725.000	28.29	41.27	69.56	122.20	-52.64	peak
3	5850.000	29.41	41.60	71.01	122.20	-51.19	peak
4	5943.200	19.37	41.84	61.21	68.20	-6.99	peak


8.2. SPURIOUS EMISSIONS(1 GHZ~7 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2944.000	43.77	-7.15	36.62	74.00	-37.38	peak
2	3490.000	43.17	-5.88	37.29	74.00	-36.71	peak
3	4012.000	42.11	-4.43	37.68	74.00	-36.32	peak
4	4732.000	41.50	-1.22	40.28	74.00	-33.72	peak
5	5932.000	38.38	1.65	40.03	74.00	-33.97	peak
6	6802.000	37.19	5.21	42.40	74.00	-31.60	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	51.63	-14.09	37.54	74.00	-36.46	peak
2	2278.000	47.73	-9.64	38.09	74.00	-35.91	peak
3	4150.000	42.83	-3.77	39.06	74.00	-34.94	peak
4	4882.000	40.63	-0.62	40.01	74.00	-33.99	peak
5	5956.000	38.68	1.73	40.41	74.00	-33.59	peak
6	6790.000	36.51	5.15	41.66	74.00	-32.34	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2548.000	44.76	-8.35	36.41	74.00	-37.59	peak
2	3406.000	43.40	-6.06	37.34	74.00	-36.66	peak
3	4672.000	41.64	-1.46	40.18	74.00	-33.82	peak
4	5086.000	41.37	-0.05	41.32	74.00	-32.68	peak
5	5662.000	40.03	0.89	40.92	74.00	-33.08	peak
6	6670.000	38.07	4.57	42.64	74.00	-31.36	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2986.000	43.99	-7.03	36.96	74.00	-37.04	peak
2	3364.000	45.56	-6.16	39.40	74.00	-34.60	peak
3	4810.000	40.45	-0.91	39.54	74.00	-34.46	peak
4	5668.000	39.28	0.91	40.19	74.00	-33.81	peak
5	6658.000	37.51	4.49	42.00	74.00	-32.00	peak
6	6796.000	37.12	5.19	42.31	74.00	-31.69	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2788.000	43.90	-7.62	36.28	74.00	-37.72	peak
2	3400.000	43.65	-6.08	37.57	74.00	-36.43	peak
3	4414.000	41.79	-2.54	39.25	74.00	-34.75	peak
4	4684.000	41.45	-1.40	40.05	74.00	-33.95	peak
5	5704.000	39.20	1.00	40.20	74.00	-33.80	peak
6	6658.000	38.11	4.49	42.60	74.00	-31.40	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2500.000	47.04	-8.49	38.55	74.00	-35.45	peak
2	3148.000	44.27	-6.64	37.63	74.00	-36.37	peak
3	4672.000	45.30	-1.46	43.84	74.00	-30.16	peak
4	4960.000	42.10	-0.32	41.78	74.00	-32.22	peak
5	5710.000	40.03	1.02	41.05	74.00	-32.95	peak
6	6634.000	37.95	4.38	42.33	74.00	-31.67	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2158.000	44.82	-10.25	34.57	74.00	-39.43	peak
2	2650.000	44.06	-8.03	36.03	74.00	-37.97	peak
3	4036.000	42.94	-4.31	38.63	74.00	-35.37	peak
4	4828.000	41.00	-0.83	40.17	74.00	-33.83	peak
5	5416.000	39.65	0.32	39.97	74.00	-34.03	peak
6	6670.000	37.29	4.57	41.86	74.00	-32.14	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2494.000	44.58	-8.52	36.06	74.00	-37.94	peak
2	3658.000	41.98	-5.41	36.57	74.00	-37.43	peak
3	4522.000	41.64	-2.05	39.59	74.00	-34.41	peak
4	4666.000	41.45	-1.48	39.97	74.00	-34.03	peak
5	5908.000	38.47	1.59	40.06	74.00	-33.94	peak
6	6802.000	37.53	5.21	42.74	74.00	-31.26	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2782.000	43.84	-7.63	36.21	74.00	-37.79	peak
2	3658.000	42.43	-5.41	37.02	74.00	-36.98	peak
3	4840.000	40.80	-0.78	40.02	74.00	-33.98	peak
4	6010.000	38.46	1.89	40.35	74.00	-33.65	peak
5	6628.000	36.86	4.36	41.22	74.00	-32.78	peak
6	6874.000	36.12	5.57	41.69	74.00	-32.31	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2668.000	43.84	-7.98	35.86	74.00	-38.14	peak
2	3952.000	41.98	-4.62	37.36	74.00	-36.64	peak
3	4786.000	40.80	-1.00	39.80	74.00	-34.20	peak
4	5896.000	39.19	1.56	40.75	74.00	-33.25	peak
5	6688.000	36.45	4.65	41.10	74.00	-32.90	peak
6	6796.000	35.92	5.19	41.11	74.00	-32.89	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2866.000	43.79	-7.38	36.41	74.00	-37.59	peak
2	3676.000	42.30	-5.37	36.93	74.00	-37.07	peak
3	4486.000	41.86	-2.21	39.65	74.00	-34.35	peak
4	5386.000	41.06	0.29	41.35	74.00	-32.65	peak
5	5968.000	38.33	1.76	40.09	74.00	-33.91	peak
6	6670.000	37.73	4.57	42.30	74.00	-31.70	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2680.000	43.34	-7.95	35.39	74.00	-38.61	peak
2	3556.000	42.99	-5.70	37.29	74.00	-36.71	peak
3	4624.000	41.36	-1.65	39.71	74.00	-34.29	peak
4	4768.000	40.80	-1.07	39.73	74.00	-34.27	peak
5	5980.000	39.45	1.79	41.24	74.00	-32.76	peak
6	6796.000	36.62	5.19	41.81	74.00	-32.19	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2656.000	43.90	-8.02	35.88	74.00	-38.12	peak
2	3652.000	42.19	-5.44	36.75	74.00	-37.25	peak
3	4558.000	41.87	-1.91	39.96	74.00	-34.04	peak
4	5440.000	43.20	0.35	43.55	74.00	-30.45	peak
5	5506.000	49.37	0.44	49.81	74.00	-24.19	peak
6	6688.000	36.29	4.65	40.94	74.00	-33.06	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2512.000	43.52	-8.45	35.07	74.00	-38.93	peak
2	2896.000	43.79	-7.29	36.50	74.00	-37.50	peak
3	3430.000	43.07	-6.01	37.06	74.00	-36.94	peak
4	4474.000	42.07	-2.26	39.81	74.00	-34.19	peak
5	5422.000	40.08	0.32	40.40	74.00	-33.60	peak
6	6634.000	37.89	4.38	42.27	74.00	-31.73	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2656.000	43.92	-8.02	35.90	74.00	-38.10	peak
2	4318.000	41.83	-2.99	38.84	74.00	-35.16	peak
3	4798.000	40.86	-0.95	39.91	74.00	-34.09	peak
4	5440.000	41.37	0.35	41.72	74.00	-32.28	peak
5	5758.000	40.39	1.16	41.55	74.00	-32.45	peak
6	6790.000	37.05	5.15	42.20	74.00	-31.80	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2746.000	44.94	-7.75	37.19	74.00	-36.81	peak
2	3634.000	42.88	-5.48	37.40	74.00	-36.60	peak
3	4846.000	40.62	-0.77	39.85	74.00	-34.15	peak
4	5710.000	39.55	1.02	40.57	74.00	-33.43	peak
5	6394.000	37.18	3.33	40.51	74.00	-33.49	peak
6	6814.000	36.56	5.28	41.84	74.00	-32.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2602.000	44.28	-8.19	36.09	74.00	-37.91	peak
2	3646.000	43.28	-5.45	37.83	74.00	-36.17	peak
3	4486.000	42.06	-2.21	39.85	74.00	-34.15	peak
4	4930.000	40.58	-0.43	40.15	74.00	-33.85	peak
5	5794.000	43.13	1.26	44.39	74.00	-29.61	peak
6	6658.000	38.38	4.49	42.87	74.00	-31.13	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2422.000	45.51	-8.88	36.63	74.00	-37.37	peak
2	3802.000	44.31	-5.03	39.28	74.00	-34.72	peak
3	4252.000	49.01	-3.30	45.71	74.00	-28.29	peak
4	4882.000	40.78	-0.62	40.16	74.00	-33.84	peak
5	5710.000	39.15	1.02	40.17	74.00	-33.83	peak
6	6796.000	36.17	5.19	41.36	74.00	-32.64	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1432.000	46.35	-13.02	33.33	74.00	-40.67	peak
2	2746.000	43.40	-7.75	35.65	74.00	-38.35	peak
3	3634.000	42.94	-5.48	37.46	74.00	-36.54	peak
4	4786.000	41.19	-1.00	40.19	74.00	-33.81	peak
5	5758.000	44.89	1.16	46.05	74.00	-27.95	peak
6	6790.000	36.76	5.15	41.91	74.00	-32.09	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2428.000	44.34	-8.86	35.48	74.00	-38.52	peak
2	3274.000	53.65	-6.36	47.29	74.00	-26.71	peak
3	4528.000	41.68	-2.03	39.65	74.00	-34.35	peak
4	4792.000	40.92	-0.98	39.94	74.00	-34.06	peak
5	5752.000	42.13	1.14	43.27	74.00	-30.73	peak
6	6802.000	37.16	5.21	42.37	74.00	-31.63	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1900.000	55.64	-11.39	44.25	74.00	-29.75	peak
2	2212.000	50.31	-9.97	40.34	74.00	-33.66	peak
3	3712.000	45.90	-5.27	40.63	74.00	-33.37	peak
4	4870.000	41.65	-0.66	40.99	74.00	-33.01	peak
5	5746.000	49.10	1.12	50.22	74.00	-23.78	peak
6	6664.000	37.42	4.54	41.96	74.00	-32.04	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2476.000	44.55	-8.61	35.94	74.00	-38.06	peak
2	2812.000	43.67	-7.55	36.12	74.00	-37.88	peak
3	3844.000	42.62	-4.91	37.71	74.00	-36.29	peak
4	4888.000	40.64	-0.60	40.04	74.00	-33.96	peak
5	5746.000	42.92	1.12	44.04	74.00	-29.96	peak
6	6796.000	36.84	5.19	42.03	74.00	-31.97	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2794.000	43.58	-7.60	35.98	74.00	-38.02	peak
2	3760.000	42.16	-5.14	37.02	74.00	-36.98	peak
3	4708.000	41.65	-1.31	40.34	74.00	-33.66	peak
4	5698.000	46.56	0.99	47.55	74.00	-26.45	peak
5	5788.000	48.49	1.25	49.74	74.00	-24.26	peak
6	5878.000	44.03	1.51	45.54	74.00	-28.46	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2950.000	43.33	-7.13	36.20	74.00	-37.80	peak
2	3994.000	42.05	-4.49	37.56	74.00	-36.44	peak
3	4444.000	41.99	-2.40	39.59	74.00	-34.41	peak
4	4870.000	40.79	-0.66	40.13	74.00	-33.87	peak
5	5788.000	45.43	1.25	46.68	74.00	-27.32	peak
6	6790.000	37.69	5.15	42.84	74.00	-31.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2584.000	44.29	-8.24	36.05	74.00	-37.95	peak
2	3850.000	42.14	-4.89	37.25	74.00	-36.75	peak
3	4702.000	41.50	-1.34	40.16	74.00	-33.84	peak
4	5704.000	41.97	1.00	42.97	74.00	-31.03	peak
5	5818.000	48.33	1.33	49.66	74.00	-24.34	peak
6	5884.000	44.72	1.52	46.24	74.00	-27.76	peak


Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2578.000	45.11	-8.26	36.85	74.00	-37.15	peak
2	3472.000	43.45	-5.91	37.54	74.00	-36.46	peak
3	4840.000	41.33	-0.78	40.55	74.00	-33.45	peak
4	5818.000	47.87	1.33	49.20	74.00	-24.80	peak
5	5884.000	42.86	1.52	44.38	74.00	-29.62	peak
6	6796.000	37.25	5.19	42.44	74.00	-31.56	peak


8.3. SPURIOUS EMISSIONS(7 GHZ~18 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.81	10.46	48.27	74.00	-25.73	peak
2	10355.000	37.70	12.52	50.22	74.00	-23.78	peak
3	11521.000	33.27	16.82	50.09	74.00	-23.91	peak
4	12709.000	32.10	18.09	50.19	74.00	-23.81	peak
5	15536.000	32.54	16.73	49.27	74.00	-24.73	peak
6	17604.000	27.43	23.41	50.84	74.00	-23.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.86	10.41	47.27	74.00	-26.73	peak
2	10355.000	42.27	12.52	54.79	74.00	-19.21	peak
3	10355.000	31.41	12.52	43.93	54.00	-10.07	AVG
4	11840.000	33.22	17.40	50.62	74.00	-23.38	peak
5	12687.000	32.44	18.05	50.49	74.00	-23.51	peak
6	15536.000	33.37	16.73	50.10	74.00	-23.90	peak
7	17923.000	24.31	25.60	49.91	74.00	-24.09	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.66	10.43	48.09	74.00	-25.91	peak
2	10399.000	38.04	12.61	50.65	74.00	-23.35	peak
3	11059.000	34.74	14.96	49.70	74.00	-24.30	peak
4	13611.000	29.16	20.92	50.08	74.00	-23.92	peak
5	15602.000	34.80	16.75	51.55	74.00	-22.45	peak
6	17978.000	23.65	25.97	49.62	74.00	-24.38	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10399.000	41.81	12.61	54.42	74.00	-19.58	peak
2	10399.000	30.91	12.61	43.52	54.00	-10.48	AVG
3	11301.000	33.47	15.95	49.42	74.00	-24.58	peak
4	12621.000	31.82	17.98	49.80	74.00	-24.20	peak
5	13974.000	27.84	21.82	49.66	74.00	-24.34	peak
6	15602.000	34.52	16.75	51.27	74.00	-22.73	peak
7	17978.000	23.97	25.97	49.94	74.00	-24.06	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.62	10.46	47.08	74.00	-26.92	peak
2	10190.000	35.79	12.18	47.97	74.00	-26.03	peak
3	11510.000	32.64	16.79	49.43	74.00	-24.57	peak
4	12588.000	32.03	17.94	49.97	74.00	-24.03	peak
5	13622.000	28.54	20.95	49.49	74.00	-24.51	peak
6	17857.000	24.69	25.14	49.83	74.00	-24.17	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	37.26	10.40	47.66	74.00	-26.34	peak
2	10487.000	42.03	12.79	54.82	74.00	-19.18	peak
3	10487.000	31.23	12.79	44.02	54.00	-9.98	AVG
4	12709.000	32.26	18.09	50.35	74.00	-23.65	peak
5	13677.000	28.92	21.08	50.00	74.00	-24.00	peak
6	15723.000	34.42	16.81	51.23	74.00	-22.77	peak
7	17978.000	23.62	25.97	49.59	74.00	-24.41	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.80	10.55	48.35	74.00	-25.65	peak
2	10443.000	36.53	12.70	49.23	74.00	-24.77	peak
3	10916.000	34.91	14.39	49.30	74.00	-24.70	peak
4	12665.000	31.35	18.04	49.39	74.00	-24.61	peak
5	13424.000	29.39	20.30	49.69	74.00	-24.31	peak
6	17945.000	23.87	25.75	49.62	74.00	-24.38	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	37.80	9.98	47.78	74.00	-26.22	peak
2	10520.000	38.09	12.90	50.99	74.00	-23.01	peak
3	11972.000	32.89	17.65	50.54	74.00	-23.46	peak
4	13930.000	28.19	21.71	49.90	74.00	-24.10	peak
5	15778.000	32.52	16.83	49.35	74.00	-24.65	peak
6	18000.000	24.21	26.12	50.33	74.00	-23.67	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.28	10.49	48.77	74.00	-25.23	peak
2	11081.000	33.74	15.05	48.79	74.00	-25.21	peak
3	11598.000	32.01	16.96	48.97	74.00	-25.03	peak
4	13996.000	27.07	21.87	48.94	74.00	-25.06	peak
5	15844.000	32.45	16.86	49.31	74.00	-24.69	peak
6	17989.000	22.84	26.04	48.88	74.00	-25.12	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	37.42	10.39	47.81	74.00	-26.19	peak
2	10553.000	38.20	13.02	51.22	74.00	-22.78	peak
3	10553.000	27.85	13.02	40.87	54.00	-13.13	AVG
4	12621.000	31.80	17.98	49.78	74.00	-24.22	peak
5	13127.000	30.79	19.01	49.80	74.00	-24.20	peak
6	15844.000	32.17	16.86	49.03	74.00	-24.97	peak
7	17989.000	24.05	26.04	50.09	74.00	-23.91	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.40	10.50	47.90	74.00	-26.10	peak
2	10883.000	35.35	14.27	49.62	74.00	-24.38	peak
3	12632.000	32.17	17.99	50.16	74.00	-23.84	peak
4	13864.000	28.21	21.53	49.74	74.00	-24.26	peak
5	15976.000	35.31	16.92	52.23	74.00	-21.77	peak
6	17714.000	24.75	24.16	48.91	74.00	-25.09	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	37.22	10.58	47.80	74.00	-26.20	peak
2	10641.000	38.17	13.36	51.53	74.00	-22.47	peak
3	11796.000	32.71	17.32	50.03	74.00	-23.97	peak
4	12698.000	31.71	18.08	49.79	74.00	-24.21	peak
5	15965.000	32.43	16.91	49.34	74.00	-24.66	peak
6	18000.000	23.17	26.12	49.29	74.00	-24.71	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	38.04	9.75	47.79	74.00	-26.21	peak
2	9563.000	37.07	10.79	47.86	74.00	-26.14	peak
3	11004.000	35.62	14.74	50.36	74.00	-23.64	peak
4	12698.000	32.42	18.08	50.50	74.00	-23.50	peak
5	13853.000	28.28	21.52	49.80	74.00	-24.20	peak
6	17923.000	23.92	25.60	49.52	74.00	-24.48	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.73	10.53	47.26	74.00	-26.74	peak
2	10993.000	34.28	14.70	48.98	74.00	-25.02	peak
3	11785.000	32.98	17.30	50.28	74.00	-23.72	peak
4	12687.000	31.86	18.05	49.91	74.00	-24.09	peak
5	13149.000	30.50	19.10	49.60	74.00	-24.40	peak
6	17945.000	23.55	25.75	49.30	74.00	-24.70	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	38.09	9.98	48.07	74.00	-25.93	peak
2	11158.000	33.53	15.37	48.90	74.00	-25.10	peak
3	11796.000	31.97	17.32	49.29	74.00	-24.71	peak
4	12676.000	31.80	18.05	49.85	74.00	-24.15	peak
5	13919.000	27.66	21.68	49.34	74.00	-24.66	peak
6	17956.000	23.87	25.82	49.69	74.00	-24.31	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.64	10.48	48.12	74.00	-25.88	peak
2	10553.000	35.34	13.02	48.36	74.00	-25.64	peak
3	11158.000	37.36	15.37	52.73	74.00	-21.27	peak
4	12610.000	32.81	17.97	50.78	74.00	-23.22	peak
5	13919.000	28.66	21.68	50.34	74.00	-23.66	peak
6	17923.000	24.85	25.60	50.45	74.00	-23.55	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	37.65	10.39	48.04	74.00	-25.96	peak
2	10234.000	36.02	12.26	48.28	74.00	-25.72	peak
3	11587.000	32.44	16.93	49.37	74.00	-24.63	peak
4	12665.000	31.92	18.04	49.96	74.00	-24.04	peak
5	13413.000	29.09	20.26	49.35	74.00	-24.65	peak
6	17967.000	23.33	25.89	49.22	74.00	-24.78	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.74	10.46	48.20	74.00	-25.80	peak
2	10883.000	35.12	14.27	49.39	74.00	-24.61	peak
3	11048.000	34.44	14.91	49.35	74.00	-24.65	peak
4	12698.000	30.83	18.08	48.91	74.00	-25.09	peak
5	13974.000	27.32	21.82	49.14	74.00	-24.86	peak
6	17945.000	24.14	25.75	49.89	74.00	-24.11	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.88	10.46	48.34	74.00	-25.66	peak
2	10366.000	35.31	12.54	47.85	74.00	-26.15	peak
3	11774.000	32.56	17.28	49.84	74.00	-24.16	peak
4	12687.000	32.25	18.05	50.30	74.00	-23.70	peak
5	13930.000	28.71	21.71	50.42	74.00	-23.58	peak
6	17956.000	24.59	25.82	50.41	74.00	-23.59	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.01	10.49	47.50	74.00	-26.50	peak
2	10905.000	34.93	14.36	49.29	74.00	-24.71	peak
3	11081.000	34.22	15.05	49.27	74.00	-24.73	peak
4	12665.000	31.64	18.04	49.68	74.00	-24.32	peak
5	13864.000	27.62	21.53	49.15	74.00	-24.85	peak
6	17923.000	24.49	25.60	50.09	74.00	-23.91	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.96	10.51	48.47	74.00	-25.53	peak
2	10289.000	36.63	12.38	49.01	74.00	-24.99	peak
3	11048.000	34.89	14.91	49.80	74.00	-24.20	peak
4	12698.000	32.75	18.08	50.83	74.00	-23.17	peak
5	13919.000	28.39	21.68	50.07	74.00	-23.93	peak
6	17967.000	24.50	25.89	50.39	74.00	-23.61	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	38.42	6.74	45.16	74.00	-28.84	peak
2	9343.000	37.20	10.55	47.75	74.00	-26.25	peak
3	10806.000	35.50	13.98	49.48	74.00	-24.52	peak
4	12610.000	31.77	17.97	49.74	74.00	-24.26	peak
5	13919.000	28.52	21.68	50.20	74.00	-23.80	peak
6	17989.000	24.52	26.04	50.56	74.00	-23.44	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.42	10.45	47.87	74.00	-26.13	peak
2	11048.000	34.82	14.91	49.73	74.00	-24.27	peak
3	11785.000	32.22	17.30	49.52	74.00	-24.48	peak
4	12665.000	32.48	18.04	50.52	74.00	-23.48	peak
5	13985.000	28.74	21.85	50.59	74.00	-23.41	peak
6	17989.000	24.35	26.04	50.39	74.00	-23.61	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.14	10.45	47.59	74.00	-26.41	peak
2	10883.000	34.54	14.27	48.81	74.00	-25.19	peak
3	11884.000	31.70	17.48	49.18	74.00	-24.82	peak
4	12698.000	31.23	18.08	49.31	74.00	-24.69	peak
5	13622.000	29.24	20.95	50.19	74.00	-23.81	peak
6	17681.000	26.38	23.94	50.32	74.00	-23.68	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	37.19	10.47	47.66	74.00	-26.34	peak
2	11059.000	34.60	14.96	49.56	74.00	-24.44	peak
3	12269.000	31.58	17.77	49.35	74.00	-24.65	peak
4	12709.000	31.79	18.09	49.88	74.00	-24.12	peak
5	13457.000	28.89	20.46	49.35	74.00	-24.65	peak
6	17989.000	23.94	26.04	49.98	74.00	-24.02	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.76	10.43	47.19	74.00	-26.81	peak
2	10916.000	35.07	14.39	49.46	74.00	-24.54	peak
3	11785.000	32.96	17.30	50.26	74.00	-23.74	peak
4	12698.000	32.45	18.08	50.53	74.00	-23.47	peak
5	13116.000	31.62	18.96	50.58	74.00	-23.42	peak
6	17989.000	24.74	26.04	50.78	74.00	-23.22	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.53	9.75	47.28	74.00	-26.72	peak
2	9200.000	37.49	10.46	47.95	74.00	-26.05	peak
3	10905.000	35.00	14.36	49.36	74.00	-24.64	peak
4	12610.000	31.93	17.97	49.90	74.00	-24.10	peak
5	13523.000	28.88	20.70	49.58	74.00	-24.42	peak
6	17692.000	25.54	24.01	49.55	74.00	-24.45	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.14	9.90	47.04	74.00	-26.96	peak
2	10366.000	36.24	12.54	48.78	74.00	-25.22	peak
3	11059.000	35.04	14.96	50.00	74.00	-24.00	peak
4	12148.000	31.86	17.74	49.60	74.00	-24.40	peak
5	13864.000	28.61	21.53	50.14	74.00	-23.86	peak
6	18000.000	23.97	26.12	50.09	74.00	-23.91	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.12	10.43	47.55	74.00	-26.45	peak
2	10223.000	36.02	12.24	48.26	74.00	-25.74	peak
3	11048.000	35.37	14.91	50.28	74.00	-23.72	peak
4	12687.000	32.68	18.05	50.73	74.00	-23.27	peak
5	13875.000	29.26	21.57	50.83	74.00	-23.17	peak
6	17703.000	26.31	24.09	50.40	74.00	-23.60	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	37.46	10.58	48.04	74.00	-25.96	peak
2	10168.000	36.52	12.13	48.65	74.00	-25.35	peak
3	11620.000	34.18	16.99	51.17	74.00	-22.83	peak
4	12687.000	32.81	18.05	50.86	74.00	-23.14	peak
5	13600.000	29.24	20.89	50.13	74.00	-23.87	peak
6	17901.000	24.57	25.45	50.02	74.00	-23.98	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.05	10.41	47.46	74.00	-26.54	peak
2	11059.000	34.41	14.96	49.37	74.00	-24.63	peak
3	11873.000	32.63	17.46	50.09	74.00	-23.91	peak
4	12610.000	31.83	17.97	49.80	74.00	-24.20	peak
5	14194.000	27.62	21.07	48.69	74.00	-25.31	peak
6	17956.000	24.09	25.82	49.91	74.00	-24.09	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.75	10.41	48.16	74.00	-25.84	peak
2	10388.000	36.22	12.59	48.81	74.00	-25.19	peak
3	11323.000	34.18	16.05	50.23	74.00	-23.77	peak
4	12676.000	32.14	18.05	50.19	74.00	-23.81	peak
5	13853.000	28.53	21.52	50.05	74.00	-23.95	peak
6	17934.000	24.63	25.67	50.30	74.00	-23.70	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	36.50	10.58	47.08	74.00	-26.92	peak
2	10520.000	37.67	12.90	50.57	74.00	-23.43	peak
3	12236.000	32.67	17.76	50.43	74.00	-23.57	peak
4	12698.000	32.69	18.08	50.77	74.00	-23.23	peak
5	14062.000	28.68	21.62	50.30	74.00	-23.70	peak
6	17978.000	24.55	25.97	50.52	74.00	-23.48	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.23	10.55	47.78	74.00	-26.22	peak
2	10520.000	41.54	12.90	54.44	74.00	-19.56	peak
3	10520.000	30.98	12.90	43.88	54.00	-10.12	AVG
4	12687.000	32.18	18.05	50.23	74.00	-23.77	peak
5	13908.000	28.17	21.66	49.83	74.00	-24.17	peak
6	15800.000	32.23	16.84	49.07	74.00	-24.93	peak
7	17692.000	26.59	24.01	50.60	74.00	-23.40	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.09	10.41	47.50	74.00	-26.50	peak
2	10553.000	38.65	13.02	51.67	74.00	-22.33	peak
3	10553.000	27.69	13.02	40.71	54.00	-13.29	AVG
4	11389.000	32.83	16.31	49.14	74.00	-24.86	peak
5	12698.000	31.17	18.08	49.25	74.00	-24.75	peak
6	13864.000	28.27	21.53	49.80	74.00	-24.20	peak
7	18000.000	23.79	26.12	49.91	74.00	-24.09	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	38.03	10.55	48.58	74.00	-25.42	peak
2	10553.000	41.40	13.02	54.42	74.00	-19.58	peak
3	10553.000	31.24	13.02	44.26	54.00	-9.74	AVG
4	12698.000	32.52	18.08	50.60	74.00	-23.40	peak
5	13853.000	29.02	21.52	50.54	74.00	-23.46	peak
6	15844.000	33.02	16.86	49.88	74.00	-24.12	peak
7	17846.000	25.74	25.08	50.82	74.00	-23.18	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.09	10.21	47.30	74.00	-26.70	peak
2	9365.000	37.24	10.57	47.81	74.00	-26.19	peak
3	10641.000	37.37	13.36	50.73	74.00	-23.27	peak
4	12621.000	31.61	17.98	49.59	74.00	-24.41	peak
5	14414.000	29.91	20.14	50.05	74.00	-23.95	peak
6	18000.000	24.07	26.12	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.71	9.90	47.61	74.00	-26.39	peak
2	10641.000	37.60	13.36	50.96	74.00	-23.04	peak
3	12698.000	31.90	18.08	49.98	74.00	-24.02	peak
4	13930.000	28.62	21.71	50.33	74.00	-23.67	peak
5	15954.000	33.86	16.91	50.77	74.00	-23.23	peak
6	18000.000	24.82	26.12	50.94	74.00	-23.06	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.22	10.55	47.77	74.00	-26.23	peak
2	11004.000	35.61	14.74	50.35	74.00	-23.65	peak
3	11642.000	32.75	17.03	49.78	74.00	-24.22	peak
4	12709.000	31.85	18.09	49.94	74.00	-24.06	peak
5	13556.000	29.82	20.78	50.60	74.00	-23.40	peak
6	17978.000	24.49	25.97	50.46	74.00	-23.54	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	37.35	10.39	47.74	74.00	-26.26	peak
2	10168.000	36.08	12.13	48.21	74.00	-25.79	peak
3	11004.000	37.06	14.74	51.80	74.00	-22.20	peak
4	12687.000	31.83	18.05	49.88	74.00	-24.12	peak
5	13930.000	28.70	21.71	50.41	74.00	-23.59	peak
6	17945.000	24.91	25.75	50.66	74.00	-23.34	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.91	10.43	47.34	74.00	-26.66	peak
2	11004.000	33.58	14.74	48.32	74.00	-25.68	peak
3	11884.000	32.00	17.48	49.48	74.00	-24.52	peak
4	12698.000	31.79	18.08	49.87	74.00	-24.13	peak
5	13963.000	28.31	21.78	50.09	74.00	-23.91	peak
6	17967.000	24.96	25.89	50.85	74.00	-23.15	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	36.83	10.58	47.41	74.00	-26.59	peak
2	10421.000	35.72	12.66	48.38	74.00	-25.62	peak
3	11158.000	37.54	15.37	52.91	74.00	-21.09	peak
4	12258.000	31.67	17.77	49.44	74.00	-24.56	peak
5	13864.000	28.91	21.53	50.44	74.00	-23.56	peak
6	18000.000	24.62	26.12	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.24	10.48	47.72	74.00	-26.28	peak
2	10971.000	34.25	14.61	48.86	74.00	-25.14	peak
3	11400.000	34.55	16.36	50.91	74.00	-23.09	peak
4	12709.000	31.96	18.09	50.05	74.00	-23.95	peak
5	13600.000	29.55	20.89	50.44	74.00	-23.56	peak
6	18000.000	23.83	26.12	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.59	10.41	48.00	74.00	-26.00	peak
2	11070.000	34.72	15.01	49.73	74.00	-24.27	peak
3	11400.000	35.42	16.36	51.78	74.00	-22.22	peak
4	12720.000	31.50	18.09	49.59	74.00	-24.41	peak
5	13611.000	28.48	20.92	49.40	74.00	-24.60	peak
6	17956.000	24.38	25.82	50.20	74.00	-23.80	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8848.000	38.45	9.29	47.74	74.00	-26.26	peak
2	11048.000	34.56	14.91	49.47	74.00	-24.53	peak
3	11444.000	34.97	16.53	51.50	74.00	-22.50	peak
4	12698.000	31.83	18.08	49.91	74.00	-24.09	peak
5	13985.000	28.30	21.85	50.15	74.00	-23.85	peak
6	17923.000	24.51	25.60	50.11	74.00	-23.89	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.70	10.28	47.98	74.00	-26.02	peak
2	11059.000	34.28	14.96	49.24	74.00	-24.76	peak
3	11323.000	33.24	16.05	49.29	74.00	-24.71	peak
4	12676.000	31.38	18.05	49.43	74.00	-24.57	peak
5	13919.000	28.04	21.68	49.72	74.00	-24.28	peak
6	17989.000	24.01	26.04	50.05	74.00	-23.95	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.30	10.45	47.75	74.00	-26.25	peak
2	10234.000	35.47	12.26	47.73	74.00	-26.27	peak
3	11059.000	34.33	14.96	49.29	74.00	-24.71	peak
4	12709.000	31.08	18.09	49.17	74.00	-24.83	peak
5	13919.000	29.02	21.68	50.70	74.00	-23.30	peak
6	17912.000	25.27	25.52	50.79	74.00	-23.21	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.49	10.54	47.03	74.00	-26.97	peak
2	11059.000	34.10	14.96	49.06	74.00	-24.94	peak
3	12236.000	32.02	17.76	49.78	74.00	-24.22	peak
4	12720.000	31.45	18.09	49.54	74.00	-24.46	peak
5	13875.000	29.21	21.57	50.78	74.00	-23.22	peak
6	17923.000	24.96	25.60	50.56	74.00	-23.44	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.71	10.49	48.20	74.00	-25.80	peak
2	10883.000	35.20	14.27	49.47	74.00	-24.53	peak
3	11576.000	32.68	16.91	49.59	74.00	-24.41	peak
4	12698.000	31.37	18.08	49.45	74.00	-24.55	peak
5	13589.000	29.01	20.86	49.87	74.00	-24.13	peak
6	17989.000	24.05	26.04	50.09	74.00	-23.91	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.28	10.41	47.69	74.00	-26.31	peak
2	10883.000	35.47	14.27	49.74	74.00	-24.26	peak
3	11884.000	32.66	17.48	50.14	74.00	-23.86	peak
4	12709.000	32.86	18.09	50.95	74.00	-23.05	peak
5	13347.000	30.50	19.97	50.47	74.00	-23.53	peak
6	17934.000	24.55	25.67	50.22	74.00	-23.78	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.63	9.66	47.29	74.00	-26.71	peak
2	10212.000	36.94	12.21	49.15	74.00	-24.85	peak
3	11455.000	32.85	16.58	49.43	74.00	-24.57	peak
4	12599.000	32.40	17.95	50.35	74.00	-23.65	peak
5	13600.000	29.28	20.89	50.17	74.00	-23.83	peak
6	17934.000	24.84	25.67	50.51	74.00	-23.49	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	37.38	10.57	47.95	74.00	-26.05	peak
2	11191.000	34.84	15.50	50.34	74.00	-23.66	peak
3	11928.000	32.70	17.57	50.27	74.00	-23.73	peak
4	12676.000	32.18	18.05	50.23	74.00	-23.77	peak
5	13919.000	28.70	21.68	50.38	74.00	-23.62	peak
6	18000.000	24.51	26.12	50.63	74.00	-23.37	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.28	10.51	47.79	74.00	-26.21	peak
2	10366.000	35.88	12.54	48.42	74.00	-25.58	peak
3	11037.000	34.46	14.87	49.33	74.00	-24.67	peak
4	12709.000	31.47	18.09	49.56	74.00	-24.44	peak
5	13886.000	28.52	21.60	50.12	74.00	-23.88	peak
6	17967.000	24.57	25.89	50.46	74.00	-23.54	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10212.000	35.96	12.21	48.17	74.00	-25.83	peak
2	11048.000	34.36	14.91	49.27	74.00	-24.73	peak
3	11587.000	32.83	16.93	49.76	74.00	-24.24	peak
4	12709.000	31.37	18.09	49.46	74.00	-24.54	peak
5	13666.000	29.04	21.05	50.09	74.00	-23.91	peak
6	17868.000	24.04	25.22	49.26	74.00	-24.74	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.05	10.45	47.50	74.00	-26.50	peak
2	10168.000	35.95	12.13	48.08	74.00	-25.92	peak
3	11521.000	33.28	16.82	50.10	74.00	-23.90	peak
4	12709.000	32.53	18.09	50.62	74.00	-23.38	peak
5	13556.000	29.93	20.78	50.71	74.00	-23.29	peak
6	17857.000	25.51	25.14	50.65	74.00	-23.35	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.59	10.46	48.05	74.00	-25.95	peak
2	11059.000	34.73	14.96	49.69	74.00	-24.31	peak
3	11796.000	33.02	17.32	50.34	74.00	-23.66	peak
4	12698.000	32.15	18.08	50.23	74.00	-23.77	peak
5	13424.000	29.92	20.30	50.22	74.00	-23.78	peak
6	17615.000	26.89	23.49	50.38	74.00	-23.62	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.43	10.46	47.89	74.00	-26.11	peak
2	10542.000	37.45	12.98	50.43	74.00	-23.57	peak
3	11884.000	32.45	17.48	49.93	74.00	-24.07	peak
4	12632.000	30.97	17.99	48.96	74.00	-25.04	peak
5	14018.000	27.44	21.80	49.24	74.00	-24.76	peak
6	17923.000	23.97	25.60	49.57	74.00	-24.43	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.53	10.45	47.98	74.00	-26.02	peak
2	10542.000	36.92	12.98	49.90	74.00	-24.10	peak
3	11059.000	34.33	14.96	49.29	74.00	-24.71	peak
4	12698.000	32.38	18.08	50.46	74.00	-23.54	peak
5	13897.000	28.47	21.62	50.09	74.00	-23.91	peak
6	18000.000	24.03	26.12	50.15	74.00	-23.85	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	37.32	10.58	47.90	74.00	-26.10	peak
2	10619.000	37.04	13.28	50.32	74.00	-23.68	peak
3	11521.000	32.15	16.82	48.97	74.00	-25.03	peak
4	12676.000	31.27	18.05	49.32	74.00	-24.68	peak
5	13919.000	28.54	21.68	50.22	74.00	-23.78	peak
6	17956.000	24.71	25.82	50.53	74.00	-23.47	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8848.000	38.26	9.29	47.55	74.00	-26.45	peak
2	10619.000	35.82	13.28	49.10	74.00	-24.90	peak
3	11708.000	33.00	17.16	50.16	74.00	-23.84	peak
4	12654.000	32.25	18.01	50.26	74.00	-23.74	peak
5	13930.000	29.02	21.71	50.73	74.00	-23.27	peak
6	17967.000	24.42	25.89	50.31	74.00	-23.69	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	37.61	10.48	48.09	74.00	-25.91	peak
2	11059.000	34.34	14.96	49.30	74.00	-24.70	peak
3	11686.000	33.35	17.12	50.47	74.00	-23.53	peak
4	12698.000	31.73	18.08	49.81	74.00	-24.19	peak
5	13864.000	29.01	21.53	50.54	74.00	-23.46	peak
6	17967.000	24.58	25.89	50.47	74.00	-23.53	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	37.56	10.45	48.01	74.00	-25.99	peak
2	10432.000	35.97	12.67	48.64	74.00	-25.36	peak
3	11026.000	35.88	14.82	50.70	74.00	-23.30	peak
4	11884.000	32.34	17.48	49.82	74.00	-24.18	peak
5	13127.000	30.80	19.01	49.81	74.00	-24.19	peak
6	17978.000	24.32	25.97	50.29	74.00	-23.71	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.50	10.46	47.96	74.00	-26.04	peak
2	11103.000	34.53	15.15	49.68	74.00	-24.32	peak
3	11730.000	33.50	17.19	50.69	74.00	-23.31	peak
4	12698.000	32.47	18.08	50.55	74.00	-23.45	peak
5	13622.000	28.95	20.95	49.90	74.00	-24.10	peak
6	18000.000	23.93	26.12	50.05	74.00	-23.95	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.02	10.46	47.48	74.00	-26.52	peak
2	10366.000	35.80	12.54	48.34	74.00	-25.66	peak
3	11103.000	35.87	15.15	51.02	74.00	-22.98	peak
4	11884.000	32.03	17.48	49.51	74.00	-24.49	peak
5	13512.000	28.95	20.68	49.63	74.00	-24.37	peak
6	17989.000	23.53	26.04	49.57	74.00	-24.43	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.33	10.28	47.61	74.00	-26.39	peak
2	11026.000	33.92	14.82	48.74	74.00	-25.26	peak
3	11829.000	32.50	17.38	49.88	74.00	-24.12	peak
4	12676.000	32.23	18.05	50.28	74.00	-23.72	peak
5	13930.000	28.42	21.71	50.13	74.00	-23.87	peak
6	17648.000	26.70	23.72	50.42	74.00	-23.58	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.41	10.51	47.92	74.00	-26.08	peak
2	11092.000	34.42	15.10	49.52	74.00	-24.48	peak
3	11906.000	32.49	17.52	50.01	74.00	-23.99	peak
4	12698.000	32.07	18.08	50.15	74.00	-23.85	peak
5	14183.000	28.45	21.11	49.56	74.00	-24.44	peak
6	17934.000	23.87	25.67	49.54	74.00	-24.46	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.28	6.69	44.97	74.00	-29.03	peak
2	8947.000	37.83	9.98	47.81	74.00	-26.19	peak
3	11059.000	34.54	14.96	49.50	74.00	-24.50	peak
4	11851.000	32.56	17.43	49.99	74.00	-24.01	peak
5	13974.000	28.55	21.82	50.37	74.00	-23.63	peak
6	17945.000	23.86	25.75	49.61	74.00	-24.39	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.95	10.46	48.41	74.00	-25.59	peak
2	10399.000	35.52	12.61	48.13	74.00	-25.87	peak
3	11686.000	32.72	17.12	49.84	74.00	-24.16	peak
4	12643.000	32.25	18.01	50.26	74.00	-23.74	peak
5	13864.000	28.76	21.53	50.29	74.00	-23.71	peak
6	17956.000	24.36	25.82	50.18	74.00	-23.82	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.74	10.46	48.20	74.00	-25.80	peak
2	10223.000	35.85	12.24	48.09	74.00	-25.91	peak
3	11279.000	33.77	15.86	49.63	74.00	-24.37	peak
4	12698.000	31.91	18.08	49.99	74.00	-24.01	peak
5	13600.000	28.85	20.89	49.74	74.00	-24.26	peak
6	17989.000	23.91	26.04	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.53	10.41	46.94	74.00	-27.06	peak
2	10179.000	35.50	12.14	47.64	74.00	-26.36	peak
3	11070.000	34.42	15.01	49.43	74.00	-24.57	peak
4	12236.000	32.15	17.76	49.91	74.00	-24.09	peak
5	13446.000	29.66	20.41	50.07	74.00	-23.93	peak
6	17989.000	24.26	26.04	50.30	74.00	-23.70	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.38	10.51	47.89	74.00	-26.11	peak
2	11290.000	33.54	15.90	49.44	74.00	-24.56	peak
3	11499.000	32.89	16.77	49.66	74.00	-24.34	peak
4	12500.000	32.40	17.83	50.23	74.00	-23.77	peak
5	13930.000	29.35	21.71	51.06	74.00	-22.94	peak
6	17989.000	23.77	26.04	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.20	10.38	47.58	74.00	-26.42	peak
2	11048.000	34.35	14.91	49.26	74.00	-24.74	peak
3	11741.000	32.50	17.22	49.72	74.00	-24.28	peak
4	12720.000	31.72	18.09	49.81	74.00	-24.19	peak
5	13919.000	28.53	21.68	50.21	74.00	-23.79	peak
6	17934.000	24.81	25.67	50.48	74.00	-23.52	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8870.000	38.35	9.44	47.79	74.00	-26.21	peak
2	10410.000	37.71	12.62	50.33	74.00	-23.67	peak
3	11851.000	32.36	17.43	49.79	74.00	-24.21	peak
4	12687.000	31.48	18.05	49.53	74.00	-24.47	peak
5	13600.000	29.58	20.89	50.47	74.00	-23.53	peak
6	17901.000	24.41	25.45	49.86	74.00	-24.14	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	37.32	10.51	47.83	74.00	-26.17	peak
2	11048.000	34.80	14.91	49.71	74.00	-24.29	peak
3	11741.000	33.33	17.22	50.55	74.00	-23.45	peak
4	12291.000	32.55	17.78	50.33	74.00	-23.67	peak
5	13897.000	28.54	21.62	50.16	74.00	-23.84	peak
6	17989.000	23.95	26.04	49.99	74.00	-24.01	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.54	10.49	48.03	74.00	-25.97	peak
2	10223.000	36.82	12.24	49.06	74.00	-24.94	peak
3	11400.000	33.90	16.36	50.26	74.00	-23.74	peak
4	12709.000	32.27	18.09	50.36	74.00	-23.64	peak
5	13919.000	28.84	21.68	50.52	74.00	-23.48	peak
6	18000.000	24.28	26.12	50.40	74.00	-23.60	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.90	10.51	47.41	74.00	-26.59	peak
2	11070.000	34.71	15.01	49.72	74.00	-24.28	peak
3	11521.000	33.27	16.82	50.09	74.00	-23.91	peak
4	12742.000	32.50	18.13	50.63	74.00	-23.37	peak
5	13611.000	29.27	20.92	50.19	74.00	-23.81	peak
6	17934.000	24.43	25.67	50.10	74.00	-23.90	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.63	10.21	47.84	74.00	-26.16	peak
2	10278.000	35.78	12.35	48.13	74.00	-25.87	peak
3	11026.000	34.94	14.82	49.76	74.00	-24.24	peak
4	12621.000	31.97	17.98	49.95	74.00	-24.05	peak
5	13688.000	28.30	21.10	49.40	74.00	-24.60	peak
6	17934.000	23.66	25.67	49.33	74.00	-24.67	peak