



| | | | |
|------------|----------------|-----------------|-------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.89 | 10.48 | 47.37 | 74.00 | -26.63 | peak |
| 2 | 10300.000 | 35.57 | 12.40 | 47.97 | 74.00 | -26.03 | peak |
| 3 | 11323.000 | 33.31 | 16.05 | 49.36 | 74.00 | -24.64 | peak |
| 4 | 12621.000 | 32.14 | 17.98 | 50.12 | 74.00 | -23.88 | peak |
| 5 | 13600.000 | 29.21 | 20.89 | 50.10 | 74.00 | -23.90 | peak |
| 6 | 17934.000 | 24.38 | 25.67 | 50.05 | 74.00 | -23.95 | peak |

| | | | |
|------------|----------------|-----------------|-------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9112.000 | 37.21 | 10.41 | 47.62 | 74.00 | -26.38 | peak |
| 2 | 10564.000 | 36.16 | 13.06 | 49.22 | 74.00 | -24.78 | peak |
| 3 | 11059.000 | 35.00 | 14.96 | 49.96 | 74.00 | -24.04 | peak |
| 4 | 13380.000 | 29.41 | 20.12 | 49.53 | 74.00 | -24.47 | peak |
| 5 | 13919.000 | 27.91 | 21.68 | 49.59 | 74.00 | -24.41 | peak |
| 6 | 17989.000 | 24.04 | 26.04 | 50.08 | 74.00 | -23.92 | peak |

| | | | |
|------------|----------------|-----------------|-------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9211.000 | 36.48 | 10.47 | 46.95 | 74.00 | -27.05 | peak |
| 2 | 11004.000 | 34.56 | 14.74 | 49.30 | 74.00 | -24.70 | peak |
| 3 | 11862.000 | 32.13 | 17.45 | 49.58 | 74.00 | -24.42 | peak |
| 4 | 12544.000 | 32.31 | 17.88 | 50.19 | 74.00 | -23.81 | peak |
| 5 | 13864.000 | 28.87 | 21.53 | 50.40 | 74.00 | -23.60 | peak |
| 6 | 17945.000 | 24.59 | 25.75 | 50.34 | 74.00 | -23.66 | peak |

| | | | |
|------------|----------------|-----------------|-------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9123.000 | 37.20 | 10.42 | 47.62 | 74.00 | -26.38 | peak |
| 2 | 10234.000 | 35.42 | 12.26 | 47.68 | 74.00 | -26.32 | peak |
| 3 | 11059.000 | 34.39 | 14.96 | 49.35 | 74.00 | -24.65 | peak |
| 4 | 12654.000 | 32.07 | 18.01 | 50.08 | 74.00 | -23.92 | peak |
| 5 | 13875.000 | 28.42 | 21.57 | 49.99 | 74.00 | -24.01 | peak |
| 6 | 17978.000 | 22.97 | 25.97 | 48.94 | 74.00 | -25.06 | peak |

| | | | |
|------------|----------------|-----------------|-------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 37.08 | 10.46 | 47.54 | 74.00 | -26.46 | peak |
| 2 | 10223.000 | 36.82 | 12.24 | 49.06 | 74.00 | -24.94 | peak |
| 3 | 11642.000 | 32.35 | 17.03 | 49.38 | 74.00 | -24.62 | peak |
| 4 | 12698.000 | 32.31 | 18.08 | 50.39 | 74.00 | -23.61 | peak |
| 5 | 14073.000 | 28.54 | 21.57 | 50.11 | 74.00 | -23.89 | peak |
| 6 | 17692.000 | 25.36 | 24.01 | 49.37 | 74.00 | -24.63 | peak |

| | | | |
|------------|----------------|-----------------|-------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9057.000 | 37.68 | 10.38 | 48.06 | 74.00 | -25.94 | peak |
| 2 | 10883.000 | 35.15 | 14.27 | 49.42 | 74.00 | -24.58 | peak |
| 3 | 11862.000 | 31.64 | 17.45 | 49.09 | 74.00 | -24.91 | peak |
| 4 | 12698.000 | 31.22 | 18.08 | 49.30 | 74.00 | -24.70 | peak |
| 5 | 13864.000 | 27.86 | 21.53 | 49.39 | 74.00 | -24.61 | peak |
| 6 | 17934.000 | 24.22 | 25.67 | 49.89 | 74.00 | -24.11 | peak |

| | | | |
|------------|----------------|-----------------|-------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8936.000 | 38.08 | 9.90 | 47.98 | 74.00 | -26.02 | peak |
| 2 | 11081.000 | 33.33 | 15.05 | 48.38 | 74.00 | -25.62 | peak |
| 3 | 11796.000 | 32.09 | 17.32 | 49.41 | 74.00 | -24.59 | peak |
| 4 | 12621.000 | 31.57 | 17.98 | 49.55 | 74.00 | -24.45 | peak |
| 5 | 13534.000 | 29.19 | 20.73 | 49.92 | 74.00 | -24.08 | peak |
| 6 | 17956.000 | 24.28 | 25.82 | 50.10 | 74.00 | -23.90 | peak |

| | | | |
|------------|-------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (26Tone Ru0) | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9112.000 | 36.54 | 10.41 | 46.95 | 74.00 | -27.05 | peak |
| 2 | 10168.000 | 35.24 | 12.13 | 47.37 | 74.00 | -26.63 | peak |
| 3 | 10872.000 | 34.66 | 14.23 | 48.89 | 74.00 | -25.11 | peak |
| 4 | 11851.000 | 32.38 | 17.43 | 49.81 | 74.00 | -24.19 | peak |
| 5 | 13457.000 | 30.00 | 20.46 | 50.46 | 74.00 | -23.54 | peak |
| 6 | 17945.000 | 25.00 | 25.75 | 50.75 | 74.00 | -23.25 | peak |

| | | | |
|------------|-------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (26Tone Ru0) | Frequency(MHz): | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8012.000 | 38.71 | 6.44 | 45.15 | 74.00 | -28.85 | peak |
| 2 | 9068.000 | 37.77 | 10.39 | 48.16 | 74.00 | -25.84 | peak |
| 3 | 11059.000 | 33.86 | 14.96 | 48.82 | 74.00 | -25.18 | peak |
| 4 | 12676.000 | 31.83 | 18.05 | 49.88 | 74.00 | -24.12 | peak |
| 5 | 13897.000 | 28.14 | 21.62 | 49.76 | 74.00 | -24.24 | peak |
| 6 | 17945.000 | 24.65 | 25.75 | 50.40 | 74.00 | -23.60 | peak |

| | | | |
|------------|--------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (52Tone Ru37) | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8936.000 | 37.41 | 9.90 | 47.31 | 74.00 | -26.69 | peak |
| 2 | 9376.000 | 37.41 | 10.58 | 47.99 | 74.00 | -26.01 | peak |
| 3 | 11059.000 | 34.74 | 14.96 | 49.70 | 74.00 | -24.30 | peak |
| 4 | 12698.000 | 32.14 | 18.08 | 50.22 | 74.00 | -23.78 | peak |
| 5 | 13435.000 | 29.46 | 20.35 | 49.81 | 74.00 | -24.19 | peak |
| 6 | 17945.000 | 24.48 | 25.75 | 50.23 | 74.00 | -23.77 | peak |

| | | | |
|------------|--------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (52Tone Ru37) | Frequency(MHz): | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9101.000 | 37.60 | 10.40 | 48.00 | 74.00 | -26.00 | peak |
| 2 | 11070.000 | 34.56 | 15.01 | 49.57 | 74.00 | -24.43 | peak |
| 3 | 12632.000 | 31.46 | 17.99 | 49.45 | 74.00 | -24.55 | peak |
| 4 | 13919.000 | 27.66 | 21.68 | 49.34 | 74.00 | -24.66 | peak |
| 5 | 17538.000 | 24.65 | 22.97 | 47.62 | 74.00 | -26.38 | peak |
| 6 | 17934.000 | 23.92 | 25.67 | 49.59 | 74.00 | -24.41 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (106Tone Ru53) | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9332.000 | 37.18 | 10.54 | 47.72 | 74.00 | -26.28 | peak |
| 2 | 10223.000 | 35.47 | 12.24 | 47.71 | 74.00 | -26.29 | peak |
| 3 | 11422.000 | 33.27 | 16.46 | 49.73 | 74.00 | -24.27 | peak |
| 4 | 12698.000 | 33.11 | 18.08 | 51.19 | 74.00 | -22.81 | peak |
| 5 | 13809.000 | 29.19 | 21.41 | 50.60 | 74.00 | -23.40 | peak |
| 6 | 17956.000 | 24.27 | 25.82 | 50.09 | 74.00 | -23.91 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (106Tone Ru53) | Frequency(MHz): | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1 | 8925.000 | 37.62 | 9.82 | 47.44 | 74.00 | -26.56 | peak |
| 2 | 11059.000 | 34.73 | 14.96 | 49.69 | 74.00 | -24.31 | peak |
| 3 | 12511.000 | 32.25 | 17.84 | 50.09 | 74.00 | -23.91 | peak |
| 4 | 13930.000 | 28.38 | 21.71 | 50.09 | 74.00 | -23.91 | peak |
| 5 | 17945.000 | 25.12 | 25.75 | 50.87 | 74.00 | -23.13 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7748.000 | 37.97 | 6.66 | 44.63 | 74.00 | -29.37 | peak |
| 2 | 8991.000 | 37.00 | 10.28 | 47.28 | 74.00 | -26.72 | peak |
| 3 | 11323.000 | 33.82 | 16.05 | 49.87 | 74.00 | -24.13 | peak |
| 4 | 12698.000 | 32.43 | 18.08 | 50.51 | 74.00 | -23.49 | peak |
| 5 | 13116.000 | 31.29 | 18.96 | 50.25 | 74.00 | -23.75 | peak |
| 6 | 18000.000 | 23.29 | 26.12 | 49.41 | 74.00 | -24.59 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 38.15 | 10.46 | 48.61 | 74.00 | -25.39 | peak |
| 2 | 11048.000 | 34.41 | 14.91 | 49.32 | 74.00 | -24.68 | peak |
| 3 | 11774.000 | 32.63 | 17.28 | 49.91 | 74.00 | -24.09 | peak |
| 4 | 12687.000 | 32.05 | 18.05 | 50.10 | 74.00 | -23.90 | peak |
| 5 | 13875.000 | 28.98 | 21.57 | 50.55 | 74.00 | -23.45 | peak |
| 6 | 18000.000 | 24.74 | 26.12 | 50.86 | 74.00 | -23.14 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5200 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8914.000 | 37.92 | 9.75 | 47.67 | 74.00 | -26.33 | peak |
| 2 | 11015.000 | 34.42 | 14.79 | 49.21 | 74.00 | -24.79 | peak |
| 3 | 11763.000 | 32.38 | 17.26 | 49.64 | 74.00 | -24.36 | peak |
| 4 | 12643.000 | 32.28 | 18.01 | 50.29 | 74.00 | -23.71 | peak |
| 5 | 14073.000 | 27.56 | 21.57 | 49.13 | 74.00 | -24.87 | peak |
| 6 | 17956.000 | 22.99 | 25.82 | 48.81 | 74.00 | -25.19 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5200 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 36.98 | 10.51 | 47.49 | 74.00 | -26.51 | peak |
| 2 | 10872.000 | 34.52 | 14.23 | 48.75 | 74.00 | -25.25 | peak |
| 3 | 11884.000 | 32.17 | 17.48 | 49.65 | 74.00 | -24.35 | peak |
| 4 | 12610.000 | 32.72 | 17.97 | 50.69 | 74.00 | -23.31 | peak |
| 5 | 13600.000 | 29.64 | 20.89 | 50.53 | 74.00 | -23.47 | peak |
| 6 | 17703.000 | 26.33 | 24.09 | 50.42 | 74.00 | -23.58 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5240 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7869.000 | 38.66 | 6.54 | 45.20 | 74.00 | -28.80 | peak |
| 2 | 8936.000 | 37.03 | 9.90 | 46.93 | 74.00 | -27.07 | peak |
| 3 | 11059.000 | 34.27 | 14.96 | 49.23 | 74.00 | -24.77 | peak |
| 4 | 12610.000 | 31.01 | 17.97 | 48.98 | 74.00 | -25.02 | peak |
| 5 | 13886.000 | 28.27 | 21.60 | 49.87 | 74.00 | -24.13 | peak |
| 6 | 17945.000 | 23.53 | 25.75 | 49.28 | 74.00 | -24.72 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5240 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7748.000 | 37.97 | 6.66 | 44.63 | 74.00 | -29.37 | peak |
| 2 | 9255.000 | 37.26 | 10.51 | 47.77 | 74.00 | -26.23 | peak |
| 3 | 11048.000 | 34.68 | 14.91 | 49.59 | 74.00 | -24.41 | peak |
| 4 | 12698.000 | 31.67 | 18.08 | 49.75 | 74.00 | -24.25 | peak |
| 5 | 13919.000 | 28.39 | 21.68 | 50.07 | 74.00 | -23.93 | peak |
| 6 | 17978.000 | 23.60 | 25.97 | 49.57 | 74.00 | -24.43 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5260 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 37.18 | 10.49 | 47.67 | 74.00 | -26.33 | peak |
| 2 | 10520.000 | 35.66 | 12.90 | 48.56 | 74.00 | -25.44 | peak |
| 3 | 11730.000 | 33.36 | 17.19 | 50.55 | 74.00 | -23.45 | peak |
| 4 | 12720.000 | 31.86 | 18.09 | 49.95 | 74.00 | -24.05 | peak |
| 5 | 13853.000 | 28.15 | 21.52 | 49.67 | 74.00 | -24.33 | peak |
| 6 | 18000.000 | 23.87 | 26.12 | 49.99 | 74.00 | -24.01 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5260 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 37.13 | 10.48 | 47.61 | 74.00 | -26.39 | peak |
| 2 | 10509.000 | 37.88 | 12.85 | 50.73 | 74.00 | -23.27 | peak |
| 3 | 11873.000 | 32.31 | 17.46 | 49.77 | 74.00 | -24.23 | peak |
| 4 | 13116.000 | 31.47 | 18.96 | 50.43 | 74.00 | -23.57 | peak |
| 5 | 15789.000 | 31.24 | 16.84 | 48.08 | 74.00 | -25.92 | peak |
| 6 | 17901.000 | 24.78 | 25.45 | 50.23 | 74.00 | -23.77 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5280 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8837.000 | 38.96 | 9.21 | 48.17 | 74.00 | -25.83 | peak |
| 2 | 10553.000 | 37.12 | 13.02 | 50.14 | 74.00 | -23.86 | peak |
| 3 | 11664.000 | 33.28 | 17.08 | 50.36 | 74.00 | -23.64 | peak |
| 4 | 13919.000 | 28.74 | 21.68 | 50.42 | 74.00 | -23.58 | peak |
| 5 | 15844.000 | 32.57 | 16.86 | 49.43 | 74.00 | -24.57 | peak |
| 6 | 17923.000 | 24.50 | 25.60 | 50.10 | 74.00 | -23.90 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5280 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 10080.000 | 36.64 | 11.93 | 48.57 | 74.00 | -25.43 | peak |
| 2 | 10564.000 | 37.35 | 13.06 | 50.41 | 74.00 | -23.59 | peak |
| 3 | 12291.000 | 32.73 | 17.78 | 50.51 | 74.00 | -23.49 | peak |
| 4 | 13919.000 | 28.83 | 21.68 | 50.51 | 74.00 | -23.49 | peak |
| 5 | 15844.000 | 33.35 | 16.86 | 50.21 | 74.00 | -23.79 | peak |
| 6 | 18000.000 | 24.29 | 26.12 | 50.41 | 74.00 | -23.59 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5320 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8936.000 | 37.54 | 9.90 | 47.44 | 74.00 | -26.56 | peak |
| 2 | 9299.000 | 37.51 | 10.53 | 48.04 | 74.00 | -25.96 | peak |
| 3 | 10641.000 | 36.72 | 13.36 | 50.08 | 74.00 | -23.92 | peak |
| 4 | 11752.000 | 33.01 | 17.24 | 50.25 | 74.00 | -23.75 | peak |
| 5 | 13127.000 | 31.31 | 19.01 | 50.32 | 74.00 | -23.68 | peak |
| 6 | 17934.000 | 24.60 | 25.67 | 50.27 | 74.00 | -23.73 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5320 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9354.000 | 36.78 | 10.56 | 47.34 | 74.00 | -26.66 | peak |
| 2 | 10630.000 | 37.92 | 13.31 | 51.23 | 74.00 | -22.77 | peak |
| 3 | 11708.000 | 32.56 | 17.16 | 49.72 | 74.00 | -24.28 | peak |
| 4 | 12698.000 | 31.91 | 18.08 | 49.99 | 74.00 | -24.01 | peak |
| 5 | 15965.000 | 33.17 | 16.91 | 50.08 | 74.00 | -23.92 | peak |
| 6 | 17989.000 | 23.93 | 26.04 | 49.97 | 74.00 | -24.03 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5500 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8089.000 | 38.57 | 6.51 | 45.08 | 74.00 | -28.92 | peak |
| 2 | 9178.000 | 37.71 | 10.45 | 48.16 | 74.00 | -25.84 | peak |
| 3 | 11004.000 | 35.68 | 14.74 | 50.42 | 74.00 | -23.58 | peak |
| 4 | 12709.000 | 32.60 | 18.09 | 50.69 | 74.00 | -23.31 | peak |
| 5 | 13919.000 | 28.71 | 21.68 | 50.39 | 74.00 | -23.61 | peak |
| 6 | 17923.000 | 24.51 | 25.60 | 50.11 | 74.00 | -23.89 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5500 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8738.000 | 38.57 | 8.53 | 47.10 | 74.00 | -26.90 | peak |
| 2 | 9244.000 | 36.70 | 10.49 | 47.19 | 74.00 | -26.81 | peak |
| 3 | 11312.000 | 33.47 | 16.00 | 49.47 | 74.00 | -24.53 | peak |
| 4 | 12698.000 | 32.24 | 18.08 | 50.32 | 74.00 | -23.68 | peak |
| 5 | 13611.000 | 29.37 | 20.92 | 50.29 | 74.00 | -23.71 | peak |
| 6 | 17989.000 | 24.12 | 26.04 | 50.16 | 74.00 | -23.84 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5580 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9178.000 | 37.50 | 10.45 | 47.95 | 74.00 | -26.05 | peak |
| 2 | 11081.000 | 34.37 | 15.05 | 49.42 | 74.00 | -24.58 | peak |
| 3 | 11719.000 | 33.16 | 17.18 | 50.34 | 74.00 | -23.66 | peak |
| 4 | 12775.000 | 32.50 | 18.17 | 50.67 | 74.00 | -23.33 | peak |
| 5 | 13765.000 | 28.61 | 21.30 | 49.91 | 74.00 | -24.09 | peak |
| 6 | 18000.000 | 24.82 | 26.12 | 50.94 | 74.00 | -23.06 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5580 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9101.000 | 37.22 | 10.40 | 47.62 | 74.00 | -26.38 | peak |
| 2 | 10597.000 | 34.85 | 13.19 | 48.04 | 74.00 | -25.96 | peak |
| 3 | 11730.000 | 32.54 | 17.19 | 49.73 | 74.00 | -24.27 | peak |
| 4 | 13116.000 | 30.92 | 18.96 | 49.88 | 74.00 | -24.12 | peak |
| 5 | 13853.000 | 27.95 | 21.52 | 49.47 | 74.00 | -24.53 | peak |
| 6 | 17923.000 | 24.65 | 25.60 | 50.25 | 74.00 | -23.75 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5700 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8958.000 | 37.66 | 10.05 | 47.71 | 74.00 | -26.29 | peak |
| 2 | 10212.000 | 36.34 | 12.21 | 48.55 | 74.00 | -25.45 | peak |
| 3 | 11070.000 | 35.16 | 15.01 | 50.17 | 74.00 | -23.83 | peak |
| 4 | 11510.000 | 32.22 | 16.79 | 49.01 | 74.00 | -24.99 | peak |
| 5 | 13534.000 | 28.97 | 20.73 | 49.70 | 74.00 | -24.30 | peak |
| 6 | 17989.000 | 24.07 | 26.04 | 50.11 | 74.00 | -23.89 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5700 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9178.000 | 36.55 | 10.45 | 47.00 | 74.00 | -27.00 | peak |
| 2 | 11268.000 | 33.33 | 15.83 | 49.16 | 74.00 | -24.84 | peak |
| 3 | 11774.000 | 32.25 | 17.28 | 49.53 | 74.00 | -24.47 | peak |
| 4 | 13127.000 | 31.15 | 19.01 | 50.16 | 74.00 | -23.84 | peak |
| 5 | 13864.000 | 28.63 | 21.53 | 50.16 | 74.00 | -23.84 | peak |
| 6 | 18000.000 | 23.92 | 26.12 | 50.04 | 74.00 | -23.96 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5720 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 37.42 | 10.49 | 47.91 | 74.00 | -26.09 | peak |
| 2 | 10245.000 | 35.13 | 12.28 | 47.41 | 74.00 | -26.59 | peak |
| 3 | 11719.000 | 31.89 | 17.18 | 49.07 | 74.00 | -24.93 | peak |
| 4 | 12687.000 | 31.64 | 18.05 | 49.69 | 74.00 | -24.31 | peak |
| 5 | 13479.000 | 28.91 | 20.55 | 49.46 | 74.00 | -24.54 | peak |
| 6 | 17956.000 | 23.77 | 25.82 | 49.59 | 74.00 | -24.41 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5720 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9090.000 | 37.02 | 10.39 | 47.41 | 74.00 | -26.59 | peak |
| 2 | 10223.000 | 35.73 | 12.24 | 47.97 | 74.00 | -26.03 | peak |
| 3 | 11070.000 | 34.78 | 15.01 | 49.79 | 74.00 | -24.21 | peak |
| 4 | 12676.000 | 32.92 | 18.05 | 50.97 | 74.00 | -23.03 | peak |
| 5 | 14128.000 | 28.83 | 21.34 | 50.17 | 74.00 | -23.83 | peak |
| 6 | 17989.000 | 24.04 | 26.04 | 50.08 | 74.00 | -23.92 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5745 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9365.000 | 36.38 | 10.57 | 46.95 | 74.00 | -27.05 | peak |
| 2 | 10168.000 | 35.54 | 12.13 | 47.67 | 74.00 | -26.33 | peak |
| 3 | 11059.000 | 35.02 | 14.96 | 49.98 | 74.00 | -24.02 | peak |
| 4 | 12720.000 | 32.37 | 18.09 | 50.46 | 74.00 | -23.54 | peak |
| 5 | 13776.000 | 28.68 | 21.33 | 50.01 | 74.00 | -23.99 | peak |
| 6 | 17989.000 | 24.50 | 26.04 | 50.54 | 74.00 | -23.46 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5745 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8980.000 | 37.09 | 10.21 | 47.30 | 74.00 | -26.70 | peak |
| 2 | 10212.000 | 36.24 | 12.21 | 48.45 | 74.00 | -25.55 | peak |
| 3 | 11059.000 | 34.23 | 14.96 | 49.19 | 74.00 | -24.81 | peak |
| 4 | 12709.000 | 32.81 | 18.09 | 50.90 | 74.00 | -23.10 | peak |
| 5 | 13589.000 | 29.58 | 20.86 | 50.44 | 74.00 | -23.56 | peak |
| 6 | 17967.000 | 24.79 | 25.89 | 50.68 | 74.00 | -23.32 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5785 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8936.000 | 37.28 | 9.90 | 47.18 | 74.00 | -26.82 | peak |
| 2 | 10432.000 | 35.54 | 12.67 | 48.21 | 74.00 | -25.79 | peak |
| 3 | 11279.000 | 33.53 | 15.86 | 49.39 | 74.00 | -24.61 | peak |
| 4 | 12698.000 | 32.69 | 18.08 | 50.77 | 74.00 | -23.23 | peak |
| 5 | 13413.000 | 29.39 | 20.26 | 49.65 | 74.00 | -24.35 | peak |
| 6 | 17989.000 | 23.70 | 26.04 | 49.74 | 74.00 | -24.26 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5785 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1 | 8848.000 | 39.04 | 9.29 | 48.33 | 74.00 | -25.67 | peak |
| 2 | 10212.000 | 36.98 | 12.21 | 49.19 | 74.00 | -24.81 | peak |
| 3 | 11059.000 | 34.74 | 14.96 | 49.70 | 74.00 | -24.30 | peak |
| 4 | 13061.000 | 31.55 | 18.71 | 50.26 | 74.00 | -23.74 | peak |
| 5 | 13919.000 | 28.84 | 21.68 | 50.52 | 74.00 | -23.48 | peak |
| 6 | 17967.000 | 24.36 | 25.89 | 50.25 | 74.00 | -23.75 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5825 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7627.000 | 38.25 | 6.76 | 45.01 | 74.00 | -28.99 | peak |
| 2 | 9420.000 | 36.92 | 10.60 | 47.52 | 74.00 | -26.48 | peak |
| 3 | 11015.000 | 34.57 | 14.79 | 49.36 | 74.00 | -24.64 | peak |
| 4 | 12720.000 | 31.27 | 18.09 | 49.36 | 74.00 | -24.64 | peak |
| 5 | 13600.000 | 28.63 | 20.89 | 49.52 | 74.00 | -24.48 | peak |
| 6 | 17923.000 | 24.04 | 25.60 | 49.64 | 74.00 | -24.36 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE20 (242Tone Ru61) | Frequency(MHz): | 5825 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9376.000 | 36.34 | 10.58 | 46.92 | 74.00 | -27.08 | peak |
| 2 | 10223.000 | 35.56 | 12.24 | 47.80 | 74.00 | -26.20 | peak |
| 3 | 10872.000 | 35.35 | 14.23 | 49.58 | 74.00 | -24.42 | peak |
| 4 | 11829.000 | 32.23 | 17.38 | 49.61 | 74.00 | -24.39 | peak |
| 5 | 13138.000 | 30.14 | 19.05 | 49.19 | 74.00 | -24.81 | peak |
| 6 | 17989.000 | 23.00 | 26.04 | 49.04 | 74.00 | -24.96 | peak |

| | | | |
|------------|-------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (26Tone Ru0) | Frequency(MHz): | 5190 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9332.000 | 36.69 | 10.54 | 47.23 | 74.00 | -26.77 | peak |
| 2 | 10894.000 | 34.04 | 14.32 | 48.36 | 74.00 | -25.64 | peak |
| 3 | 11873.000 | 32.35 | 17.46 | 49.81 | 74.00 | -24.19 | peak |
| 4 | 12687.000 | 31.51 | 18.05 | 49.56 | 74.00 | -24.44 | peak |
| 5 | 13611.000 | 28.57 | 20.92 | 49.49 | 74.00 | -24.51 | peak |
| 6 | 17945.000 | 23.80 | 25.75 | 49.55 | 74.00 | -24.45 | peak |

| | | | |
|------------|-------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (26Tone Ru0) | Frequency(MHz): | 5190 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8001.000 | 38.60 | 6.43 | 45.03 | 74.00 | -28.97 | peak |
| 2 | 9200.000 | 36.76 | 10.46 | 47.22 | 74.00 | -26.78 | peak |
| 3 | 11048.000 | 34.07 | 14.91 | 48.98 | 74.00 | -25.02 | peak |
| 4 | 12632.000 | 31.28 | 17.99 | 49.27 | 74.00 | -24.73 | peak |
| 5 | 13941.000 | 28.06 | 21.73 | 49.79 | 74.00 | -24.21 | peak |
| 6 | 17978.000 | 23.73 | 25.97 | 49.70 | 74.00 | -24.30 | peak |

| | | | |
|------------|--------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (52Tone Ru37) | Frequency(MHz): | 5190 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 37.03 | 10.46 | 47.49 | 74.00 | -26.51 | peak |
| 2 | 10344.000 | 37.11 | 12.49 | 49.60 | 74.00 | -24.40 | peak |
| 3 | 10883.000 | 34.88 | 14.27 | 49.15 | 74.00 | -24.85 | peak |
| 4 | 12621.000 | 32.74 | 17.98 | 50.72 | 74.00 | -23.28 | peak |
| 5 | 13468.000 | 29.22 | 20.50 | 49.72 | 74.00 | -24.28 | peak |
| 6 | 17846.000 | 25.08 | 25.08 | 50.16 | 74.00 | -23.84 | peak |

| | | | |
|------------|--------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (52Tone Ru37) | Frequency(MHz): | 5190 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9079.000 | 37.27 | 10.39 | 47.66 | 74.00 | -26.34 | peak |
| 2 | 10311.000 | 35.99 | 12.42 | 48.41 | 74.00 | -25.59 | peak |
| 3 | 11081.000 | 35.11 | 15.05 | 50.16 | 74.00 | -23.84 | peak |
| 4 | 13567.000 | 29.06 | 20.80 | 49.86 | 74.00 | -24.14 | peak |
| 5 | 13908.000 | 28.86 | 21.66 | 50.52 | 74.00 | -23.48 | peak |
| 6 | 17923.000 | 24.99 | 25.60 | 50.59 | 74.00 | -23.41 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (106Tone Ru53) | Frequency(MHz): | 5190 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 36.81 | 10.41 | 47.22 | 74.00 | -26.78 | peak |
| 2 | 11059.000 | 34.11 | 14.96 | 49.07 | 74.00 | -24.93 | peak |
| 3 | 11719.000 | 31.89 | 17.18 | 49.07 | 74.00 | -24.93 | peak |
| 4 | 12698.000 | 31.46 | 18.08 | 49.54 | 74.00 | -24.46 | peak |
| 5 | 13919.000 | 28.14 | 21.68 | 49.82 | 74.00 | -24.18 | peak |
| 6 | 17989.000 | 24.10 | 26.04 | 50.14 | 74.00 | -23.86 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (106Tone Ru53) | Frequency(MHz): | 5190 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 38.07 | 10.41 | 48.48 | 74.00 | -25.52 | peak |
| 2 | 11048.000 | 33.52 | 14.91 | 48.43 | 74.00 | -25.57 | peak |
| 3 | 11521.000 | 32.37 | 16.82 | 49.19 | 74.00 | -24.81 | peak |
| 4 | 12720.000 | 31.58 | 18.09 | 49.67 | 74.00 | -24.33 | peak |
| 5 | 13864.000 | 27.52 | 21.53 | 49.05 | 74.00 | -24.95 | peak |
| 6 | 17967.000 | 23.69 | 25.89 | 49.58 | 74.00 | -24.42 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (242Tone Ru61) | Frequency(MHz): | 5190 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9079.000 | 37.59 | 10.39 | 47.98 | 74.00 | -26.02 | peak |
| 2 | 10344.000 | 36.85 | 12.49 | 49.34 | 74.00 | -24.66 | peak |
| 3 | 11521.000 | 33.59 | 16.82 | 50.41 | 74.00 | -23.59 | peak |
| 4 | 12302.000 | 32.62 | 17.78 | 50.40 | 74.00 | -23.60 | peak |
| 5 | 13567.000 | 28.90 | 20.80 | 49.70 | 74.00 | -24.30 | peak |
| 6 | 17967.000 | 24.68 | 25.89 | 50.57 | 74.00 | -23.43 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (242Tone Ru61) | Frequency(MHz): | 5190 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9057.000 | 37.01 | 10.38 | 47.39 | 74.00 | -26.61 | peak |
| 2 | 10201.000 | 36.05 | 12.19 | 48.24 | 74.00 | -25.76 | peak |
| 3 | 11653.000 | 32.20 | 17.05 | 49.25 | 74.00 | -24.75 | peak |
| 4 | 12676.000 | 31.44 | 18.05 | 49.49 | 74.00 | -24.51 | peak |
| 5 | 13897.000 | 28.22 | 21.62 | 49.84 | 74.00 | -24.16 | peak |
| 6 | 17912.000 | 24.77 | 25.52 | 50.29 | 74.00 | -23.71 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5190 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7748.000 | 38.36 | 6.66 | 45.02 | 74.00 | -28.98 | peak |
| 2 | 9343.000 | 36.50 | 10.55 | 47.05 | 74.00 | -26.95 | peak |
| 3 | 11048.000 | 34.99 | 14.91 | 49.90 | 74.00 | -24.10 | peak |
| 4 | 11697.000 | 32.67 | 17.13 | 49.80 | 74.00 | -24.20 | peak |
| 5 | 13930.000 | 28.64 | 21.71 | 50.35 | 74.00 | -23.65 | peak |
| 6 | 17989.000 | 24.56 | 26.04 | 50.60 | 74.00 | -23.40 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5190 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9211.000 | 36.98 | 10.47 | 47.45 | 74.00 | -26.55 | peak |
| 2 | 10388.000 | 35.85 | 12.59 | 48.44 | 74.00 | -25.56 | peak |
| 3 | 11455.000 | 32.89 | 16.58 | 49.47 | 74.00 | -24.53 | peak |
| 4 | 12621.000 | 32.07 | 17.98 | 50.05 | 74.00 | -23.95 | peak |
| 5 | 13677.000 | 28.09 | 21.08 | 49.17 | 74.00 | -24.83 | peak |
| 6 | 17923.000 | 24.61 | 25.60 | 50.21 | 74.00 | -23.79 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5230 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7880.000 | 38.09 | 6.54 | 44.63 | 74.00 | -29.37 | peak |
| 2 | 9112.000 | 37.32 | 10.41 | 47.73 | 74.00 | -26.27 | peak |
| 3 | 10366.000 | 36.13 | 12.54 | 48.67 | 74.00 | -25.33 | peak |
| 4 | 12687.000 | 31.19 | 18.05 | 49.24 | 74.00 | -24.76 | peak |
| 5 | 13897.000 | 28.20 | 21.62 | 49.82 | 74.00 | -24.18 | peak |
| 6 | 17945.000 | 24.19 | 25.75 | 49.94 | 74.00 | -24.06 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5230 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 36.50 | 10.46 | 46.96 | 74.00 | -27.04 | peak |
| 2 | 10212.000 | 35.69 | 12.21 | 47.90 | 74.00 | -26.10 | peak |
| 3 | 11917.000 | 31.57 | 17.54 | 49.11 | 74.00 | -24.89 | peak |
| 4 | 12621.000 | 31.64 | 17.98 | 49.62 | 74.00 | -24.38 | peak |
| 5 | 13864.000 | 28.01 | 21.53 | 49.54 | 74.00 | -24.46 | peak |
| 6 | 17769.000 | 24.95 | 24.53 | 49.48 | 74.00 | -24.52 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5270 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8980.000 | 37.97 | 10.21 | 48.18 | 74.00 | -25.82 | peak |
| 2 | 10311.000 | 35.12 | 12.42 | 47.54 | 74.00 | -26.46 | peak |
| 3 | 11081.000 | 34.11 | 15.05 | 49.16 | 74.00 | -24.84 | peak |
| 4 | 11521.000 | 32.88 | 16.82 | 49.70 | 74.00 | -24.30 | peak |
| 5 | 13864.000 | 28.42 | 21.53 | 49.95 | 74.00 | -24.05 | peak |
| 6 | 17615.000 | 26.98 | 23.49 | 50.47 | 74.00 | -23.53 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5270 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9222.000 | 37.28 | 10.48 | 47.76 | 74.00 | -26.24 | peak |
| 2 | 11070.000 | 34.34 | 15.01 | 49.35 | 74.00 | -24.65 | peak |
| 3 | 11455.000 | 32.92 | 16.58 | 49.50 | 74.00 | -24.50 | peak |
| 4 | 12258.000 | 32.02 | 17.77 | 49.79 | 74.00 | -24.21 | peak |
| 5 | 13633.000 | 29.25 | 20.97 | 50.22 | 74.00 | -23.78 | peak |
| 6 | 17945.000 | 24.16 | 25.75 | 49.91 | 74.00 | -24.09 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5310 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 37.00 | 10.46 | 47.46 | 74.00 | -26.54 | peak |
| 2 | 10388.000 | 35.46 | 12.59 | 48.05 | 74.00 | -25.95 | peak |
| 3 | 11070.000 | 35.03 | 15.01 | 50.04 | 74.00 | -23.96 | peak |
| 4 | 11653.000 | 33.31 | 17.05 | 50.36 | 74.00 | -23.64 | peak |
| 5 | 13688.000 | 29.48 | 21.10 | 50.58 | 74.00 | -23.42 | peak |
| 6 | 17978.000 | 24.59 | 25.97 | 50.56 | 74.00 | -23.44 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5310 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9387.000 | 36.74 | 10.58 | 47.32 | 74.00 | -26.68 | peak |
| 2 | 10223.000 | 36.27 | 12.24 | 48.51 | 74.00 | -25.49 | peak |
| 3 | 10916.000 | 34.57 | 14.39 | 48.96 | 74.00 | -25.04 | peak |
| 4 | 12687.000 | 32.47 | 18.05 | 50.52 | 74.00 | -23.48 | peak |
| 5 | 13875.000 | 28.42 | 21.57 | 49.99 | 74.00 | -24.01 | peak |
| 6 | 17934.000 | 23.80 | 25.67 | 49.47 | 74.00 | -24.53 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5510 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9079.000 | 37.03 | 10.39 | 47.42 | 74.00 | -26.58 | peak |
| 2 | 11070.000 | 34.17 | 15.01 | 49.18 | 74.00 | -24.82 | peak |
| 3 | 11587.000 | 32.86 | 16.93 | 49.79 | 74.00 | -24.21 | peak |
| 4 | 12676.000 | 31.98 | 18.05 | 50.03 | 74.00 | -23.97 | peak |
| 5 | 13875.000 | 27.48 | 21.57 | 49.05 | 74.00 | -24.95 | peak |
| 6 | 17934.000 | 23.95 | 25.67 | 49.62 | 74.00 | -24.38 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5510 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1 | 8914.000 | 37.11 | 9.75 | 46.86 | 74.00 | -27.14 | peak |
| 2 | 10157.000 | 35.22 | 12.10 | 47.32 | 74.00 | -26.68 | peak |
| 3 | 11334.000 | 32.82 | 16.09 | 48.91 | 74.00 | -25.09 | peak |
| 4 | 12709.000 | 31.84 | 18.09 | 49.93 | 74.00 | -24.07 | peak |
| 5 | 13941.000 | 27.58 | 21.73 | 49.31 | 74.00 | -24.69 | peak |
| 6 | 17989.000 | 24.39 | 26.04 | 50.43 | 74.00 | -23.57 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5550 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.54 | 10.49 | 47.03 | 74.00 | -26.97 | peak |
| 2 | 10179.000 | 35.28 | 12.14 | 47.42 | 74.00 | -26.58 | peak |
| 3 | 11543.000 | 32.71 | 16.84 | 49.55 | 74.00 | -24.45 | peak |
| 4 | 12621.000 | 32.26 | 17.98 | 50.24 | 74.00 | -23.76 | peak |
| 5 | 13875.000 | 28.88 | 21.57 | 50.45 | 74.00 | -23.55 | peak |
| 6 | 17934.000 | 23.98 | 25.67 | 49.65 | 74.00 | -24.35 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5550 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1 | 9112.000 | 36.52 | 10.41 | 46.93 | 74.00 | -27.07 | peak |
| 2 | 10245.000 | 35.12 | 12.28 | 47.40 | 74.00 | -26.60 | peak |
| 3 | 11455.000 | 33.43 | 16.58 | 50.01 | 74.00 | -23.99 | peak |
| 4 | 12665.000 | 31.81 | 18.04 | 49.85 | 74.00 | -24.15 | peak |
| 5 | 13402.000 | 29.74 | 20.20 | 49.94 | 74.00 | -24.06 | peak |
| 6 | 18000.000 | 24.09 | 26.12 | 50.21 | 74.00 | -23.79 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5670 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 37.52 | 10.51 | 48.03 | 74.00 | -25.97 | peak |
| 2 | 11070.000 | 34.51 | 15.01 | 49.52 | 74.00 | -24.48 | peak |
| 3 | 11708.000 | 32.85 | 17.16 | 50.01 | 74.00 | -23.99 | peak |
| 4 | 12654.000 | 32.62 | 18.01 | 50.63 | 74.00 | -23.37 | peak |
| 5 | 13611.000 | 28.98 | 20.92 | 49.90 | 74.00 | -24.10 | peak |
| 6 | 17923.000 | 24.22 | 25.60 | 49.82 | 74.00 | -24.18 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5670 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8925.000 | 38.13 | 9.82 | 47.95 | 74.00 | -26.05 | peak |
| 2 | 11081.000 | 35.12 | 15.05 | 50.17 | 74.00 | -23.83 | peak |
| 3 | 12159.000 | 32.18 | 17.73 | 49.91 | 74.00 | -24.09 | peak |
| 4 | 12676.000 | 32.43 | 18.05 | 50.48 | 74.00 | -23.52 | peak |
| 5 | 13578.000 | 28.76 | 20.83 | 49.59 | 74.00 | -24.41 | peak |
| 6 | 17978.000 | 24.00 | 25.97 | 49.97 | 74.00 | -24.03 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5710 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9112.000 | 36.64 | 10.41 | 47.05 | 74.00 | -26.95 | peak |
| 2 | 11059.000 | 34.46 | 14.96 | 49.42 | 74.00 | -24.58 | peak |
| 3 | 11664.000 | 32.76 | 17.08 | 49.84 | 74.00 | -24.16 | peak |
| 4 | 12687.000 | 32.50 | 18.05 | 50.55 | 74.00 | -23.45 | peak |
| 5 | 13919.000 | 28.55 | 21.68 | 50.23 | 74.00 | -23.77 | peak |
| 6 | 17714.000 | 26.57 | 24.16 | 50.73 | 74.00 | -23.27 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5710 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7638.000 | 38.29 | 6.75 | 45.04 | 74.00 | -28.96 | peak |
| 2 | 8980.000 | 38.62 | 10.21 | 48.83 | 74.00 | -25.17 | peak |
| 3 | 11048.000 | 35.08 | 14.91 | 49.99 | 74.00 | -24.01 | peak |
| 4 | 12665.000 | 32.33 | 18.04 | 50.37 | 74.00 | -23.63 | peak |
| 5 | 13930.000 | 28.65 | 21.71 | 50.36 | 74.00 | -23.64 | peak |
| 6 | 17934.000 | 25.23 | 25.67 | 50.90 | 74.00 | -23.10 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5755 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1 | 8903.000 | 38.73 | 9.66 | 48.39 | 74.00 | -25.61 | peak |
| 2 | 10223.000 | 36.13 | 12.24 | 48.37 | 74.00 | -25.63 | peak |
| 3 | 11048.000 | 35.32 | 14.91 | 50.23 | 74.00 | -23.77 | peak |
| 4 | 12709.000 | 32.20 | 18.09 | 50.29 | 74.00 | -23.71 | peak |
| 5 | 13523.000 | 29.23 | 20.70 | 49.93 | 74.00 | -24.07 | peak |
| 6 | 17989.000 | 23.60 | 26.04 | 49.64 | 74.00 | -24.36 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5755 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8012.000 | 38.15 | 6.44 | 44.59 | 74.00 | -29.41 | peak |
| 2 | 9365.000 | 37.32 | 10.57 | 47.89 | 74.00 | -26.11 | peak |
| 3 | 11059.000 | 33.76 | 14.96 | 48.72 | 74.00 | -25.28 | peak |
| 4 | 12291.000 | 31.80 | 17.78 | 49.58 | 74.00 | -24.42 | peak |
| 5 | 13875.000 | 28.02 | 21.57 | 49.59 | 74.00 | -24.41 | peak |
| 6 | 17989.000 | 24.53 | 26.04 | 50.57 | 74.00 | -23.43 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5795 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9079.000 | 37.30 | 10.39 | 47.69 | 74.00 | -26.31 | peak |
| 2 | 10223.000 | 35.62 | 12.24 | 47.86 | 74.00 | -26.14 | peak |
| 3 | 10905.000 | 35.14 | 14.36 | 49.50 | 74.00 | -24.50 | peak |
| 4 | 12181.000 | 32.36 | 17.75 | 50.11 | 74.00 | -23.89 | peak |
| 5 | 13688.000 | 29.15 | 21.10 | 50.25 | 74.00 | -23.75 | peak |
| 6 | 17934.000 | 24.62 | 25.67 | 50.29 | 74.00 | -23.71 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE40 (484Tone Ru65) | Frequency(MHz): | 5795 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9200.000 | 36.75 | 10.46 | 47.21 | 74.00 | -26.79 | peak |
| 2 | 10223.000 | 35.89 | 12.24 | 48.13 | 74.00 | -25.87 | peak |
| 3 | 11730.000 | 32.88 | 17.19 | 50.07 | 74.00 | -23.93 | peak |
| 4 | 12676.000 | 32.93 | 18.05 | 50.98 | 74.00 | -23.02 | peak |
| 5 | 13600.000 | 29.28 | 20.89 | 50.17 | 74.00 | -23.83 | peak |
| 6 | 17923.000 | 25.16 | 25.60 | 50.76 | 74.00 | -23.24 | peak |

| | | | |
|------------|-------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (26Tone Ru0) | Frequency(MHz): | 5210 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8463.000 | 37.71 | 6.85 | 44.56 | 74.00 | -29.44 | peak |
| 2 | 9123.000 | 37.47 | 10.42 | 47.89 | 74.00 | -26.11 | peak |
| 3 | 11026.000 | 34.19 | 14.82 | 49.01 | 74.00 | -24.99 | peak |
| 4 | 12544.000 | 31.75 | 17.88 | 49.63 | 74.00 | -24.37 | peak |
| 5 | 13622.000 | 29.10 | 20.95 | 50.05 | 74.00 | -23.95 | peak |
| 6 | 17989.000 | 24.74 | 26.04 | 50.78 | 74.00 | -23.22 | peak |

| | | | |
|------------|-------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (26Tone Ru0) | Frequency(MHz): | 5210 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9376.000 | 37.05 | 10.58 | 47.63 | 74.00 | -26.37 | peak |
| 2 | 11114.000 | 34.11 | 15.19 | 49.30 | 74.00 | -24.70 | peak |
| 3 | 12236.000 | 32.18 | 17.76 | 49.94 | 74.00 | -24.06 | peak |
| 4 | 13798.000 | 28.58 | 21.38 | 49.96 | 74.00 | -24.04 | peak |
| 5 | 17758.000 | 25.21 | 24.46 | 49.67 | 74.00 | -24.33 | peak |
| 6 | 18000.000 | 23.79 | 26.12 | 49.91 | 74.00 | -24.09 | peak |

| | | | |
|------------|--------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (52Tone Ru37) | Frequency(MHz): | 5210 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 37.79 | 10.46 | 48.25 | 74.00 | -25.75 | peak |
| 2 | 10278.000 | 35.04 | 12.35 | 47.39 | 74.00 | -26.61 | peak |
| 3 | 11059.000 | 34.33 | 14.96 | 49.29 | 74.00 | -24.71 | peak |
| 4 | 12742.000 | 32.36 | 18.13 | 50.49 | 74.00 | -23.51 | peak |
| 5 | 14436.000 | 29.92 | 20.05 | 49.97 | 74.00 | -24.03 | peak |
| 6 | 18000.000 | 24.43 | 26.12 | 50.55 | 74.00 | -23.45 | peak |

| | | | |
|------------|--------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (52Tone Ru37) | Frequency(MHz): | 5210 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7715.000 | 37.86 | 6.68 | 44.54 | 74.00 | -29.46 | peak |
| 2 | 8991.000 | 37.99 | 10.28 | 48.27 | 74.00 | -25.73 | peak |
| 3 | 11323.000 | 32.90 | 16.05 | 48.95 | 74.00 | -25.05 | peak |
| 4 | 12698.000 | 31.63 | 18.08 | 49.71 | 74.00 | -24.29 | peak |
| 5 | 13116.000 | 31.10 | 18.96 | 50.06 | 74.00 | -23.94 | peak |
| 6 | 17956.000 | 24.23 | 25.82 | 50.05 | 74.00 | -23.95 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (106Tone Ru53) | Frequency(MHz): | 5210 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 36.98 | 10.51 | 47.49 | 74.00 | -26.51 | peak |
| 2 | 10388.000 | 35.54 | 12.59 | 48.13 | 74.00 | -25.87 | peak |
| 3 | 11521.000 | 33.59 | 16.82 | 50.41 | 74.00 | -23.59 | peak |
| 4 | 12676.000 | 32.90 | 18.05 | 50.95 | 74.00 | -23.05 | peak |
| 5 | 13809.000 | 28.89 | 21.41 | 50.30 | 74.00 | -23.70 | peak |
| 6 | 17857.000 | 24.85 | 25.14 | 49.99 | 74.00 | -24.01 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (106Tone Ru53) | Frequency(MHz): | 5210 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9343.000 | 37.47 | 10.55 | 48.02 | 74.00 | -25.98 | peak |
| 2 | 9816.000 | 36.97 | 11.37 | 48.34 | 74.00 | -25.66 | peak |
| 3 | 11411.000 | 32.82 | 16.41 | 49.23 | 74.00 | -24.77 | peak |
| 4 | 12643.000 | 31.43 | 18.01 | 49.44 | 74.00 | -24.56 | peak |
| 5 | 13875.000 | 28.14 | 21.57 | 49.71 | 74.00 | -24.29 | peak |
| 6 | 17835.000 | 25.26 | 24.99 | 50.25 | 74.00 | -23.75 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (242Tone Ru61) | Frequency(MHz): | 5210 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 37.45 | 10.51 | 47.96 | 74.00 | -26.04 | peak |
| 2 | 10300.000 | 36.20 | 12.40 | 48.60 | 74.00 | -25.40 | peak |
| 3 | 11532.000 | 32.44 | 16.83 | 49.27 | 74.00 | -24.73 | peak |
| 4 | 12698.000 | 31.98 | 18.08 | 50.06 | 74.00 | -23.94 | peak |
| 5 | 13919.000 | 28.54 | 21.68 | 50.22 | 74.00 | -23.78 | peak |
| 6 | 17758.000 | 26.06 | 24.46 | 50.52 | 74.00 | -23.48 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (242Tone Ru61) | Frequency(MHz): | 5210 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|--------------------|-------------------|----------------|--------|
| 1 | 9299.000 | 37.28 | 10.53 | 47.81 | 74.00 | -26.19 | peak |
| 2 | 11059.000 | 34.87 | 14.96 | 49.83 | 74.00 | -24.17 | peak |
| 3 | 11686.000 | 32.86 | 17.12 | 49.98 | 74.00 | -24.02 | peak |
| 4 | 12731.000 | 31.92 | 18.12 | 50.04 | 74.00 | -23.96 | peak |
| 5 | 13589.000 | 29.25 | 20.86 | 50.11 | 74.00 | -23.89 | peak |
| 6 | 17714.000 | 26.59 | 24.16 | 50.75 | 74.00 | -23.25 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (484Tone Ru65) | Frequency(MHz): | 5210 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9365.000 | 37.44 | 10.57 | 48.01 | 74.00 | -25.99 | peak |
| 2 | 11059.000 | 34.80 | 14.96 | 49.76 | 74.00 | -24.24 | peak |
| 3 | 11697.000 | 33.43 | 17.13 | 50.56 | 74.00 | -23.44 | peak |
| 4 | 12676.000 | 32.32 | 18.05 | 50.37 | 74.00 | -23.63 | peak |
| 5 | 13941.000 | 28.96 | 21.73 | 50.69 | 74.00 | -23.31 | peak |
| 6 | 17934.000 | 25.05 | 25.67 | 50.72 | 74.00 | -23.28 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (484Tone Ru65) | Frequency(MHz): | 5210 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 37.11 | 10.46 | 47.57 | 74.00 | -26.43 | peak |
| 2 | 10388.000 | 35.52 | 12.59 | 48.11 | 74.00 | -25.89 | peak |
| 3 | 11059.000 | 33.82 | 14.96 | 48.78 | 74.00 | -25.22 | peak |
| 4 | 12291.000 | 32.18 | 17.78 | 49.96 | 74.00 | -24.04 | peak |
| 5 | 13897.000 | 28.20 | 21.62 | 49.82 | 74.00 | -24.18 | peak |
| 6 | 17967.000 | 23.83 | 25.89 | 49.72 | 74.00 | -24.28 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5210 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9167.000 | 37.00 | 10.45 | 47.45 | 74.00 | -26.55 | peak |
| 2 | 9772.000 | 36.00 | 11.26 | 47.26 | 74.00 | -26.74 | peak |
| 3 | 11708.000 | 32.65 | 17.16 | 49.81 | 74.00 | -24.19 | peak |
| 4 | 12225.000 | 32.11 | 17.75 | 49.86 | 74.00 | -24.14 | peak |
| 5 | 13886.000 | 28.72 | 21.60 | 50.32 | 74.00 | -23.68 | peak |
| 6 | 17769.000 | 25.65 | 24.53 | 50.18 | 74.00 | -23.82 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5210 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9332.000 | 38.36 | 10.54 | 48.90 | 74.00 | -25.10 | peak |
| 2 | 11070.000 | 34.06 | 15.01 | 49.07 | 74.00 | -24.93 | peak |
| 3 | 11708.000 | 32.49 | 17.16 | 49.65 | 74.00 | -24.35 | peak |
| 4 | 12610.000 | 32.28 | 17.97 | 50.25 | 74.00 | -23.75 | peak |
| 5 | 13446.000 | 29.90 | 20.41 | 50.31 | 74.00 | -23.69 | peak |
| 6 | 17945.000 | 24.76 | 25.75 | 50.51 | 74.00 | -23.49 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5290 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 37.53 | 10.46 | 47.99 | 74.00 | -26.01 | peak |
| 2 | 11026.000 | 34.24 | 14.82 | 49.06 | 74.00 | -24.94 | peak |
| 3 | 11708.000 | 31.98 | 17.16 | 49.14 | 74.00 | -24.86 | peak |
| 4 | 12676.000 | 31.63 | 18.05 | 49.68 | 74.00 | -24.32 | peak |
| 5 | 13545.000 | 29.03 | 20.75 | 49.78 | 74.00 | -24.22 | peak |
| 6 | 17989.000 | 23.51 | 26.04 | 49.55 | 74.00 | -24.45 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5290 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9057.000 | 36.92 | 10.38 | 47.30 | 74.00 | -26.70 | peak |
| 2 | 11004.000 | 34.49 | 14.74 | 49.23 | 74.00 | -24.77 | peak |
| 3 | 11928.000 | 32.12 | 17.57 | 49.69 | 74.00 | -24.31 | peak |
| 4 | 12621.000 | 31.91 | 17.98 | 49.89 | 74.00 | -24.11 | peak |
| 5 | 13490.000 | 28.71 | 20.60 | 49.31 | 74.00 | -24.69 | peak |
| 6 | 17923.000 | 24.09 | 25.60 | 49.69 | 74.00 | -24.31 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5530 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 36.75 | 10.46 | 47.21 | 74.00 | -26.79 | peak |
| 2 | 9651.000 | 36.31 | 10.99 | 47.30 | 74.00 | -26.70 | peak |
| 3 | 11026.000 | 34.80 | 14.82 | 49.62 | 74.00 | -24.38 | peak |
| 4 | 12687.000 | 32.12 | 18.05 | 50.17 | 74.00 | -23.83 | peak |
| 5 | 13798.000 | 28.73 | 21.38 | 50.11 | 74.00 | -23.89 | peak |
| 6 | 18000.000 | 23.74 | 26.12 | 49.86 | 74.00 | -24.14 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5530 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9178.000 | 36.62 | 10.45 | 47.07 | 74.00 | -26.93 | peak |
| 2 | 10388.000 | 35.00 | 12.59 | 47.59 | 74.00 | -26.41 | peak |
| 3 | 11059.000 | 34.30 | 14.96 | 49.26 | 74.00 | -24.74 | peak |
| 4 | 12544.000 | 31.48 | 17.88 | 49.36 | 74.00 | -24.64 | peak |
| 5 | 13688.000 | 29.19 | 21.10 | 50.29 | 74.00 | -23.71 | peak |
| 6 | 17934.000 | 24.92 | 25.67 | 50.59 | 74.00 | -23.41 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5610 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9222.000 | 37.08 | 10.48 | 47.56 | 74.00 | -26.44 | peak |
| 2 | 10575.000 | 35.38 | 13.10 | 48.48 | 74.00 | -25.52 | peak |
| 3 | 11620.000 | 32.32 | 16.99 | 49.31 | 74.00 | -24.69 | peak |
| 4 | 12302.000 | 31.51 | 17.78 | 49.29 | 74.00 | -24.71 | peak |
| 5 | 13963.000 | 28.34 | 21.78 | 50.12 | 74.00 | -23.88 | peak |
| 6 | 18000.000 | 24.33 | 26.12 | 50.45 | 74.00 | -23.55 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5610 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 36.99 | 10.46 | 47.45 | 74.00 | -26.55 | peak |
| 2 | 9662.000 | 36.66 | 11.01 | 47.67 | 74.00 | -26.33 | peak |
| 3 | 10883.000 | 34.72 | 14.27 | 48.99 | 74.00 | -25.01 | peak |
| 4 | 12676.000 | 31.63 | 18.05 | 49.68 | 74.00 | -24.32 | peak |
| 5 | 13864.000 | 28.22 | 21.53 | 49.75 | 74.00 | -24.25 | peak |
| 6 | 17934.000 | 24.77 | 25.67 | 50.44 | 74.00 | -23.56 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5690 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 37.70 | 10.46 | 48.16 | 74.00 | -25.84 | peak |
| 2 | 10223.000 | 35.41 | 12.24 | 47.65 | 74.00 | -26.35 | peak |
| 3 | 11070.000 | 33.03 | 15.01 | 48.04 | 74.00 | -25.96 | peak |
| 4 | 12665.000 | 30.28 | 18.04 | 48.32 | 74.00 | -25.68 | peak |
| 5 | 13919.000 | 28.25 | 21.68 | 49.93 | 74.00 | -24.07 | peak |
| 6 | 17868.000 | 23.94 | 25.22 | 49.16 | 74.00 | -24.84 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5690 |
| Polarity: | Vertical | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9178.000 | 37.23 | 10.45 | 47.68 | 74.00 | -26.32 | peak |
| 2 | 10311.000 | 36.06 | 12.42 | 48.48 | 74.00 | -25.52 | peak |
| 3 | 11059.000 | 34.58 | 14.96 | 49.54 | 74.00 | -24.46 | peak |
| 4 | 12698.000 | 32.49 | 18.08 | 50.57 | 74.00 | -23.43 | peak |
| 5 | 13919.000 | 28.74 | 21.68 | 50.42 | 74.00 | -23.58 | peak |
| 6 | 18000.000 | 23.79 | 26.12 | 49.91 | 74.00 | -24.09 | peak |

| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5775 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.80 | 10.49 | 47.29 | 74.00 | -26.71 | peak |
| 2 | 11059.000 | 35.17 | 14.96 | 50.13 | 74.00 | -23.87 | peak |
| 3 | 11323.000 | 34.27 | 16.05 | 50.32 | 74.00 | -23.68 | peak |
| 4 | 12709.000 | 32.34 | 18.09 | 50.43 | 74.00 | -23.57 | peak |
| 5 | 13897.000 | 28.84 | 21.62 | 50.46 | 74.00 | -23.54 | peak |
| 6 | 17967.000 | 24.56 | 25.89 | 50.45 | 74.00 | -23.55 | peak |


| | | | |
|------------|---------------------------------|-----------------|-------|
| Test Mode: | 802.11ax HE80 (996Tone Ru67) | Frequency(MHz): | 5775 |
| Polarity: | Vertical | Test Voltage: | DC 5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9343.000 | 36.71 | 10.55 | 47.26 | 74.00 | -26.74 | peak |
| 2 | 10432.000 | 35.51 | 12.67 | 48.18 | 74.00 | -25.82 | peak |
| 3 | 11070.000 | 33.99 | 15.01 | 49.00 | 74.00 | -25.00 | peak |
| 4 | 12709.000 | 31.33 | 18.09 | 49.42 | 74.00 | -24.58 | peak |
| 5 | 13633.000 | 28.85 | 20.97 | 49.82 | 74.00 | -24.18 | peak |
| 6 | 17978.000 | 23.92 | 25.97 | 49.89 | 74.00 | -24.11 | peak |


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

| | | | |
|------------|------------|-----------------|-------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|----------------------|---------------------|-------------|--------|
| 1 | 0.01 | 77.72 | -101.4 | -23.68 | 47.6 | -75.18 | -3.9 | -71.28 | peak |
| 2 | 0.0114 | 76.38 | -101.4 | -25.02 | 46.46 | -76.52 | -5.04 | -71.48 | peak |
| 3 | 0.0189 | 71.49 | -101.35 | -29.86 | 42.07 | -81.36 | -9.43 | -71.93 | peak |
| 4 | 0.0279 | 69.67 | -101.38 | -31.71 | 38.69 | -83.21 | -12.81 | -70.4 | peak |
| 5 | 0.0362 | 66.01 | -101.42 | -35.41 | 36.43 | -86.91 | -15.07 | -71.84 | peak |
| 6 | 0.0551 | 62.45 | -101.5 | -39.05 | 32.78 | -90.55 | -18.72 | -71.83 | peak |

| | | | |
|------------|------------|-----------------|-------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|--------------------------|----------------------------|---------------------------|----------------|--------|
| 1 | 0.1559 | 79.15 | -101.65 | -22.5 | 23.74 | -74 | -27.76 | -46.24 | peak |
| 2 | 0.1794 | 75.77 | -101.68 | -25.91 | 22.53 | -77.41 | -28.97 | -48.44 | peak |
| 3 | 0.1917 | 73.04 | -101.7 | -28.66 | 21.95 | -80.16 | -29.55 | -50.61 | peak |
| 4 | 0.2139 | 69.18 | -101.74 | -32.56 | 21 | -84.06 | -30.5 | -53.56 | peak |
| 5 | 0.253 | 66.14 | -101.8 | -35.66 | 19.54 | -87.16 | -31.96 | -55.2 | peak |
| 6 | 0.3163 | 63.7 | -101.87 | -38.17 | 17.6 | -89.67 | -33.9 | -55.77 | peak |


| | | | |
|------------|------------|-----------------|-------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|--------------------------|----------------------------|---------------------------|----------------|--------|
| 1 | 0.5039 | 63.93 | -62.07 | 1.86 | 33.56 | -49.64 | -17.94 | -31.7 | peak |
| 2 | 0.7641 | 62.42 | -62.12 | 0.3 | 29.94 | -51.2 | -21.56 | -29.64 | peak |
| 3 | 1.5564 | 58.68 | -62.02 | -3.34 | 23.76 | -54.84 | -27.74 | -27.1 | peak |
| 4 | 3.71 | 54.7 | -61.41 | -6.71 | 29.54 | -58.21 | -21.96 | -36.25 | peak |
| 5 | 10.7299 | 51.48 | -60.83 | -9.35 | 29.54 | -60.85 | -21.96 | -38.89 | peak |
| 6 | 16.6021 | 52.02 | -60.96 | -8.94 | 29.54 | -60.44 | -21.96 | -38.48 | peak |


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

| | | | |
|------------|------------|-----------------|-------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 18144.000 | 49.77 | -5.48 | 44.29 | 74.00 | -29.71 | peak |
| 2 | 20016.000 | 49.56 | -5.47 | 44.09 | 74.00 | -29.91 | peak |
| 3 | 21248.000 | 48.79 | -4.77 | 44.02 | 74.00 | -29.98 | peak |
| 4 | 22096.000 | 48.54 | -4.38 | 44.16 | 74.00 | -29.84 | peak |
| 5 | 23744.000 | 47.65 | -3.20 | 44.45 | 74.00 | -29.55 | peak |
| 6 | 25000.000 | 46.36 | -2.10 | 44.26 | 74.00 | -29.74 | peak |


| | | | |
|------------|------------|-----------------|-------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 18696.000 | 50.12 | -5.39 | 44.73 | 74.00 | -29.27 | peak |
| 2 | 19024.000 | 49.70 | -5.24 | 44.46 | 74.00 | -29.54 | peak |
| 3 | 20472.000 | 49.57 | -5.39 | 44.18 | 74.00 | -29.82 | peak |
| 4 | 21544.000 | 48.76 | -4.63 | 44.13 | 74.00 | -29.87 | peak |
| 5 | 23088.000 | 48.52 | -3.41 | 45.11 | 74.00 | -28.89 | peak |
| 6 | 24568.000 | 47.10 | -2.33 | 44.77 | 74.00 | -29.23 | peak |


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

| | | | |
|------------|------------|-----------------|-------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 26490.000 | 52.29 | -4.74 | 47.55 | 74.00 | -26.45 | peak |
| 2 | 28786.000 | 47.99 | -0.64 | 47.35 | 74.00 | -26.65 | peak |
| 3 | 31012.000 | 48.83 | -0.71 | 48.12 | 74.00 | -25.88 | peak |
| 4 | 33644.000 | 47.81 | 0.42 | 48.23 | 74.00 | -25.77 | peak |
| 5 | 35870.000 | 44.83 | 3.75 | 48.58 | 74.00 | -25.42 | peak |
| 6 | 38320.000 | 45.06 | 3.77 | 48.83 | 74.00 | -25.17 | peak |


| | | | |
|------------|------------|-----------------|-------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 26476.000 | 52.03 | -4.78 | 47.25 | 74.00 | -26.75 | peak |
| 2 | 28828.000 | 48.13 | -0.79 | 47.34 | 74.00 | -26.66 | peak |
| 3 | 31320.000 | 49.11 | -0.93 | 48.18 | 74.00 | -25.82 | peak |
| 4 | 32818.000 | 48.31 | -1.08 | 47.23 | 74.00 | -26.77 | peak |
| 5 | 35828.000 | 44.75 | 3.67 | 48.42 | 74.00 | -25.58 | peak |
| 6 | 39062.000 | 43.48 | 4.30 | 47.78 | 74.00 | -26.22 | peak |


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

| | | | |
|------------|------------|-----------------|------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC5V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 36.7900 | 35.26 | -19.30 | 15.96 | 40.00 | -24.04 | QP |
| 2 | 276.3800 | 38.05 | -16.93 | 21.12 | 46.00 | -24.88 | QP |
| 3 | 333.6099 | 49.85 | -13.68 | 36.17 | 46.00 | -9.83 | QP |
| 4 | 463.5900 | 32.82 | -11.38 | 21.44 | 46.00 | -24.56 | QP |
| 5 | 498.5100 | 41.13 | -10.71 | 30.42 | 46.00 | -15.58 | QP |
| 6 | 923.3700 | 27.07 | -4.67 | 22.40 | 46.00 | -23.60 | QP |

| | | | |
|------------|------------|-----------------|------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180 |
| Polarity: | Vertical | Test Voltage: | DC5V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 51.3400 | 43.37 | -20.53 | 22.84 | 40.00 | -17.16 | QP |
| 2 | 139.6100 | 37.76 | -18.87 | 18.89 | 43.50 | -24.61 | QP |
| 3 | 206.5399 | 32.97 | -16.89 | 16.08 | 43.50 | -27.42 | QP |
| 4 | 331.6700 | 47.05 | -13.79 | 33.26 | 46.00 | -12.74 | QP |
| 5 | 499.4800 | 40.77 | -10.68 | 30.09 | 46.00 | -15.91 | QP |
| 6 | 1000.0000 | 38.35 | -3.95 | 34.40 | 54.00 | -19.60 | QP |

8.8. SIMULTANEOUSLY TRANSMISSION SPURIOUS EMISSIONS


(1 GHz~18 GHz) (Worst case)

| | | | |
|------------|---|---------------|--------|
| Test Mode: | WIFI5G, 802.11ax HE20 Mode-5825MHz & BT, GFSK-2402MHz | | |
| Polarity: | Horizontal | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 2632.000 | 45.30 | -8.09 | 37.21 | 74.00 | -36.79 | peak |
| 2 | 4702.000 | 41.50 | -1.34 | 40.16 | 74.00 | -33.84 | peak |
| 3 | 5704.000 | 44.73 | 1.00 | 45.73 | 74.00 | -28.27 | peak |
| 4 | 5830.000 | 48.90 | 1.36 | 50.26 | 74.00 | -23.74 | peak |
| 5 | 5884.000 | 45.12 | 1.52 | 46.64 | 74.00 | -27.36 | peak |
| 6 | 6850.000 | 35.96 | 5.46 | 41.42 | 74.00 | -32.58 | peak |

| | | | |
|------------|---|---------------|--------|
| Test Mode: | WIFI5G, 802.11ax HE20 Mode-5825MHz & BT, GFSK-2402MHz | | |
| Polarity: | Horizontal | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.83 | 10.49 | 47.32 | 74.00 | -26.68 | peak |
| 2 | 11015.000 | 35.12 | 14.79 | 49.91 | 74.00 | -24.09 | peak |
| 3 | 11609.000 | 32.99 | 16.98 | 49.97 | 74.00 | -24.03 | peak |
| 4 | 12676.000 | 32.26 | 18.05 | 50.31 | 74.00 | -23.69 | peak |
| 5 | 14029.000 | 28.44 | 21.76 | 50.20 | 74.00 | -23.80 | peak |
| 6 | 17956.000 | 23.88 | 25.82 | 49.70 | 74.00 | -24.30 | peak |

| | | | |
|------------|---|---------------|--------|
| Test Mode: | WIFI5G, 802.11ax HE20 Mode-5825MHz & BT, GFSK-2402MHz | | |
| Polarity: | Vertical | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 2572.000 | 45.28 | -8.27 | 37.01 | 74.00 | -36.99 | peak |
| 2 | 4156.000 | 47.11 | -3.75 | 43.36 | 74.00 | -30.64 | peak |
| 3 | 4888.000 | 41.89 | -0.60 | 41.29 | 74.00 | -32.71 | peak |
| 4 | 5272.000 | 43.05 | 0.16 | 43.21 | 74.00 | -30.79 | peak |
| 5 | 5830.000 | 43.14 | 1.36 | 44.50 | 74.00 | -29.50 | peak |
| 6 | 6670.000 | 37.71 | 4.57 | 42.28 | 74.00 | -31.72 | peak |

| | | | |
|------------|---|---------------|--------|
| Test Mode: | WIFI5G, 802.11ax HE20 Mode-5825MHz & BT, GFSK-2402MHz | | |
| Polarity: | Vertical | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9057.000 | 37.02 | 10.38 | 47.40 | 74.00 | -26.60 | peak |
| 2 | 10223.000 | 35.99 | 12.24 | 48.23 | 74.00 | -25.77 | peak |
| 3 | 10421.000 | 36.38 | 12.66 | 49.04 | 74.00 | -24.96 | peak |
| 4 | 11433.000 | 33.29 | 16.50 | 49.79 | 74.00 | -24.21 | peak |
| 5 | 13611.000 | 29.37 | 20.92 | 50.29 | 74.00 | -23.71 | peak |
| 6 | 17945.000 | 24.16 | 25.75 | 49.91 | 74.00 | -24.09 | peak |

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

| FREQUENCY (MHz) | Quasi-peak | Average |
|-----------------|------------|-----------|
| 0.15 -0.5 | 66 - 56 * | 56 - 46 * |
| 0.50 -5.0 | 56.00 | 46.00 |
| 5.0 -30.0 | 60.00 | 50.00 |


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


| | | | |
|---------------------|--------|-------------------|-----------------|
| Temperature | 24.5°C | Relative Humidity | 56% |
| Atmosphere Pressure | 101kPa | Test Voltage | AC 120 V, 60 Hz |

TEST DATE / ENGINEER

| | | | |
|-----------|------------------|---------|-------------|
| Test Date | November 9, 2023 | Test By | Fanny Huang |
|-----------|------------------|---------|-------------|

TEST RESULTS

| | | | |
|------------|-----------|-----------------|------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Line: | Line | | |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1 | 0.1835 | 43.49 | 9.59 | 53.08 | 64.33 | -11.25 | QP |
| 2 | 0.1835 | 30.11 | 9.59 | 39.70 | 54.33 | -14.63 | AVG |
| 3 | 0.2235 | 24.33 | 9.59 | 33.92 | 62.69 | -28.77 | QP |
| 4 | 0.2235 | 1.36 | 9.59 | 10.95 | 52.69 | -41.74 | AVG |
| 5 | 0.3087 | 31.33 | 9.59 | 40.92 | 60.01 | -19.09 | QP |
| 6 | 0.3087 | 18.88 | 9.59 | 28.47 | 50.01 | -21.54 | AVG |
| 7 | 0.4237 | 24.74 | 9.60 | 34.34 | 57.38 | -23.04 | QP |
| 8 | 0.4237 | 11.92 | 9.60 | 21.52 | 47.38 | -25.86 | AVG |
| 9 | 4.6805 | 26.64 | 9.71 | 36.35 | 56.00 | -19.65 | QP |
| 10 | 4.6805 | 15.33 | 9.71 | 25.04 | 46.00 | -20.96 | AVG |
| 11 | 8.6182 | 27.47 | 9.71 | 37.18 | 60.00 | -22.82 | QP |
| 12 | 8.6182 | 20.83 | 9.71 | 30.54 | 50.00 | -19.46 | AVG |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

| | | | |
|------------|-----------|-----------------|------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Line: | Neutral | | |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1 | 0.1575 | 42.91 | 9.59 | 52.50 | 65.59 | -13.09 | QP |
| 2 | 0.1575 | 20.54 | 9.59 | 30.13 | 55.59 | -25.46 | AVG |
| 3 | 0.2452 | 30.63 | 9.59 | 40.22 | 61.92 | -21.70 | QP |
| 4 | 0.2452 | 10.21 | 9.59 | 19.80 | 51.92 | -32.12 | AVG |
| 5 | 0.3397 | 22.34 | 9.59 | 31.93 | 59.21 | -27.28 | QP |
| 6 | 0.3397 | 9.52 | 9.59 | 19.11 | 49.21 | -30.10 | AVG |
| 7 | 4.5841 | 23.67 | 9.71 | 33.38 | 56.00 | -22.62 | QP |
| 8 | 4.5841 | 15.22 | 9.71 | 24.93 | 46.00 | -21.07 | AVG |
| 9 | 8.3590 | 26.84 | 9.71 | 36.55 | 60.00 | -23.45 | QP |
| 10 | 8.3590 | 20.75 | 9.71 | 30.46 | 50.00 | -19.54 | AVG |
| 11 | 10.3219 | 21.69 | 9.72 | 31.41 | 60.00 | -28.59 | QP |
| 12 | 10.3219 | 16.32 | 9.72 | 26.04 | 50.00 | -23.96 | AVG |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA


11.1. APPENDIX A1: EMISSION BANDWIDTH

11.1.1. Test Result


| Test Mode | Antenna | Frequency[MHz] | 26db EBW [MHz] | FL[MHz] | FH[MHz] | Verdict |
|-----------|---------|----------------|----------------|---------|---------|---------|
| 11A | Ant0 | 5180 | 21.00 | 5169.48 | 5190.48 | PASS |
| | Ant1 | 5180 | 22.20 | 5168.64 | 5190.84 | PASS |
| | Ant0 | 5200 | 23.40 | 5188.20 | 5211.60 | PASS |
| | Ant1 | 5200 | 23.08 | 5188.72 | 5211.80 | PASS |
| | Ant0 | 5240 | 19.52 | 5230.16 | 5249.68 | PASS |
| | Ant1 | 5240 | 19.88 | 5230.08 | 5249.96 | PASS |
| | Ant0 | 5260 | 22.60 | 5248.56 | 5271.16 | PASS |
| | Ant1 | 5260 | 22.72 | 5249.04 | 5271.76 | PASS |
| | Ant0 | 5280 | 22.40 | 5268.88 | 5291.28 | PASS |
| | Ant1 | 5280 | 23.60 | 5268.16 | 5291.76 | PASS |
| | Ant0 | 5320 | 23.64 | 5307.48 | 5331.12 | PASS |
| | Ant1 | 5320 | 23.20 | 5308.40 | 5331.60 | PASS |
| | Ant0 | 5500 | 23.28 | 5488.28 | 5511.56 | PASS |
| | Ant1 | 5500 | 24.44 | 5487.20 | 5511.64 | PASS |
| | Ant0 | 5580 | 22.12 | 5568.64 | 5590.76 | PASS |
| | Ant1 | 5580 | 22.60 | 5568.20 | 5590.80 | PASS |
| | Ant0 | 5700 | 23.16 | 5688.28 | 5711.44 | PASS |
| | Ant1 | 5700 | 22.08 | 5688.92 | 5711.00 | PASS |
| | Ant0 | 5720 | 23.64 | 5708.16 | 5731.80 | PASS |
| | Ant1 | 5720 | 21.28 | 5709.20 | 5730.48 | PASS |
| | Ant0 | 5720_UNII-2C | 16.84 | 5708.16 | 5725 | PASS |
| | Ant1 | 5720_UNII-2C | 15.8 | 5709.20 | 5725 | PASS |
| | Ant0 | 5720_UNII-3 | 6.8 | 5725 | 5731.80 | PASS |
| | Ant1 | 5720_UNII-3 | 5.48 | 5725 | 5730.48 | PASS |
| | Ant0 | 5745 | 22.76 | 5733.40 | 5756.16 | PASS |
| | Ant1 | 5745 | 22.36 | 5734.36 | 5756.72 | PASS |
| | Ant0 | 5785 | 23.56 | 5773.20 | 5796.76 | PASS |
| | Ant1 | 5785 | 24.16 | 5773.36 | 5797.52 | PASS |
| | Ant0 | 5825 | 22.44 | 5813.80 | 5836.24 | PASS |
| | Ant1 | 5825 | 22.76 | 5813.96 | 5836.72 | PASS |
| 11N20MIMO | Ant0 | 5180 | 22.96 | 5168.68 | 5191.64 | PASS |
| | Ant1 | 5180 | 26.32 | 5166.44 | 5192.76 | PASS |
| | Ant0 | 5200 | 23.48 | 5188.24 | 5211.72 | PASS |
| | Ant1 | 5200 | 23.28 | 5188.16 | 5211.44 | PASS |
| | Ant0 | 5240 | 19.64 | 5230.12 | 5249.76 | PASS |
| | Ant1 | 5240 | 19.84 | 5230.08 | 5249.92 | PASS |
| | Ant0 | 5260 | 24.40 | 5247.36 | 5271.76 | PASS |
| | Ant1 | 5260 | 23.88 | 5247.96 | 5271.84 | PASS |
| | Ant0 | 5280 | 23.44 | 5268.20 | 5291.64 | PASS |
| | Ant1 | 5280 | 25.52 | 5266.04 | 5291.56 | PASS |
| | Ant0 | 5320 | 22.84 | 5308.36 | 5331.20 | PASS |
| | Ant1 | 5320 | 22.36 | 5308.72 | 5331.08 | PASS |
| | Ant0 | 5500 | 24.28 | 5488.20 | 5512.48 | PASS |
| | Ant1 | 5500 | 25.08 | 5486.68 | 5511.76 | PASS |
| | Ant0 | 5580 | 24.80 | 5566.84 | 5591.64 | PASS |
| | Ant1 | 5580 | 27.32 | 5567.08 | 5594.40 | PASS |
| | Ant0 | 5700 | 24.60 | 5687.12 | 5711.72 | PASS |
| | Ant1 | 5700 | 23.32 | 5688.24 | 5711.56 | PASS |
| | Ant0 | 5720 | 21.52 | 5708.96 | 5730.48 | PASS |
| | Ant1 | 5720 | 23.24 | 5708.24 | 5731.48 | PASS |
| | Ant0 | 5720_UNII-2C | 16.04 | 5708.96 | 5725 | PASS |
| | Ant1 | 5720_UNII-2C | 16.76 | 5708.24 | 5725 | PASS |
| | Ant0 | 5720_UNII-3 | 5.48 | 5725 | 5730.48 | PASS |
| | Ant1 | 5720_UNII-3 | 6.48 | 5725 | 5731.48 | PASS |
| | Ant0 | 5745 | 23.24 | 5733.56 | 5756.80 | PASS |
| | Ant1 | 5745 | 24.36 | 5732.32 | 5756.68 | PASS |

| | | | | | | |
|------------|------|--------------|-------|---------|---------|------|
| | Ant0 | 5785 | 23.40 | 5773.16 | 5796.56 | PASS |
| | Ant1 | 5785 | 23.52 | 5773.24 | 5796.76 | PASS |
| | Ant0 | 5825 | 24.76 | 5811.84 | 5836.60 | PASS |
| | Ant1 | 5825 | 25.84 | 5812.32 | 5838.16 | PASS |
| 11N40MIMO | Ant0 | 5190 | 40.72 | 5169.76 | 5210.48 | PASS |
| | Ant1 | 5190 | 39.60 | 5170.16 | 5209.76 | PASS |
| | Ant0 | 5230 | 40.32 | 5210.00 | 5250.32 | PASS |
| | Ant1 | 5230 | 39.76 | 5210.24 | 5250.00 | PASS |
| | Ant0 | 5270 | 40.80 | 5249.68 | 5290.48 | PASS |
| | Ant1 | 5270 | 40.24 | 5250.08 | 5290.32 | PASS |
| | Ant0 | 5310 | 40.24 | 5289.84 | 5330.08 | PASS |
| | Ant1 | 5310 | 39.84 | 5290.08 | 5329.92 | PASS |
| | Ant0 | 5510 | 40.56 | 5489.68 | 5530.24 | PASS |
| | Ant1 | 5510 | 40.16 | 5490.00 | 5530.16 | PASS |
| | Ant0 | 5550 | 42.40 | 5529.12 | 5571.52 | PASS |
| | Ant1 | 5550 | 41.20 | 5529.04 | 5570.24 | PASS |
| | Ant0 | 5670 | 40.96 | 5649.68 | 5690.64 | PASS |
| | Ant1 | 5670 | 39.92 | 5650.08 | 5690.00 | PASS |
| | Ant0 | 5710 | 40.48 | 5689.84 | 5730.32 | PASS |
| | Ant1 | 5710 | 40.08 | 5690.08 | 5730.16 | PASS |
| | Ant0 | 5710 UNII-2C | 35.16 | 5689.84 | 5725 | PASS |
| | Ant1 | 5710 UNII-2C | 34.92 | 5690.08 | 5725 | PASS |
| | Ant0 | 5710 UNII-3 | 5.32 | 5725 | 5730.32 | PASS |
| | Ant1 | 5710 UNII-3 | 5.16 | 5725 | 5730.16 | PASS |
| | Ant0 | 5755 | 40.64 | 5734.68 | 5775.32 | PASS |
| | Ant1 | 5755 | 40.16 | 5734.92 | 5775.08 | PASS |
| | Ant0 | 5795 | 40.48 | 5774.76 | 5815.24 | PASS |
| | Ant1 | 5795 | 39.92 | 5775.08 | 5815.00 | PASS |
| 11AC80MIMO | Ant0 | 5210 | 80.16 | 5170.00 | 5250.16 | PASS |
| | Ant1 | 5210 | 80.32 | 5169.84 | 5250.16 | PASS |
| | Ant0 | 5290 | 80.32 | 5250.00 | 5330.32 | PASS |
| | Ant1 | 5290 | 82.08 | 5249.84 | 5331.92 | PASS |
| | Ant0 | 5530 | 80.16 | 5490.00 | 5570.16 | PASS |
| | Ant1 | 5530 | 79.68 | 5490.32 | 5570.00 | PASS |
| | Ant0 | 5610 | 80.16 | 5570.00 | 5650.16 | PASS |
| | Ant1 | 5610 | 79.84 | 5570.16 | 5650.00 | PASS |
| | Ant0 | 5690 | 80.00 | 5650.16 | 5730.16 | PASS |
| | Ant1 | 5690 | 79.84 | 5650.16 | 5730.00 | PASS |
| | Ant0 | 5690 UNII-2C | 74.84 | 5650.16 | 5725 | PASS |
| | Ant1 | 5690 UNII-2C | 74.84 | 5650.16 | 5725 | PASS |
| | Ant0 | 5690 UNII-3 | 5.16 | 5725 | 5730.16 | PASS |
| | Ant1 | 5690 UNII-3 | 5 | 5725 | 5730.00 | PASS |
| | Ant0 | 5775 | 80.16 | 5735.00 | 5815.16 | PASS |
| | Ant1 | 5775 | 80.16 | 5735.00 | 5815.16 | PASS |


11.1.2. Test Graphs




11A_Ant0_5180




11A_Ant1_5180




11A_Ant0_5200




11A Ant1 5200






11A Ant0 5240




11A Ant1 5240







11A_Ant1_5280



11A Ant0 5320








11A Ant1 5320






11A Ant0 5500
















11A_Ant1_5785









11N20MIMO Ant1 5240





11N20MIMO Ant0 5260




11N20MIMO Ant1 5260








11N20MIMO Ant0 5500



11N20MIMO Ant1 5500



11N20MIMO Ant0 5580

