



Test Mode:	802.11ax HE 20 (52Tone Ru37)	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9063.000	37.85	10.82	48.67	74.00	-25.33	peak
2	10206.000	36.32	12.51	48.83	74.00	-25.17	peak
3	11196.000	34.36	15.44	49.80	74.00	-24.20	peak
4	12753.000	31.80	18.21	50.01	74.00	-23.99	peak
5	13617.000	29.07	21.06	50.13	74.00	-23.87	peak
6	17928.000	25.13	24.70	49.83	74.00	-24.17	peak

Test Mode:	802.11ax HE 20 (106Tone Ru53)	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9234.000	37.56	10.84	48.40	74.00	-25.60	peak
2	10890.000	35.30	14.40	49.70	74.00	-24.30	peak
3	11871.000	32.39	17.56	49.95	74.00	-24.05	peak
4	13005.000	31.03	18.91	49.94	74.00	-24.06	peak
5	13914.000	28.63	21.69	50.32	74.00	-23.68	peak
6	17856.000	25.30	24.24	49.54	74.00	-24.46	peak

Test Mode:	802.11ax HE 20 (106Tone Ru53)	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9225.000	38.11	10.85	48.96	74.00	-25.04	peak
2	10827.000	35.22	14.19	49.41	74.00	-24.59	peak
3	11718.000	32.79	17.13	49.92	74.00	-24.08	peak
4	12672.000	31.98	18.00	49.98	74.00	-24.02	peak
5	13140.000	31.21	19.43	50.64	74.00	-23.36	peak
6	17991.000	24.60	25.11	49.71	74.00	-24.29	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9252.000	37.87	10.85	48.72	74.00	-25.28	peak
2	10737.000	36.05	13.89	49.94	74.00	-24.06	peak
3	11421.000	34.74	16.25	50.99	74.00	-23.01	peak
4	12141.000	32.86	17.81	50.67	74.00	-23.33	peak
5	13653.000	29.02	21.14	50.16	74.00	-23.84	peak
6	17982.000	24.52	25.04	49.56	74.00	-24.44	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11304.000	34.86	15.84	50.70	74.00	-23.30	peak
2	11646.000	34.00	16.94	50.94	74.00	-23.06	peak
3	12168.000	31.89	17.78	49.67	74.00	-24.33	peak
4	13023.000	30.98	18.98	49.96	74.00	-24.04	peak
5	13923.000	28.55	21.72	50.27	74.00	-23.73	peak
6	17748.000	26.63	23.55	50.18	74.00	-23.82	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6175
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9171.000	38.06	10.83	48.89	74.00	-25.11	peak
2	11520.000	33.55	16.59	50.14	74.00	-23.86	peak
3	11835.000	33.49	17.46	50.95	74.00	-23.05	peak
4	12834.000	31.87	18.44	50.31	74.00	-23.69	peak
5	13923.000	28.58	21.72	50.30	74.00	-23.70	peak
6	18000.000	24.29	25.16	49.45	74.00	-24.55	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6175
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	38.02	10.84	48.86	74.00	-25.14	peak
2	11016.000	36.14	14.81	50.95	74.00	-23.05	peak
3	11565.000	34.43	16.71	51.14	74.00	-22.86	peak
4	12735.000	32.94	18.17	51.11	74.00	-22.89	peak
5	13869.000	29.71	21.59	51.30	74.00	-22.70	peak
6	17991.000	25.62	25.11	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6415
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9135.000	37.63	10.84	48.47	74.00	-25.53	peak
2	10935.000	35.51	14.54	50.05	74.00	-23.95	peak
3	11592.000	33.35	16.78	50.13	74.00	-23.87	peak
4	12600.000	32.15	17.80	49.95	74.00	-24.05	peak
5	13896.000	27.64	21.65	49.29	74.00	-24.71	peak
6	17928.000	25.08	24.70	49.78	74.00	-24.22	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6415
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10881.000	35.87	14.35	50.22	74.00	-23.78	peak
2	11646.000	33.21	16.94	50.15	74.00	-23.85	peak
3	12672.000	32.76	18.00	50.76	74.00	-23.24	peak
4	13113.000	31.39	19.33	50.72	74.00	-23.28	peak
5	13923.000	28.46	21.72	50.18	74.00	-23.82	peak
6	17991.000	25.36	25.11	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6435
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10287.000	35.50	12.68	48.18	74.00	-25.82	peak
2	11196.000	35.16	15.44	50.60	74.00	-23.40	peak
3	12645.000	32.70	17.92	50.62	74.00	-23.38	peak
4	13176.000	31.16	19.57	50.73	74.00	-23.27	peak
5	13635.000	29.59	21.10	50.69	74.00	-23.31	peak
6	17982.000	25.25	25.04	50.29	74.00	-23.71	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6435
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9063.000	37.32	10.82	48.14	74.00	-25.86	peak
2	11061.000	35.26	14.96	50.22	74.00	-23.78	peak
3	11745.000	32.36	17.21	49.57	74.00	-24.43	peak
4	13113.000	30.61	19.33	49.94	74.00	-24.06	peak
5	13653.000	29.24	21.14	50.38	74.00	-23.62	peak
6	17946.000	25.65	24.82	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6475
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10683.000	34.89	13.72	48.61	74.00	-25.39	peak
2	11394.000	33.75	16.15	49.90	74.00	-24.10	peak
3	11736.000	32.93	17.18	50.11	74.00	-23.89	peak
4	12519.000	32.44	17.57	50.01	74.00	-23.99	peak
5	13608.000	29.14	21.05	50.19	74.00	-23.81	peak
6	17685.000	26.47	23.14	49.61	74.00	-24.39	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6475
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10152.000	35.78	12.40	48.18	74.00	-25.82	peak
2	10908.000	35.88	14.45	50.33	74.00	-23.67	peak
3	11745.000	33.65	17.21	50.86	74.00	-23.14	peak
4	12690.000	32.72	18.05	50.77	74.00	-23.23	peak
5	13959.000	28.99	21.79	50.78	74.00	-23.22	peak
6	17847.000	26.05	24.18	50.23	74.00	-23.77	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6515
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9360.000	37.51	10.87	48.38	74.00	-25.62	peak
2	11061.000	34.88	14.96	49.84	74.00	-24.16	peak
3	11826.000	33.70	17.42	51.12	74.00	-22.88	peak
4	13113.000	31.27	19.33	50.60	74.00	-23.40	peak
5	13617.000	29.06	21.06	50.12	74.00	-23.88	peak
6	17928.000	25.43	24.70	50.13	74.00	-23.87	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6515
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9054.000	38.20	10.82	49.02	74.00	-24.98	peak
2	10737.000	35.15	13.89	49.04	74.00	-24.96	peak
3	11052.000	35.13	14.94	50.07	74.00	-23.93	peak
4	12681.000	31.81	18.03	49.84	74.00	-24.16	peak
5	13527.000	28.92	20.87	49.79	74.00	-24.21	peak
6	17937.000	24.45	24.76	49.21	74.00	-24.79	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6535
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10872.000	35.96	14.33	50.29	74.00	-23.71	peak
2	11187.000	34.92	15.42	50.34	74.00	-23.66	peak
3	11727.000	32.89	17.16	50.05	74.00	-23.95	peak
4	13095.000	31.04	19.26	50.30	74.00	-23.70	peak
5	14121.000	28.75	21.35	50.10	74.00	-23.90	peak
6	17991.000	24.33	25.11	49.44	74.00	-24.56	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6535
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	36.43	12.55	48.98	74.00	-25.02	peak
2	11295.000	34.59	15.80	50.39	74.00	-23.61	peak
3	11835.000	32.78	17.46	50.24	74.00	-23.76	peak
4	12699.000	32.62	18.07	50.69	74.00	-23.31	peak
5	13860.000	28.79	21.59	50.38	74.00	-23.62	peak
6	17937.000	25.86	24.76	50.62	74.00	-23.38	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6715
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10215.000	37.54	12.52	50.06	74.00	-23.94	peak
2	11448.000	33.66	16.34	50.00	74.00	-24.00	peak
3	11727.000	33.42	17.16	50.58	74.00	-23.42	peak
4	12636.000	32.07	17.90	49.97	74.00	-24.03	peak
5	13707.000	29.51	21.25	50.76	74.00	-23.24	peak
6	18000.000	25.41	25.16	50.57	74.00	-23.43	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6715
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11025.000	35.59	14.83	50.42	74.00	-23.58	peak
2	11538.000	34.04	16.63	50.67	74.00	-23.33	peak
3	11745.000	33.45	17.21	50.66	74.00	-23.34	peak
4	12636.000	32.19	17.90	50.09	74.00	-23.91	peak
5	13968.000	28.43	21.81	50.24	74.00	-23.76	peak
6	17946.000	24.66	24.82	49.48	74.00	-24.52	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6855
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10422.000	36.38	12.96	49.34	74.00	-24.66	peak
2	11007.000	35.42	14.77	50.19	74.00	-23.81	peak
3	11898.000	32.88	17.63	50.51	74.00	-23.49	peak
4	12681.000	32.82	18.03	50.85	74.00	-23.15	peak
5	13410.000	29.48	20.46	49.94	74.00	-24.06	peak
6	17946.000	25.70	24.82	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6855
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9333.000	37.21	10.86	48.07	74.00	-25.93	peak
2	11061.000	35.63	14.96	50.59	74.00	-23.41	peak
3	11331.000	34.67	15.93	50.60	74.00	-23.40	peak
4	12636.000	32.24	17.90	50.14	74.00	-23.86	peak
5	13860.000	28.55	21.59	50.14	74.00	-23.86	peak
6	17919.000	25.09	24.64	49.73	74.00	-24.27	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6875
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9567.000	37.19	11.06	48.25	74.00	-25.75	peak
2	11016.000	35.02	14.81	49.83	74.00	-24.17	peak
3	11754.000	33.47	17.23	50.70	74.00	-23.30	peak
4	12726.000	32.64	18.14	50.78	74.00	-23.22	peak
5	13671.000	29.26	21.18	50.44	74.00	-23.56	peak
6	17991.000	24.88	25.11	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	6875
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9054.000	38.00	10.82	48.82	74.00	-25.18	peak
2	10278.000	35.97	12.66	48.63	74.00	-25.37	peak
3	11304.000	34.79	15.84	50.63	74.00	-23.37	peak
4	13608.000	29.20	21.05	50.25	74.00	-23.75	peak
5	13914.000	28.64	21.69	50.33	74.00	-23.67	peak
6	17928.000	25.13	24.70	49.83	74.00	-24.17	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	7015
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10836.000	35.94	14.21	50.15	74.00	-23.85	peak
2	11205.000	35.47	15.48	50.95	74.00	-23.05	peak
3	11457.000	33.70	16.38	50.08	74.00	-23.92	peak
4	12609.000	32.32	17.83	50.15	74.00	-23.85	peak
5	13995.000	27.48	21.87	49.35	74.00	-24.65	peak
6	17964.000	24.86	24.92	49.78	74.00	-24.22	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	7015
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10287.000	36.73	12.68	49.41	74.00	-24.59	peak
2	11538.000	33.88	16.63	50.51	74.00	-23.49	peak
3	11907.000	32.85	17.66	50.51	74.00	-23.49	peak
4	13176.000	31.23	19.57	50.80	74.00	-23.20	peak
5	13923.000	28.84	21.72	50.56	74.00	-23.44	peak
6	17982.000	25.20	25.04	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	7115
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10197.000	36.31	12.49	48.80	74.00	-25.20	peak
2	11079.000	34.65	15.03	49.68	74.00	-24.32	peak
3	12492.000	32.47	17.53	50.00	74.00	-24.00	peak
4	13167.000	30.56	19.53	50.09	74.00	-23.91	peak
5	13428.000	29.46	20.53	49.99	74.00	-24.01	peak
6	17991.000	25.00	25.11	50.11	74.00	-23.89	peak

Test Mode:	802.11ax HE 20 (242Tone Ru61)	Frequency(MHz):	7115
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11079.000	35.24	15.03	50.27	74.00	-23.73	peak
2	11781.000	32.78	17.30	50.08	74.00	-23.92	peak
3	12690.000	32.08	18.05	50.13	74.00	-23.87	peak
4	13509.000	29.74	20.83	50.57	74.00	-23.43	peak
5	13968.000	28.77	21.81	50.58	74.00	-23.42	peak
6	17991.000	23.69	25.11	48.80	74.00	-25.20	peak

Test Mode:	802.11ax HE 40 (26Tone Ru0)	Frequency(MHz):	5965
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	36.74	12.55	49.29	74.00	-24.71	peak
2	11286.000	34.56	15.77	50.33	74.00	-23.67	peak
3	11718.000	33.30	17.13	50.43	74.00	-23.57	peak
4	12654.000	32.11	17.94	50.05	74.00	-23.95	peak
5	13860.000	28.53	21.59	50.12	74.00	-23.88	peak
6	18000.000	24.43	25.16	49.59	74.00	-24.41	peak

Test Mode:	802.11ax HE 40 (26Tone Ru0)	Frequency(MHz):	5965
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10296.000	36.89	12.69	49.58	74.00	-24.42	peak
2	11043.000	35.76	14.90	50.66	74.00	-23.34	peak
3	12690.000	32.89	18.05	50.94	74.00	-23.06	peak
4	13050.000	31.48	19.08	50.56	74.00	-23.44	peak
5	13914.000	28.82	21.69	50.51	74.00	-23.49	peak
6	17937.000	25.13	24.76	49.89	74.00	-24.11	peak

Test Mode:	802.11ax HE 40 (52Tone Ru37)	Frequency(MHz):	5965
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10692.000	35.63	13.75	49.38	74.00	-24.62	peak
2	11052.000	34.75	14.94	49.69	74.00	-24.31	peak
3	12294.000	31.95	17.68	49.63	74.00	-24.37	peak
4	12762.000	31.44	18.24	49.68	74.00	-24.32	peak
5	13761.000	27.75	21.37	49.12	74.00	-24.88	peak
6	17955.000	24.45	24.87	49.32	74.00	-24.68	peak

Test Mode:	802.11ax HE 40 (52Tone Ru37)	Frequency(MHz):	5965
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10206.000	36.12	12.51	48.63	74.00	-25.37	peak
2	11061.000	35.53	14.96	50.49	74.00	-23.51	peak
3	11691.000	33.28	17.05	50.33	74.00	-23.67	peak
4	13077.000	31.37	19.18	50.55	74.00	-23.45	peak
5	13617.000	29.91	21.06	50.97	74.00	-23.03	peak
6	17991.000	24.98	25.11	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE 40 (106Tone Ru53)	Frequency(MHz):	5965
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11034.000	35.33	14.87	50.20	74.00	-23.80	peak
2	11277.000	34.36	15.73	50.09	74.00	-23.91	peak
3	11727.000	32.39	17.16	49.55	74.00	-24.45	peak
4	13077.000	30.76	19.18	49.94	74.00	-24.06	peak
5	13986.000	27.91	21.85	49.76	74.00	-24.24	peak
6	18000.000	24.47	25.16	49.63	74.00	-24.37	peak

Test Mode:	802.11ax HE 40 (106Tone Ru53)	Frequency(MHz):	5965
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10917.000	35.51	14.48	49.99	74.00	-24.01	peak
2	11250.000	34.43	15.64	50.07	74.00	-23.93	peak
3	11718.000	33.74	17.13	50.87	74.00	-23.13	peak
4	12681.000	32.59	18.03	50.62	74.00	-23.38	peak
5	13446.000	30.17	20.60	50.77	74.00	-23.23	peak
6	17991.000	24.72	25.11	49.83	74.00	-24.17	peak

Test Mode:	802.11ax HE 40 (242Tone Ru61)	Frequency(MHz):	5965
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10305.000	36.40	12.72	49.12	74.00	-24.88	peak
2	10881.000	35.87	14.35	50.22	74.00	-23.78	peak
3	11709.000	33.23	17.11	50.34	74.00	-23.66	peak
4	12708.000	32.56	18.10	50.66	74.00	-23.34	peak
5	13626.000	28.83	21.08	49.91	74.00	-24.09	peak
6	17991.000	24.72	25.11	49.83	74.00	-24.17	peak

Test Mode:	802.11ax HE 40 (242Tone Ru61)	Frequency(MHz):	5965
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9234.000	36.88	10.84	47.72	74.00	-26.28	peak
2	11241.000	34.52	15.61	50.13	74.00	-23.87	peak
3	11727.000	33.47	17.16	50.63	74.00	-23.37	peak
4	12690.000	32.38	18.05	50.43	74.00	-23.57	peak
5	13977.000	28.90	21.83	50.73	74.00	-23.27	peak
6	17946.000	25.70	24.82	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	5965
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9207.000	37.54	10.84	48.38	74.00	-25.62	peak
2	10764.000	35.89	13.98	49.87	74.00	-24.13	peak
3	11736.000	32.55	17.18	49.73	74.00	-24.27	peak
4	13104.000	30.49	19.29	49.78	74.00	-24.22	peak
5	13986.000	28.22	21.85	50.07	74.00	-23.93	peak
6	17928.000	24.22	24.70	48.92	74.00	-25.08	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	5965
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10170.000	36.31	12.43	48.74	74.00	-25.26	peak
2	11052.000	35.17	14.94	50.11	74.00	-23.89	peak
3	11448.000	34.26	16.34	50.60	74.00	-23.40	peak
4	12222.000	33.21	17.74	50.95	74.00	-23.05	peak
5	13860.000	29.39	21.59	50.98	74.00	-23.02	peak
6	17991.000	25.05	25.11	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6165
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10341.000	35.28	12.79	48.07	74.00	-25.93	peak
2	11052.000	35.25	14.94	50.19	74.00	-23.81	peak
3	11520.000	33.10	16.59	49.69	74.00	-24.31	peak
4	12753.000	32.00	18.21	50.21	74.00	-23.79	peak
5	13608.000	29.31	21.05	50.36	74.00	-23.64	peak
6	18000.000	24.58	25.16	49.74	74.00	-24.26	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6165
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11052.000	35.27	14.94	50.21	74.00	-23.79	peak
2	11745.000	33.34	17.21	50.55	74.00	-23.45	peak
3	12735.000	32.67	18.17	50.84	74.00	-23.16	peak
4	13068.000	31.77	19.15	50.92	74.00	-23.08	peak
5	13608.000	29.66	21.05	50.71	74.00	-23.29	peak
6	17982.000	25.47	25.04	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6405
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9081.000	38.46	10.82	49.28	74.00	-24.72	peak
2	11016.000	34.53	14.81	49.34	74.00	-24.66	peak
3	11835.000	32.86	17.46	50.32	74.00	-23.68	peak
4	12708.000	32.00	18.10	50.10	74.00	-23.90	peak
5	13527.000	29.73	20.87	50.60	74.00	-23.40	peak
6	18000.000	24.09	25.16	49.25	74.00	-24.75	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6405
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10233.000	36.38	12.57	48.95	74.00	-25.05	peak
2	10944.000	35.03	14.56	49.59	74.00	-24.41	peak
3	11907.000	32.87	17.66	50.53	74.00	-23.47	peak
4	13005.000	31.57	18.91	50.48	74.00	-23.52	peak
5	13680.000	29.22	21.20	50.42	74.00	-23.58	peak
6	18000.000	24.46	25.16	49.62	74.00	-24.38	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6445
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10611.000	35.85	13.48	49.33	74.00	-24.67	peak
2	11061.000	34.99	14.96	49.95	74.00	-24.05	peak
3	12744.000	32.21	18.19	50.40	74.00	-23.60	peak
4	13239.000	30.84	19.81	50.65	74.00	-23.35	peak
5	13860.000	29.18	21.59	50.77	74.00	-23.23	peak
6	17937.000	25.90	24.76	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6445
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10215.000	36.76	12.52	49.28	74.00	-24.72	peak
2	11349.000	34.05	15.99	50.04	74.00	-23.96	peak
3	11826.000	32.82	17.42	50.24	74.00	-23.76	peak
4	12618.000	32.35	17.84	50.19	74.00	-23.81	peak
5	13680.000	28.82	21.20	50.02	74.00	-23.98	peak
6	17982.000	24.36	25.04	49.40	74.00	-24.60	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6485
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10305.000	36.09	12.72	48.81	74.00	-25.19	peak
2	10917.000	35.17	14.48	49.65	74.00	-24.35	peak
3	11781.000	32.71	17.30	50.01	74.00	-23.99	peak
4	12744.000	31.96	18.19	50.15	74.00	-23.85	peak
5	13860.000	29.03	21.59	50.62	74.00	-23.38	peak
6	17937.000	25.87	24.76	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6485
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10215.000	36.40	12.52	48.92	74.00	-25.08	peak
2	11061.000	35.54	14.96	50.50	74.00	-23.50	peak
3	11835.000	32.60	17.46	50.06	74.00	-23.94	peak
4	12636.000	32.51	17.90	50.41	74.00	-23.59	peak
5	13923.000	28.48	21.72	50.20	74.00	-23.80	peak
6	17982.000	25.19	25.04	50.23	74.00	-23.77	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6525
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	35.98	12.55	48.53	74.00	-25.47	peak
2	11304.000	34.40	15.84	50.24	74.00	-23.76	peak
3	11736.000	33.36	17.18	50.54	74.00	-23.46	peak
4	12636.000	32.52	17.90	50.42	74.00	-23.58	peak
5	13617.000	28.82	21.06	49.88	74.00	-24.12	peak
6	17865.000	24.96	24.29	49.25	74.00	-24.75	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6525
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9414.000	37.66	10.87	48.53	74.00	-25.47	peak
2	10890.000	34.81	14.40	49.21	74.00	-24.79	peak
3	11520.000	33.46	16.59	50.05	74.00	-23.95	peak
4	12744.000	31.71	18.19	49.90	74.00	-24.10	peak
5	13599.000	29.40	21.02	50.42	74.00	-23.58	peak
6	17964.000	24.81	24.92	49.73	74.00	-24.27	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6565
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9198.000	39.09	10.85	49.94	74.00	-24.06	peak
2	10944.000	34.90	14.56	49.46	74.00	-24.54	peak
3	11394.000	34.57	16.15	50.72	74.00	-23.28	peak
4	12717.000	32.62	18.11	50.73	74.00	-23.27	peak
5	13851.000	28.70	21.56	50.26	74.00	-23.74	peak
6	17991.000	24.36	25.11	49.47	74.00	-24.53	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6565
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9351.000	37.23	10.86	48.09	74.00	-25.91	peak
2	11061.000	35.98	14.96	50.94	74.00	-23.06	peak
3	11304.000	34.83	15.84	50.67	74.00	-23.33	peak
4	12690.000	32.36	18.05	50.41	74.00	-23.59	peak
5	13923.000	29.10	21.72	50.82	74.00	-23.18	peak
6	17937.000	26.03	24.76	50.79	74.00	-23.21	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6725
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.51	10.84	48.35	74.00	-25.65	peak
2	11052.000	35.63	14.94	50.57	74.00	-23.43	peak
3	11907.000	32.44	17.66	50.10	74.00	-23.90	peak
4	12366.000	32.39	17.63	50.02	74.00	-23.98	peak
5	13500.000	29.92	20.81	50.73	74.00	-23.27	peak
6	17622.000	26.06	22.74	48.80	74.00	-25.20	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6725
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10206.000	36.45	12.51	48.96	74.00	-25.04	peak
2	10836.000	34.66	14.21	48.87	74.00	-25.13	peak
3	11781.000	33.40	17.30	50.70	74.00	-23.30	peak
4	12681.000	32.42	18.03	50.45	74.00	-23.55	peak
5	13734.000	29.37	21.31	50.68	74.00	-23.32	peak
6	17865.000	25.68	24.29	49.97	74.00	-24.03	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6845
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.56	10.84	48.40	74.00	-25.60	peak
2	10692.000	35.93	13.75	49.68	74.00	-24.32	peak
3	11907.000	32.64	17.66	50.30	74.00	-23.70	peak
4	12654.000	32.22	17.94	50.16	74.00	-23.84	peak
5	13923.000	28.67	21.72	50.39	74.00	-23.61	peak
6	17685.000	26.92	23.14	50.06	74.00	-23.94	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6845
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10305.000	36.34	12.72	49.06	74.00	-24.94	peak
2	11025.000	34.57	14.83	49.40	74.00	-24.60	peak
3	11691.000	32.26	17.05	49.31	74.00	-24.69	peak
4	13077.000	30.30	19.18	49.48	74.00	-24.52	peak
5	13869.000	28.12	21.59	49.71	74.00	-24.29	peak
6	17982.000	24.67	25.04	49.71	74.00	-24.29	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6885
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	36.93	12.55	49.48	74.00	-24.52	peak
2	11277.000	34.69	15.73	50.42	74.00	-23.58	peak
3	13104.000	31.59	19.29	50.88	74.00	-23.12	peak
4	13878.000	29.23	21.62	50.85	74.00	-23.15	peak
5	17370.000	27.74	21.46	49.20	74.00	-24.80	peak
6	17982.000	25.24	25.04	50.28	74.00	-23.72	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	6885
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	36.11	12.55	48.66	74.00	-25.34	peak
2	11052.000	34.37	14.94	49.31	74.00	-24.69	peak
3	11646.000	33.12	16.94	50.06	74.00	-23.94	peak
4	12744.000	32.15	18.19	50.34	74.00	-23.66	peak
5	13986.000	28.61	21.85	50.46	74.00	-23.54	peak
6	17991.000	25.15	25.11	50.26	74.00	-23.74	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	7005
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9144.000	37.59	10.83	48.42	74.00	-25.58	peak
2	11061.000	35.30	14.96	50.26	74.00	-23.74	peak
3	11898.000	33.07	17.63	50.70	74.00	-23.30	peak
4	13410.000	30.24	20.46	50.70	74.00	-23.30	peak
5	13923.000	28.60	21.72	50.32	74.00	-23.68	peak
6	17982.000	24.44	25.04	49.48	74.00	-24.52	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	7005
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10413.000	35.75	12.94	48.69	74.00	-25.31	peak
2	11124.000	34.89	15.19	50.08	74.00	-23.92	peak
3	11421.000	33.95	16.25	50.20	74.00	-23.80	peak
4	12672.000	31.60	18.00	49.60	74.00	-24.40	peak
5	13338.000	29.65	20.18	49.83	74.00	-24.17	peak
6	17991.000	24.58	25.11	49.69	74.00	-24.31	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	7085
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9252.000	38.00	10.85	48.85	74.00	-25.15	peak
2	11052.000	34.82	14.94	49.76	74.00	-24.24	peak
3	11898.000	32.34	17.63	49.97	74.00	-24.03	peak
4	13545.000	29.28	20.90	50.18	74.00	-23.82	peak
5	14184.000	29.11	21.06	50.17	74.00	-23.83	peak
6	17937.000	25.68	24.76	50.44	74.00	-23.56	peak

Test Mode:	802.11ax HE 40 (484Tone Ru65)	Frequency(MHz):	7085
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10611.000	35.63	13.48	49.11	74.00	-24.89	peak
2	11052.000	35.37	14.94	50.31	74.00	-23.69	peak
3	11466.000	33.96	16.41	50.37	74.00	-23.63	peak
4	12636.000	32.02	17.90	49.92	74.00	-24.08	peak
5	13482.000	29.06	20.74	49.80	74.00	-24.20	peak
6	17991.000	24.97	25.11	50.08	74.00	-23.92	peak

Test Mode:	802.11ax HE 80 (26Tone Ru0)	Frequency(MHz):	5985
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9171.000	37.22	10.83	48.05	74.00	-25.95	peak
2	11025.000	35.80	14.83	50.63	74.00	-23.37	peak
3	11187.000	35.47	15.42	50.89	74.00	-23.11	peak
4	11736.000	33.75	17.18	50.93	74.00	-23.07	peak
5	13653.000	29.84	21.14	50.98	74.00	-23.02	peak
6	17973.000	25.94	24.99	50.93	74.00	-23.07	peak

Test Mode:	802.11ax HE 80 (26Tone Ru0)	Frequency(MHz):	5985
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10296.000	36.51	12.69	49.20	74.00	-24.80	peak
2	10809.000	36.36	14.12	50.48	74.00	-23.52	peak
3	11772.000	33.28	17.28	50.56	74.00	-23.44	peak
4	12699.000	32.48	18.07	50.55	74.00	-23.45	peak
5	13140.000	30.54	19.43	49.97	74.00	-24.03	peak
6	17658.000	26.25	22.97	49.22	74.00	-24.78	peak

Test Mode:	802.11ax HE 80 (52Tone Ru37)	Frequency(MHz):	5985
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9360.000	37.43	10.87	48.30	74.00	-25.70	peak
2	11043.000	35.15	14.90	50.05	74.00	-23.95	peak
3	11448.000	33.64	16.34	49.98	74.00	-24.02	peak
4	12663.000	31.96	17.98	49.94	74.00	-24.06	peak
5	13662.000	28.78	21.16	49.94	74.00	-24.06	peak
6	17946.000	24.60	24.82	49.42	74.00	-24.58	peak

Test Mode:	802.11ax HE 80 (52Tone Ru37)	Frequency(MHz):	5985
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10251.000	35.66	12.61	48.27	74.00	-25.73	peak
2	11142.000	34.81	15.25	50.06	74.00	-23.94	peak
3	11664.000	32.85	16.98	49.83	74.00	-24.17	peak
4	12627.000	32.11	17.87	49.98	74.00	-24.02	peak
5	13455.000	30.09	20.64	50.73	74.00	-23.27	peak
6	17955.000	25.60	24.87	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE 80 (106Tone Ru53)	Frequency(MHz):	5985
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10368.000	35.89	12.85	48.74	74.00	-25.26	peak
2	11043.000	35.54	14.90	50.44	74.00	-23.56	peak
3	11907.000	33.05	17.66	50.71	74.00	-23.29	peak
4	13239.000	30.95	19.81	50.76	74.00	-23.24	peak
5	13608.000	29.71	21.05	50.76	74.00	-23.24	peak
6	17865.000	25.31	24.29	49.60	74.00	-24.40	peak

Test Mode:	802.11ax HE 80 (106Tone Ru53)	Frequency(MHz):	5985
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9225.000	37.20	10.85	48.05	74.00	-25.95	peak
2	11322.000	33.82	15.90	49.72	74.00	-24.28	peak
3	11898.000	32.48	17.63	50.11	74.00	-23.89	peak
4	12672.000	32.14	18.00	50.14	74.00	-23.86	peak
5	13599.000	28.97	21.02	49.99	74.00	-24.01	peak
6	17991.000	24.08	25.11	49.19	74.00	-24.81	peak

Test Mode:	802.11ax HE 80 (242Tone Ru61)	Frequency(MHz):	5985
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	35.79	12.55	48.34	74.00	-25.66	peak
2	11295.000	34.86	15.80	50.66	74.00	-23.34	peak
3	11565.000	33.92	16.71	50.63	74.00	-23.37	peak
4	12735.000	32.58	18.17	50.75	74.00	-23.25	peak
5	13923.000	28.73	21.72	50.45	74.00	-23.55	peak
6	18000.000	25.52	25.16	50.68	74.00	-23.32	peak

Test Mode:	802.11ax HE 80 (242Tone Ru61)	Frequency(MHz):	5985
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10890.000	35.64	14.40	50.04	74.00	-23.96	peak
2	11277.000	34.84	15.73	50.57	74.00	-23.43	peak
3	12177.000	32.35	17.77	50.12	74.00	-23.88	peak
4	12681.000	32.05	18.03	50.08	74.00	-23.92	peak
5	13608.000	28.66	21.05	49.71	74.00	-24.29	peak
6	17946.000	24.18	24.82	49.00	74.00	-25.00	peak

Test Mode:	802.11ax HE 80 (484Tone Ru65)	Frequency(MHz):	5985
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10242.000	36.27	12.58	48.85	74.00	-25.15	peak
2	11025.000	35.50	14.83	50.33	74.00	-23.67	peak
3	11457.000	33.43	16.38	49.81	74.00	-24.19	peak
4	12672.000	32.09	18.00	50.09	74.00	-23.91	peak
5	13986.000	28.06	21.85	49.91	74.00	-24.09	peak
6	17982.000	25.93	25.04	50.97	74.00	-23.03	peak

Test Mode:	802.11ax HE 80 (484Tone Ru65)	Frequency(MHz):	5985
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11061.000	35.22	14.96	50.18	74.00	-23.82	peak
2	11574.000	34.10	16.74	50.84	74.00	-23.16	peak
3	12285.000	32.84	17.69	50.53	74.00	-23.47	peak
4	12708.000	32.64	18.10	50.74	74.00	-23.26	peak
5	13923.000	28.93	21.72	50.65	74.00	-23.35	peak
6	17964.000	25.94	24.92	50.86	74.00	-23.14	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	5985
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11052.000	35.78	14.94	50.72	74.00	-23.28	peak
2	11394.000	34.51	16.15	50.66	74.00	-23.34	peak
3	11736.000	33.36	17.18	50.54	74.00	-23.46	peak
4	12744.000	31.80	18.19	49.99	74.00	-24.01	peak
5	13500.000	29.97	20.81	50.78	74.00	-23.22	peak
6	17982.000	25.43	25.04	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	5985
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10305.000	37.16	12.72	49.88	74.00	-24.12	peak
2	10710.000	36.36	13.80	50.16	74.00	-23.84	peak
3	11619.000	33.48	16.86	50.34	74.00	-23.66	peak
4	12726.000	32.06	18.14	50.20	74.00	-23.80	peak
5	13869.000	29.28	21.59	50.87	74.00	-23.13	peak
6	17973.000	25.68	24.99	50.67	74.00	-23.33	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6145
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	36.31	12.55	48.86	74.00	-25.14	peak
2	10719.000	36.21	13.84	50.05	74.00	-23.95	peak
3	11340.000	34.52	15.96	50.48	74.00	-23.52	peak
4	12690.000	32.48	18.05	50.53	74.00	-23.47	peak
5	13905.000	29.27	21.68	50.95	74.00	-23.05	peak
6	17757.000	26.67	23.60	50.27	74.00	-23.73	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6145
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10296.000	36.67	12.69	49.36	74.00	-24.64	peak
2	11268.000	34.98	15.71	50.69	74.00	-23.31	peak
3	12663.000	32.29	17.98	50.27	74.00	-23.73	peak
4	13077.000	31.41	19.18	50.59	74.00	-23.41	peak
5	13500.000	29.35	20.81	50.16	74.00	-23.84	peak
6	17937.000	25.16	24.76	49.92	74.00	-24.08	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6385
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10818.000	35.92	14.17	50.09	74.00	-23.91	peak
2	11061.000	35.47	14.96	50.43	74.00	-23.57	peak
3	12564.000	32.24	17.71	49.95	74.00	-24.05	peak
4	13113.000	30.90	19.33	50.23	74.00	-23.77	peak
5	13932.000	28.34	21.74	50.08	74.00	-23.92	peak
6	17937.000	24.60	24.76	49.36	74.00	-24.64	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6385
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9198.000	38.12	10.85	48.97	74.00	-25.03	peak
2	11025.000	35.55	14.83	50.38	74.00	-23.62	peak
3	11241.000	34.97	15.61	50.58	74.00	-23.42	peak
4	12717.000	32.18	18.11	50.29	74.00	-23.71	peak
5	13914.000	28.42	21.69	50.11	74.00	-23.89	peak
6	17964.000	24.99	24.92	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6465
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10719.000	36.24	13.84	50.08	74.00	-23.92	peak
2	11520.000	33.95	16.59	50.54	74.00	-23.46	peak
3	12375.000	33.22	17.62	50.84	74.00	-23.16	peak
4	12663.000	32.58	17.98	50.56	74.00	-23.44	peak
5	13608.000	29.38	21.05	50.43	74.00	-23.57	peak
6	17982.000	24.97	25.04	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6465
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9054.000	37.61	10.82	48.43	74.00	-25.57	peak
2	10305.000	35.97	12.72	48.69	74.00	-25.31	peak
3	11331.000	34.26	15.93	50.19	74.00	-23.81	peak
4	12690.000	32.05	18.05	50.10	74.00	-23.90	peak
5	13599.000	29.26	21.02	50.28	74.00	-23.72	peak
6	17928.000	25.59	24.70	50.29	74.00	-23.71	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6545
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9126.000	37.80	10.83	48.63	74.00	-25.37	peak
2	11061.000	35.61	14.96	50.57	74.00	-23.43	peak
3	11394.000	34.05	16.15	50.20	74.00	-23.80	peak
4	12636.000	32.55	17.90	50.45	74.00	-23.55	peak
5	13923.000	28.52	21.72	50.24	74.00	-23.76	peak
6	17910.000	26.30	24.59	50.89	74.00	-23.11	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6545
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11007.000	34.81	14.77	49.58	74.00	-24.42	peak
2	11322.000	34.07	15.90	49.97	74.00	-24.03	peak
3	11646.000	32.95	16.94	49.89	74.00	-24.11	peak
4	13113.000	30.58	19.33	49.91	74.00	-24.09	peak
5	14175.000	26.86	21.11	47.97	74.00	-26.03	peak
6	17982.000	25.83	25.04	50.87	74.00	-23.13	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6705
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10242.000	35.76	12.58	48.34	74.00	-25.66	peak
2	11052.000	35.08	14.94	50.02	74.00	-23.98	peak
3	11295.000	34.06	15.80	49.86	74.00	-24.14	peak
4	12744.000	31.19	18.19	49.38	74.00	-24.62	peak
5	13761.000	28.65	21.37	50.02	74.00	-23.98	peak
6	17919.000	24.79	24.64	49.43	74.00	-24.57	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6705
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	37.01	12.55	49.56	74.00	-24.44	peak
2	11007.000	35.92	14.77	50.69	74.00	-23.31	peak
3	11781.000	33.64	17.30	50.94	74.00	-23.06	peak
4	12672.000	32.73	18.00	50.73	74.00	-23.27	peak
5	13590.000	29.04	21.00	50.04	74.00	-23.96	peak
6	17937.000	26.07	24.76	50.83	74.00	-23.17	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6785
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10224.000	35.90	12.55	48.45	74.00	-25.55	peak
2	11016.000	34.75	14.81	49.56	74.00	-24.44	peak
3	11394.000	33.78	16.15	49.93	74.00	-24.07	peak
4	13212.000	30.73	19.71	50.44	74.00	-23.56	peak
5	13914.000	27.95	21.69	49.64	74.00	-24.36	peak
6	17991.000	23.67	25.11	48.78	74.00	-25.22	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6785
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10287.000	36.78	12.68	49.46	74.00	-24.54	peak
2	11070.000	34.97	15.00	49.97	74.00	-24.03	peak
3	11448.000	34.38	16.34	50.72	74.00	-23.28	peak
4	13068.000	31.02	19.15	50.17	74.00	-23.83	peak
5	13608.000	28.52	21.05	49.57	74.00	-24.43	peak
6	17919.000	26.26	24.64	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6865
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11025.000	35.30	14.83	50.13	74.00	-23.87	peak
2	11655.000	33.58	16.95	50.53	74.00	-23.47	peak
3	12681.000	32.19	18.03	50.22	74.00	-23.78	peak
4	13428.000	30.38	20.53	50.91	74.00	-23.09	peak
5	13914.000	29.27	21.69	50.96	74.00	-23.04	peak
6	17991.000	25.63	25.11	50.74	74.00	-23.26	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6865
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10305.000	35.42	12.72	48.14	74.00	-25.86	peak
2	11394.000	33.82	16.15	49.97	74.00	-24.03	peak
3	11709.000	33.85	17.11	50.96	74.00	-23.04	peak
4	12690.000	31.68	18.05	49.73	74.00	-24.27	peak
5	13779.000	28.34	21.41	49.75	74.00	-24.25	peak
6	17973.000	24.43	24.99	49.42	74.00	-24.58	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6945
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10602.000	35.81	13.45	49.26	74.00	-24.74	peak
2	11286.000	34.47	15.77	50.24	74.00	-23.76	peak
3	12114.000	32.45	17.83	50.28	74.00	-23.72	peak
4	12645.000	31.86	17.92	49.78	74.00	-24.22	peak
5	13860.000	28.90	21.59	50.49	74.00	-23.51	peak
6	17991.000	24.54	25.11	49.65	74.00	-24.35	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	6945
Polarity:	Vertical	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10242.000	36.02	12.58	48.60	74.00	-25.40	peak
2	11340.000	34.28	15.96	50.24	74.00	-23.76	peak
3	11646.000	32.96	16.94	49.90	74.00	-24.10	peak
4	13536.000	29.46	20.90	50.36	74.00	-23.64	peak
5	13923.000	28.86	21.72	50.58	74.00	-23.42	peak
6	17991.000	25.61	25.11	50.72	74.00	-23.28	peak

Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	7025
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10215.000	36.73	12.52	49.25	74.00	-24.75	peak
2	11430.000	34.24	16.28	50.52	74.00	-23.48	peak
3	11988.000	33.31	17.88	51.19	74.00	-22.81	peak
4	12699.000	31.73	18.07	49.80	74.00	-24.20	peak
5	13464.000	29.64	20.67	50.31	74.00	-23.69	peak
6	17928.000	25.68	24.70	50.38	74.00	-23.62	peak


Test Mode:	802.11ax HE 80 (996Tone Ru67)	Frequency(MHz):	7025
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10296.000	35.88	12.69	48.57	74.00	-25.43	peak
2	11205.000	34.94	15.48	50.42	74.00	-23.58	peak
3	11853.000	32.84	17.50	50.34	74.00	-23.66	peak
4	12618.000	33.03	17.84	50.87	74.00	-23.13	peak
5	13878.000	28.60	21.62	50.22	74.00	-23.78	peak
6	17613.000	27.43	22.69	50.12	74.00	-23.88	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.01	79.22	-101.4	-22.18	47.6	-73.68	-3.9	-69.78	peak
2	0.0114	77.88	-101.4	-23.52	46.46	-75.02	-5.04	-69.98	peak
3	0.016	73.47	-101.37	-27.9	43.52	-79.4	-7.98	-71.42	peak
4	0.0212	71.54	-101.35	-29.81	41.07	-81.31	-10.43	-70.88	peak
5	0.0273	68.49	-101.38	-32.89	38.88	-84.39	-12.62	-71.77	peak
6	0.0376	64.25	-101.42	-37.17	36.1	-88.67	-15.4	-73.27	peak

Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1554	78.27	-101.65	-23.38	23.77	-74.88	-27.73	-47.15	peak
2	0.1801	74.53	-101.68	-27.15	22.5	-78.65	-29	-49.65	peak
3	0.2064	70.08	-101.73	-31.65	21.31	-83.15	-30.19	-52.96	peak
4	0.253	66.14	-101.8	-35.66	19.54	-87.16	-31.96	-55.2	peak
5	0.2878	63.22	-101.85	-38.63	18.42	-90.13	-33.08	-57.05	peak
6	0.3234	62.98	-101.88	-38.9	17.41	-90.4	-34.09	-56.31	peak


Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.49	65.22	-62.06	3.16	13.8	-48.34	-37.7	-10.64	peak
2	0.6671	64.25	-62.1	2.15	31.12	-49.35	-20.38	-28.97	peak
3	1.5564	58.18	-62.02	-3.84	23.76	-55.34	-27.74	-27.6	peak
4	2.5261	55.41	-61.69	-6.28	29.54	-57.78	-21.96	-35.82	peak
5	3.3229	54.89	-61.5	-6.61	29.54	-58.11	-21.96	-36.15	peak
6	6.2445	53.63	-61.32	-7.69	29.54	-59.19	-21.96	-37.23	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	19392.000	50.62	-5.57	45.05	74.00	-28.95	peak
2	20016.000	50.56	-5.47	45.09	74.00	-28.91	peak
3	21600.000	50.02	-4.54	45.48	74.00	-28.52	peak
4	22096.000	49.54	-4.38	45.16	74.00	-28.84	peak
5	23480.000	48.54	-3.16	45.38	74.00	-28.62	peak
6	25000.000	46.86	-2.10	44.76	74.00	-29.24	peak


Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18952.000	49.14	-5.26	43.88	74.00	-30.12	peak
2	20240.000	49.82	-5.61	44.21	74.00	-29.79	peak
3	21544.000	48.26	-4.63	43.63	74.00	-30.37	peak
4	23088.000	47.02	-3.41	43.61	74.00	-30.39	peak
5	24568.000	46.60	-2.33	44.27	74.00	-29.73	peak
6	25744.000	44.30	-0.64	43.66	74.00	-30.34	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28786.000	47.99	-0.64	47.35	74.00	-26.65	peak
2	31194.000	49.04	-0.80	48.24	74.00	-25.76	peak
3	33644.000	47.81	0.42	48.23	74.00	-25.77	peak
4	35870.000	44.83	3.75	48.58	74.00	-25.42	peak
5	37228.000	45.23	3.14	48.37	74.00	-25.63	peak
6	39958.000	43.58	5.12	48.70	74.00	-25.30	peak


Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC 5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28828.000	48.63	-0.79	47.84	74.00	-26.16	peak
2	31320.000	49.61	-0.93	48.68	74.00	-25.32	peak
3	34302.000	47.45	1.10	48.55	74.00	-25.45	peak
4	35828.000	45.25	3.67	48.92	74.00	-25.08	peak
5	37158.000	45.34	3.17	48.51	74.00	-25.49	peak
6	39062.000	43.98	4.30	48.28	74.00	-25.72	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Horizontal	Test Voltage:	DC5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	35.8200	45.81	-18.70	27.11	40.00	-12.89	QP
2	229.8200	52.68	-17.28	35.40	46.00	-10.60	QP
3	291.9000	49.18	-15.37	33.81	46.00	-12.19	QP
4	325.8500	47.83	-13.61	34.22	46.00	-11.78	QP
5	618.7900	37.62	-9.10	28.52	46.00	-17.48	QP
6	718.7000	43.98	-7.29	36.69	46.00	-9.31	QP

Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Polarity:	Vertical	Test Voltage:	DC5V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	33.8800	54.96	-18.37	36.59	40.00	-3.41	QP
2	63.9500	55.46	-19.97	35.49	40.00	-4.51	QP
3	125.0600	53.94	-19.14	34.80	43.50	-8.70	QP
4	227.8800	51.81	-17.20	34.61	46.00	-11.39	QP
5	258.9200	52.17	-17.75	34.42	46.00	-11.58	QP
6	720.6400	44.77	-7.25	37.52	46.00	-8.48	QP

8.8. SIMULTANEOUSLY TRANSMISSION SPURIOUS EMISSIONS


(1 GHz~18 GHz) (Worst case)

Test Mode:	WIFI5G, 802.11ax HE20 Mode-7115MHz & BT, GFSK-2402MHz		
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1176.000	60.07	-14.21	45.86	74.00	-28.14	peak
2	2632.000	46.19	-8.09	38.10	74.00	-35.90	peak
3	4792.000	41.70	-0.98	40.72	74.00	-33.28	peak
4	5664.000	41.28	0.89	42.17	74.00	-31.83	peak
5	7112.000	44.24	6.08	50.32	74.00	-23.68	peak
6	8968.000	37.50	9.51	47.01	74.00	-26.99	peak

Test Mode:	WIFI5G, 802.11ax HE20 Mode-7115MHz & BT, GFSK-2402MHz		
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2080.000	49.19	-10.64	38.55	74.00	-35.45	peak
2	3512.000	44.36	-5.82	38.54	74.00	-35.46	peak
3	4952.000	39.96	-0.34	39.62	74.00	-34.38	peak
4	6560.000	40.33	4.02	44.35	74.00	-29.65	peak
5	7120.000	43.02	6.08	49.10	74.00	-24.90	peak
6	8872.000	38.23	8.85	47.08	74.00	-26.92	peak

Test Mode:	WIFI5G, 802.11ax HE20 Mode-7115MHz & BT, GFSK-2402MHz		
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9054.000	36.95	10.82	47.77	74.00	-26.23	peak
2	10638.000	35.43	13.57	49.00	74.00	-25.00	peak
3	11808.000	32.92	17.38	50.30	74.00	-23.70	peak
4	12654.000	33.04	17.94	50.98	74.00	-23.02	peak
5	13986.000	28.25	21.85	50.10	74.00	-23.90	peak
6	17964.000	24.56	24.92	49.48	74.00	-24.52	peak

Test Mode:	WIFI5G, 802.11ax HE20 Mode-7115MHz & BT, GFSK-2402MHz		
Polarity:	Vertical	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10215.000	36.17	12.52	48.69	74.00	-25.31	peak
2	11898.000	32.96	17.63	50.59	74.00	-23.41	peak
3	13068.000	31.47	19.15	50.62	74.00	-23.38	peak
4	14076.000	29.30	21.54	50.84	74.00	-23.16	peak
5	14229.000	34.77	20.87	55.64	74.00	-18.36	peak
6	14229.000	27.57	20.87	48.44	54.00	-5.56	AVG
7	17982.000	25.58	25.04	50.62	74.00	-23.38	peak

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	24.5°C	Relative Humidity	56%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	November 9, 2023	Test By	Fanny Huang
-----------	------------------	---------	-------------

TEST RESULTS

Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	5955
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1701	43.40	9.59	52.99	64.96	-11.97	QP
2	0.1701	24.90	9.59	34.49	54.96	-20.47	AVG
3	0.2295	35.63	9.59	45.22	62.47	-17.25	QP
4	0.2295	19.27	9.59	28.86	52.47	-23.61	AVG
5	0.2946	30.07	9.59	39.66	60.39	-20.73	QP
6	0.2946	17.24	9.59	26.83	50.39	-23.56	AVG
7	1.7905	21.69	9.62	31.31	56.00	-24.69	QP
8	1.7905	13.88	9.62	23.50	46.00	-22.50	AVG
9	4.0423	23.47	9.70	33.17	56.00	-22.83	QP
10	4.0423	16.14	9.70	25.84	46.00	-20.16	AVG
11	8.5665	26.28	9.71	35.99	60.00	-24.01	QP
12	8.5665	19.52	9.71	29.23	50.00	-20.77	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11ax HE20 PK (242Tone Ru61)	Frequency(MHz):	6955
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1703	42.80	9.59	52.39	64.95	-12.56	QP
2	0.1703	23.29	9.59	32.88	54.95	-22.07	AVG
3	0.2350	33.53	9.59	43.12	62.27	-19.15	QP
4	0.2350	18.89	9.59	28.48	52.27	-23.79	AVG
5	0.2840	29.19	9.59	38.78	60.70	-21.92	QP
6	0.2840	10.43	9.59	20.02	50.70	-30.68	AVG
7	4.7705	24.52	9.71	34.23	56.00	-21.77	QP
8	4.7705	14.98	9.71	24.69	46.00	-21.31	AVG
9	8.6783	28.58	9.71	38.29	60.00	-21.71	QP
10	8.6783	22.53	9.71	32.24	50.00	-17.76	AVG
11	10.5591	21.74	9.73	31.47	60.00	-28.53	QP
12	10.5591	16.26	9.73	25.99	50.00	-24.01	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass


11. TEST DATA


11.1. APPENDIX A1: EMISSION BANDWIDTH

11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant0	5975	24.160	5962.640	5986.800	PASS
	Ant1	5975	24.840	5962.000	5986.840	PASS
	Ant0	6135	24.480	6122.080	6146.560	PASS
	Ant1	6135	25.200	6122.640	6147.840	PASS
	Ant0	6375	24.600	6362.360	6386.960	PASS
	Ant1	6375	24.600	6362.920	6387.520	PASS
	Ant0	6455	24.400	6442.560	6466.960	PASS
	Ant1	6455	25.360	6442.000	6467.360	PASS
	Ant0	6535	25.840	6521.560	6547.400	PASS
	Ant1	6535	24.680	6522.120	6546.800	PASS
	Ant0	6695	24.760	6682.440	6707.200	PASS
	Ant1	6695	23.720	6682.920	6706.640	PASS
	Ant0	6855	24.240	6842.360	6866.600	PASS
	Ant1	6855	24.920	6842.120	6867.040	PASS
	Ant0	6935	23.840	6923.040	6946.880	PASS
	Ant1	6935	23.960	6922.640	6946.600	PASS
	Ant0	7015	23.960	7003.000	7026.960	PASS
	Ant1	7015	24.040	7002.880	7026.920	PASS
Ant0	7095	23.400	7083.080	7106.480	PASS	
Ant1	7095	25.240	7082.280	7107.520	PASS	

11.1.2. Test Graphs





11A Ant1 6135



11A Ant0 6375









11A Ant1 6375






11A Ant1 6535





11A Ant0 7015



11A Ant1 7015



11A Ant0 7095



11A Ant1 7095

11.2. APPENDIX A2: EMISSION BANDWIDTH FOR OFDMA

11.2.1. Test Result

Test Mode	Antenna	Channel	Ru Size	Ru Index	26db BW [MHz]	FL [MHz]	FH [MHz]	Verdict
11AX20MIMO	Ant0	5955	26Tone	RU0	20.8	5943.16	5963.96	PASS
				RU4	18.04	5945.88	5963.92	PASS
				RU8	21.24	5945.88	5967.12	PASS
			52Tone	RU37	21.32	5943.16	5964.48	PASS
				RU38	18.68	5945.8	5964.48	PASS
				RU40	21.96	5945.8	5967.76	PASS
			106Tone	RU53	21.12	5942.92	5964.04	PASS
				RU54	23.08	5945.76	5968.84	PASS
			242Tone	RU61	21.28	5944.28	5965.56	PASS
	Ant1	5955	26Tone	RU0	20.04	5943.88	5963.92	PASS
				RU4	18.04	5945.92	5963.96	PASS
				RU8	20.28	5945.92	5966.2	PASS
			52Tone	RU37	21.12	5942.96	5964.08	PASS
				RU38	18.24	5945.84	5964.08	PASS
				RU40	20.48	5945.88	5966.36	PASS
			106Tone	RU53	20.84	5943.2	5964.04	PASS
				RU54	20.52	5945.92	5966.44	PASS
			242Tone	RU61	22.48	5944.52	5967	PASS
	Ant0	6175	26Tone	RU0	20.44	6163.52	6183.96	PASS
				RU4	18	6165.92	6183.92	PASS
				RU8	21.12	6165.88	6187	PASS
			52Tone	RU37	20.6	6163.48	6184.08	PASS
				RU38	18.32	6165.8	6184.12	PASS
				RU40	21.08	6165.8	6186.88	PASS
			106Tone	RU53	23.2	6160.96	6184.16	PASS
				RU54	21.92	6165.64	6187.56	PASS
			242Tone	RU61	21.68	6164.12	6185.8	PASS
	Ant1	6175	26Tone	RU0	20.32	6163.6	6183.92	PASS
				RU4	18	6165.92	6183.92	PASS
				RU8	20.44	6165.92	6186.36	PASS
52Tone			RU37	20	6163.96	6183.96	PASS	
			RU38	18.08	6165.88	6183.96	PASS	
			RU40	20.36	6165.84	6186.2	PASS	
106Tone			RU53	21.36	6162.68	6184.04	PASS	
			RU54	21	6165.8	6186.8	PASS	
242Tone			RU61	21.52	6164.16	6185.68	PASS	
Ant0	6415	26Tone	RU0	21.04	6403.12	6424.16	PASS	

				RU4	18.24	6405.96	6424.2	PASS		
				RU8	20.4	6405.96	6426.36	PASS		
				52Tone	RU37	21.64	6402.88	6424.52	PASS	
						RU38	20.24	6404.2	6424.44	PASS
						RU40	22.48	6405.76	6428.24	PASS
						106Tone	RU53	21.36	6402.72	6424.08
						RU54	23.2	6405.72	6428.92	PASS
						242Tone	RU61	23.48	6402.44	6425.92
			Ant1	6415	26Tone	RU0	20.56	6403.44	6424	PASS
	RU4	17.96				6405.96	6423.92	PASS		
	RU8	21.04				6405.96	6427	PASS		
	52Tone	RU37			21.08	6402.96	6424.04	PASS		
		RU38			18.24	6405.8	6424.04	PASS		
		RU40			21.96	6405.8	6427.76	PASS		
	106Tone	RU53			21.08	6402.92	6424	PASS		
		RU54			20.8	6405.72	6426.52	PASS		
	242Tone	RU61			22.84	6403.96	6426.8	PASS		
	Ant0	6435			26Tone	RU0	20.84	6423.32	6444.16	PASS
						RU4	18.36	6425.92	6444.28	PASS
						RU8	20.56	6425.92	6446.48	PASS
			52Tone	RU37	21	6423.48	6444.48	PASS		
				RU38	18.64	6425.8	6444.44	PASS		
				RU40	21.64	6425.84	6447.48	PASS		
			106Tone	RU53	20.84	6423.2	6444.04	PASS		
				RU54	23.2	6425.68	6448.88	PASS		
			242Tone	RU61	21.32	6424.36	6445.68	PASS		
	Ant1	6435	26Tone	RU0	20.24	6423.76	6444	PASS		
RU4				18.04	6425.96	6444	PASS			
RU8				20.08	6426.04	6446.12	PASS			
52Tone			RU37	20.76	6423.24	6444	PASS			
			RU38	18.24	6425.84	6444.08	PASS			
			RU40	20.4	6425.84	6446.24	PASS			
106Tone			RU53	20.24	6423.76	6444	PASS			
			RU54	20.52	6425.84	6446.36	PASS			
242Tone			RU61	21.76	6424.04	6445.8	PASS			
Ant0	6475	26Tone	RU0	20.56	6463.52	6484.08	PASS			
			RU4	18.24	6465.92	6484.16	PASS			
			RU8	20.64	6465.92	6486.56	PASS			
		52Tone	RU37	21.4	6463	6484.4	PASS			
			RU38	19.32	6465.08	6484.4	PASS			
			RU40	20.76	6465.72	6486.48	PASS			
106Tone	RU53	21.44	6462.64	6484.08	PASS					

			RU54	21.96	6465.68	6487.64	PASS
		242Tone	RU61	21.32	6464.28	6485.6	PASS
Ant1	6475	26Tone	RU0	20.24	6463.76	6484	PASS
			RU4	17.92	6465.96	6483.88	PASS
			RU8	20.16	6466	6486.16	PASS
		52Tone	RU37	20.56	6463.52	6484.08	PASS
			RU38	18.2	6465.84	6484.04	PASS
			RU40	20.6	6465.84	6486.44	PASS
		106Tone	RU53	21.12	6462.84	6483.96	PASS
			RU54	21.24	6465.84	6487.08	PASS
		242Tone	RU61	21.76	6463.84	6485.6	PASS
		Ant0	6515	26Tone	RU0	20.96	6503.24
RU4	18.28				6505.92	6524.2	PASS
RU8	20.44				6505.92	6526.36	PASS
52Tone	RU37			21.28	6503.16	6524.44	PASS
	RU38			19.32	6505.12	6524.44	PASS
	RU40			21.64	6505.76	6527.4	PASS
106Tone	RU53			21.68	6502.44	6524.12	PASS
	RU54			22.64	6505.72	6528.36	PASS
242Tone	RU61			21.56	6504.24	6525.8	PASS
Ant1	6515			26Tone	RU0	20.16	6503.84
		RU4	18		6506	6524	PASS
		RU8	20.12		6506	6526.12	PASS
		52Tone	RU37	20.84	6503.24	6524.08	PASS
			RU38	18.28	6505.8	6524.08	PASS
			RU40	20.8	6505.88	6526.68	PASS
		106Tone	RU53	20.68	6503.32	6524	PASS
			RU54	20.68	6505.84	6526.52	PASS
		242Tone	RU61	22	6504.32	6526.32	PASS
		Ant0	6535	26Tone	RU0	20.6	6523.56
RU4	18.28				6525.92	6544.2	PASS
RU8	20.6				6525.92	6546.52	PASS
52Tone	RU37			21.64	6522.48	6544.12	PASS
	RU38			18.2	6525.8	6544	PASS
	RU40			21.36	6525.76	6547.12	PASS
106Tone	RU53			21.52	6522.56	6544.08	PASS
	RU54			24.16	6525.56	6549.72	PASS
242Tone	RU61			21.36	6524.24	6545.6	PASS
Ant1	6535			26Tone	RU0	20.24	6523.76
		RU4	18.04		6525.96	6544	PASS
		RU8	20.36		6525.96	6546.32	PASS
		52Tone	RU37	20.64	6523.28	6543.92	PASS

				RU38	18.08	6525.88	6543.96	PASS		
				RU40	20.56	6525.88	6546.44	PASS		
			106Tone	RU53	20.68	6523.32	6544	PASS		
				RU54	21.32	6525.76	6547.08	PASS		
			242Tone	RU61	22.2	6524.28	6546.48	PASS		
				RU0	20.8	6703.4	6724.2	PASS		
			26Tone	RU4	18.24	6705.96	6724.2	PASS		
				RU8	20.76	6705.92	6726.68	PASS		
			52Tone	RU37	21.68	6702.4	6724.08	PASS		
				RU38	18.32	6705.76	6724.08	PASS		
				RU40	21.28	6705.76	6727.04	PASS		
			106Tone	RU53	21.12	6703	6724.12	PASS		
				RU54	22.04	6705.6	6727.64	PASS		
			242Tone	RU61	21.84	6703.84	6725.68	PASS		
				RU0	20.2	6703.8	6724	PASS		
			26Tone	RU4	18	6705.96	6723.96	PASS		
				RU8	20.76	6705.96	6726.72	PASS		
			52Tone	RU37	20.64	6703.32	6723.96	PASS		
				RU38	18.08	6705.84	6723.92	PASS		
				RU40	20	6705.84	6725.84	PASS		
			106Tone	RU53	20.92	6703.04	6723.96	PASS		
				RU54	20.48	6705.72	6726.2	PASS		
			242Tone	RU61	22	6703.52	6725.52	PASS		
				RU0	20.68	6843.48	6864.16	PASS		
			26Tone	RU4	18.28	6845.92	6864.2	PASS		
				RU8	20.36	6845.96	6866.32	PASS		
			52Tone	RU37	21.08	6843.08	6864.16	PASS		
				RU38	18.4	6845.76	6864.16	PASS		
				RU40	21.92	6845.76	6867.68	PASS		
			106Tone	RU53	22	6842.12	6864.12	PASS		
				RU54	21.76	6845.56	6867.32	PASS		
			242Tone	RU61	21.88	6844.08	6865.96	PASS		
				RU0	20.76	6843.28	6864.04	PASS		
			26Tone	RU4	18.04	6845.96	6864	PASS		
				RU8	20.08	6846	6866.08	PASS		
			52Tone	RU37	20.28	6843.68	6863.96	PASS		
				RU38	18.12	6845.84	6863.96	PASS		
				RU40	20.16	6845.88	6866.04	PASS		
			106Tone	RU53	20.28	6843.72	6864	PASS		
				RU54	21.28	6845.76	6867.04	PASS		
			242Tone	RU61	21.44	6844.12	6865.56	PASS		
			Ant0	6875	26Tone	RU0	20.28	6863.68	6883.96	PASS

				RU4	18.04	6865.88	6883.92	PASS
				RU8	21.12	6865.88	6887	PASS
				52Tone	RU37	21.32	6862.84	6884.16
				RU38	18.2	6865.8	6884	PASS
				RU40	20.56	6865.84	6886.4	PASS
				106Tone	RU53	21.32	6862.8	6884.12
				RU54	21.6	6865.6	6887.2	PASS
				242Tone	RU61	21.76	6864.36	6886.12
			Ant1	6875	26Tone	RU0	20.44	6863.48
	RU4	17.96				6865.96	6883.92	PASS
	RU8	20.36				6865.92	6886.28	PASS
	52Tone	RU37			20.96	6863	6883.96	PASS
		RU38			18.12	6865.84	6883.96	PASS
		RU40			20.08	6865.88	6885.96	PASS
	106Tone	RU53			20.84	6863.16	6884	PASS
		RU54			21.56	6865.76	6887.32	PASS
	242Tone	RU61			24.28	6862.08	6886.36	PASS
	Ant0	7015	26Tone	RU0	20.64	7003.28	7023.92	PASS
				RU4	18.16	7005.8	7023.96	PASS
				RU8	20.92	7005.88	7026.8	PASS
			52Tone	RU37	21.28	7002.72	7024	PASS
				RU38	19	7004.96	7023.96	PASS
				RU40	21.44	7005.72	7027.16	PASS
			106Tone	RU53	21.24	7002.84	7024.08	PASS
RU54				21.76	7005.6	7027.36	PASS	
242Tone			RU61	21.56	7004.2	7025.76	PASS	
Ant1	7015	26Tone	RU0	20.08	7003.8	7023.88	PASS	
			RU4	18	7005.92	7023.92	PASS	
			RU8	20.08	7005.96	7026.04	PASS	
		52Tone	RU37	22.52	7001.44	7023.96	PASS	
			RU38	18.08	7005.88	7023.96	PASS	
			RU40	20.28	7005.88	7026.16	PASS	
		106Tone	RU53	20.68	7003.28	7023.96	PASS	
			RU54	20.88	7005.76	7026.64	PASS	
		242Tone	RU61	21.48	7004.32	7025.8	PASS	
Ant0	7115	26Tone	RU0	20.56	7103.36	7123.92	PASS	
			RU4	18.08	7105.84	7123.92	PASS	
			RU8	21.36	7105.84	7127.2	PASS	
		52Tone	RU37	21.36	7102.76	7124.12	PASS	
			RU38	18.8	7105.28	7124.08	PASS	
			RU40	21	7105.72	7126.72	PASS	
106Tone	RU53	21.88	7102.12	7124	PASS			

				RU54	21.08	7105.6	7126.68	PASS
			242Tone	RU61	21.8	7103.88	7125.68	PASS
			26Tone	RU0	20.6	7103.32	7123.92	PASS
				RU4	17.92	7106	7123.92	PASS
				RU8	20.16	7105.96	7126.12	PASS
			52Tone	RU37	20	7103.96	7123.96	PASS
				RU38	18.08	7105.84	7123.92	PASS
				RU40	20.36	7105.84	7126.2	PASS
			106Tone	RU53	21.4	7102.6	7124	PASS
				RU54	21.52	7105.72	7127.24	PASS
242Tone	RU61	21.36	7104.44	7125.8	PASS			
11AX40MIMO	Ant0	5965	26Tone	RU0	18.88	5945.16	5964.04	PASS
				RU8	22.8	5945.88	5968.68	PASS
				RU17	18.96	5965.8	5984.76	PASS
			52Tone	RU37	18.88	5945.24	5964.12	PASS
				RU40	22.64	5945.72	5968.36	PASS
				RU44	19.44	5965.4	5984.84	PASS
			106Tone	RU53	19.12	5945.16	5964.28	PASS
				RU54	23.2	5945.56	5968.76	PASS
				RU56	19.52	5965.24	5984.76	PASS
			242Tone	RU61	39.36	5945.16	5984.52	PASS
	RU62	39.36		5945.4	5984.76	PASS		
	484Tone	RU65	39.28	5945.4	5984.68	PASS		
	Ant1	5965	26Tone	RU0	18.8	5945.24	5964.04	PASS
				RU8	21.2	5945.96	5967.16	PASS
				RU17	18.72	5965.96	5984.68	PASS
			52Tone	RU37	19.12	5945.16	5964.28	PASS
				RU40	22.56	5945.88	5968.44	PASS
				RU44	18.88	5965.88	5984.76	PASS
			106Tone	RU53	19.2	5945.16	5964.36	PASS
				RU54	23.44	5945.8	5969.24	PASS
RU56				19.12	5965.64	5984.76	PASS	
242Tone			RU61	39.2	5945.24	5984.44	PASS	
	RU62	39.04	5945.72	5984.76	PASS			
484Tone	RU65	39.36	5945.32	5984.68	PASS			
Ant0	6165	26Tone	RU0	20.72	6143.72	6164.44	PASS	
			RU8	22	6145.88	6167.88	PASS	
			RU17	19.04	6165.8	6184.84	PASS	
		52Tone	RU37	19.2	6145	6164.2	PASS	
			RU40	23.92	6145.8	6169.72	PASS	
			RU44	19.12	6165.64	6184.76	PASS	
106Tone	RU53	19.12	6145.16	6164.28	PASS			

				RU54	24.88	6145.64	6170.52	PASS
				RU56	19.52	6165.32	6184.84	PASS
			242Tone	RU61	39.44	6145.08	6184.52	PASS
				RU62	39.28	6145.56	6184.84	PASS
			484Tone	RU65	39.44	6145.24	6184.68	PASS
	Ant1	6165	26Tone	RU0	20.08	6144.04	6164.12	PASS
				RU8	21.04	6146.04	6167.08	PASS
				RU17	18.8	6165.96	6184.76	PASS
			52Tone	RU37	19.2	6145.08	6164.28	PASS
				RU40	22.08	6145.88	6167.96	PASS
				RU44	18.8	6165.88	6184.68	PASS
			106Tone	RU53	19.12	6145.16	6164.28	PASS
				RU54	23.04	6145.8	6168.84	PASS
				RU56	19.04	6165.72	6184.76	PASS
			242Tone	RU61	39.12	6145.16	6184.28	PASS
				RU62	39.2	6145.56	6184.76	PASS
			484Tone	RU65	39.52	6145.24	6184.76	PASS
			Ant0	6405	26Tone	RU0	18.96	6385
	RU8	22.8				6385.8	6408.6	PASS
	RU17	19.28				6405.64	6424.92	PASS
	52Tone	RU37			19.12	6385	6404.12	PASS
		RU40			23.12	6385.72	6408.84	PASS
		RU44			19.36	6405.56	6424.92	PASS
	106Tone	RU53			19.2	6385.08	6404.28	PASS
		RU54			24.8	6385.64	6410.44	PASS
		RU56			19.52	6405.4	6424.92	PASS
	242Tone	RU61			39.52	6385.16	6424.68	PASS
		RU62			39.44	6385.4	6424.84	PASS
	484Tone	RU65			39.44	6385.24	6424.68	PASS
	Ant1	6405			26Tone	RU0	19.04	6385.08
			RU8	22.56		6385.88	6408.44	PASS
			RU17	19.04		6405.8	6424.84	PASS
			52Tone	RU37	19.28	6385.08	6404.36	PASS
RU40				22.72	6385.8	6408.52	PASS	
RU44				19.12	6405.64	6424.76	PASS	
106Tone			RU53	19.52	6385	6404.52	PASS	
			RU54	23.76	6385.72	6409.48	PASS	
			RU56	19.2	6405.64	6424.84	PASS	
242Tone			RU61	38.88	6385.16	6424.04	PASS	
			RU62	39.28	6385.48	6424.76	PASS	
484Tone			RU65	39.44	6385.24	6424.68	PASS	
Ant0			6445	26Tone	RU0	19.04	6425	6444.04

			52Tone	RU8	22.88	6425.8	6448.68	PASS
				RU17	19.04	6445.88	6464.92	PASS
				RU37	19.04	6425	6444.04	PASS
			106Tone	RU40	22.64	6425.8	6448.44	PASS
				RU44	19.04	6445.72	6464.76	PASS
				RU53	19.12	6425.08	6444.2	PASS
			242Tone	RU54	24.88	6425.72	6450.6	PASS
				RU56	19.68	6445.08	6464.76	PASS
				RU61	39.36	6425.16	6464.52	PASS
			484Tone	RU62	39.28	6425.48	6464.76	PASS
				RU65	39.6	6425.16	6464.76	PASS
			Ant1	6445	26Tone	RU0	19.12	6425.08
	RU8	22.32				6425.88	6448.2	PASS
	RU17	18.96				6445.88	6464.84	PASS
	52Tone	RU37			19.28	6425.08	6444.36	PASS
		RU40			22.08	6425.96	6448.04	PASS
		RU44			18.96	6445.8	6464.76	PASS
	106Tone	RU53			19.28	6425.16	6444.44	PASS
		RU54			22.72	6425.88	6448.6	PASS
		RU56			19.12	6445.64	6464.76	PASS
	242Tone	RU61			39.28	6425.08	6464.36	PASS
		RU62			38.64	6426.12	6464.76	PASS
	484Tone	RU65			39.44	6425.24	6464.68	PASS
	Ant0	6485	26Tone	RU0	19.04	6465.08	6484.12	PASS
				RU8	20.72	6465.88	6486.6	PASS
				RU17	18.96	6485.88	6504.84	PASS
			52Tone	RU37	19.12	6465	6484.12	PASS
				RU40	23.92	6465.8	6489.72	PASS
				RU44	19.44	6485.56	6505	PASS
			106Tone	RU53	18.96	6465.16	6484.12	PASS
				RU54	25.28	6465.56	6490.84	PASS
				RU56	19.6	6485.16	6504.76	PASS
			242Tone	RU61	39.28	6465.08	6504.36	PASS
RU62				39.36	6465.4	6504.76	PASS	
484Tone			RU65	39.6	6465.16	6504.76	PASS	
Ant1	6485	26Tone	RU0	19.2	6465	6484.2	PASS	
			RU8	20.88	6466.04	6486.92	PASS	
			RU17	18.96	6485.88	6504.84	PASS	
		52Tone	RU37	19.36	6465.08	6484.44	PASS	
			RU40	23.2	6465.8	6489	PASS	
			RU44	19.04	6485.8	6504.84	PASS	
106Tone	RU53	19.12	6465.16	6484.28	PASS			

				RU54	23.92	6465.72	6489.64	PASS		
				RU56	18.88	6485.8	6504.68	PASS		
			242Tone	RU61	39.52	6465.08	6504.6	PASS		
				RU62	39.28	6465.48	6504.76	PASS		
			484Tone	RU65	39.36	6465.24	6504.6	PASS		
	Ant0	6525	26Tone	RU0	18.96	6505.08	6524.04	PASS		
					RU8	22.64	6505.88	6528.52	PASS	
					RU17	18.96	6525.88	6544.84	PASS	
				52Tone	RU37	18.88	6505.16	6524.04	PASS	
					RU40	23.52	6505.96	6529.48	PASS	
					RU44	19.2	6525.64	6544.84	PASS	
				106Tone	RU53	19.04	6505.08	6524.12	PASS	
					RU54	23.68	6505.64	6529.32	PASS	
					RU56	19.52	6525.24	6544.76	PASS	
				242Tone	RU61	39.6	6505.08	6544.68	PASS	
					RU62	39.36	6505.4	6544.76	PASS	
				484Tone	RU65	39.36	6505.32	6544.68	PASS	
			Ant1	6525	26Tone	RU0	18.96	6505.16	6524.12	PASS
							RU8	21.52	6505.96	6527.48
		RU17				18.8	6525.96	6544.76	PASS	
		52Tone			RU37	18.88	6505.24	6524.12	PASS	
					RU40	22.16	6505.96	6528.12	PASS	
					RU44	18.96	6525.8	6544.76	PASS	
		106Tone			RU53	19.36	6505.08	6524.44	PASS	
					RU54	22.96	6505.8	6528.76	PASS	
					RU56	18.96	6525.72	6544.68	PASS	
		242Tone			RU61	39.36	6505.08	6544.44	PASS	
					RU62	38.96	6505.72	6544.68	PASS	
		484Tone	RU65	39.28	6505.32	6544.6	PASS			
	Ant0	6565	26Tone	RU0	18.88	6545.16	6564.04	PASS		
					RU8	22	6545.8	6567.8	PASS	
					RU17	19.04	6565.72	6584.76	PASS	
				52Tone	RU37	20.4	6544.04	6564.44	PASS	
					RU40	23.2	6545.72	6568.92	PASS	
					RU44	19.28	6565.56	6584.84	PASS	
				106Tone	RU53	20.8	6543.88	6564.68	PASS	
					RU54	24.24	6545.56	6569.8	PASS	
					RU56	19.52	6565.24	6584.76	PASS	
				242Tone	RU61	39.52	6545.16	6584.68	PASS	
					RU62	39.36	6545.48	6584.84	PASS	
		484Tone	RU65	39.76	6545.08	6584.84	PASS			
	Ant1	6565	26Tone	RU0	18.88	6545.16	6564.04	PASS		