

Attn: Reviewing Engineer

Industry Canada  
C.D. Howe Building  
235 Queen Street  
Ottawa, Ontario K1A 0H5  
Canada

January 12 , 2016

To whom it May Concern:

This product is installed in the host device and then software is also set by professional.

End user cannot change this setting.

594280 D01 Software Configuration Control v02r01


Thank you for your attention to this matter.

Brand name: SAMSUNG

Model name: WCK730B

FCC ID : A3LWCK730B

Sincerely,

A handwritten signature in black ink on a light purple background. The signature appears to be 'cmh' in a cursive style.

---

Name: MinHyung Cho

Title: Engineer

Company: SAMSUNG Electronics Co.,Ltd.

## SOFTWARE CONFIGURATION DESCRIPTION GUIDE

In addition to the general security consideration, for devices which have “User Interfaces” (UI) to configure the device in a manner that may impact the operational RF parameters, the following questions shall be answered by the applicant and the information included in the operational description. The description must address if the device supports any of the country code configurations or peer-peer mode communications discussed in KDB 594280 Publication D01.<sup>8</sup>

| <b>SOFTWARE CONFIGURATION DESCRIPTION GUIDE</b>                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>USER CONFIGURATION GUIDE</b>                                                                                                                                                                                                                                                                                                                     | <p>1. Describe the user configurations permitted through the UI. If different levels of access are permitted for professional installers, system integrators or end-users, describe the differences.<br/> <b>Re: There is not any UI to access wifi SDR setting.</b></p>                                                                                                                                                                                       |
|                                                                                                                                                                                                                                                                                                                                                     | <p>a) What parameters are viewable and configurable by different parties?<br/> <b>Re: All default parameters are programmed in OTP or in both driver and firmware which would be embedded in system firmware. The system firmware is programmed and protected in flash memory. The professional installer/end-user cannot access the flash memory. End-use only could select which master(AP) to connect.</b></p>                                              |
|                                                                                                                                                                                                                                                                                                                                                     | <p>b) What parameters are accessible or modifiable by the professional installer or system integrators?<br/> <b>Re: There is not any wifi SDR parameter which is accessible or modifiable to the professional installer.</b></p>                                                                                                                                                                                                                               |
|                                                                                                                                                                                                                                                                                                                                                     | <p>(1) Are the parameters in some way limited, so that the installers will not enter parameters that exceed those authorized?<br/> <b>Re: Yes.</b><br/>                     Some parameters are programmed in OTP and wifi driver and firmware are embedded in system firmware, installer cannot access them. The system firmware is programmed and protected in flash memory. The professional installer/end-user cannot access the flash memory.</p>         |
|                                                                                                                                                                                                                                                                                                                                                     | <p>(2) What controls exist that the user cannot operate the device outside its authorization in the U.S.?<br/> <b>Re: There is a country code regulatory parameter to limit user to operate the device outside its authorization in the U.S.</b></p>                                                                                                                                                                                                           |
|                                                                                                                                                                                                                                                                                                                                                     | <p>C) What parameters are accessible or modifiable by the end-user?<br/> <b>Re: End-use only could select which master(AP) to connect.</b></p>                                                                                                                                                                                                                                                                                                                 |
|                                                                                                                                                                                                                                                                                                                                                     | <p>(1) Are the parameters in some way limited, so that the user or installers will not enter parameters that exceed those authorized?<br/> <b>Re: Yes.</b><br/>                     Some parameters are programmed in OTP and wifi driver and firmware are embedded in system firmware, installer cannot access them. The system firmware is programmed and protected in flash memory. The professional installer/end-user cannot access the flash memory.</p> |
|                                                                                                                                                                                                                                                                                                                                                     | <p>(2) What controls exist so that the user cannot operated the device outside its authorization in the U.S.?<br/> <b>Re : There is a country code regulatory parameter to limit product to operate the device outside its authorization in the U.S.</b></p>                                                                                                                                                                                                   |
|                                                                                                                                                                                                                                                                                                                                                     | <p>D) Is the country code factory set? Can it be changed in the UI?<br/> <b>Re: No, the country code cannot be changed in UI.</b></p>                                                                                                                                                                                                                                                                                                                          |
|                                                                                                                                                                                                                                                                                                                                                     | <p>(1) If it can be changed, what controls exist to ensure that the device can only operate within its authorization in the U.S.?<br/> <b>Re : There is a country code regulatory parameter to limit product to operate the device outside its authorization in the U.S.</b></p>                                                                                                                                                                               |
| <p>E) What are the default parameters when the device is restartd?<br/> <b>Re: All default parameters are programmed in OTP or in both driver and firmware which would be embedded in system firmware. The system firmware is programmed and protected in flash memory. The professional installer/end-user cannot access the flash memory.</b></p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                                                                                                                                                                                                                                     | <p>2. Can the radio be configured in bridge of mesh mode? If yes, an attestation may be required. Further information is available in KDB publication 905462 D02.<br/> <b>Re: Not supported</b></p>                                                                                                                                                                                                                                                            |
|                                                                                                                                                                                                                                                                                                                                                     | <p>3. For a device that can be configured as a master and client(with active</p>                                                                                                                                                                                                                                                                                                                                                                               |

|  |                                                                                                                                                                                                                                                                                                                                                                                    |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>or passive scanning), if this is user configurable, describe what controls exist, within the UI, to ensure compliance for each mode. If the device acts as a master in some bands and client in others, how is this configured to ensure compliance?</p> <p>Re: No. End-use cannot configure the wifi device to be as a master or client.</p>                                   |
|  | <p>4. For a device that can be configured as different types of access points, such as point-to-point or point-to-multipoint, and use different types of antennas, describe what controls exist to ensure compliance with applicable limits and the proper antenna is used for each mode of operation. (See Section 15.407(a))</p> <p>Re: This product is not an access point.</p> |