Applica	nt/Grantee	Samsung Ele	ectronics Co	o., Lt	td.				
FCC ID		A3LWID21							
Section 15.212 Modular Transmitters									
Request	for Modular	r Approval	R	eque	est for Limited Modular Approval				
		Requirement	S		<b>EUT Conditions</b>	Comply (Y/N)			
Single Modular Approval Requirements									
1	The radio el	ements of the	modular	(	OK	Y			
		must have the							
	_	he physical ca	-						
		citors may be							
		he shielded ra	ıdio						
	elements.								
2	The modular transmitter must have			(	OK	Y			
		dulation/data							
		are provided)		4					
		dule will comp ents under co	•						
		ata rates or ov							
	modulation.		C1-						
3		r transmitter 1	nust have it	ts A	A DC-DC converter is configured for	Y			
		supply regula			internal supply of the module.				
	own power	sappij iogula			micrial supply of the module.				
4	The modula	r transmitter i	nust compl	ly (	Connected to antenna with internal	Y			
		enna and tran		•	transmission line and matching.				
	system requ	irements of S	ections		C				
		204(b) and 15		e					
	antenna mus	st either be pe	rmanently						
	attached or	employ a "un	ique"						
		pler (at all co							
		module and	he antenna,	.,					
	_	e cable). The							
	_	al installation	_						
		5.203 is not a		0					
		t can apply to							
		provals under	paragraph						
	(b) of this se	ection.							
5	The modula	r transmitter i	nust he	- 1	OK	Y			
		tand-alone co			OIX.	1			
		lule must not	•	,					
		ice during tes							
		with Part 15							
	_	s. Unless the	transmitter						
	_	be battery po							
		y with the AC							
	'	equirements f							
		207. AC or DO							
		ta input/outpu	-						
		the module							

	I		
	contain ferrites, unless they will be		
	marketed with the module (see		
	Section 15.27(a)). The length of these		
	lines shall be the length typical of		
	actual use or, if that length is		
	unknown, at least 10 centimeters to		
	insure that there is no coupling		
	between the case of the module and		
	supporting equipment. Any		
	accessories, peripherals, or support		
	equipment connected to the module		
	_ = =		
	during testing shall be unmodified		
	and commercially available (see		
	Section 15.31(i)).		
6	The modular transmitter must be	Mark the FCC-ID certification number	Y
	equipped with either a permanently	on the module label.	
	affixed label or must be capable of		
	electronically displaying its FCC		
	identification number.		
	(A) If using a permanently affixed label, the		
	modular transmitter must be labeled with its		
	own FCC identification number, and, if the		
	FCC identification number is not visible when the module is installed inside another		
	device, then the outside of the device into		
	which the module is installed must also		
	display a label referring to the enclosed		
	module. This exterior label can use wording		
	such as the following: "Contains Transmitter		
	Module		
	FCC ID: XYZMODEL1" or "Contains FCC		
	ID: XYZMODEL1." Any similar wording		
	that expresses the same meaning may be		
	used. The Grantee may either provide such a		
	label, an example of which must be included		
	in the application for equipment		
	authorization, or, must provide adequate		
	instructions along with the module which		
	explain this requirement. In the latter case, a		
	copy of these instructions must be included in		
	the application for equipment authorization.		
	(B) If the modular transmitter uses an		
	electronic display of the FCC identification		
	number, the information must be readily		
	accessible and visible on the modular transmitter or on the device in which it is		
	installed. If the module is installed inside		
	another device, then the outside of the device		
	into which the module is installed must		
	display a label referring to the enclosed		
	module. This exterior label can use wording		
	such as the following:		
	"Contains FCC certified transmitter		
	module(s)." Any similar wording that		
	expresses the same meaning may be used.		
	The user manual must include instructions on		
	how to access the electronic display. A copy		
	of these instructions must be included in the		

	application for equipment authorization.		
7	The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.	Module usage manuals were provided.	Y
8	The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.	For RF exposure requests, ensure that RF specs are entered and adhered to within the approval source provided to all users fo this module.	Y

A **limited modular approval** may be granted for single or split modular transmitters that do not comply with all of the above requirements, *e.g.*, shielding, minimum signaling amplitude, buffered modulation/data inputs, or power supply regulation, if the manufacturer can demonstrate by alternative means in the application for equipment authorization that the modular transmitter meets all the applicable Part 15 requirements under the operating conditions in which the transmitter will be used. Limited modular approval also may be granted in those instances where compliance with RF exposure rules is demonstrated only for particular product configurations. The applicant for certification must state how control of the end product into which the module will be installed will be maintained such that full compliance of the end product is always ensured.