




SBC SWTH

GPS

ANTENNA

RAVEN

RAVEN



NorthStar
BATTERY COMPANY

NSB.40FT

Telecom Performance
12V 40Ah, C10 to 1.80VPC @ 20°C (68°F)
12V 40Ah, C8 to 1.70VPC @ 77°F (25°C)

Terminal Torque
8.5 Nm/57 lbf·ft

Float Voltage
2.25VPC @ 20°C (68°F)
2.27VPC @ 77°F (25°C)
800 Commercial Hwy
Springfield, MD 20683
Tel: +1 (410) 575-8200
Fax: +1 (410) 575-8200
http://www.northstarbattery.com

Inverted operation not recommended.
Must be recharged or disposed of properly.

NorthStar
BATTERY COMPANY


NSB.40FT


Telecom Performance
12V 40Ah, C10 to 1.80VPC @ 20°C (68°F)
12V 40Ah, C8 to 1.70VPC @ 77°F (25°C)

Terminal Torque
8.5 Nm/57 lbf·ft

Float Voltage
2.25VPC @ 20°C (68°F)
2.27VPC @ 77°F (25°C)
800 Commercial Hwy
Springfield, MD 20683
Tel: +1 (410) 575-8200
Fax: +1 (410) 575-8200
http://www.northstarbattery.com

Inverted operation not recommended.
Must be recharged or disposed of properly.





Wharfedale

NorthStar
NSB 40FT

NorthStar
NSB 40FT

Calson Mid-Back



Com
POWER IN
GND+28V

MAIA

MICROPACK 24V30Ah
MICROPACK 24V30Ah
MICROPACK 24V30Ah
MICROPACK 24V30Ah
COMBIPACK

Fb1 Fb2

LAPTOP