



802.11ac_160MHz_Chain0_5815MHz



802.11ax_20MHz_Chain0_5220MHz



802.11ac_160MHz_Chain1_5815MHz



802.11ax_20MHz_Chain0_5240MHz



802.11ax_20MHz_Chain0_5180MHz



802.11ax_20MHz_Chain0_5745MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_20MHz_Chain0_5785MHz




802.11ax_20MHz_Chain0_5865MHz




802.11ax_20MHz_Chain0_5825MHz



802.11ax_20MHz_Chain0_5885MHz



802.11ax_20MHz_Chain0_5845MHz



802.11ax_20MHz_Chain1_5180MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_20MHz_Chain1_5220MHz




802.11ax_20MHz_Chain1_5785MHz



802.11ax_20MHz_Chain1_5240MHz




802.11ax_20MHz_Chain1_5825MHz



802.11ax_20MHz_Chain1_5745MHz



802.11ax_20MHz_Chain1_5845MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax_20MHz_Chain1_5865MHz



802.11ax_40MHz_Chain0_5230MHz



802.11ax_20MHz_Chain1_5885MHz



802.11ax_40MHz_Chain0_5755MHz



802.11ax_40MHz_Chain0_5190MHz



802.11ax_40MHz_Chain0_5795MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax_40MHz_Chain0_5835MHz



802.11ax_40MHz_Chain1_5230MHz



802.11ax_40MHz_Chain0_5875MHz




802.11ax_40MHz_Chain1_5755MHz



802.11ax_40MHz_Chain1_5190MHz



802.11ax_40MHz_Chain1_5795MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax_40MHz_Chain1_5835MHz




802.11ax_80MHz_Chain0_5775MHz



802.11ax_40MHz_Chain1_5875MHz



802.11ax_80MHz_Chain0_5855MHz



802.11ax_80MHz_Chain0_5210MHz



802.11ax_80MHz_Chain1_5210MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax_80MHz_Chain1_5775MHz




802.11ax_160MHz_Chain1_5815MHz



802.11ax_80MHz_Chain1_5855MHz



802.11ax_160MHz_Chain0_5815MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9 MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

9.1 Standard Applicable

9.1.1 Duty Cycle

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

9.1.2 Output Power

Band	EUT CATEGORY		e-CRF Title 47 §15.407			
			Conducted Output Power	EIRP	TPC	Antenna Directional Gain Requirements
U-NII-1		Fixed point-to-point	1 Watt(30dBm)	Not required	Not required	23dBi
		Out door AP	1 Watt(30dBm)	Elevation angle above 30 degrees 125mW (21dBm)	Not required	6dBi
	✓	indoor AP	1 Watt(30dBm)	Not required	Not required	6dBi
		Other	250mW(23.98dBm)	Not required	Not required	6dBi
U-NII-2A		Other	250mW(23.98dBm) or 11dBm+10 log B	Not required	When EIRP >500mW At least 6dB below EIRP 1W (30dBm)	6dBi
U-NII-2C		Other	250mW(23.98dBm) or 11dBm+10 log B	Not required		6dBi
U-NII-3	✓	Other	1 Watt(30dBm)	Not required	Not required	6dBi
		Fixed point-to-point	1 Watt(30dBm)	Not required	Not required	Not required
U-NII-4	✓	Access Point	Not required	36dBm	Not required	Not required
		Other	Not required	30dBm	Not required	Not required

If transmitting antennas of directional gain greater than the antenna requirements column, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.2 Test Setup

9.2.1 Duty Cycle



9.2.2 Output Power



9.3 Measurement Procedure

9.3.1 Duty Cycle Measurements

1. Set span = Zero
2. RBW = 8MHz
3. VBW = 8MHz,
4. Detector = Peak

9.3.2 Output Power Measurements

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
4. Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
5. Record the max. reading and add $10 \log(1/\text{duty cycle})$.
6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.
7. MIMO mode: offset is set with “measure and add $10 \log(N)$ ” to measurement for MIMO mode. Offset = cable loss + $10 \log(N)$, where N is number of transmitting antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

$g_{j,k}$ = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not;

G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

9.4 Duty Cycle Measurement Result


Mode	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11a	87.59	0.58	0.51	1.00
802.11n_20	92.22	0.35	0.18	1.00
802.11ac_20	95.19	0.21	0.18	1.00
802.11n_40	99.67	0.01	0.18	0.01
802.11ac_40	94.53	0.24	0.18	1.00
802.11ac_80	93.65	0.28	0.18	1.00
802.11ac_160	95.29	0.21	0.18	1.00
802.11ax_20	91.01	0.41	0.18	1.00
802.11ax_40	99.71	0.01	0.18	0.01
802.11ax_80	91.84	0.37	0.18	1.00
802.11ax_160	94.25	0.26	0.18	1.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a_20MHz_Chain0_5180MHz




802.11ac_20MHz_Chain0_5180MHz



802.11n_20MHz_Chain0_5180MHz




802.11ac_40MHz_Chain0_5190MHz



802.11n_40MHz_Chain0_5190MHz



802.11ac_80MHz_Chain0_5210MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ac_160MHz_Chain0_5815MHz




802.11ax_80MHz_Chain0_5210MHz



802.11ax_20MHz_Chain0_5180MHz



802.11ax_160MHz_Chain0_5815MHz



802.11ax_40MHz_Chain0_5190MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.5 Output Power Measurement Result

9.5.1 FCC Output power

802.11a_2TX

CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 0	CH 1				
36	5180	6	20	19.55	19.11	22.92	195.944	30	PASS
44	5220	6	22	22.02	21.95	25.57	360.653	30	PASS
48	5240	6	22	22.17	21.96	25.65	367.453	30	PASS
149	5745	6	25	24.32	24.58	28.04	636.458	30	PASS
157	5785	6	25	24.73	24.46	28.18	658.090	30	PASS
165	5825	6	25	24.54	24.03	27.88	613.513	30	PASS
CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
169	5845	6	25	24.82	23.98	28.01	33.006	36	PASS
173	5865	6	22.5	22.07	21.18	25.23	30.234	36	PASS
177	5885	6	23.5	22.02	21.82	25.51	30.507	36	PASS

802.11n_HT20_2TX

CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 0	CH 1				
36	5180	MCS0	21.5	21.31	20.84	24.44	278.189	30	PASS
44	5220	MCS0	23	22.76	22.74	26.11	408.513	30	PASS
48	5240	MCS0	23	22.88	22.85	26.23	419.476	30	PASS
149	5745	MCS0	25	24.58	23.65	27.50	562.587	30	PASS
157	5785	MCS0	25	24.87	24.77	28.18	658.012	30	PASS
165	5825	MCS0	25	24.63	23.96	27.67	584.784	30	PASS
CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
169	5845	MCS0	25	24.86	24.18	27.90	32.895	36	PASS
173	5865	MCS0	22.5	22.01	21.24	25.00	30.004	36	PASS
177	5885	MCS0	23.5	22.18	22.1	25.50	30.502	36	PASS

802.11ac_VHT20_2TX

CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 0	CH 1				
36	5180	MCS0	21.5	21.03	20.63	24.06	254.624	30	PASS
44	5220	MCS0	23	22.59	22.54	25.79	379.268	30	PASS
48	5240	MCS0	23	22.71	22.69	25.92	391.237	30	PASS
149	5745	MCS0	25	24.32	23.91	27.34	542.528	30	PASS
157	5785	MCS0	25	24.76	24.53	27.87	612.479	30	PASS
165	5825	MCS0	25	24.56	23.92	27.48	559.264	30	PASS
CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
169	5845	MCS0	25	24.81	24.09	27.69	32.689	36	PASS
173	5865	MCS0	22.5	21.87	21.04	24.70	29.699	36	PASS
177	5885	MCS0	23.5	22.05	21.93	25.21	30.215	36	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_HT40_2TX

CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 0	CH 1				
38	5190	MCS0	17	17.44	17.05	20.27	106.513	30	PASS
46	5230	MCS0	25	25.15	25.66	28.44	697.772	30	PASS
151	5755	MCS0	25	25.32	24.52	27.96	625.612	30	PASS
159	5795	MCS0	25	25.63	25.42	28.55	716.296	30	PASS
CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
167	5835	MCS0	25	25.76	25.12	28.48	33.476	36	PASS
175	5875	MCS0	25	24.45	24.35	27.42	32.425	36	PASS

802.11ac_VHT40_2TX

CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 0	CH 1				
38	5190	MCS0	17	17.21	16.8	20.26	106.278	30	PASS
46	5230	MCS0	25	25.03	25.31	28.43	696.123	30	PASS
151	5755	MCS0	25	24.78	24.61	27.95	623.797	30	PASS
159	5795	MCS0	25	25.31	24.92	28.37	687.698	30	PASS
CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
167	5835	MCS0	25	25.34	24.82	28.34	33.342	36	PASS
175	5875	MCS0	25	24.01	24.22	27.37	32.371	36	PASS

802.11ac_VHT80_2TX

CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 0	CH 1				
42	5210	MCS0	18	18.17	17.97	21.37	136.974	30	PASS
155	5775	MCS0	22	22.27	21.71	25.29	338.395	30	PASS
CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
171	5855	MCS0	24.5	24.46	23.89	27.48	32.480	36	PASS

802.11ac_VHT160_2TX

CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 0	CH 1				
163	5815 (U-NII 3)	MCS0	22	21.52	21.04	24.58	287.131	30.00	PASS
CH	Frequency (MHz)	Data Rate	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
163	5815 (U-NII 4)	MCS0	22	16.24	16.53	25.73	30.727	36	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE20_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
					CH 0	CH 1				
36	5180	MCS0	full	19	18.72	18.36	21.96	157.150	30	PASS
44	5220	MCS0	full	22.5	22.29	22.25	25.69	370.634	30	PASS
48	5240	MCS0	full	22.5	22.35	22.38	25.78	378.829	30	PASS
149	5745	MCS0	full	25	24.54	23.98	27.69	587.277	30	PASS
157	5785	MCS0	full	25	24.72	24.68	28.12	648.553	30	PASS
165	5825	MCS0	full	25	24.51	24.05	27.71	589.589	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
169	5845	MCS0	full	25	24.93	23.94	27.88	32.883	36	PASS
173	5865	MCS0	full	22.5	22.23	21.38	25.25	30.245	36	PASS
177	5885	MCS0	full	23.5	22.26	22.13	25.61	30.615	36	PASS

802.11ax_HE40_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
					CH 0	CH 1				
38	5190	MCS0	full	17	17.21	16.84	20.05	101.201	30	PASS
46	5230	MCS0	full	25	24.9	25.48	28.22	664.139	30	PASS
151	5755	MCS0	full	25	25.17	24.53	27.88	614.425	30	PASS
159	5795	MCS0	full	25	25.4	25.2	28.32	679.840	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
167	5835	MCS0	full	25	25.73	24.95	28.38	33.380	36	PASS
175	5875	MCS0	full	25	24.44	24.16	27.33	32.325	36	PASS

802.11ax_HE80_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
					CH 0	CH 1				
42	5210	MCS0	full	18	17.97	17.88	21.31	135.058	30	PASS
155	5775	MCS0	full	22	22.19	21.49	25.23	333.739	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
171	5855	MCS0	full	25	24.86	24.15	27.90	32.899	36	PASS

802.11ax_HE160_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
					CH 0	CH 1				
163	5815 (U-NII 3)	MCS0	full	21	20.51	20.14	23.62	229.947	30.00	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power set	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
163	5815 (U-NII 4)	MCS0	full	21	14.75	15.18	24.70	29.704	36	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10 MAXIMUM POWER SPECTRAL DENSITY

10.1 Standard Applicable

Operation Bands	EUT CATEGORY		e-CRF Title 47 §15.407 Power Spectral Density	Antenna Directional Gain Requirements
U-NII-1		Outdoor Access Point (Master)	1. 17dBm/ MHz 2. EIRP≤125mW(21dBm) at any elevation angle > 30°	6dBi
	V	Indoor Access Point (Master)	17dBm/ MHz	6dBi
		Fixed point-to-point Access	17dBm/ MHz	23dBi
		Client device	11dBm/ MHz	6dBi
U-NII-2A		All	11dBm/ MHz	6dBi
U-NII-2C		All	11dBm/ MHz	6dBi
U-NII-3	V	All	30dBm/ 500kHz	6dBi
U-NII-4	V	Access Point	EIRP ≤ 20dBm/ MHz	Not required
		Other	EIRP ≤ 14dBm/ MHz	Not required


If transmitting antennas of directional gain greater than the antenna requirements column, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.2 Test Setup



10.3 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
4. **For U-NII1, U-NII-4 Band:**
Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (1001 pts), Detector = power averaging (rms), if available. Otherwise, use sample detector mode, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)
- For U-NII-3 Band:**
Set RBW=300kHz, VBW=1MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto, detector = RMS or sample, traces 100 sweeps of video averaging. In addition, measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10 \log(500 \text{ kHz}/\text{RBW})$ to the measured result.
5. Use the cursor on spectrum to peak search the highest level of trace
6. Record the max. reading and add $10 \log(1/\text{duty cycle})$.
7. Repeat above procedures until all default test channel (low, middle, and high) was complete.
8. MIMO mode: offset is set with “measure and add 10 Log (N)” to measurement for MIMO mode. Offset = cable loss + $10 \log(N)$, where N is number of transmitting antenna.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

$g_{j,k} = / 20 \log G_k$ if the kth antenna is being fed by spatial stream j, or zero if it is not;

G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.4 Measurement Result

POWER DENSITY 802.11a MODE							
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	11.084	10.759	0.58	14.51		17.00 dBm/MHz	-2.49
5220	12.868	12.302	0.58	16.18		17.00 dBm/MHz	-0.82
5240	12.522	12.307	0.58	16.01		17.00 dBm/MHz	-0.99
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5745	10.127	10.185	0.58	2.22	15.97	30.00 dBm/500kHz	-14.03
5785	10.203	8.780	0.58	2.22	15.36	30.00 dBm/500kHz	-14.64
5825	9.271	8.861	0.58	2.22	14.88	30.00 dBm/500kHz	-15.12
5845 (U-NII 3)	2.003	1.199	0.58	3.22	8.43	30.00 dBm/500kHz	-21.57
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	1.105	1.472	0.58	4.88	9.88	20.00 dBm/MHz	-10.12
5865	9.040	7.581	0.58	11.96	16.96	20.00 dBm/MHz	-3.04
5885	8.187	9.005	0.58	12.21	17.21	20.00 dBm/MHz	-2.79
POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	12.110	11.703	0.35	15.27		17.00 dBm/MHz	-1.73
5220	13.425	12.755	0.35	16.46		17.00 dBm/MHz	-0.54
5240	13.316	12.824	0.35	16.44		17.00 dBm/MHz	-0.56
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5745	10.405	9.868	0.35	2.22	15.73	30.00 dBm/500kHz	-14.27
5785	10.507	10.012	0.35	2.22	15.85	30.00 dBm/500kHz	-14.15
5825	9.658	9.352	0.35	2.22	15.09	30.00 dBm/500kHz	-14.91
5845 (U-NII 3)	5.212	5.107	0.35	3.22	11.97	30.00 dBm/500kHz	-18.03
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	4.898	5.701	0.35	8.91	13.91	20.00 dBm/MHz	-6.09
5865	11.800	10.170	0.35	14.65	19.65	20.00 dBm/MHz	-0.35
5885	10.790	11.282	0.35	14.63	19.63	20.00 dBm/MHz	-0.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11n HT40 MODE							
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	5.159	4.812	0.22	8.22		17.00 dBm/MHz	-8.78
5230	12.867	12.794	0.22	16.06		17.00 dBm/MHz	-0.94
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5755	7.848	7.181	0.22	2.22	12.98	30.00 dBm/500kHz	-17.02
5795	7.505	7.517	0.22	2.22	12.96	30.00 dBm/500kHz	-17.04
5835 (U-NII 3)	3.831	2.932	0.22	3.22	10.22	30.00 dBm/500kHz	-19.78
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5835 (U-NII4)	1.090	0.909	0.22	4.59	9.59	20.00 dBm/MHz	-10.41
5875	10.892	10.974	0.22	14.52	19.52	20.00 dBm/MHz	-0.48
POWER DENSITY 802.11ac VHT80 MODE							
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	3.327	2.690	0.28	6.31		17.00 dBm/MHz	-10.69
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5775	2.455	1.659	0.28	2.22	7.59	30.00 dBm/500kHz	-22.41
5855 (U-NII 3)	-0.626	-3.043	0.28	3.22	5.14	30.00 dBm/500kHz	-24.86
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5855 (U-NII4)	5.292	3.651	0.28	8.14	13.14	20.00 dBm/MHz	-6.86
POWER DENSITY 802.11ac VHT160 MODE							
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	-2.869	-3.840	0.21	3.22	3.48	30.00 dBm/500kHz	-26.52
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5815 (U-NII4)	-3.107	-2.836	0.21	0.62	5.62	20.00 dBm/MHz	-14.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax HE20 MODE								
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	full	9.355	9.339	0.41	12.77		17.00 dBm/MHz	-4.23
5220	full	12.480	12.646	0.41	15.98		17.00 dBm/MHz	-1.02
5240	full	12.375	12.351	0.41	15.78		17.00 dBm/MHz	-1.22
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5745	full	10.251	9.355	0.41	2.22	15.47	30.00 dBm/500kHz	-14.53
5785	full	10.054	9.819	0.41	2.22	15.58	30.00 dBm/500kHz	-14.42
5825	full	9.013	8.434	0.41	2.22	14.37	30.00 dBm/500kHz	-15.63
5845 (U-NII 3)	full	4.834	2.962	0.41	3.22	10.81	30.00 dBm/500kHz	-19.19
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	full	8.236	3.344	0.41	10.04	15.04	20.00 dBm/MHz	-4.96
5865	full	11.481	10.289	0.41	14.52	19.52	20.00 dBm/MHz	-0.48
5885	full	10.803	11.119	0.41	14.55	19.55	20.00 dBm/MHz	-0.45
POWER DENSITY 802.11ax HE40 MODE								
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	full	4.645	5.009	0.00	7.84		17.00 dBm/MHz	-9.16
5230	full	12.869	12.861	0.00	15.88		17.00 dBm/MHz	-1.12
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5755	full	8.645	7.298	0.00	2.22	13.25	30.00 dBm/500kHz	-16.75
5795	full	7.772	6.967	0.00	2.22	12.62	30.00 dBm/500kHz	-17.38
5835 (U-NII 3)	full	1.084	0.795	0.00	3.22	7.75	30.00 dBm/500kHz	-22.25
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5835 (U-NII4)	full	2.315	2.765	0.00	6.14	11.14	20.00 dBm/MHz	-8.86
5875	full	10.565	10.744	0.00	14.25	19.25	20.00 dBm/MHz	-0.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


POWER DENSITY 802.11ax HE80 MODE								
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	full	3.399	2.590	0.37	6.39		17.00 dBm/MHz	-10.61
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5775	full	2.638	2.170	0.37	2.22	8.01	30.00 dBm/500kHz	-21.99
5855 (U-NII 3)	full	-1.783	-2.620	0.37	3.22	4.63	30.00 dBm/500kHz	-25.37
Frequency (MHz)		ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5855 (U-NII4)	full	1.884	1.712	0.37	5.39	10.39	20.00 dBm/MHz	-9.61
POWER DENSITY 802.11ax HE160 MODE								
Frequency (MHz)		ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	full	-4.811	-5.956	0.26	3.22	1.46	30.00 dBm/500kHz	-28.54
Frequency (MHz)		ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5815 (U-NII4)	full	-4.194	-3.857	0.26	-0.43	4.57	20.00 dBm/MHz	-15.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_20MHz_Chain0_5180MHz



802.11a_20MHz_Chain0_5745MHz




802.11a_20MHz_Chain0_5220MHz



802.11a_20MHz_Chain0_5785MHz



802.11a_20MHz_Chain0_5240MHz



802.11a_20MHz_Chain0_5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.