

Page 1 of 94

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C AND INDUSTRY CANADA RSS 247 REQUIREMENT

OF

GOOGLE LLC Applicant:

1600 AMPHITHEATRE PARKWAY MOUNTAIN VIEW, CALIFORNIA

94043

Glass Enterprise Edition 2 **Product Name:**

Brand Name: GLASS Model No.: GG2 **Model Difference:** N/A

FCC ID: A4R-GG2 IC: 10395A-GG2 **Report Number:** E2/2018/80049 **FCC Rule Part:** §15.247, Cat: DTS

IC Rule Part: RSS-247 issue 2 Feb 2017

Issue Date: Nov. 05, 2018

Date of Test: Aug. 08, 2018 ~ Sep. 05, 2018

Date of EUT Received: Aug. 08, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Vito Pei / Engineer

Approved By:

Blue Yang / Supervisor





Testing Laboratory 0513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488

SGS Taiwan Ltd.



Page 2 of 94

Revision History

| Report Number | Revision | Description | Effected Page | Issue Date | Revised By |
|---------------|----------|-----------------------------------|------------------|---------------|------------|
| E2/2018/80049 | Rev.00 | Initial creation of docu- ment | All | Sep. 12, 2018 | Yuri Tsai |
| E2/2018/80049 | Rev.01 | Updated Brand Name | 1,4 | Nov. 05, 2018 | Yuri Tsai |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Live

INCLUDED

**

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com






Table of Contents

| 1 | GENERAL INFORMATION | 4 |
|----|---|----|
| 2 | SYSTEM TEST CONFIGURATION | 6 |
| 3 | SUMMARY OF TEST RESULTS | 8 |
| 4 | DESCRIPTION OF TEST MODES | 8 |
| 5 | MEASUREMENT UNCERTAINTY | 10 |
| 6 | CONDUCTED EMISSION TEST | 11 |
| 7 | DUTY CYCLE OF TEST SIGNAL | 15 |
| 8 | PEAK OUTPUT POWER MEASUREMENT | 17 |
| 9 | 6dB & 99% BANDWIDTH MEASUREMENT | 22 |
| 10 | CONDUCTED BAND EDGE AND SPURIOUS EMISSION MEASUREMENT | 28 |
| 11 | RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT | 39 |
| 12 | PEAK POWER SPECTRAL DENSITY | 90 |
| 13 | ANTENNA REQUIREMENT | 94 |

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 4 of 94

GENERAL INFORMATION

1.1 Product description

General:

| Octicial. | | | |
|-------------------|---|--|--|
| Product Name: | Glass Enterprise Edition 2 | | |
| Brand Name: | GLASS | | |
| Model No.: | GG2 | | |
| Model Difference: | N/A | | |
| Hardware Version: | N/A | | |
| Software Version: | N/A | | |
| USB Cable: | Model No.: ABA-USB-702-P01, Supplier: Lotes | | |
| | 3.85Vdc from Rechargeable Li-ion Battery | | |
| Power Supply: | Battery: Pack Model No.: P-752438 Supplier: Dongguan Amperex Technology Limited | | |

WLAN 2.4GHz:

| , | O | | | | | | |
|-----------------|--------------------|---|---------------------------|---------------------------|---------------------|--------------------------|--|
| Wi-Fi | Frequency Range | Channels | Rated Power in dBm (Peak) | Rated Power in dBm (EIRP) | Type of Emission | Modulation Technology | |
| 802.11b | | | 18.02 | 16.93 | 14M2G1D | DSSS, | |
| 802.11g | 2412-2462 | 11 | 20.64 | 16.98 | 16M8D1D | | |
| 802.11n HT20 | | | 20.64 | 16.91 | 18M0D1D | OFDM | |
| 802.11n HT40 | 2422-2452 | 9 | 21.97 | 16.56 | 36M3D1D | | |
| Antenna | Designation: | Monopole Antenna, Gain: 1.0dBi | | | | | |
| Modulati | on type: | CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM | | | | | |
| Transitio | n Rate: | 802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps 802.11 n_40MHz: 13.5 - 150.0Mbps | | | | | |

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page 5 of 94

1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance v05

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

RSS-247 issue 2 Feb. 2017

RSS-Gen. issue 5 Apr. 2018

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory

No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333

(TAF code 0513)

FCC Registration and Designation number are: 735305 / TW0002

Canada Registration Number: 4620E-1

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

www.tw.sqs.com

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 6 of 94

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 **Conducted Emissions**

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207 & RSS-Gen §8.8. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 **Radiated Emissions**

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279





Page 7 of 94

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss and attenuator.

2.5 Configuration of Tested System

Fig. 2-1 Conducted (Antenna Port) Emission Configuration




Fig 2-3 Conduction (AC Power Line) Conducted Emission



Fig 2-2 Radiated Emission



Table 2-1 Equipment Used in Tested System


| Item | Equipment | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord |
|------|----------------------------|-----------|-------------------|------------|------------|------------|
| 1. | Bluetooth Test Software | N/A | N/A | N/A | N/A | N/A |
| 2. | Notebook | Lenovo | L430 | R9-WR6X4 | Shielded | Unshielded |
| 3. | DC Power Supply | Agilent | E3640A | MY53140006 | N/A | Unshielded |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 8 of 94

SUMMARY OF TEST RESULTS

| FCC Rules | IC Rules | Description Of Test | Result |
|-----------------------|----------------------------------|---|-----------|
| §15.207(a) | RSS-Gen §8.8 | AC Power Line Conducted Emission | Compliant |
| §15.247(b) (3) | RSS-247 §5.4(4) | Peak Output Power | Compliant |
| §15.247(a)(2) | RSS-247 §5.2 (1) RSS-Gen §6.6 | 6dB & 99% Emission Bandwidth | Compliant |
| §15.247(d) | RSS-247 §5.5 | Conducted Band Edge and Spurious Emission | Compliant |
| §15.247(d) | RSS-247 §5.5 | Radiated Band Edge and Spurious Emission | Compliant |
| §15.247(e) | RSS-247 §5.2(2) | Power Spectral Density | Compliant |
| §15.203 §15.247(b) | RSS- Gen §6.8 | Antenna Requirement | Compliant |

DESCRIPTION OF TEST MODES

4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n_HT20

| CHANNEL | FREQUENCY | CHANNEL | FREQUENCY |
|---------|-----------|---------|-----------|
| 1 | 2412 MHz | 7 | 2442 MHz |
| 2 | 2417 MHz | 8 | 2447 MHz |
| 3 | 2422 MHz | 9 | 2452 MHz |
| 4 | 2427 MHz | 10 | 2457 MHz |
| 5 | 2432 MHz | 11 | 2462 MHz |
| 6 | 2437 MHz | | |


7 channels are provided for 802.11n HT40

| CHANNEL | FREQUENCY | CHANNEL | FREQUENCY |
|---------|-----------|---------|-----------|
| 3 | 2422 MHz | 7 | 2442 MHz |
| 4 | 2427 MHz | 8 | 2447 MHz |
| 5 | 2432 MHz | 9 | 2452 MHz |
| 6 | 2437 MHz | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST:

| 10/05//1125 21111001 | 10.0517.1125 21111001017 12011 | | | | | |
|--------------------------------------|--------------------------------|-------------------|------------|---------------------|--|--|
| RADIATED EMISSION TEST (BELOW 1 GHz) | | | | | | |
| MODE | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) | | |
| 802.11g | 1 to 11 | 1,6,11 | OFDM | 6 | | |

| RADIATED EMISSION TEST (ABOVE 1 GHz) | | | | | | |
|--------------------------------------|----------------------|-------------------|------------|---------------------|--|--|
| MODE | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) | | |
| 802.11b | 1 to 11 | 1, 6, 11 | DSSS | 1 | | |
| 802.11g | 1 to 11 | 1, 6, 11 | OFDM | 6 | | |
| 802.11n (HT20) | 1 to 11 | 1, 6, 11 | OFDM | MCS 0 | | |
| 802.11n (HT40) | 3 to 9 | 3, 6, 9 | OFDM | MCS 0 | | |

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

| CONDUCTED TEST | | | | | |
|----------------|----------------------|-------------------|------------|---------------------|--|
| MODE | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) | |
| 802.11b | 1 to 11 | 1, 6, 11 | DSSS | 1 | |
| 802.11g | 1 to 11 | 1, 6, 11 | OFDM | 6 | |
| 802.11n (HT20) | 1 to 11 | 1, 6, 11 | OFDM | MCS 0 | |
| 802.11n (HT40) | 3 to 9 | 3, 6, 9 | OFDM | MCS 0 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



MEASUREMENT UNCERTAINTY

| Test Items | Uncertainty |
|---|-----------------------------|
| AC Power Line Conducted Emission | +/- 2.586 dB |
| Peak Output Power | +/- 0.84 dB |
| 6dB Bandwidth | +/- 51.33 Hz |
| 100 KHz Bandwidth Of Frequency Band Edge | +/- 0.84 dB |
| Peak Power Density | +/- 1.3 dB |
| Temperature | +/- 0.65 °C |
| Humidity | +/- 4.6 % |
| DC / AC Power Source | DC= +/- 0.13%, AC= +/- 0.2% |

Radiated Spurious Emission:

| | 9kHz-30MHz: +/-2.87dB |
|-----------------------------------|----------------------------|
| | 30MHz - 180MHz: +/- 3.37dB |
| Measurement uncertainty | 180MHz -417MHz: +/- 3.19dB |
| (Polarization : Vertical) | 0.417GHz-1GHz: +/- 3.19dB |
| | 1GHz - 18GHz: +/- 4.04dB |
| | 18GHz - 40GHz: +/- 4.04dB |

| | 9kHz-30MHz: +/-2.87dB |
|-------------------------------------|----------------------------|
| | 30MHz - 167MHz: +/- 4.22dB |
| Measurement uncertainty | 167MHz -500MHz: +/- 3.44dB |
| (Polarization : Horizontal) | 0.5GHz-1GHz: +/- 3.39dB |
| | 1GHz - 18GHz: +/- 4.08dB |
| | 18GHz - 40GHz: +/- 4.08dB |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Live

INCLUDED

**

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 11 of 94

CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

| Frequency range | Lin dB(| nits uV) |
|-----------------|------------|-------------|
| MHz | Quasi-peak | Average |
| 0.15 to 0.50 | 66 to 56 | 56 to 46 |
| 0.50 to 5 | 56 | 46 |
| 5 to 30 | 60 | 50 |

6.2 Measurement Equipment Used

| | Conducted Emission Test Site | | | | | | | | | | | |
|--------------------------|------------------------------|--------|--------|------------|------------|--|--|--|--|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | | | | | |
| LISN | TESEQ | NNB 51 | 36076 | 2018/02/14 | 2019/02/13 | | | | | | | |
| EMI Test Receiver | R&S | ESCI | 101300 | 2017/11/02 | 2018/11/01 | | | | | | | |

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page 13 of 94

AC POWER LINE CONDUCTED EMISSION TEST DATA

Site: Conduction Room

Temperature:

Limit: FCC Class B Conduction(QP)

Power: AC 120V/60Hz

Humidity: 64 %

Mode: Note:


Conducted Emission File :Condution Data:#1059 Date: 2018/9/6 Time: 上午 08:52:22 80.0 dBuV FCC Class B Conduction(QP) FCC Class B Conduction(AVG) -20 0.150 (MHz) 30.000

| No. | Mk. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | |
|-----|-----|--------|------------------|-------------------|------------------|-------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | * | 0.1540 | 34.60 | 19.65 | 54.25 | 65.78 | -11.53 | QP | |
| 2 | | 0.1540 | 18.00 | 19.65 | 37.65 | 55.78 | -18.13 | AVG | |
| 3 | | 0.1660 | 33.87 | 19.67 | 53.54 | 65.16 | -11.62 | peak | |
| 4 | | 0.1860 | 31.13 | 19.70 | 50.83 | 64.21 | -13.38 | peak | |
| 5 | | 1.6180 | 18.82 | 20.27 | 39.09 | 56.00 | -16.91 | peak | |
| 6 | | 1.9380 | 19.61 | 20.51 | 40.12 | 56.00 | -15.88 | peak | |
| 7 | | 3.1500 | 17.20 | 20.33 | 37.53 | 56.00 | -18.47 | peak | |
| | | | | | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Temperature: 22 ℃ Site: Conduction Room Phase: N AC 120V/60Hz Humidity: 64 % Limit: FCC Class B Conduction(QP) Power:

Note:

Conducted Emission Time: 上午 08:54:05 File :Condution Data:#1060 Date: 2018/9/6 80 0 dRuV FCC Class B Conduction(QP) FCC Class B Conduction(AVG) -20 30.000

| No. | Mk. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | | |
|-----|-----|---------|------------------|-------------------|------------------|-------|--------|----------|---------|--|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment | |
| 1 | * | 0.1580 | 35.75 | 19.66 | 55.41 | 65.57 | -10.16 | peak | | |
| 2 | | 0.1780 | 31.71 | 19.69 | 51.40 | 64.58 | -13.18 | peak | | |
| 3 | | 0.2060 | 27.46 | 19.74 | 47.20 | 63.37 | -16.17 | peak | | |
| 4 | 8 | 0.5460 | 16.22 | 20.19 | 36.41 | 56.00 | -19.59 | peak | | |
| 5 | | 1.4500 | 14.66 | 20.15 | 34.81 | 56.00 | -21.19 | peak | | |
| 6 | | 22.2980 | 15.67 | 20.15 | 35.82 | 60.00 | -24.18 | peak | | |
| | | 22.2000 | 10.07 | 20.10 | 00.02 | 00.00 | 24.10 | peak | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Live

INCLUDED

**

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com





DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

| | Duty Cycle (%) | Duty Factor (dB) | 1/T (kHz) | VBW setting (kHz) |
|------------|-------------------|------------------|--------------|-------------------|
| 802.11b | 98.87 | 0.05 | 0.08 | 1.00 |
| 802.11g | 98.17 | 0.08 | 0.49 | 1.00 |
| 802.11n_20 | 98.24 | 0.08 | 0.52 | 1.00 |
| 802.11n_40 | 94.79 | 0.23 | 1.06 | 2.00 |

b = 98.87%, g = 98.17%, $n_ht_20 = 98.24\%$


Duty Cycle Factor: $10 * \log(1/0.9887) = 0.05$ Duty Cycle Factor: $10 * \log(1/0.9817) = 0.08$ Duty Cycle Factor: $10 * \log(1/0.9824) = 0.08$ Duty Cycle Factor: $10 * \log(1/0.9479) = 0.23$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

f (886-2) 2298-0488






7.1 DUTY CYCLE

TEST SIGNAL Measurement Result

Duty Cycle_802.11b



R RJ 50 2 DC SEROE...n

enter Freq 2.437000000 GHz
PNO: Fast PRO: Fast Atten: 30 dB


Ref Offset 10.8 dB Ref 30.00 dBm

Freq Offse Scale Typ

Start Fre


CF Step 8.000000 M

Duty Cycle_802.11g





Duty Cycle_802.11n_20MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com





PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

Per RSS-247 §5.4(4)

For DTSs employing digital modulation techniques operating in the bands 902-928 MHz and 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1W. Except as provided in Section 5.4(5), the e.i.r.p. shall not exceed 4 W.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.


| Frequency (MHz) | Effective Legacy Gain (dBi) | Conducted Power Limit (dBm) |
|-----------------|--------------------------------|--------------------------------|
| 2412~2462 | 1.00 | 35 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com






8.2 Measurement Equipment Used

| | Conducted Emission Test Site | | | | | | | | | | | |
|-----------------|------------------------------|------------|------------|------------|------------|--|--|--|--|--|--|--|
| EQUIPMENT | MFR MODEL | | SERIAL | LAST | CAL DUE. | | | | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | | | | | |
| Power Meter | Anritsu | ML2496A | 1326001 | 2018/08/09 | 2019/08/02 | | | | | | | |
| Power Sensor | Anritsu | MA2411B | 1315048 | 2018/08/09 | 2019/08/02 | | | | | | | |
| Power Sensor | Anritsu | MA2411B | 1315049 | 2018/08/09 | 2019/08/02 | | | | | | | |
| Attenuator | Marvelous | MVE2213-10 | RF30 | 2017/12/26 | 2018/12/25 | | | | | | | |
| DC Power Supply | Agilent | E3640A | MY53140006 | 2018/05/30 | 2019/05/29 | | | | | | | |

8.3 Test Set-up

Power Meter:



8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



8.5 Measurement Result

| | 1b Ch0 | | | | | | |
|------------------|--|------------------------|---|----------------------|-------------------------|------------|------------------------|
| СН | Freq. (MHz) | Data Rate | Peak Output Power (dBm) | Limit | | RESULT | |
| 1 | 2412 | 1 | 17.96 | 1 Watt = | 30.00 | dBm | PASS |
| 6 | 2437 | 1 | 18.02 | 1 Watt = | 30.00 | dBm | PASS |
| 11 | 2462 | 1 | 17.99 | 1 Watt = | 30.00 | dBm | PASS |
| 802.1 | 1b Ch0 | | | | | | |
| СН | Freq. (MHz) | Data Rate | Max. Avg. Output include tune up tolerance Power (dBm) | Limit | | | RESULT |
| 1 | 2412 | 1 | 15.88 | 1 Watt = | 30.00 | dBm | PASS |
| 6 | 2437 | 1 | 15.90 | 1 Watt = | 30.00 | dBm | PASS |
| 11 | 2462 | 1 | 15.93 | 1 Watt = | 30.00 | dBm | PASS |
| 802.1 | 1g Ch0 | | | | | | |
| СН | Freq. (MHz) | Data Rate | Peak Output Power (dBm) | Limit | | | RESULT |
| | | | (ubiii) | | | | |
| 1 | 2412 | 6 | 20.49 | 1 Watt = | 30.00 | dBm | PASS |
| 1 6 | 2412 2437 | 6 | , , | 1 Watt = 1 Watt = | 30.00 | dBm dBm | PASS PASS |
| | | | 20.49 | | | | |
| 6 | 2437 | 6 | 20.49 20.64 | 1 Watt = | 30.00 | dBm | PASS |
| 6 | 2437 2462 | 6 | 20.49 20.64 | 1 Watt = 1 Watt = | 30.00 | dBm | PASS |
| 6 11 802.1 | 2437 2462 1g Ch0 Freq. | 6 6 Data | 20.49 20.64 20.59 Max. Avg. Output include tune up tolerance Power | 1 Watt = 1 Watt = | 30.00 | dBm | PASS PASS |
| 6 11 802.1 | 2437 2462 1g Ch0 Freq. (MHz) | 6 6 Data Rate | 20.49 20.64 20.59 Max. Avg. Output include tune up tolerance Power (dBm) | 1 Watt = 1 Watt = | 30.00 30.00 Limit | dBm dBm | PASS PASS RESULT |

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

Page 20 of 94



| 802.1 | 802.11n_HT20M Ch0 | | | | | | | | |
|-------|-------------------|--------------|---|--------------------|-------|--------|--------|--|--|
| СН | Freq. (MHz) | Data Rate | Peak Output Power (dBm) | Limit | | RESULT | | | |
| 1 | 2412 | MCS0 | 20.47 | 1 Watt = | 30.00 | dBm | PASS | | |
| 6 | 2437 | MCS0 | 20.54 | 1 Watt = | 30.00 | dBm | PASS | | |
| 11 | 2462 | MCS0 | 20.64 | 1 Watt = | 30.00 | dBm | PASS | | |
| 802.1 | 1n_HT20 | M Ch0 | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Max. Avg. Output include tune up tolerance Power (dBm) | Limit | | | RESULT | | |
| 1 | 2412 | MCS0 | 15.72 | 1 Watt = | 30.00 | dBm | PASS | | |
| 6 | 2437 | MCS0 | 15.75 | 1 Watt = | 30.00 | dBm | PASS | | |
| 11 | 2462 | MCS0 | 15.91 | 1 Watt = 30.00 dBm | | PASS | | | |
| 802.1 | 1n_HT40 | M Ch0 | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Peak Output Power (dBm) | | Limit | | RESULT | | |
| 3 | 2422 | MCS0 | 21.53 | 1 Watt = | 30.00 | dBm | PASS | | |
| 6 | 2437 | MCS0 | 21.62 | 1 Watt = | 30.00 | dBm | PASS | | |
| 9 | 2452 | MCS0 | 21.97 | 1 Watt = | 30.00 | dBm | PASS | | |
| 802.1 | 1n_HT40 | M Ch0 | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Max. Avg. Output include tune up tolerance Power (dBm) | Limit | | | RESULT | | |
| 3 | 2422 | MCS0 | 15.33 | 1 Watt = 30.00 dBm | | | PASS | | |
| 6 | 2437 | MCS0 | 15.47 | 1 Watt = | 30.00 | dBm | PASS | | |
| 9 | 2452 | MCS0 | 15.56 | 1 Watt = | 30.00 | dBm | PASS | | |

^{*} Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Live

INCLUDED

**

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




EIRP

| 802.1 | 802.11b Ch0 | | | | | | | | | |
|-------|----------------|--------------|----------------------------------|--------------------------|---------------|--------|-----|--------|--|--|
| СН | Freq. (MHz) | Data Rate | Avg. Output Power (dBm) | Antenna Gain (dBi) | EIRP (dBm) | Limit | | RESULT | | |
| 1 | 2412 | 1 | 15.88 | 1.00 | 16.88 | 4W= 36 | dBm | PASS | | |
| 6 | 2437 | 1 | 15.90 | 1.00 | 16.90 | 4W= 36 | dBm | PASS | | |
| 11 | 2462 | 1 | 15.93 | 1.00 | 16.93 | 4W= 36 | dBm | PASS | | |
| 802.1 | 1g Ch0 | | | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Avg. Output Power (dBm) | Antenna Gain (dBi) | EIRP (dBm) | Limit | | RESULT | | |
| 1 | 2412 | 6 | 15.79 | 1.00 | 16.79 | 4W= 36 | dBm | PASS | | |
| 6 | 2437 | 6 | 15.92 | 1.00 | 16.92 | 4W= 36 | dBm | PASS | | |
| 11 | 2462 | 6 | 15.98 | 1.00 | 16.98 | 4W= 36 | dBm | PASS | | |
| 802.1 | 1n_HT20N | /I Ch0 | | | | | | | | |
| СН | Freq. (MHz) | Data Rate | Avg. Output Power (dBm) | Antenna Gain (dBi) | EIRP (dBm) | Limit | | RESULT | | |
| 1 | 2412 | MCS0 | 15.72 | 1.00 | 16.72 | 4W= 36 | dBm | PASS | | |
| 6 | 2437 | MCS0 | 15.75 | 1.00 | 16.75 | 4W= 36 | dBm | PASS | | |
| 11 | 2462 | MCS0 | 15.91 | 1.00 | 16.91 | 4W= 36 | dBm | PASS | | |

| 802.1 | 802.11n_HT40M Ch0 | | | | | | | | |
|-------|-------------------|--------------|----------------------------------|--------------------------|---------------|-----|-------|-----|--------|
| СН | Freq. (MHz) | Data Rate | Avg. Output Power (dBm) | Antenna Gain (dBi) | EIRP (dBm) | | Limit | | RESULT |
| 3 | 2422 | MCS0 | 15.33 | 1.00 | 16.33 | 4W= | 36 | dBm | PASS |
| 6 | 2437 | MCS0 | 15.47 | 1.00 | 16.47 | 4W= | 36 | dBm | PASS |
| 9 | 2452 | MCS0 | 15.56 | 1.00 | 16.56 | 4W= | 36 | dBm | PASS |

* Note: EIRP = Average Power + Gain

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





6DB & 99% BANDWIDTH MEASUREMENT


9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 Measurement Equipment Used

| Conducted Emission Test Site | | | | | | |
|------------------------------|-----------|-----------------|------------------|--------------|------------|--|
| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. | |
| Spectrum Analyzer | Agilent | N9010A | MY51440113 | 2018/06/20 | 2019/06/19 | |
| DC Power Supply | Agilent | E3640A | MY53140006 | 2018/05/30 | 2019/05/29 | |
| Attenuator | Marvelous | MVE2213- 10 | RF30 | 2017/12/26 | 2018/12/25 | |

9.3 Test Set-up




9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:
 - Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.
- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:
 - Set the spectrum analyzer as RBW=1%, VBW = 3*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.
- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 23 of 94



9.5 Measurement Result

6dB Bandwidth

802.11b Ch0

| 802 | .11 | q | Ch ₀ |
|-----|-----|---|-----------------|
| | | J | |

| 002.112 0110 | | | | |
|--------------|---------|-------|--------|--|
| Freq. | 6dB BW | Limit | Result | |
| (MHz) | (kHz) | (kHz) | Result | |
| 2412 | 8112.80 | > 500 | PASS | |
| 2437 | 8115.60 | > 500 | PASS | |
| 2462 | 8132.30 | > 500 | PASS | |

| 002.119 | CHU | | |
|---------|----------|----------|--------|
| Freq. | 6dB BW | BW Limit | |
| (MHz) | (kHz) | (kHz) | Result |
| 2412 | 15384.00 | > 500 | PASS |
| 2437 | 15170.00 | > 500 | PASS |
| 2462 | 15684.00 | > 500 | PASS |

802.11_n_HT20 Ch0

802.11_n_HT40 Ch0

| Freq. | 6dB BW | Limit | Result |
|-------|----------|-------|--------|
| (MHz) | (kHz) | (kHz) | Resuit |
| 2412 | 15711.00 | > 500 | PASS |
| 2437 | 15179.00 | > 500 | PASS |
| 2462 | 16546.00 | > 500 | PASS |

| Freq. (MHz) | 6dB BW (kHz) | Limit (kHz) | Result |
|----------------|-----------------|----------------|--------|
| 2422 | 35198.00 | > 500 | PASS |
| 2437 | 35186.00 | > 500 | PASS |
| 2452 | 35218.00 | > 500 | PASS |

99% Bandwidth

| 802.11b Ch0 | | | | |
|----------------|-----------------|--|--|--|
| Freq. (MHz) | 99% BW (MHz) | | | |
| 2412 | 14.000 | | | |
| 2437 | 13.920 | | | |
| 2462 | 14.227 | | | |

| 802.11g Ch | 802.11g Ch0 | | | |
|------------|-------------|--|--|--|
| Freq. | 99% BW | | | |
| (MHz) | (MHz) | | | |
| 2412 | 16.810 | | | |
| 2437 | 16.750 | | | |
| 2462 | 16.842 | | | |

| 802.11n_HT20M Ch0 | | | | |
|-------------------|--------|--|--|--|
| Freq. | 99% BW | | | |
| (MHz) | (MHz) | | | |
| 2412 | 17.952 | | | |
| 2437 | 17.945 | | | |
| 2462 | 17.999 | | | |

| 802.11n_HT40M Ch0 | | | | |
|-------------------|--------|--|--|--|
| Freq. 99% BW | | | | |
| (MHz) | (MHz) | | | |
| 2422 | 36.275 | | | |
| 2437 | 36.190 | | | |
| 2452 | 36.341 | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Live


INCLUDED

**

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

f (886-2) 2298-0488

^{*}Refer to next page for plots




Page 24 of 94




OBW 6dB_802.11b_2412




OBW 6dB_802.11g_2412




OBW 6dB 802.11b 2437




OBW 6dB_802.11g_2437



OBW 6dB 802.11b 2462



OBW 6dB_802.11g_2462




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for yo days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders and the full may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 25 of 94




x dB Bandwidth

OBW 6dB_802.11n_20MHz_2412

enter Freq 2.412000000 GHz Center Fre CF Step 3.000000 MHz Mar #VBW 300 kHz Occupied Bandwidth Total Power 22.8 dBm 17.694 MHz Freq Offse OBW Power Transmit Freq Error 4.592 kHz 99 00 %

-6.00 dB

OBW 6dB_802.11n_40MHz_2422




OBW 6dB 802.11n 20MHz 2437

x dB


15.71 MHz




OBW 6dB 802.11n 40MHz 2437



OBW 6dB 802.11n 20MHz 2462



OBW 6dB 802.11n 40MHz 2452




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for yo days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders and the full may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







IC OBW 99%_802.11b_20MHz_2412MHz

IC OBW 99%_802.11g_20MHz_2412MHz







IC OBW 99%_802.11b_20MHz_2437MHz




IC OBW 99%_802.11g_20MHz_2437MHz



IC OBW 99% 802.11b 20MHz 2462MHz



IC OBW 99%_802.11g_20MHz_2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for yo days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders and the full may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.


| No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




IC OBW 99%_802.11n_20MHz_2412MHz

IC OBW 99%_802.11n_40MHz_2422MHz







IC OBW 99% 802.11n 20MHz 2437MHz




IC OBW 99% 802.11n 40MHz 2437MHz



IC OBW 99%_802.11n_20MHz_2462MHz



IC OBW 99%_802.11n_40MHz_2452MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for yo days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders and the full may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

| No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號





10 CONDUCTED BAND EDGE AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.


In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a) & RSS-Gen §8.10, must also comply with the radiated emission limits specified in §15.209(a) & RSS-Gen §8.8.

If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.

10.2 Measurement Equipment Used

| Conducted Emission Test Site | | | | | | |
|------------------------------|-----------|-----------------|------------------|--------------|------------|--|
| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. | |
| Spectrum Analyzer | Agilent | N9010A | MY5144011 3 | 2018/06/20 | 2019/06/19 | |
| DC Power Supply | Agilent | E3640A | MY5314000 6 | 2018/05/30 | 2019/05/29 | |
| Attenuator | Marvelous | MVE2213-10 | RF30 | 2017/12/26 | 2018/12/25 | |

10.3 Test SET-UP




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





10.4 Measurement Procedure

Conducted Band Edge Limt

- Set analyzer center frequency to DTS channel center frequency.
- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- Set the span to 1.5 times the DTS channel bandwidth.
- Set the RBW = 100kHz & VBW = 300 kHz.
- Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9.Use the peak marker function to determine the maximum amplitude level.

Conducted Band Edge:

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Conducted Spurious Emission:


- To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector = Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.





10.5 **Measurement Result**


| Reference Level of Limit 802.11b mode | | | Reference Level of Limit 802.11g mode | | |
|---------------------------------------|-------|--------------------------|---------------------------------------|-------|--------------------------|
| Freq. | PSD | Reference Level of Limit | Freq. | PSD | Reference Level of Limit |
| (MHz) | (dBm) | (dBm) | (MHz) | (dBm) | (dBm) |
| 2412 | 9.90 | -10.10 | 2412 | 6.21 | -13.79 |
| 2437 | 9.78 | -10.22 | 2437 | 6.58 | -13.42 |
| 2462 | 10.10 | -9.90 | 2462 | 6.56 | -13.44 |

| Reference Level of Limit 802.11n20 mode | | | Reference Level of Limit 802.11n40 MODE | | |
|---|-------|--------------------------|---|-------|--------------------------|
| Freq. | PSD | Reference Level of Limit | Freq. | PSD | Reference Level of Limit |
| (MHz) | (dBm) | (dBm) | (MHz) | (dBm) | (dBm) |
| 2412 | 6.27 | -13.73 | 2422 | 2.18 | -17.82 |
| 2437 | 6.41 | -13.59 | 2437 | 2.11 | -17.89 |
| 2462 | 6.01 | -13.99 | 2452 | 2.37 | -17.63 |

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

www.tw.sqs.com




Reference Level_802.11b_20MHz_2412MHz


Reference Level_802.11g_20MHz_2412MHz







Reference Level_802.11b_20MHz_2437MHz





Reference Level_802.11b_20MHz_2462MHz






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for yo days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders and the full may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.


No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




Reference Level_802.11n_20MHz_2412MHz


Reference Level_802.11n_40MHz_2422MHz






Reference Level_802.11n_20MHz_2437MHz








Reference Level_802.11n_20MHz_2462MHz



Reference Level_802.11n_40MHz_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for yo days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders and the full may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

| No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




Page 33 of 94





Band Edge_802.11b_2412

Band Edge_802.11g_2412









Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents in the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 34 of 94



2.413 20 GHz 2.399 90 GHz 2.390 00 GHz


Ref Offset 10.8 dB Ref 20.00 dBm

Band Edge_802.11n_20MHz_2412

Mkr3 2.390 00 GHz -43.51 dBm

Stop 2.43000 GHz Sweep 11.53 ms (1001 pts)

PNO: Fast Trig: Free Run





BandEdge_802.11n_40MHz_2422



Band Edge_802.11n_20MHz_2462

6.17 dBr -24.08 dBr -43.51 dBr






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




802.11b 30M-3GHz Spurious Emission Test Data CH-Low




3G-26.5GHz Spurious Emission Test Data CH-Low




30M-3GHz Spurious Emission Test Data CH-Mid




3G-26.5GHz Spurious Emission Test Data CH-Mid



30M-3GHz Spurious Emission Test Data CH-High



3G-26.5GHz Spurious Emission Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




802.11g 30M-3GHz Spurious Emission Test Data CH-Low




3G-26.5GHz Spurious Emission Test Data CH-Low




30M-3GHz Spurious Emission Test Data CH-Mid




3G-26.5GHz Spurious Emission Test Data CH-Mid



30M-3GHz Spurious Emission Test Data CH-High



3G-26.5GHz Spurious Emission Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




802.11n_HT20


30M-3GHz Spurious Emission Test Data CH-Low




3G-26.5GHz Spurious Emission Test Data CH-Low




30M-3GHz Spurious Emission Test Data CH-Mid




3G-26.5GHz Spurious Emission Test Data CH-Mid



30M-3GHz Spurious Emission Test Data CH-High



3G-26.5GHz Spurious Emission Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




802.11n_HT40


30M-3GHz Spurious Emission Test Data CH-Low




3G-26.5GHz Spurious Emission Test Data CH-Low




30M-3GHz Spurious Emission Test Data CH-Mid




3G-26.5GHz Spurious Emission Test Data CH-Mid



30M-3GHz Spurious Emission Test Data CH-High




3G-26.5GHz Spurious Emission Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 & RSS-Gen §8.8, 8.9 limit as below.

And according to §15.33(a) (1) & RSS-Gen §6.13(a), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

| Frequency (MHz) | Field strength (microvolts/meter) | Distance (meters) |
|--------------------|-----------------------------------|----------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

Note:


- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level ($dB\mu V/m$) = 20 log Emission level ($dB\mu V/m$)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.





11.2 Measurement Equipment Used:


| 966 Chamber | | | | | | | | |
|------------------------|----------------------|-----------------------|------------------|--------------|------------|--|--|--|
| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. | | | |
| Broadband An- tenna | TESEQ | CBL 6112D | 35243 | 2017/11/10 | 2018/11/09 | | | |
| Horn Antenna | Schwarzbeck | BBHA9120D | 1187 | 2018/01/04 | 2019/01/03 | | | |
| Horn Antenna | SCHWAZBECK | BBHA9170 | 184 | 2017/12/12 | 2018/12/11 | | | |
| Loop Antenna | ETS.LINDGREN | 6502 | 148045 | 2017/09/26 | 2018/09/25 | | | |
| EMI Test Receiver | R&S | ESU 40 | 100363 | 2018/04/11 | 2019/04/10 | | | |
| Pre-Amplifier | EMC Instru- ments | EMC330 | 980096 | 2017/12/26 | 2018/12/25 | | | |
| Pre-Amplifier | EMC Instru- ments | EMC0011830 | 980199 | 2017/12/26 | 2018/12/25 | | | |
| Pre-Amplifier | EMC Instru- ments | EMC184045B | 980135 | 2017/10/27 | 2018/10/26 | | | |
| Attenuator | Marvelous | WATT-218FS-1 0 | RF246 | 2017/12/26 | 2018/12/25 | | | |
| Highpass Filter | Micro Tronics | BRM50701-01 | G008 | 2017/12/26 | 2018/12/25 | | | |
| Coaxial Cable | Huber+Suhner | RG 214/U | W21.01 | 2017/12/26 | 2018/12/25 | | | |
| Coaxial Cable | Huber Suhner | EMC106-SM-S M-7200 | 150703 | 2017/12/26 | 2018/12/25 | | | |
| Coaxial Cable | Huber Suhner | SUCOFLEX 104 | MY17388/4 | 2017/12/26 | 2018/12/25 | | | |
| Coaxial Cable | Huber Suhner | RG 214/U | W22.03 | 2017/12/26 | 2018/12/25 | | | |

NOTE: N.C.R refers to Not Calibrated Required.




11.3 Test SET-UP

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz Turntable 3m 1m to 4m **EUT** Spectrum 1.5m Analyzer Ground Plane Absorber Coaxial Cable

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: E2/2018/80049

Page 42 of 94

11.4 Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488

SGS Taiwan Ltd.



Report No.: E2/2018/80049

Page 43 of 94

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | • | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz 11.6

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 **Measurement Result**


Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 44 of 94



Radiated Band Edge Measurement Result


Operation Mode **Test Date** :802.11b :2018-08-28 Test Mode :BE CH LOW Temp./Humi. :24/68 **EUT Pol** :E2 Plan Antenna Pol. :VERTICAL **Test Channel** :2412 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin | |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|--|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBµV/m | dB | |
| | _ | | | | | | |
| 2390.00 | Average | 33.01 | 3.39 | 36.40 | 54.00 | -17.60 | |
| 2390.00 | Peak | 44.43 | 3.39 | 47.82 | 74.00 | -26.18 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unavietylated of efforders may be prosecuted to the fullway. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



:2018-08-28


:24/68



Operation Mode :802.11b **Test Date** Test Mode :BE CH LOW Temp./Humi.


EUT Pol Antenna Pol. :HORIZONTAL :E2 Plan

Test Channel :2412 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin | |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|---|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB | |
| | | | | | | | _ |
| 2390.00 | Average | 33.26 | 3.39 | 36.65 | 54.00 | -17.35 | |
| 2390.00 | Peak | 44.93 | 3.39 | 48.32 | 74.00 | -25.68 | |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11b Test Mode :BE CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2462 MHz

Test Date :2018-08-28 Temp./Humi. :24/66 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | _ |
| 2483.50 | Average | 32.96 | 3.96 | 36.92 | 54.00 | -17.08 |
| 2483.50 | Peak | 45.30 | 3.96 | 49.26 | 74.00 | -24.74 |
| 2491.30 | Average | 32.78 | 4.01 | 36.79 | 54.00 | -17.21 |
| 2491.30 | Peak | 50.38 | 4.01 | 54.39 | 74.00 | -19.61 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11b Test Mode :BE CH HIGH **EUT Pol** :E2 Plan

Test Channel :2462 MHz **Test Date** :2018-08-28 Temp./Humi. :24/66 Antenna Pol. :HORIZONTAL





| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|-------------|--------|
| | Mode | Reading Level | | FS | @ 3m | |
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 2483.50 | Average | 33.21 | 3.96 | 37.17 | 54.00 | -16.83 |
| 2483.50 | Peak | 44.54 | 3.96 | 48.50 | 74.00 | -25.50 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com






Operation Mode :802.11g Test Mode :BE CH LOW **EUT Pol** :E2 Plan **Test Channel** :2412 MHz

Test Date :2018-08-23 Temp./Humi. :24/66 Antenna Pol. :VERTICAL Engineer :Ashton



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|--------|--------|
| | Mode | Reading Level | | FS | @3m | |
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 2390.00 | Average | 39.00 | 3.39 | 42.39 | 54.00 | -11.61 |
| 2390.00 | Peak | 54.14 | 3.39 | 57.53 | 74.00 | -16.47 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Test Channel

Operation Mode :802.11g Test Mode :BE CH LOW **EUT Pol** :E2 Plan


:2412 MHz

Test Date :2018-08-23 Temp./Humi. :24/66 Antenna Pol. :HORIZONTAL Engineer :Ashton



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 2389.80 | Average | 39.41 | 3.39 | 42.80 | 54.00 | -11.20 |
| 2389.80 | Peak | 56.16 | 3.39 | 59.55 | 74.00 | -14.45 |
| 2390.00 | Average | 39.76 | 3.39 | 43.15 | 54.00 | -10.85 |
| 2390.00 | Peak | 54.04 | 3.39 | 57.43 | 74.00 | -16.57 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11g Test Mode :BE CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2462 MHz

Test Date :2018-08-23 Temp./Humi. :24/66 Antenna Pol. :VERTICAL Engineer :Ashton



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | |
| 2483.50 | Average | 39.30 | 3.96 | 43.26 | 54.00 | -10.74 |
| 2483.50 | Peak | 54.15 | 3.96 | 58.11 | 74.00 | -15.89 |
| 2483.80 | Average | 38.86 | 3.96 | 42.82 | 54.00 | -11.18 |
| 2483.80 | Peak | 55.13 | 3.96 | 59.09 | 74.00 | -14.91 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Operation Mode Test Mode **EUT Pol**


Test Channel

:802.11g :BE CH HIGH :E2 Plan

:2462 MHz

Test Date :2018-08-23 Temp./Humi. :24/66

Antenna Pol. :HORIZONTAL Engineer :Ashton




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBµV/m | dB |
| | | | | | | |
| 2483.50 | Average | 38.19 | 3.96 | 42.15 | 54.00 | -11.85 |
| 2483.50 | Peak | 53.28 | 3.96 | 57.24 | 74.00 | -16.76 |
| 2483.90 | Average | 37.50 | 3.96 | 41.46 | 54.00 | -12.54 |
| 2483.90 | Peak | 53.88 | 3.96 | 57.84 | 74.00 | -16.16 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 52 of 94



Operation Mode :802.11n20 Test Mode :BE CH LOW **EUT Pol** :E2 Plan **Test Channel** :2412 MHz

Test Date :2018-08-28 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo




| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|------------------|---------------|--------|--------------|---------------|--------|
| MHz | Mode PK/QP/AV | Reading Level | dВ | FS dBµV/m | @3m dBµV/m | ۸D |
| IVITZ | PN/QP/AV | dΒμV | dB | ασμν/ιιι | ασμν/ιιι | dB |
| 2390.00 | Average | 35.34 | 3.39 | 38.73 | 54.00 | -15.27 |
| 2390.00 | Peak | 48.38 | 3.39 | 51.77 | 74.00 | -22.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司






Operation Mode :802.11n20 Test Mode :BE CH LOW

EUT Pol :E2 Plan **Test Channel** :2412 MHz **Test Date** :2018-08-28 Temp./Humi. :24/68

Antenna Pol. :HORIZONTAL

Engineer :Enzo




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 2390.00 | Average | 39.51 | 3.39 | 42.90 | 54.00 | -11.10 |
| 2390.00 | Peak | 53.89 | 3.39 | 57.28 | 74.00 | -16.72 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com




Page 54 of 94




Operation Mode :802.11n20 Test Mode :BE CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2462 MHz

Test Date :2018-08-28 Temp./Humi. :24/66 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 2483.50 | Average | 39.78 | 3.96 | 43.74 | 54.00 | -10.26 |
| 2483.50 | Peak | 53.63 | 3.96 | 57.59 | 74.00 | -16.41 |
| 2484.10 | Average | 39.32 | 3.96 | 43.28 | 54.00 | -10.72 |
| 2484.10 | Peak | 54.41 | 3.96 | 58.37 | 74.00 | -15.63 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11n20 Test Mode :BE CH HIGH **EUT Pol** :E2 Plan

Test Channel :2462 MHz **Test Date** :2018-08-28 Temp./Humi. :24/66

Antenna Pol. :HORIZONTAL

Engineer :Enzo



| | Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|----|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| | MHz | PK/QP/AV | dBµV | dB | dBµV/m | dBµV/m | dB |
| , | | | | | | | |
| 24 | 483.50 | Average | 43.15 | 3.96 | 47.11 | 54.00 | -6.89 |
| 24 | 483.50 | Peak | 56.43 | 3.96 | 60.39 | 74.00 | -13.61 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 34 號

www.tw.sqs.com




Page 56 of 94



Operation Mode :802.11n40 Test Mode :BE CH LOW **EUT Pol** :E2 Plan **Test Channel** :2422 MHz

Test Date :2018-08-28 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBµV/m | dB |
| | | | | | | _ |
| 2388.60 | Average | 41.23 | 3.38 | 44.61 | 54.00 | -9.39 |
| 2388.60 | Peak | 54.57 | 3.38 | 57.95 | 74.00 | -16.05 |
| 2390.00 | Average | 42.12 | 3.39 | 45.51 | 54.00 | -8.49 |
| 2390.00 | Peak | 54.22 | 3.39 | 57.61 | 74.00 | -16.39 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com






Operation Mode :802.11n40 Test Mode :BE CH LOW

EUT Pol :E2 Plan **Test Channel** :2422 MHz **Test Date** :2018-08-28 Temp./Humi. :24/68 Antenna Pol. :HORIZONTAL

Engineer :Enzo




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 2388.72 | Average | 47.76 | 3.38 | 51.14 | 54.00 | -2.86 |
| 2388.72 | Peak | 60.95 | 3.38 | 64.33 | 74.00 | -9.67 |
| 2390.00 | Average | 48.45 | 3.39 | 51.84 | 54.00 | -2.16 |
| 2390.00 | Peak | 59.49 | 3.39 | 62.88 | 74.00 | -11.12 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488


台灣檢驗科技股份有限公司






Operation Mode :802.11n40 Test Mode :BE CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2452 MHz

Test Date :2018-08-28 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 2483.50 | Average | 36.11 | 3.96 | 40.07 | 54.00 | -13.93 |
| 2483.50 | Peak | 47.73 | 3.96 | 51.69 | 74.00 | -22.31 |
| 2486.60 | Average | 35.44 | 3.98 | 39.42 | 54.00 | -14.58 |
| 2486.60 | Peak | 49.98 | 3.98 | 53.96 | 74.00 | -20.04 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11n40 Test Mode :BE CH HIGH

EUT Pol :E2 Plan **Test Channel** :2452 MHz **Test Date** :2018-08-28 Temp./Humi. :24/68

Antenna Pol. :HORIZONTAL

Engineer :Enzo




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | _ |
| 2483.50 | Average | 39.74 | 3.96 | 43.70 | 54.00 | -10.30 |
| 2483.50 | Peak | 54.37 | 3.96 | 58.33 | 74.00 | -15.67 |
| 2485.40 | Average | 40.04 | 3.98 | 44.02 | 54.00 | -9.98 |
| 2485.40 | Peak | 55.06 | 3.98 | 59.04 | 74.00 | -14.96 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司






Page 60 of 94

Below 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result

Operation Mode Test Date :802.11g :2018-08-27 Test Mode :TX CH LOW Temp./Humi. :24/68 **EUT Pol** :E2 Plan Antenna Pol. :VERTICAL **Test Channel** :2412 MHz Engineer :Enzo




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dΒμV/m | dB |
| | | | | | | |
| 58.13 | Peak | 46.86 | -19.08 | 27.78 | 40.00 | -12.22 |
| 135.73 | Peak | 39.87 | -11.70 | 28.17 | 43.50 | -15.33 |
| 244.37 | Peak | 36.76 | -11.25 | 25.51 | 46.00 | -20.49 |
| 408.30 | Peak | 39.84 | -5.94 | 33.90 | 46.00 | -12.10 |
| 516.94 | Peak | 37.20 | -3.84 | 33.36 | 46.00 | -12.64 |
| 968.96 | Peak | 30.55 | 2.53 | 33.08 | 54.00 | -20.92 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unavietylated of efforders may be prosecuted to the fullway. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.






Operation Mode :802.11g Test Mode :TX CH LOW

EUT Pol :E2 Plan **Test Channel** :2412 MHz **Test Date** :2018-08-27 Temp./Humi. :24/68

Antenna Pol. :HORIZONTAL

Engineer :Enzo




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμ̈V | dB | dBμV/m | dΒμV/m | dB |
| | | | | | | |
| 71.71 | Peak | 39.24 | -17.71 | 21.53 | 40.00 | -18.47 |
| 135.73 | Peak | 43.82 | -11.70 | 32.12 | 43.50 | -11.38 |
| 244.37 | Peak | 48.14 | -11.25 | 36.89 | 46.00 | -9.11 |
| 408.30 | Peak | 43.20 | -5.94 | 37.26 | 46.00 | -8.74 |
| 516.94 | Peak | 38.49 | -3.84 | 34.65 | 46.00 | -11.35 |
| 776.90 | Peak | 33.57 | -0.80 | 32.77 | 46.00 | -13.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






Operation Mode :802.11g **Test Date** :2018-08-27 Test Mode :TX CH MID Temp./Humi. :24/68 **EUT Pol** :E2 Plan Antenna Pol. :VERTICAL **Test Channel** :2437 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dΒμV/m | dB |
| | | | | | | |
| 33.88 | Peak | 39.83 | -5.73 | 34.10 | 40.00 | -5.90 |
| 71.71 | Peak | 51.54 | -17.71 | 33.83 | 40.00 | -6.17 |
| 108.57 | Peak | 47.09 | -13.39 | 33.70 | 43.50 | -9.80 |
| 299.66 | Peak | 45.38 | -9.90 | 35.48 | 46.00 | -10.52 |
| 489.78 | Peak | 43.37 | -4.42 | 38.95 | 46.00 | -7.05 |
| 769.14 | Peak | 32.48 | -0.96 | 31.52 | 46.00 | -14.48 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11g **Test Date** :2018-08-27 Test Mode :TX CH MID Temp./Humi. :24/68


EUT Pol :E2 Plan Antenna Pol. :HORIZONTAL

Test Channel :2437 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dΒμV/m | dB |
| | | | | | | _ |
| 108.57 | Peak | 44.68 | -13.39 | 31.29 | 43.50 | -12.21 |
| 162.89 | Peak | 48.20 | -13.45 | 34.75 | 43.50 | -8.75 |
| 244.37 | Peak | 46.69 | -11.25 | 35.44 | 46.00 | -10.56 |
| 408.30 | Peak | 44.48 | -5.94 | 38.54 | 46.00 | -7.46 |
| 680.87 | Peak | 40.57 | -1.87 | 38.70 | 46.00 | -7.30 |
| 870.99 | Peak | 35.99 | 0.91 | 36.90 | 46.00 | -9.10 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page 64 of 94




Operation Mode :802.11g Test Mode :TX CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2462 MHz

Test Date :2018-08-27 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dΒμV/m | dB |
| | | | | | | _ |
| 108.57 | Peak | 48.51 | -13.39 | 35.12 | 43.50 | -8.38 |
| 135.73 | Peak | 43.72 | -11.70 | 32.02 | 43.50 | -11.48 |
| 217.21 | Peak | 45.65 | -12.80 | 32.85 | 46.00 | -13.15 |
| 326.82 | Peak | 44.45 | -8.99 | 35.46 | 46.00 | -10.54 |
| 462.62 | Peak | 41.26 | -5.00 | 36.26 | 46.00 | -9.74 |
| 892.33 | Peak | 31.59 | 1.12 | 32.71 | 46.00 | -13.29 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11g **Test Date** :2018-08-27 Test Mode :TX CH HIGH Temp./Humi. :24/68


EUT Pol :E2 Plan Antenna Pol. :HORIZONTAL

Test Channel :2462 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|--------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dΒμV/m | dB |
| | | | | | | |
| 33.88 | Peak | 35.87 | -5.73 | 30.14 | 40.00 | -9.86 |
| 108.57 | Peak | 44.47 | -13.39 | 31.08 | 43.50 | -12.42 |
| 162.89 | Peak | 48.14 | -13.45 | 34.69 | 43.50 | -8.81 |
| 244.37 | Peak | 47.36 | -11.25 | 36.11 | 46.00 | -9.89 |
| 516.94 | Peak | 39.53 | -3.84 | 35.69 | 46.00 | -10.31 |
| 708.03 | Peak | 38.01 | -1.54 | 36.47 | 46.00 | -9.53 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Above 1GHz Data:

Radiated Spurious Emission Measurement Result

Operation Mode :802.11b **Test Date** :2018-09-03 Test Mode :TX CH LOW Temp./Humi. :24/68 **EUT Pol** Antenna Pol. :VERTICAL :E2 Plan **Test Channel** :2412 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBµV/m | dBμV/m | dB |
| | | | | | | |
| 4824.00 | Average | 20.04 | 12.38 | 32.42 | 54.00 | -21.58 |
| 4824.00 | Peak | 31.41 | 12.38 | 43.79 | 74.00 | -30.21 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unavietylated of efforders may be prosecuted to the fullway. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

www.tw.sqs.com






Operation Mode :802.11b **Test Date** :2018-09-03 Test Mode :TX CH LOW Temp./Humi. :24/68

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL

Test Channel :2412 MHz Engineer :Enzo




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4824.00 | Average | 19.63 | 12.38 | 32.01 | 54.00 | -21.99 |
| 4824.00 | Peak | 30.44 | 12.38 | 42.82 | 74.00 | -31.18 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488


台灣檢驗科技股份有限公司





Operation Mode :802.11b Test Mode :TX CH MID **EUT Pol** :E2 Plan **Test Channel** :2437 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4874.00 | Average | 19.55 | 12.58 | 32.13 | 54.00 | -21.87 |
| 4874.00 | Peak | 31.44 | 12.58 | 44.02 | 74.00 | -29.98 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



:2018-09-03


:24/68



Operation Mode :802.11b **Test Date** Test Mode :TX CH MID Temp./Humi.

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL

Test Channel :2437 MHz Engineer :Enzo




| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4874.00 | Average | 19.55 | 12.58 | 32.13 | 54.00 | -21.87 |
| 4874.00 | Peak | 32.01 | 12.58 | 44.59 | 74.00 | -29.41 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488


SGS Taiwan Ltd.






Operation Mode :802.11b Test Mode :TX CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2462 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4924.00 | Average | 19.74 | 12.78 | 32.52 | 54.00 | -21.48 |
| 4924.00 | Peak | 29.28 | 12.78 | 42.06 | 74.00 | -31.94 |

SGS Taiwan Ltd.






Operation Mode :802.11b **Test Date** :2018-09-03 Test Mode :TX CH HIGH Temp./Humi. :24/68

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL


Test Channel :2462 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4924.00 | Average | 20.13 | 12.78 | 32.91 | 54.00 | -21.09 |
| 4924.00 | Peak | 31.29 | 12.78 | 44.07 | 74.00 | -29.93 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


SGS Taiwan Ltd.






Operation Mode :802.11g Test Mode :TX CH LOW **EUT Pol** :E2 Plan **Test Channel** :2412 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|-------------|--------|
| | Mode | Reading Level | | FS | @ 3m | |
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4824.00 | Average | 19.68 | 12.38 | 32.06 | 54.00 | -21.94 |
| 4824.00 | Peak | 31.13 | 12.38 | 43.51 | 74.00 | -30.49 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Operation Mode :802.11g **Test Date** :2018-09-03 Test Mode :TX CH LOW Temp./Humi. :24/68

EUT Pol :E2 Plan Antenna Pol. :HORIZONTAL

Test Channel :2412 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4824.00 | Average | 19.88 | 12.38 | 32.26 | 54.00 | -21.74 |
| 4824.00 | Peak | 30.31 | 12.38 | 42.69 | 74.00 | -31.31 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Like* A No. 134 *****

INC Talwan Like*


INC Talwan Like

**IN

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.


Member of SGS Group





Operation Mode :802.11g Test Mode :TX CH MID **EUT Pol** :E2 Plan **Test Channel** :2437 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|-------------|--------|
| | Mode | Reading Level | | FS | @ 3m | |
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | _ |
| 4874.00 | Average | 19.34 | 12.58 | 31.92 | 54.00 | -22.08 |
| 4874.00 | Peak | 30.52 | 12.58 | 43.10 | 74.00 | -30.90 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Operation Mode :802.11g **Test Date** :2018-09-03 Test Mode :TX CH MID Temp./Humi. :24/68

EUT Pol :E2 Plan Antenna Pol. :HORIZONTAL

Test Channel :2437 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4874.00 | Average | 19.72 | 12.58 | 32.30 | 54.00 | -21.70 |
| 4874.00 | Peak | 30.19 | 12.58 | 42.77 | 74.00 | -31.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like


**IN

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488





Operation Mode :802.11g Test Mode :TX CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2462 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|-------------|--------|
| | Mode | Reading Level | | FS | @ 3m | |
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4924.00 | Average | 19.42 | 12.78 | 32.20 | 54.00 | -21.80 |
| 4924.00 | Peak | 29.90 | 12.78 | 42.68 | 74.00 | -31.32 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488






Operation Mode :802.11g **Test Date** :2018-09-03 Test Mode :TX CH HIGH Temp./Humi. :24/68

EUT Pol :E2 Plan Antenna Pol. :HORIZONTAL

Test Channel :2462 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4924.00 | Average | 19.64 | 12.78 | 32.42 | 54.00 | -21.58 |
| 4924.00 | Peak | 31.73 | 12.78 | 44.51 | 74.00 | -29.49 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like


**IN

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.


f (886-2) 2298-0488





Operation Mode :802.11n20 Test Mode :TX CH LOW **EUT Pol** :E2 Plan **Test Channel** :2412 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|-------------|--------|
| | Mode | Reading Level | | FS | @ 3m | |
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4824.00 | Average | 19.61 | 12.38 | 31.99 | 54.00 | -22.01 |
| 4824.00 | Peak | 29.93 | 12.38 | 42.31 | 74.00 | -31.69 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.






Operation Mode :802.11n20 **Test Date** :2018-09-03 Test Mode :TX CH LOW Temp./Humi. :24/68

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL


Test Channel :2412 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | • | | | | |
| 4824.00 | Average | 19.75 | 12.38 | 32.13 | 54.00 | -21.87 |
| 4824.00 | Peak | 30.58 | 12.38 | 42.96 | 74.00 | -31.04 |

SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com





Operation Mode :802.11n20 Test Mode :TX CH MID **EUT Pol** :E2 Plan **Test Channel** :2437 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|-------------|--------|
| | Mode | Reading Level | | FS | @ 3m | |
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4874.00 | Average | 19.82 | 12.58 | 32.40 | 54.00 | -21.60 |
| 4874.00 | Peak | 30.29 | 12.58 | 42.87 | 74.00 | -31.13 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Operation Mode :802.11n20 **Test Date** :2018-09-03 Test Mode :TX CH MID Temp./Humi. :24/68

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL

Test Channel :2437 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4874.00 | Average | 19.75 | 12.58 | 32.33 | 54.00 | -21.67 |
| 4874.00 | Peak | 31.12 | 12.58 | 43.70 | 74.00 | -30.30 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488






Operation Mode :802.11n20 Test Mode :TX CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2462 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin | |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|--|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB | |
| | | | | | | | |
| 4924.00 | Average | 19.73 | 12.78 | 32.51 | 54.00 | -21.49 | |
| 4924.00 | Peak | 30.49 | 12.78 | 43.27 | 74.00 | -30.73 | |






Operation Mode :802.11n20 **Test Date** :2018-09-03 Test Mode :TX CH HIGH Temp./Humi. :24/68

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL

Test Channel :2462 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4924.00 | Average | 19.86 | 12.78 | 32.64 | 54.00 | -21.36 |
| 4924.00 | Peak | 29.99 | 12.78 | 42.77 | 74.00 | -31.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like


**IN

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode :802.11n40 **Test Date** :2018-09-03 Test Mode :TX CH LOW Temp./Humi. :24/68 **EUT Pol** Antenna Pol. :E2 Plan :VERTICAL **Test Channel** :2422 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dBµV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | _ |
| 4844.00 | Average | 19.80 | 12.46 | 32.26 | 54.00 | -21.74 |
| 4844.00 | Peak | 31.20 | 12.46 | 43.66 | 74.00 | -30.34 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Operation Mode :802.11n40 **Test Date** :2018-09-03 Test Mode :TX CH LOW Temp./Humi. :24/68

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL

Test Channel :2422 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4844.00 | Average | 19.87 | 12.46 | 32.33 | 54.00 | -21.67 |
| 4844.00 | Peak | 30.38 | 12.46 | 42.84 | 74.00 | -31.16 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279





Operation Mode :802.11n40 Test Mode :TX CH MID **EUT Pol** :E2 Plan **Test Channel** :2437 MHz

Test Date :2018-09-03 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| | Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| _ | MHz | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | | |
| | 4874.00 | Average | 19.89 | 12.58 | 32.47 | 54.00 | -21.53 |
| | 4874.00 | Peak | 30.90 | 12.58 | 43.48 | 74.00 | -30.52 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



:2018-09-03


:24/68



Operation Mode :802.11n40 **Test Date** Test Mode :TX CH MID Temp./Humi.

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL

Test Channel :2437 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4874.00 | Average | 19.77 | 12.58 | 32.35 | 54.00 | -21.65 |
| 4874.00 | Peak | 30.05 | 12.58 | 42.63 | 74.00 | -31.37 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode :802.11n40 Test Mode :TX CH HIGH **EUT Pol** :E2 Plan **Test Channel** :2452 MHz

Test Date :2018-09-04 Temp./Humi. :24/68 Antenna Pol. :VERTICAL Engineer :Enzo



| Freq. | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|----------|---------------|--------|--------|-------------|--------|
| | Mode | Reading Level | | FS | @ 3m | |
| MHz | PK/QP/AV | dΒμV | dB | dBµV/m | dBµV/m | dB |
| | | | | | | |
| 4904.00 | Average | 19.81 | 12.72 | 32.53 | 54.00 | -21.47 |
| 4904.00 | Peak | 31.36 | 12.72 | 44.08 | 74.00 | -29.92 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Operation Mode :802.11n40 **Test Date** :2018-09-03 Test Mode :TX CH HIGH Temp./Humi. :24/68

EUT Pol Antenna Pol. :E2 Plan :HORIZONTAL

Test Channel :2452 MHz Engineer :Enzo



| Freq. | Detector Mode | Spectrum Reading Level | Factor | Actual FS | Limit @3m | Margin |
|---------|------------------|---------------------------|--------|--------------|--------------|--------|
| MHz | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | |
| 4904.00 | Average | 19.86 | 12.72 | 32.58 | 54.00 | -21.42 |
| 4904.00 | Peak | 31.12 | 12.72 | 43.84 | 74.00 | -30.16 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SCS Talwan Like* A No. 134 *****

INC Talwan Like*

INC Talwan Like

**IN

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 90 of 94

12 PEAK POWER SPECTRAL DENSITY


12.1 **Standard Applicable**

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

12.2 **Measurement Equipment Used**

| Conducted Emission Test Site | | | | | | | |
|------------------------------|-----------|-----------------|------------------|--------------|------------|--|--|
| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. | | |
| Spectrum Analyzer | Agilent | N9010A | MY5144011 3 | 2018/06/20 | 2019/06/19 | | |
| DC Power Supply | Agilent | E3640A | MY5314000 6 | 2018/05/30 | 2019/05/29 | | |
| Attenuator | Marvelous | MVE2213-10 | RF30 | 2017/12/26 | 2018/12/25 | | |

12.3 Test Set-up



12.4 **Measurement Procedure**

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz. & the VBW = 10 kHz
- 5. For defining Restricted Band Edge Limit: Set the RBW = 100kHz & VBW = 300 kHz.
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Manage of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 91 of 94



12.5 Measurement Result

| | POWER DENSITY 802.11b | | | | | |
|-------|-----------------------|-------|--------|--|--|--|
| Freq. | PPSD | Limit | Docult | | | |
| (MHz) | (dBm) | (dBm) | Result | | | |
| 2412 | -8.23 | 8.00 | PASS | | | |
| 2437 | -7.19 | 8.00 | PASS | | | |
| 2462 | -6.65 | 8.00 | PASS | | | |


| POWER DENSITY 802.11g | | | | |
|-----------------------|--------|-------|--------|--|
| Freq. | PPSD | Limit | Docult | |
| (MHz) | (dBm) | (dBm) | Result | |
| 2412 | -11.71 | 8.00 | PASS | |
| 2437 | -11.99 | 8.00 | PASS | |
| 2462 | -11.02 | 8.00 | PASS | |

| | POWER DENSITY 802.11n HT20 | | | |
|-------|----------------------------|-------|--------|--|
| Freq. | PPSD | Limit | Result | |
| (MHz) | (dBm) | (dBm) | Resuit | |
| 2412 | -11.16 | 8.00 | PASS | |
| 2437 | -11.96 | 8.00 | PASS | |
| 2462 | -11.77 | 8.00 | PASS | |

| POWER DENSITY 802.11n HT40 | | | |
|----------------------------|--------|-------|--------|
| Freq. | PPSD | Limit | Result |
| (MHz) | (dBm) | (dBm) | Resuit |
| 2422 | -14.30 | 8.00 | PASS |
| 2437 | -13.78 | 8.00 | PASS |
| 2452 | -13.00 | 8.00 | PASS |

Offset 10.80 dB for SISO mode

^{*}Refer to next page for plots



Power Density_802.11b_20MHz_Chain0_2412MHz




Power Density_802.11b_20MHz_2437MHz




Power Density_802.11b_20MHz_2462MHz




Power Density_802.11g_20MHz_2412MHz



Power Density_802.11g_20MHz_2437MHz




Power Density_802.11g_20MHz_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and www.sgs.com/terms and <a href="www.sgs.com/terms and <a href="www prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Power Density_802.11n_20MHz_2412MHz




Power Density_802.11n_20MHz_2437MHz




Power Density_802.11n_20MHz_2462MHz




Power Density_802.11n_40MHz_2422MHz



Power Density_802.11n_40MHz_2437MHz



Power Density_802.11n_40MHz_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and www.sgs.com/terms and <a href="www.sgs.com/terms and <a href="www prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2018/80049

Page 94 of 94

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

13.2 **Antenna Connected Construction**

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號