

4.5 Band Edge Measurement

4.5.1 Limits of Band Edge Measurement

For operations in the 698-787 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least 43 + 10 log (P) dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater.


However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

For operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least 43 + 10 log (P) dB.

On all frequencies between 763-775 MHz and 793-805 MHz, by a factor no less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations.

For operations in the 1710–1755 MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least 43 + 10 log (P) dB.

4.5.2 Test Setup





4.5.3 Test Procedures

- a. All measurements were done at low and high operational frequency range.
- b. The center frequency of spectrum is the band edge frequency and span is 5 MHz. RB of the spectrum is 100 kHz and VB of the spectrum is 300 kHz (WCDMA).
- c. The center frequency of spectrum is the band edge frequency and span is 1 MHz. RB of the spectrum is 15 kHz and VB of the spectrum is 51 kHz (LTE Bandwidth 1.4 MHz).
- d. The center frequency of spectrum is the band edge frequency and span is 1 MHz. RB of the spectrum is 30 kHz and VB of the spectrum is 100 kHz (LTE Bandwidth 3 MHz).
- e. The center frequency of spectrum is the band edge frequency and span is 1 MHz. RB of the spectrum is 62 kHz and VB of the spectrum is 200 kHz (LTE Bandwidth 5 MHz).
- f. The center frequency of spectrum is the band edge frequency and span is 1 MHz. RB of the spectrum is 100 kHz and VB of the spectrum is 300 kHz (LTE Bandwidth 10 MHz).
- g. The center frequency of spectrum is the band edge frequency and span is 1 MHz. RB of the spectrum is 150 kHz and VB of the spectrum is 470 kHz (LTE Bandwidth 15 MHz).
- h. The center frequency of spectrum is the band edge frequency and span is 1 MHz. RB of the spectrum is 200 kHz and VB of the spectrum is 1 MHz (LTE Bandwidth 20 MHz).
- i. Record the max. trace plot into the test report.




4.5.4 Test Results





























Report Format Version: 6.1.1

























Report Format Version: 6.1.1












Report Format Version: 6.1.1











































For the 763 - 775 MHz and 793 - 805 MHz band, the FCC limit is 65+10log(P[watt]) in a 6.25 kHz bandwidth. Since it was not possible to set the resolution bandwidth to 6.25 kHz with the available equipment, a bandwidth of 10 kHz was used instead to show compliance. By using a 10 kHz bandwidth on the spectrum analyzer.

 $10\log(10kHz/6.25kHz) = 2.04 dB$

Limit line = -35 dBm + 2.04 dB = -32.96 dBm





For the 763 - 775 MHz and 793 - 805 MHz band, the FCC limit is 65+10log(P[watt]) in a 6.25 kHz bandwidth. Since it was not possible to set the resolution bandwidth to 6.25 kHz with the available equipment, a bandwidth of 10 kHz was used instead to show compliance. By using a 10 kHz bandwidth on the spectrum analyzer.

 $10\log(10kHz/6.25kHz) = 2.04 dB$

Limit line = -35 dBm + 2.04 dB =-32.96 dBm




4.6 Peak to Average Ratio

4.6.1 Limits of Peak to Average Ratio Measurement

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB.

4.6.2 Test Setup




4.6.3 Test Procedures

- 1. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth;
- 2. Set the number of counts to a value that stabilizes the measured CCDF curve;
- 3. Record the maximum PAPR level associated with a probability of 0.1 %.

4.6.4 Test Results

	WCDI	MA
Channel	Frequency (MHz)	Peak to Average Ratio (dB)
1312	1712.4	3.03
1413	1732.6	3.04
1513	1752.6	3.03






	LTE Band 4												
С	hannel Band	width: 1.	4 MHz		(Channel Band	dwidth: 3	MHz					
Channel	Frequency	Peak to Averag (dB)		e Ratio	Channel	Frequency	Peak to	Peak to Average Ra					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
19957	1710.7	3.86	5.02	5.08	19965	1711.5	3.69	4.92	4.96				
20175	1732.5	3.83	5.55	5.54	20175	1732.5	3.59	5.34	5.42				
20393	1754.3	3.85	5.53	5.56	20385	1753.5	3.64	5.39	5.51				





	LTE Band 4												
(Channel Band	dwidth: 5	MHz		C	hannel Band	width: 10	0 MHz					
Channel	Frequency	Peak to	o Averag (dB)	e Ratio	Channel	Frequency	Peak to	e Ratio					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
19975	1712.5	3.60	4.91	4.97	20000	1715.0	3.56	4.87	4.93				
20175	1732.5	3.57	5.38	5.44	20175	1732.5	3.52	5.28	5.34				
20375	1752.5	3.60	5.29	5.39	20350	1750.0	3.52	4.87	5.11				






	LTE Band 4												
C	hannel Band	width: 1	5 MHz		C	hannel Band	width: 2	0 MHz					
Channel	Frequency	Peak to	o Averag (dB)	e Ratio	Channel	Frequency	Peak to	e Ratio					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
20025	1717.5	3.49	4.81	4.91	20050	1720.0	3.53	4.75	4.94				
20175	1732.5	3.51	5.25	5.30	20175	1732.5	3.47	5.29	5.31				
20325	1747.5	3.48	5.23	5.26	20300	1745.0	3.51	5.28	5.30				






	LTE Band 12												
С	Channel Bandwidth: 1.4 MHz Channel Bandwidth: 3 MHz												
Channel	Frequency	Peak to Average Ratio (dB)			Channel	Frequency	Peak to	e Ratio					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
23017	699.7	3.80	5.41	6.65	23025	700.5	3.59	5.29	6.66				
23095	707.5	3.82	5.22	6.32	23095	707.5	3.58	5.00	6.22				
23173	715.3	3.80	4.62	5.88	23165	714.5	3.57	5.27	6.68				





	LTE Band 12												
(Channel Band	dwidth: 5	MHz		Channel Bandwidth: 10 MHz								
Channel	Frequency	Peak to	Peak to Average Ratio (dB)		Channel Frequency (dB)			o Averag (dB)	e Ratio				
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
23035	701.5	3.65	5.40	6.64	23060	704.0	3.53	5.20	6.62				
23095	707.5	3.59	5.05	6.16	23095	707.5	3.52	5.14	6.31				
23155	713.5	3.60	5.29	6.73	23130	711.0	3.52	5.12	6.26				






	LTE Band 13												
(Channel Band	dwidth: 5	MHz		C	hannel Band	width: 1	0 MHz					
Channel	Frequency	Peak to Average Ratio (dB)			Channel	Frequency	Peak to	e Ratio					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
23205	779.5	3.31	4.09	5.09									
23230	782.0	3.57	5.24	6.37	23230	782.0	3.28	4.05	5.10				
23255	784.5	3.27	4.01	4.97									






	LTE Band 17												
(Channel Band	dwidth: 5	MHz		C	hannel Band	width: 1	0 MHz					
Channel	Frequency	Peak to Average Ratio (dB)			Channel	Frequency	Peak to	e Ratio					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
23755	706.5	3.59	5.14	6.24	23780	709.0	3.52	5.09	6.20				
23790	710.0	3.60	5.28	6.39	23790	710.0	3.53	5.13	6.23				
23825	713.5	3.55	5.29	6.69	23800	711.0	3.52	5.12	6.27				






	LTE Band 66												
С	hannel Band	width: 1.	4 MHz		(Channel Band	dwidth: 3	MHz					
Channel	Frequency	Peak to Average Ratio (dB)			Channel	Frequency	Peak to	e Ratio					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
131979	1710.7	3.82	4.85	5.89	131987	1711.5	3.59	4.88	5.92				
132322	1745.0	3.81	5.06	6.21	132322	1745.0	3.59	5.16	6.27				
132665	1779.3	3.78	5.26	6.24	132657	1778.5	3.55	4.89	5.94				






	LTE Band 66												
(Channel Band	dwidth: 5	MHz		C	hannel Band	width: 1	0 MHz					
Channel	Frequency	Peak to Average Ratio (dB)			Channel	Frequency	Peak to	e Ratio					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
131997	1712.5	3.58	4.93	6.05	132022	1715.0	3.50	4.68	5.88				
132322	1745.0	3.58	5.20	6.31	132322	1745.0	3.55	5.09	6.26				
132647	1777.5	3.56	4.64	5.74	132622	1775.0	3.51	4.54	5.76				





	LTE Band 66												
C	hannel Band	width: 1	5 MHz		C	hannel Band	width: 2	0 MHz					
Channel	Frequency	Peak to	o Averag (dB)	e Ratio	Channel	Frequency	Peak to	e Ratio					
	(MHz)	QPSK	16QAM	64QAM		(MHz)	QPSK	16QAM	64QAM				
132047	1717.5	3.46	4.59	5.76	132072	1720.0	3.47	4.71	5.71				
132322	1745.0	3.46	5.15	6.36	132322	1745.0	3.49	5.21	6.46				
132597	1772.5	3.47	5.11	6.53	132572	1770.0	3.45	5.19	6.69				






4.7 Conducted Spurious Emissions

4.7.1 Limits of Conducted Spurious Emissions Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least 43 +10 log (P) dB. The limit of emission is equal to -13 dBm.

4.7.2 Test Setup




4.7.3 Test Procedure

- a. The EUT makes a phone call to the communication simulator. All measurements were done at low, middle and high operational frequency range.
- b. Measuring frequency range is from 9 kHz to 1 GHz. 10 dB attenuation pad is connected with spectrum. RBW = 100 kHz and VBW = 300 kHz is used for conducted emission measurement.
- c. Measuring frequency range is from 1 GHz to 10 GHz / 26.5 GHz / 27 GHz. 10 dB attenuation pad is connected with spectrum. RBW = 1 MHz and VBW = 3 MHz is used for conducted emission measurement.



4.7.4 Test Results



Note: The signal over the limit in 9 kHz is from spectrum analyzer.



