



# FCC CO-LOCATION RADIO TEST REPORT

FCC ID : A4RG020MN  
Equipment : Phone  
Model Name : G020M, G020N  
Applicant : Google LLC  
1600 Amphitheatre Parkway,  
Mountain View, California, 94043 USA  
Standard : FCC Part 15 Subpart E §15.407

The product was received on Nov. 06, 2018. We, SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any agency of government.

The test results in this variant report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Approved by: Jones Tsai

**SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory**  
No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)



## Table of Contents

History of this test report.....	3
<b>1 General Description .....</b>	<b>4</b>
1.1 Product Feature of Equipment Under Test.....	4
1.2 Product Specification of Equipment Under Test.....	4
1.3 Modification of EUT .....	4





# 1 General Description

## 1.1 Product Feature of Equipment Under Test

Product Feature	
Equipment	Phone
Model Name	G020M, G020N
FCC ID	A4RG020MN
EUT supports Radios application	GSM/EGPRS/WCDMA/HSPA/LTE/NFC/GNSS/WPC WLAN 11b/g/n HT20 WLAN 11a/n HT20/HT40 WLAN 11ac VHT20/VHT40/VHT80 Bluetooth BR/EDR/LE 60 GHz Low Power Transmitter
EUT Stage	Identical Prototype

**Remark:**

1. The above EUT's information was declared by manufacturer.
2. This is a variant report. All the test cases were performed on original report which can be referred to Sporton Report Number FR8N0616-05G.

## 1.2 Product Specification of Equipment Under Test

Standards-related Product Specification	
Tx/Rx Frequency Range	2400 MHz ~ 2483.5 MHz 5180 MHz ~ 5240 MHz
Antenna Type / Gain	<b>&lt;Bluetooth&gt;</b> IFA Antenna type with gain -0.50 dBi <b>&lt;2400 MHz ~ 2483.5 MHz&gt;</b> Ant. 2 : IFA Antenna type with gain -0.50 dBi Ant. 3 : IFA Antenna type with gain -1.00 dBi <b>&lt;5180 MHz ~ 5240 MHz&gt;</b> Ant. 2 : IFA Antenna type with gain 2.80 dBi Ant. 5 : IFA Antenna type with gain -1.50 dBi
Type of Modulation	Bluetooth EDR (3Mbps) : 8-DPSK Bluetooth LE : GFSK 802.11b : DSSS (DBPSK / DQPSK / CCK) 802.11a : OFDM (BPSK / QPSK / 16QAM / 64QAM)

## 1.3 Modification of EUT

No modifications are made to the EUT during all test items.

—————THE END—————