



<For Ant. 0_C>

LTE Band 38

LTE Band 38 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5140	-53.34	-25	-28.34	-77.71	-60.62	2.42	9.70	H
	7710	-44.63	-25	-19.63	-72.61	-54.19	2.36	11.93	H
	10280	-45.95	-25	-20.95	-78.42	-55.57	2.69	12.31	H
	5140	-53.52	-25	-28.52	-77.74	-60.8	2.42	9.70	V
	7710	-44.48	-25	-19.48	-72.75	-54.04	2.36	11.93	V
	10280	-45.73	-25	-20.73	-78.07	-55.35	2.69	12.31	V
Middle	5170	-53.20	-25	-28.20	-77.62	-60.47	2.43	9.70	H
	7752	-44.86	-25	-19.86	-72.92	-54.46	2.35	11.95	H
	10340	-45.79	-25	-20.79	-78.39	-55.43	2.69	12.34	H
	5172	-53.47	-25	-28.47	-77.74	-60.73	2.44	9.70	V
	7752	-45.02	-25	-20.02	-72.81	-54.62	2.35	11.95	V
	10340	-45.93	-25	-20.93	-78.4	-55.57	2.69	12.34	V
Highest	5200	-53.04	-25	-28.04	-77.55	-60.29	2.45	9.70	H
	7800	-44.43	-25	-19.43	-72.62	-54.08	2.33	11.98	H
	10400	-45.73	-25	-20.73	-78.52	-55.4	2.69	12.36	H
	5200	-53.42	-25	-28.42	-77.79	-60.67	2.45	9.70	V
	7800	-44.54	-25	-19.54	-73.03	-54.19	2.33	11.98	V
	10400	-45.86	-25	-20.86	-78.5	-55.53	2.69	12.36	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 0_C>

LTE Band CA 7C

LTE Band CA 7C / 20+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5040	-54.86	-25	-29.86	-78.65	-62.2	2.36	9.70	H
	7560	-50.67	-25	-25.67	-77.61	-60.1	2.41	11.84	H
	10080	-45.76	-25	-20.76	-77.57	-55.3	2.70	12.23	H
	5040	-55.26	-25	-30.26	-78.94	-62.6	2.36	9.70	V
	7560	-50.47	-25	-25.47	-77.75	-59.9	2.41	11.84	V
	10080	-46.16	-25	-21.16	-77.75	-55.7	2.70	12.23	V
Middle	5070	-54.78	-25	-29.78	-78.79	-62.1	2.38	9.70	H
	7602	-50.14	-25	-25.14	-77.61	-59.6	2.40	11.86	H
	10134	-45.34	-25	-20.34	-77.33	-54.9	2.70	12.25	H
	5070	-54.78	-25	-29.78	-78.38	-62.1	2.38	9.70	V
	7602	-50.04	-25	-25.04	-77.49	-59.5	2.40	11.86	V
	10134	-45.74	-25	-20.74	-77.51	-55.3	2.70	12.25	V
Highest	5100	-56.49	-25	-31.49	-80.13	-63.8	2.39	9.70	H
	7650	-51.39	-25	-26.39	-78.64	-60.9	2.38	11.89	H
	10206	-48.21	-25	-23.21	-79.99	-57.8	2.70	12.28	H
	5100	-56.69	-25	-31.69	-80.27	-64	2.39	9.70	V
	7650	-50.69	-25	-25.69	-78.53	-60.2	2.38	11.89	V
	10206	-48.11	-25	-23.11	-80.08	-57.7	2.70	12.28	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 25

LTE Band 25 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-55.94	-13	-42.94	-77.05	-62.51	1.67	8.24	H
	5550	-52.74	-13	-39.74	-78.15	-59.81	2.65	9.72	H
	7398	-50.57	-13	-37.57	-77.94	-59.7	2.46	11.60	H
	3702	-56.36	-13	-43.36	-77.46	-62.93	1.67	8.24	V
	5550	-52.60	-13	-39.60	-77.98	-59.67	2.65	9.72	V
	7398	-50.33	-13	-37.33	-77.9	-59.46	2.46	11.60	V
Middle	3738	-56.98	-13	-43.98	-78.06	-63.59	1.68	8.29	H
	5610	-52.47	-13	-39.47	-77.99	-59.53	2.69	9.74	H
	7482	-50.34	-13	-37.34	-77.75	-59.67	2.44	11.76	H
	3738	-56.83	-13	-43.83	-77.92	-63.44	1.68	8.29	V
	5610	-51.81	-13	-38.81	-77.31	-58.87	2.69	9.74	V
	7482	-50.19	-13	-37.19	-77.83	-59.52	2.44	11.76	V
Highest	3792	-56.98	-13	-43.98	-78	-63.63	1.70	8.35	H
	5688	-51.20	-13	-38.20	-76.92	-58.24	2.73	9.78	H
	7578	-49.79	-13	-36.79	-77.43	-59.23	2.40	11.85	H
	3792	-57.12	-13	-44.12	-78.18	-63.77	1.70	8.35	V
	5688	-51.58	-13	-38.58	-77.29	-58.62	2.73	9.78	V
	7578	-49.41	-13	-36.41	-77.3	-58.85	2.40	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 26

LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-63.35	-13	-50.35	-75.86	-65.11	0.98	4.89	H
	2472	-58.85	-13	-45.85	-76.58	-60.73	1.28	5.32	H
	3296	-58.34	-13	-45.34	-77.99	-61.75	1.54	7.10	H
	1648	-62.66	-13	-49.66	-75.62	-64.42	0.98	4.89	V
	2472	-58.88	-13	-45.88	-76.85	-60.76	1.28	5.32	V
	3296	-57.76	-13	-44.76	-77.91	-61.17	1.54	7.10	V
Middle	1664	-62.44	-13	-49.44	-75.07	-64.15	0.98	4.84	H
	2496	-59.42	-13	-46.42	-77.16	-61.37	1.29	5.39	H
	3328	-58.13	-13	-45.13	-78.01	-61.67	1.55	7.24	H
	1664	-62.68	-13	-49.68	-75.74	-64.39	0.98	4.84	V
	2496	-59.28	-13	-46.28	-77.37	-61.23	1.29	5.39	V
	3328	-57.92	-13	-44.92	-78.04	-61.46	1.55	7.24	V
Highest	1680	-63.21	-13	-50.21	-75.89	-64.86	0.99	4.80	H
	2520	-59.97	-13	-46.97	-77.64	-61.94	1.30	5.42	H
	3352	-58.36	-13	-45.36	-78.35	-62	1.56	7.35	H
	1680	-62.88	-13	-49.88	-76.06	-64.53	0.99	4.80	V
	2520	-59.28	-13	-46.28	-77.41	-61.25	1.30	5.42	V
	3352	-57.97	-13	-44.97	-78.2	-61.61	1.56	7.35	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1664	-63.16	-13	-50.16	-75.68	-64.87	0.98	4.84	H
	2496	-59.74	-13	-46.74	-77.39	-61.69	1.29	5.39	H
	3328	-57.92	-13	-44.92	-77.75	-61.46	1.55	7.24	H
	1664	-62.83	-13	-49.83	-75.87	-64.54	0.98	4.84	V
	2496	-59.04	-13	-46.04	-77.22	-60.99	1.29	5.39	V
	3328	-57.94	-13	-44.94	-78.13	-61.48	1.55	7.24	V
Middle	1672	-63.34	-13	-50.34	-76.1	-65.02	0.99	4.82	H
	2512	-59.56	-13	-46.56	-77.3	-61.53	1.29	5.41	H
	3344	-58.27	-13	-45.27	-78.22	-61.88	1.56	7.31	H
	1672	-62.84	-13	-49.84	-76.03	-64.52	0.99	4.82	V
	2512	-59.09	-13	-46.09	-77.27	-61.06	1.29	5.41	V
	3344	-58.12	-13	-45.12	-78.24	-61.73	1.56	7.31	V
Highest	1680	-63.14	-13	-50.14	-75.92	-64.79	0.99	4.80	H
	2528	-59.11	-13	-46.11	-76.84	-61.08	1.30	5.42	H
	3368	-57.62	-13	-44.62	-77.71	-61.33	1.56	7.42	H
	1680	-62.49	-13	-49.49	-75.67	-64.14	0.99	4.80	V
	2528	-59.03	-13	-46.03	-77.21	-61	1.30	5.42	V
	3368	-57.82	-13	-44.82	-78.02	-61.53	1.56	7.42	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 66

LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-57.92	-13	-44.92	-78.54	-63.99	1.58	7.65	H
	5130	-54.28	-13	-41.28	-78.33	-61.57	2.41	9.70	H
	6840	-51.77	-13	-38.77	-78.59	-59.74	2.64	10.61	H
	3420	-57.78	-13	-44.78	-78.44	-63.85	1.58	7.65	V
	5130	-54.08	-13	-41.08	-77.99	-61.37	2.41	9.70	V
	6840	-51.55	-13	-38.55	-78.3	-59.52	2.64	10.61	V
Middle	3468	-57.78	-13	-44.78	-78.65	-64.04	1.59	7.86	H
	5208	-53.58	-13	-40.58	-77.86	-60.82	2.46	9.70	H
	6942	-51.36	-13	-38.36	-78.3	-59.48	2.61	10.73	H
	3468	-57.78	-13	-44.78	-78.55	-64.04	1.59	7.86	V
	5208	-53.92	-13	-40.92	-78.08	-61.16	2.46	9.70	V
	6942	-51.37	-13	-38.37	-78.32	-59.49	2.61	10.73	V
Highest	3522	-56.61	-13	-43.61	-77.6	-63.03	1.61	8.03	H
	5280	-53.48	-13	-40.48	-77.95	-60.68	2.50	9.70	H
	7038	-50.81	-13	-37.81	-77.77	-59.11	2.58	10.88	H
	3522	-57.42	-13	-44.42	-8.3	-63.84	1.61	8.03	V
	5280	-53.38	-13	-40.38	-77.74	-60.58	2.50	9.70	V
	7038	-49.94	-13	-36.94	-76.97	-58.24	2.58	10.88	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 12

LTE Band 12 / 3MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-64.22	-13	-51.22	-74.72	-65.88	0.87	4.68	H
	2104	-61.41	-13	-48.41	-77.05	-62.31	1.17	4.21	H
	2800	-60.16	-13	-47.16	-77.89	-62.27	1.38	5.64	H
	1400	-63.88	-13	-50.88	-74.86	-65.54	0.87	4.68	V
	2104	-60.99	-13	-47.99	-77.03	-61.89	1.17	4.21	V
	2800	-58.75	-13	-45.75	-77.29	-60.86	1.38	5.64	V
Middle	1416	-64.58	-13	-51.58	-75.10	-66.33	0.87	4.78	H
	2120	-60.82	-13	-47.82	-76.50	-61.76	1.17	4.26	H
	2832	-59.77	-13	-46.77	-77.58	-61.89	1.39	5.67	H
	1416	-64.42	-13	-51.42	-75.40	-66.17	0.87	4.78	V
	2120	-60.67	-13	-47.67	-76.75	-61.61	1.17	4.26	V
	2832	-58.74	-13	-45.74	-77.38	-60.86	1.39	5.67	V
Highest	1432	-64.88	-13	-51.88	-75.50	-66.73	0.88	4.88	H
	2144	-61.24	-13	-48.24	-76.96	-62.24	1.18	4.33	H
	2856	-60.14	-13	-47.14	-77.96	-62.27	1.40	5.68	H
	1432	-64.32	-13	-51.32	-75.38	-66.17	0.88	4.88	V
	2144	-60.42	-13	-47.42	-76.60	-61.42	1.18	4.33	V
	2856	-59.04	-13	-46.04	-77.71	-61.17	1.40	5.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 13

LTE Band 13 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1564	-64.32	-42.15	-22.17	-76.09	-66.35	0.94	5.12	H
	2346	-60.35	-13	-47.35	-77.34	-61.90	1.24	4.94	H
	3128	-59.40	-13	-46.40	-78.27	-62.13	1.49	6.36	H
	1564	-63.74	-42.15	-21.59	-76.01	-65.77	0.94	5.12	V
	2346	-59.97	-13	-46.97	-77.37	-61.52	1.24	4.94	V
	3128	-58.76	-13	-45.76	-78.35	-61.49	1.49	6.36	V
Middle	1568	-64.68	-42.15	-22.53	-76.45	-66.70	0.94	5.11	H
	2352	-60.35	-13	-47.35	-77.44	-61.91	1.24	4.96	H
	3136	-59.19	-13	-46.19	-78.14	-61.95	1.49	6.40	H
	1568	-63.99	-42.15	-21.84	-76.26	-66.01	0.94	5.11	V
	2352	-59.96	-13	-46.96	-77.46	-61.52	1.24	4.96	V
	3136	-58.79	-13	-45.79	-78.43	-61.55	1.49	6.40	V
Highest	1576	-64.39	-42.15	-22.24	-76.31	-66.38	0.95	5.09	H
	2360	-60.42	-13	-47.42	-77.51	-62.00	1.25	4.98	H
	3144	-59.19	-13	-46.19	-78.14	-61.98	1.49	6.43	H
	1576	-64.02	-42.15	-21.87	-76.44	-66.01	0.95	5.09	V
	2360	-59.92	-13	-46.92	-77.42	-61.50	1.25	4.98	V
	3144	-58.03	-13	-45.03	-77.67	-60.82	1.49	6.43	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1552	-64.38	-13	-51.38	-76	-66.45	0.94	5.15	H
	2328	-60.51	-13	-47.51	-77.43	-62.01	1.24	4.88	H
	3112	-59.54	-13	-46.54	-78.33	-62.2	1.48	6.29	H
	1552	-63.74	-13	-50.74	-75.88	-65.81	0.94	5.15	V
	2328	-60.13	-13	-47.13	-77.45	-61.63	1.24	4.88	V
	3112	-58.75	-13	-45.75	-78.3	-61.41	1.48	6.29	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 7

LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5040	-53.42	-25	-28.42	-77.56	-60.76	2.36	9.70	H
	7560	-36.98	-25	-11.98	-64.55	-46.41	2.41	11.84	H
	10080	-45.28	-25	-20.28	-77.29	-54.82	2.70	12.23	H
	5040	-54.32	-25	-29.32	-78.25	-61.66	2.36	9.70	V
	7560	-38.76	-25	-13.76	-66.74	-48.19	2.41	11.84	V
	10080	-45.71	-25	-20.71	-77.5	-55.25	2.70	12.23	V
Middle	5088	-52.28	-25	-27.28	-76.38	-59.59	2.39	9.70	H
	7632	-40.63	-25	-15.63	-68.45	-50.12	2.39	11.88	H
	10188	-45.46	-25	-20.46	-77.69	-55.04	2.70	12.28	H
	5088	-53.55	-25	-28.55	-77.52	-60.86	2.39	9.70	V
	7632	-41.62	-25	-16.62	-69.69	-51.11	2.39	11.88	V
	10188	-45.24	-25	-20.24	-77.4	-54.82	2.70	12.28	V
Highest	5136	-52.11	-25	-27.11	-76.43	-59.39	2.42	9.70	H
	7704	-41.88	-25	-16.88	-69.78	-51.44	2.36	11.92	H
	10278	-45.44	-25	-20.44	-77.94	-55.06	2.69	12.31	H
	5136	-53.45	-25	-28.45	-77.63	-60.73	2.42	9.70	V
	7704	-42.38	-25	-17.38	-70.56	-51.94	2.36	11.92	V
	10278	-45.19	-25	-20.19	-77.53	-54.81	2.69	12.31	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 71

LTE Band 71 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-64.27	-13	-51.27	-74.67	-65.52	0.84	4.23	H
	1992	-60.99	-13	-47.99	-76.25	-61.63	1.13	3.92	H
	2648	-60.04	-13	-47.04	-77.9	-62.07	1.34	5.52	H
	1328	-64.08	-13	-51.08	-74.99	-65.33	0.84	4.23	V
	1992	-60.25	-13	-47.25	-75.84	-60.89	1.13	3.92	V
	2648	-59.32	-13	-46.32	-77.81	-61.35	1.34	5.52	V
Middle	1341	-64.36	-13	-51.36	-74.84	-65.68	0.84	4.31	H
	2016	-61.21	-13	-48.21	-76.75	-61.87	1.14	3.95	H
	2680	-59.95	-13	-46.95	-77.8	-62	1.35	5.54	H
	1341	-63.93	-13	-50.93	-74.81	-65.25	0.84	4.31	V
	2016	-61.21	-13	-48.21	-76.99	-61.87	1.14	3.95	V
	2680	-58.92	-13	-45.92	-77.42	-60.97	1.35	5.54	V
Highest	1352	-64.68	-13	-51.68	-75.23	-66.07	0.85	4.38	H
	2040	-61.16	-13	-48.16	-76.64	-61.88	1.15	4.02	H
	2712	-59.96	-13	-46.96	-77.75	-62.02	1.36	5.57	H
	1352	-64.05	-13	-51.05	-75.01	-65.44	0.85	4.38	V
	2040	-61.01	-13	-48.01	-76.92	-61.73	1.15	4.02	V
	2712	-58.94	-13	-45.94	-77.42	-61	1.36	5.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 38

LTE Band 38 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5142	-53.19	-25	-28.19	-77.42	-60.47	2.42	9.70	H
	7710	-44.17	-25	-19.17	-72.13	-53.73	2.36	11.93	H
	10278	-45.34	-25	-20.34	-77.79	-54.96	2.69	12.31	H
	5142	-53.11	-25	-28.11	-77.22	-60.39	2.42	9.70	V
	7710	-45.44	-25	-20.44	-73.67	-55	2.36	11.93	V
	10278	-45.51	-25	-20.51	-77.82	-55.13	2.69	12.31	V
Middle	5172	-52.03	-25	-27.03	-76.53	-59.29	2.44	9.70	H
	7758	-40.22	-25	-15.22	-68.27	-49.83	2.35	11.95	H
	10332	-45.68	-25	-20.68	-78.21	-55.32	2.69	12.33	H
	5172	-52.89	-25	-27.89	-77.26	-60.15	2.44	9.70	V
	7758	-44.06	-25	-19.06	-72.49	-53.67	2.35	11.95	V
	10332	-46.18	-25	-21.18	-78.49	-55.82	2.69	12.33	V
Highest	5202	-53.03	-25	-28.03	-77.51	-60.28	2.45	9.70	H
	7806	-42.89	-25	-17.89	-71.16	-52.54	2.33	11.98	H
	10404	-45.62	-25	-20.62	-78.35	-55.29	2.69	12.36	H
	5202	-52.31	-25	-27.31	-76.84	-59.56	2.45	9.70	V
	7806	-45.46	-25	-20.46	-73.97	-55.11	2.33	11.98	V
	10404	-45.85	-25	-20.85	-78.45	-55.52	2.69	12.36	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band 41 (HPUE)

LTE Band 41 (HPUE) / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-54.27	-25	-29.27	-78.15	-61.62	2.33	9.68	H
	7488	-45.29	-25	-20.29	-72.54	-54.63	2.43	11.78	H
	9990	-45.51	-25	-20.51	-77.26	-55.02	2.69	12.21	H
	4992	-53.52	-25	-28.52	-77.23	-60.87	2.33	9.68	V
	7488	-48.55	-25	-23.55	-76.1	-57.89	2.43	11.78	V
	9990	-45.62	-25	-20.62	-77.24	-55.13	2.69	12.21	V
Middle	5166	-52.88	-25	-27.88	-77.37	-60.15	2.43	9.70	H
	7752	-48.24	-25	-23.24	-76.27	-57.84	2.35	11.95	H
	10332	-45.87	-25	-20.87	-78.49	-55.51	2.69	12.33	H
	5166	-51.72	-25	-26.72	-75.95	-58.99	2.43	9.70	V
	7752	-48.37	-25	-23.37	-76.75	-57.97	2.35	11.95	V
	10332	-45.94	-25	-20.94	-78.46	-55.58	2.69	12.33	V
Highest	5340	-52.91	-25	-27.91	-77.76	-60.08	2.53	9.70	H
	8010	-49.63	-25	-24.63	-78.28	-59.47	2.27	12.11	H
	10674	-44.71	-25	-19.71	-78.14	-54.45	2.69	12.43	H
	5340	-51.89	-25	-26.89	-76.67	-59.06	2.53	9.70	V
	8010	-49.32	-25	-24.32	-78.39	-59.16	2.27	12.11	V
	10674	-45.08	-25	-20.08	-78.41	-54.82	2.69	12.43	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band CA 7C

LTE Band CA 7C / 20+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5040	-54.86	-25	-29.86	-78.96	-62.2	2.36	9.70	H
	7560	-41.27	-25	-16.27	-68.75	-50.7	2.41	11.84	H
	10080	-45.86	-25	-20.86	-77.74	-55.4	2.70	12.23	H
	5040	-54.96	-25	-29.96	-78.83	-62.3	2.36	9.70	V
	7560	-43.67	-25	-18.67	-70.99	-53.1	2.41	11.84	V
	10080	-45.96	-25	-20.96	-77.7	-55.5	2.70	12.23	V
Middle	5070	-53.32	-25	-28.32	-77.6	-60.64	2.38	9.70	H
	7602	-46.64	-25	-21.64	-74.32	-56.1	2.40	11.86	H
	10134	-45.66	-25	-20.66	-77.71	-55.22	2.70	12.25	H
	5070	-54.36	-25	-29.36	-78.4	-61.68	2.38	9.70	V
	7602	-46.48	-25	-21.48	-74.35	-55.94	2.40	11.86	V
	10134	-45.79	-25	-20.79	-77.68	-55.35	2.70	12.25	V
Highest	5100	-54.59	-25	-29.59	-78.47	-61.9	2.39	9.70	H
	7650	-43.79	-25	-18.79	-71.22	-53.3	2.38	11.89	H
	10206	-46.51	-25	-21.51	-78.44	-56.1	2.70	12.28	H
	5100	-54.79	-25	-29.79	-78.53	-62.1	2.39	9.70	V
	7650	-48.59	-25	-23.59	-76.56	-58.1	2.38	11.89	V
	10206	-46.61	-25	-21.61	-78.51	-56.2	2.70	12.28	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<With WPC Charging Mode>
<For Ant. 1>

LTE Band 7

LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5040	-54.66	-25	-29.66	-78.48	-62	2.36	9.70	H
	7560	-38.87	-25	-13.87	-61.53	-48.3	2.41	11.84	H
	10080	-45.76	-25	-20.76	-77.44	-55.3	2.70	12.23	H
	5040	-54.16	-25	-29.16	-77.99	-61.5	2.36	9.70	V
	7560	-40.17	-25	-15.17	-67.7	-49.6	2.41	11.84	V
	10080	-45.96	-25	-20.96	-77.5	-55.5	2.70	12.23	V
Middle	5088	-54.19	-25	-29.19	-78.12	-61.5	2.39	9.70	H
	7632	-39.61	-25	-14.61	-67.02	-49.1	2.39	11.88	H
	10188	-45.92	-25	-20.92	-78.03	-55.5	2.70	12.28	H
	5088	-52.99	-25	-27.99	-76.9	-60.3	2.39	9.70	V
	7632	-38.11	-25	-13.11	-65.82	-47.6	2.39	11.88	V
	10188	-46.12	-25	-21.12	-78.05	-55.7	2.70	12.28	V
Highest	5136	-54.42	-25	-29.42	-78.58	-61.7	2.42	9.70	H
	7704	-38.24	-25	-13.24	-66.02	-47.8	2.36	11.92	H
	10278	-45.48	-25	-20.48	-77.75	-55.1	2.69	12.31	H
	5136	-53.52	-25	-28.52	-77.47	-60.8	2.42	9.70	V
	7704	-37.44	-25	-12.44	-65.44	-47	2.36	11.92	V
	10278	-45.58	-25	-20.58	-77.77	-55.2	2.69	12.31	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Radiated Spurious Emission for G020Q

<For Ant. 0_B>

LTE Band CA 41C

LTE Band CA 41C / 20+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5034	-54.08	-25	-29.08	-77.88	-61.42	2.36	9.70	H
	7548	-49.67	-25	-24.67	-76.9	-59.09	2.41	11.83	H
	10062	-45.71	-25	-20.71	-77.25	-55.24	2.70	12.22	H
	5034	-54.58	-25	-29.58	-78.21	-61.92	2.36	9.70	V
	7548	-49.74	-25	-24.74	-77.16	-59.16	2.41	11.83	V
	10062	-45.78	-25	-20.78	-77.29	-55.31	2.70	12.22	V
Middle	5184	-53.21	-25	-28.21	-77.42	-60.47	2.44	9.70	H
	7776	-49.29	-25	-24.29	-77.07	-58.92	2.34	11.97	H
	10368	-45.84	-25	-20.84	-78.26	-55.49	2.69	12.35	H
	5184	-53.56	-25	-28.56	-77.58	-60.82	2.44	9.70	V
	7776	-48.74	-25	-23.74	-76.89	-58.37	2.34	11.97	V
	10368	-45.98	-25	-20.98	-78.29	-55.63	2.69	12.35	V
Highest	5340	-52.84	-25	-27.84	-77.43	-60.01	2.53	9.70	H
	8010	-49.83	-25	-24.83	-78.25	-59.67	2.27	12.11	H
	10674	-44.83	-25	-19.83	-78.08	-54.57	2.69	12.43	H
	5340	-53.17	-25	-28.17	-77.7	-60.34	2.53	9.70	V
	8010	-49.47	-25	-24.47	-78.2	-59.31	2.27	12.11	V
	10674	-44.89	-25	-19.89	-77.95	-54.63	2.69	12.43	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 0_C>

LTE Band 41

LTE Band 41 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-55.31	-25	-30.31	-79.3	-62.66	2.33	9.68	H
	7494	-52.30	-25	-27.30	-79.71	-61.66	2.43	11.79	H
	9990	-46.16	-25	-21.16	-77.89	-55.67	2.69	12.21	H
	4992	-55.45	-25	-30.45	-79.24	-62.8	2.33	9.68	V
	7494	-51.86	-25	-26.86	-79.51	-61.22	2.43	11.79	V
	9990	-46.30	-25	-21.30	-77.97	-55.81	2.69	12.21	V
Middle	5166	-54.33	-25	-29.33	-78.75	-61.6	2.43	9.70	H
	7752	-49.66	-25	-24.66	-77.72	-59.26	2.35	11.95	H
	10332	-46.64	-25	-21.64	-79.24	-56.28	2.69	12.33	H
	5166	-54.72	-25	-29.72	-78.96	-61.99	2.43	9.70	V
	7752	-48.71	-25	-23.71	-77.06	-58.31	2.35	11.95	V
	10332	-46.83	-25	-21.83	-79.3	-56.47	2.69	12.33	V
Highest	5340	-54.21	-25	-29.21	-79.07	-61.38	2.53	9.70	H
	8010	-51.22	-25	-26.22	-79.9	-61.06	2.27	12.11	H
	10674	-45.37	-25	-20.37	-78.88	-55.11	2.69	12.43	H
	5340	-54.57	-25	-29.57	-79.35	-61.74	2.53	9.70	V
	8010	-50.72	-25	-25.72	-79.74	-60.56	2.27	12.11	V
	10674	-45.70	-25	-20.70	-79.03	-55.44	2.69	12.43	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 0_C>

LTE Band CA 41C

LTE Band CA 41C / 20+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5034	-53.68	-25	-28.68	-77.68	-61.02	2.36	9.70	H
	7548	-49.73	-25	-24.73	-77.24	-59.15	2.41	11.83	H
	10062	-45.55	-25	-20.55	-77.47	-55.08	2.70	12.22	H
	5034	-54.15	-25	-29.15	-78.04	-61.49	2.36	9.70	V
	7548	-49.57	-25	-24.57	-77.31	-58.99	2.41	11.83	V
	10062	-45.44	-25	-20.44	-77.24	-54.97	2.70	12.22	V
Middle	5184	-52.93	-25	-27.93	-77.38	-60.19	2.44	9.70	H
	7776	-48.84	-25	-23.84	-77.01	-58.47	2.34	11.97	H
	10368	-45.41	-25	-20.41	-78.09	-55.06	2.69	12.35	H
	5184	-53.23	-25	-28.23	-77.51	-60.49	2.44	9.70	V
	7776	-48.41	-25	-23.41	-76.88	-58.04	2.34	11.97	V
	10368	-45.73	-25	-20.73	-78.32	-55.38	2.69	12.35	V
Highest	5340	-52.84	-25	-27.84	-77.67	-60.01	2.53	9.70	H
	8010	-49.32	-25	-24.32	-78.05	-59.16	2.27	12.11	H
	10674	-44.69	-25	-19.69	-78.16	-54.43	2.69	12.43	H
	5340	-53.11	-25	-28.11	-77.89	-60.28	2.53	9.70	V
	8010	-49.02	-25	-24.02	-78.05	-58.86	2.27	12.11	V
	10674	-44.77	-25	-19.77	-78.13	-54.51	2.69	12.43	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<For Ant. 1>

LTE Band CA 41C

LTE Band CA 41C / 20+20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5034	-54.37	-25	-29.37	-78.19	-61.71	2.36	9.70	H
	7548	-49.56	-25	-24.56	-76.85	-58.98	2.41	11.83	H
	10062	-45.64	-25	-20.64	-77.29	-55.17	2.70	12.22	H
	5034	-54.43	-25	-29.43	-78.03	-61.77	2.36	9.70	V
	7548	-48.26	-25	-23.26	-75.75	-57.68	2.41	11.83	V
	10062	-45.43	-25	-20.43	-76.97	-54.96	2.70	12.22	V
Middle	5184	-51.87	-25	-26.87	-76.11	-59.13	2.44	9.70	H
	7776	-46.53	-25	-21.53	-74.39	-56.16	2.34	11.97	H
	10368	-45.77	-25	-20.77	-78.18	-55.42	2.69	12.35	H
	5184	-53.56	-25	-28.56	-77.59	-60.82	2.44	9.70	V
	7776	-45.84	-25	-20.84	-74.02	-55.47	2.34	11.97	V
	10368	-45.89	-25	-20.89	-78.19	-55.54	2.69	12.35	V
Highest	5340	-53.26	-25	-28.26	-77.77	-60.43	2.53	9.70	H
	8010	-49.32	-25	-24.32	-77.71	-59.16	2.27	12.11	H
	10674	-45.07	-25	-20.07	-78.33	-54.81	2.69	12.43	H
	5340	-53.16	-25	-28.16	-77.68	-60.33	2.53	9.70	V
	8010	-46.94	-25	-21.94	-75.69	-56.78	2.27	12.11	V
	10674	-44.90	-25	-19.90	-77.97	-54.64	2.69	12.43	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————