





FR1 n48 / 10MHz / CP OFDM / 16QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 16QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 16QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 64QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 64QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 64QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 256QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 256QAM


Middle Channel

1RB0

1RBmax



Full RB









FR1 n48 / 10MHz / CP OFDM / 256QAM


Highest Channel

1RB0

1RBmax



Full RB






FR1 n48 / 15MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 256QAM

Highest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / QPSK

Middle Channel

Full RB








FR1 n48 / 20MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / 16QAM

Middle Channel


Full RB





FR1 n48 / 20MHz / CP OFDM / 16QAM

Highest Channel

Full RB








FR1 n48 / 20MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 256QAM

Highest Channel

Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK


Highest Channel

1RB0

1RBmax



Full RB








FR1 n48 / 40MHz / CP OFDM / 16QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 16QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 16QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM


Highest Channel

1RB0

1RBmax



Full RB






FR1 n48 / 40MHz / CP OFDM / 256QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM


Middle Channel

1RB0

1RBmax



Full RB









FR1 n48 / 40MHz / CP OFDM / 256QAM


Highest Channel

1RB0

1RBmax



Full RB







# Conducted Spurious Emission

FR1 n48 / 10MHz / CP OFDM / QPSK / 1RB1


## Lowest Channel



## Middle Channel



## Highest Channel








FR1 n48 / 15MHz / CP OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel



Highest Channel







FR1 n48 / 20MHz / CP OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel



Highest Channel








FR1 n48 / 40MHz / CP OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel



Highest Channel





### Frequency Stability

Test Conditions		FR1 n48 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0016	PASS
40	Normal Voltage	0.0025	
30	Normal Voltage	0.0006	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0050	
0	Normal Voltage	0.0024	
-10	Normal Voltage	0.0016	
-20	Normal Voltage	0.0019	
-30	Normal Voltage	0.0028	
20	Maximum Voltage	0.0031	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0024	

**Note:**

- 1. Normal Voltage =3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



### Appendix B. Test Results of Radiated Test

Remark: The SRS antenna has been verified RSE during the preliminary scan and the result is not worse than the primary and ASDIV antenna, so only primary and ASDIV antenna is reported.

<Primary Antenna>

<Ant. 6>

### 5G NR n48

5G NR n48 / 20MHz / 1RB1 BPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7103	-56.43	-40	-16.43	-81.65	-65.33	1.88	10.78	H
	10654	-53.03	-40	-13.03	-80.79	-62.25	2.38	11.60	H
	14205	-52.08	-40	-12.08	-80.75	-61.01	3.08	12.01	H
	21308	-65.44	-40	-25.44	-78.67	-80.56	3.62	18.75	H
	24859	-62.03	-40	-22.03	-79.66	-77.16	3.88	19.01	H
	28410	-60.58	-40	-20.58	-80.53	-75.47	4.17	19.06	H
									H
	7103	-55.57	-40	-15.57	-81.41	-64.47	1.88	10.78	V
	10654	-53.81	-40	-13.81	-80.9	-63.03	2.38	11.60	V
	14205	-52.28	-40	-12.28	-80.67	-61.21	3.08	12.01	V
	21308	-66.06	-40	-26.06	-78.76	-81.18	3.62	18.75	V
	24859	-62.75	-40	-22.75	-79.75	-77.88	3.88	19.01	V
	28410	-61.74	-40	-21.74	-80.7	-76.63	4.17	19.06	V
									V



Middle	7233	-56.31	-40	-16.31	-81.85	-64.77	1.90	10.37	H
	10849	-53.44	-40	-13.44	-81.63	-62.79	2.39	11.75	H
	14465	-52.46	-40	-12.46	-80.84	-61.67	3.16	12.37	H
	18081	-67.00	-40	-27.00	-75.62	-81.65	3.42	18.07	H
	21698	-64.85	-40	-24.85	-78.19	-79.69	3.67	18.50	H
	25314	-61.54	-40	-21.54	-79.44	-76.59	3.95	19.00	H
									H
	7233	-54.27	-40	-14.27	-80.38	-62.73	1.90	10.37	V
	10849	-53.15	-40	-13.15	-80.72	-62.50	2.39	11.75	V
	14465	-51.84	-40	-11.84	-80.28	-61.05	3.16	12.37	V
	18081	-67.63	-40	-27.63	-75.87	-82.28	3.42	18.07	V
	21698	-65.54	-40	-25.54	-78.39	-80.38	3.67	18.50	V
	25314	-62.68	-40	-22.68	-79.93	-77.73	3.95	19.00	V
									V
Highest	7365	-55.82	-40	-15.82	-81.48	-64.59	1.92	10.69	H
	11044	-52.85	-40	-12.85	-81.36	-62.63	2.42	12.20	H
	14728	-52.73	-40	-12.73	-81.37	-62.27	3.21	12.76	H
	18406	-66.77	-40	-26.77	-76.2	-81.39	3.43	18.05	H
	22088	-65.24	-40	-25.24	-78.51	-80.35	3.72	18.84	H
	25769	-61.42	-40	-21.42	-79.34	-76.42	4.04	19.04	H
									H
	7365	-53.39	-40	-13.39	-79.49	-62.16	1.92	10.69	V
	11044	-45.76	-40	-5.76	-73.69	-55.54	2.42	12.20	V
	14728	-52.47	-40	-12.47	-81.3	-62.02	3.21	12.76	V
	18406	-66.65	-40	-26.65	-75.79	-81.27	3.43	18.05	V
	22088	-65.86	-40	-25.86	-78.72	-80.97	3.72	18.84	V
	25769	-62.35	-40	-22.35	-79.51	-77.35	4.04	19.04	V
									V

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





<ASDIV Antenna>

<Ant. 7>

**5G NRn48**

5G NR n48 / 20MHz / 1RB1 BPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7100	-56.52	-40	-16.52	-81.74	-65.44	1.88	10.80	H
	10650	-53.39	-40	-13.39	-81.14	-62.61	2.38	11.60	H
	14200	-52.56	-40	-12.56	-81.24	-61.48	3.08	12.00	H
	21308	-65.79	-40	-25.79	-79.02	-80.91	3.62	18.75	H
	24859	-61.60	-40	-21.60	-79.23	-76.73	3.88	19.01	H
	28410	-60.14	-40	-20.14	-80.09	-75.03	4.17	19.06	H
									H
	7100	-56.05	-40	-16.05	-81.89	-64.97	1.88	10.80	V
	10650	-54.16	-40	-14.16	-81.23	-63.38	2.38	11.60	V
	14200	-52.57	-40	-12.57	-80.96	-61.49	3.08	12.00	V
	21308	-66.43	-40	-26.43	-79.13	-81.55	3.62	18.75	V
	24859	-62.61	-40	-22.61	-79.61	-77.74	3.88	19.01	V
	28410	-61.43	-40	-21.43	-80.39	-76.32	4.17	19.06	V
									V



Middle	7230	-56.17	-40	-16.17	-81.7	-64.63	1.90	10.36	H
	10845	-53.26	-40	-13.26	-81.44	-62.60	2.39	11.74	H
	14464	-52.08	-40	-12.08	-80.46	-61.28	3.16	12.36	H
	18081	-67.19	-40	-27.19	-75.81	-81.84	3.42	18.07	H
	21698	-64.74	-40	-24.74	-78.08	-79.58	3.67	18.50	H
	25314	-61.97	-40	-21.97	-79.87	-77.02	3.95	19.00	H
									H
	7230	-55.42	-40	-15.42	-81.53	-63.88	1.90	10.36	V
	10845	-53.55	-40	-13.55	-81.11	-62.89	2.39	11.74	V
	14464	-52.44	-40	-12.44	-80.88	-61.64	3.16	12.36	V
	18081	-67.41	-40	-27.41	-75.65	-82.06	3.42	18.07	V
	21698	-65.22	-40	-25.22	-78.07	-80.06	3.67	18.50	V
	25314	-62.20	-40	-22.20	-79.45	-77.25	3.95	19.00	V
									V
Highest	7363	-56.21	-40	-16.21	-81.87	-64.97	1.92	10.68	H
	11044	-52.76	-40	-12.76	-81.27	-62.54	2.42	12.20	H
	14725	-52.34	-40	-12.34	-80.97	-61.88	3.21	12.75	H
	18406	-66.84	-40	-26.84	-76.27	-81.46	3.43	18.05	H
	22088	-65.39	-40	-25.39	-78.66	-80.50	3.72	18.84	H
	25769	-61.42	-40	-21.42	-79.34	-76.42	4.04	19.04	H
									H
	7363	-55.93	-40	-15.93	-82.02	-64.69	1.92	10.68	V
	11044	-53.15	-40	-13.15	-81.08	-62.93	2.42	12.20	V
	14725	-51.96	-40	-11.96	-80.78	-61.50	3.21	12.75	V
	18406	-66.74	-40	-26.74	-75.88	-81.36	3.43	18.05	V
	22088	-65.87	-40	-25.87	-78.73	-80.98	3.72	18.84	V
	25769	-62.48	-40	-22.48	-79.64	-77.48	4.04	19.04	V
									V

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<MIMO Antenna>  
MIMO <Ant. 6>

**5G NR n48**

5G NR n48 / 40MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Margin ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7105	-58.37	-40	-18.37	-55.89	-68.07	1.84	11.54	H
	10655	-55.86	-40	-15.86	-57.33	-64.33	2.23	10.71	H
	14211	-50.74	-40	-10.74	-58.43	-60.36	2.65	12.27	H
	21313	-64.91	-40	-24.91	-78.6	-79.76	3.32	18.18	H
	24865	-60.80	-40	-20.80	-78.28	-75.57	3.71	18.48	H
	28418	-57.07	-40	-17.07	-76.58	-72.53	3.99	19.45	H
									H
	7105	-58.54	-40	-18.54	-56.31	-68.24	1.84	11.54	V
	10655	-56.17	-40	-16.17	-57.24	-64.64	2.23	10.71	V
	14211	-51.27	-40	-11.27	-58.84	-60.89	2.65	12.27	V
	21313	-64.02	-40	-24.02	-77.4	-78.87	3.32	18.18	V
	24865	-61.11	-40	-21.11	-78.27	-75.88	3.71	18.48	V
	28418	-57.32	-40	-17.32	-76.42	-72.78	3.99	19.45	V
									V



Middle	7215	-58.86	-40	-18.86	-56.59	-68.32	1.85	11.31	H
	10820	-54.29	-40	-14.29	-56.06	-62.68	2.22	10.61	H
	14431	-50.94	-40	-10.94	-58.74	-60.45	2.63	12.14	H
	18036	-61.69	-40	-21.69	-72.44	-76.06	3.23	17.60	H
	21643	-63.18	-40	-23.18	-77.53	-78.31	3.41	18.54	H
	25250	-61.13	-40	-21.13	-76.69	-76.07	3.76	18.70	H
									H
	7215	-57.21	-40	-17.21	-56.31	-66.67	1.85	11.31	V
	10820	-54.72	-40	-14.72	-56.23	-63.11	2.22	10.61	V
	14431	-50.25	-40	-10.25	-58.4	-59.76	2.63	12.14	V
	18036	-61.86	-40	-21.86	-72.3	-76.23	3.23	17.60	V
	21643	-63.68	-40	-23.68	-77.7	-78.81	3.41	18.54	V
	25250	-60.82	-40	-20.82	-78.09	-75.76	3.76	18.70	V
									V
Highest	7325	-57.15	-40	-17.15	-55.25	-66.61	1.90	11.36	H
	10985	-54.33	-40	-14.33	-56.38	-62.64	2.20	10.51	H
	14651	-51.33	-40	-11.33	-59.33	-61.16	2.60	12.43	H
	18311	-63.94	-40	-23.94	-75.01	-78.30	3.24	17.60	H
	21973	-64.86	-40	-24.86	-79.41	-80.23	3.50	18.87	H
	25635	-60.24	-40	-20.24	-77.98	-75.41	3.85	19.03	H
									H
	7325	-56.71	-40	-16.71	-55.02	-66.17	1.90	11.36	V
	10985	-54.83	-40	-14.83	-56.78	-63.14	2.20	10.51	V
	14651	-50.67	-40	-10.67	-59.47	-60.50	2.60	12.43	V
	18311	-64.48	-40	-24.48	-75.29	-78.84	3.24	17.60	V
	21973	-64.95	-40	-24.95	-79.13	-80.32	3.50	18.87	V
	25635	-60.22	-40	-20.22	-77.69	-75.39	3.85	19.03	V
									V

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



MIMO <Ant. 7>

**5G NR n48**

5G NR n48 / 40MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Margin ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	7105	-57.70	-40	-17.70	-55.22	-67.40	1.84	11.54	H
	10655	-55.41	-40	-15.41	-56.88	-63.88	2.23	10.71	H
	14211	-50.82	-40	-10.82	-58.51	-60.44	2.65	12.27	H
	21313	-64.68	-40	-24.68	-78.37	-79.53	3.32	18.18	H
	24865	-60.92	-40	-20.92	-78.4	-75.69	3.71	18.48	H
	28418	-57.19	-40	-17.19	-76.7	-72.65	3.99	19.45	H
									H
	7105	-57.83	-40	-17.83	-55.6	-67.53	1.84	11.54	V
	10655	-55.42	-40	-15.42	-56.49	-63.89	2.23	10.71	V
	14211	-50.59	-40	-10.59	-58.16	-60.21	2.65	12.27	V
	21313	-65.02	-40	-25.02	-78.4	-79.87	3.32	18.18	V
	24865	-61.11	-40	-21.11	-78.27	-75.88	3.71	18.48	V
	28418	-57.58	-40	-17.58	-76.68	-73.04	3.99	19.45	V
									V



Middle	7215	-54.31	-40	-14.31	-52.04	-63.77	1.85	11.31	H
	10820	-50.36	-40	-10.36	-52.13	-58.75	2.22	10.61	H
	14431	-50.42	-40	-10.42	-58.22	-59.93	2.63	12.14	H
	18036	-61.75	-40	-21.75	-72.5	-76.12	3.23	17.60	H
	21643	-62.94	-40	-22.94	-77.29	-78.07	3.41	18.54	H
	25250	-60.82	-40	-20.82	-78.38	-75.76	3.76	18.70	H
									H
	7215	-57.83	-40	-17.83	-55.93	-67.29	1.85	11.31	V
	10820	-52.00	-40	-12.00	-53.51	-60.39	2.22	10.61	V
	14431	-50.22	-40	-10.22	-58.37	-59.73	2.63	12.14	V
	18036	-62.27	-40	-22.27	-72.71	-76.64	3.23	17.60	V
	21643	-63.54	-40	-23.54	-77.56	-78.67	3.41	18.54	V
	25250	-61.03	-40	-21.03	-78.3	-75.97	3.76	18.70	V
									V
Highest	7325	-46.59	-40	-6.59	-44.69	-56.05	1.90	11.36	H
	10985	-44.70	-40	-4.70	-46.75	-53.01	2.20	10.51	H
	14651	-51.03	-40	-11.03	-59.03	-60.86	2.60	12.43	H
	18311	-63.78	-40	-23.78	-74.85	-78.14	3.24	17.60	H
	21973	-64.29	-40	-24.29	-78.84	-79.66	3.50	18.87	H
	25635	-60.38	-40	-20.38	-78.12	-75.55	3.85	19.03	H
									H
	7325	-50.47	-40	-10.47	-48.78	-59.93	1.90	11.36	V
	10985	-45.16	-40	-5.16	-47.11	-53.47	2.20	10.51	V
	14651	-50.34	-40	-10.34	-59.14	-60.17	2.60	12.43	V
	18311	-64.17	-40	-24.17	-74.98	-78.53	3.24	17.60	V
	21973	-64.63	-40	-24.63	-78.81	-80.00	3.50	18.87	V
	25635	-60.36	-40	-20.36	-77.83	-75.53	3.85	19.03	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

—————THE END—————