





FR1 n77 / 90MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







# Conducted Spurious Emission

FR1 n77 / 10MHz / CP OFDM / QPSK / 1RB1


## Lowest Channel



## Middle Channel



## Highest Channel





### Frequency Stability

| Test Conditions     |                   | FR1 n77 (QPSK) / Middle Channel | Limit   |
|---------------------|-------------------|---------------------------------|---------|
| Temperature<br>(°C) | Voltage<br>(Volt) | BW 20MHz                        | Note 2. |
|                     |                   | Deviation (ppm)                 | Result  |
| 50                  | Normal Voltage    | 0.0004                          | PASS    |
| 40                  | Normal Voltage    | 0.0027                          |         |
| 30                  | Normal Voltage    | 0.0019                          |         |
| 20(Ref.)            | Normal Voltage    | 0.0000                          |         |
| 10                  | Normal Voltage    | 0.0018                          |         |
| 0                   | Normal Voltage    | 0.0027                          |         |
| -10                 | Normal Voltage    | 0.0029                          |         |
| -20                 | Normal Voltage    | 0.0033                          |         |
| -30                 | Normal Voltage    | 0.0033                          |         |
| 20                  | Maximum Voltage   | 0.0032                          |         |
| 20                  | Normal Voltage    | 0.0000                          |         |
| 20                  | Battery End Point | 0.0030                          |         |

**Note:**

1. Normal Voltage = 3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



### Appendix B. Test Results of Radiated Test

Remark: The SRS antenna has been verified RSE during the preliminary scan and the result is not worse than the primary and ASDIV antenna, so only primary and ASDIV antenna is reported.

<Primary Antenna>

<Ant. 6>

### 5G NR n77 (HPUE)

| 5G NR n77 (HPUE) / 20MHz / PI/2 BPSK |                   |              |               |               |                   |                    |                      |                       |                    |
|--------------------------------------|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                              | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Margin ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                               | 6902              | -44.34       | -13           | -31.34        | -72.68            | -52.54             | 1.84                 | 12.19                 | H                  |
|                                      | 10353             | -37.74       | -13           | -24.74        | -72.32            | -44.22             | 2.26                 | 10.89                 | H                  |
|                                      | 13805             | -31.03       | -13           | -18.03        | -73.77            | -38.80             | 2.63                 | 12.56                 | H                  |
|                                      | 20708             | -64.89       | -13           | -51.89        | -77.59            | -77.43             | 3.22                 | 17.92                 | H                  |
|                                      | 24159             | -61.05       | -13           | -48.05        | -77.84            | -73.61             | 3.78                 | 18.50                 | H                  |
|                                      | 27610             | -57.99       | -13           | -44.99        | -77.68            | -71.44             | 3.95                 | 19.54                 | H                  |
|                                      |                   |              |               |               |                   |                    |                      |                       | H                  |
|                                      | 6902              | -44.04       | -13           | -31.04        | -72.88            | -52.24             | 1.84                 | 12.19                 | V                  |
|                                      | 10353             | -38.65       | -13           | -25.65        | -72.43            | -45.13             | 2.26                 | 10.89                 | V                  |
|                                      | 13805             | -31.68       | -13           | -18.68        | -73.39            | -39.45             | 2.63                 | 12.56                 | V                  |
|                                      | 20708             | -65.20       | -13           | -52.20        | -77.66            | -77.74             | 3.22                 | 17.92                 | V                  |
|                                      | 24159             | -61.54       | -13           | -48.54        | -77.97            | -74.10             | 3.78                 | 18.50                 | V                  |
|                                      | 27610             | -58.19       | -13           | -45.19        | -77.56            | -71.64             | 3.95                 | 19.54                 | V                  |
|                                      |                   |              |               |               |                   |                    |                      |                       | V                  |



|         |       |        |     |        |        |        |      |       |   |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Middle  | 6982  | -43.60 | -13 | -30.60 | -72.06 | -51.48 | 1.84 | 11.87 | H |
|         | 10473 | -37.44 | -13 | -24.44 | -72.16 | -43.85 | 2.25 | 10.82 | H |
|         | 13965 | -31.52 | -13 | -18.52 | -73.6  | -39.13 | 2.66 | 12.43 | H |
|         | 20948 | -64.41 | -13 | -51.41 | -77.12 | -76.84 | 3.24 | 17.82 | H |
|         | 24439 | -60.94 | -13 | -47.94 | -78.29 | -73.70 | 3.76 | 18.66 | H |
|         | 27930 | -57.44 | -13 | -44.44 | -76.93 | -71.00 | 3.97 | 19.67 | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 6982  | -43.52 | -13 | -30.52 | -72.14 | -51.40 | 1.84 | 11.87 | V |
|         | 10473 | -38.47 | -13 | -25.47 | -72.59 | -44.88 | 2.25 | 10.82 | V |
|         | 13965 | -32.28 | -13 | -19.28 | -73.71 | -39.89 | 2.66 | 12.43 | V |
|         | 20948 | -64.18 | -13 | -51.18 | -76.6  | -76.61 | 3.24 | 17.82 | V |
|         | 24439 | -61.26 | -13 | -48.26 | -78.3  | -74.02 | 3.76 | 18.66 | V |
|         | 27930 | -58.23 | -13 | -45.23 | -77.33 | -71.79 | 3.97 | 19.67 | V |
|         |       |        |     |        |        |        |      |       | V |
| Highest | 7062  | -44.14 | -13 | -31.14 | -72.78 | -51.79 | 1.84 | 11.65 | H |
|         | 10593 | -37.99 | -13 | -24.99 | -72.94 | -44.34 | 2.24 | 10.74 | H |
|         | 14125 | -31.32 | -13 | -18.32 | -73.28 | -38.84 | 2.66 | 12.33 | H |
|         | 21188 | -64.71 | -13 | -51.71 | -78.01 | -77.30 | 3.29 | 18.03 | H |
|         | 24719 | -61.40 | -13 | -48.40 | -78.87 | -74.09 | 3.73 | 18.57 | H |
|         | 28250 | -57.16 | -13 | -44.16 | -76.64 | -70.58 | 3.98 | 19.55 | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 7062  | -43.77 | -13 | -30.77 | -72.59 | -51.42 | 1.84 | 11.65 | V |
|         | 10593 | -38.43 | -13 | -25.43 | -72.91 | -44.78 | 2.24 | 10.74 | V |
|         | 14125 | -31.66 | -13 | -18.66 | -73.81 | -39.18 | 2.66 | 12.33 | V |
|         | 21188 | -65.21 | -13 | -52.21 | -78.2  | -77.80 | 3.29 | 18.03 | V |
|         | 24719 | -61.40 | -13 | -48.40 | -78.56 | -74.09 | 3.73 | 18.57 | V |
|         | 28250 | -58.10 | -13 | -45.10 | -77.17 | -71.52 | 3.98 | 19.55 | V |
|         |       |        |     |        |        |        |      |       | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<ASDIV Antenna>  
<Ant. 7>

**5G NR n77 (HPUE)**

| 5G NR n77 (HPUE) / 20MHz / PI/2 BPSK |                   |              |               |               |                   |                    |                      |                       |                    |
|--------------------------------------|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                              | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Margin ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                               | 6902              | -44.51       | -13           | -31.51        | -72.85            | -52.71             | 1.84                 | 12.19                 | H                  |
|                                      | 10353             | -37.43       | -13           | -24.43        | -72.01            | -43.91             | 2.26                 | 10.89                 | H                  |
|                                      | 13805             | -30.40       | -13           | -17.40        | -73.14            | -38.17             | 2.63                 | 12.56                 | H                  |
|                                      | 20708             | -61.67       | -13           | -48.67        | -74.37            | -74.21             | 3.22                 | 17.92                 | H                  |
|                                      | 24159             | -59.88       | -13           | -46.88        | -76.67            | -72.44             | 3.78                 | 18.50                 | H                  |
|                                      | 27610             | -57.35       | -13           | -44.35        | -77.03            | -70.80             | 3.95                 | 19.54                 | H                  |
|                                      |                   |              |               |               |                   |                    |                      |                       | H                  |
|                                      | 6902              | -43.83       | -13           | -30.83        | -72.67            | -52.03             | 1.84                 | 12.19                 | V                  |
|                                      | 10353             | -37.64       | -13           | -24.64        | -71.42            | -44.12             | 2.26                 | 10.89                 | V                  |
|                                      | 13805             | -31.02       | -13           | -18.02        | -72.73            | -38.79             | 2.63                 | 12.56                 | V                  |
|                                      | 20708             | -57.87       | -13           | -44.87        | -70.33            | -70.41             | 3.22                 | 17.92                 | V                  |
|                                      | 24159             | -59.81       | -13           | -46.81        | -76.24            | -72.37             | 3.78                 | 18.50                 | V                  |
|                                      | 27610             | -57.61       | -13           | -44.61        | -76.98            | -71.06             | 3.95                 | 19.54                 | V                  |
|                                      |                   |              |               |               |                   |                    |                      |                       | V                  |





|         |       |        |     |        |        |        |      |       |   |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Middle  | 6982  | -43.62 | -13 | -30.62 | -72.08 | -51.50 | 1.84 | 11.87 | H |
|         | 10473 | -37.53 | -13 | -24.53 | -72.25 | -43.94 | 2.25 | 10.82 | H |
|         | 13965 | -31.21 | -13 | -18.21 | -73.29 | -38.82 | 2.66 | 12.43 | H |
|         | 20948 | -60.69 | -13 | -47.69 | -73.4  | -73.12 | 3.24 | 17.82 | H |
|         | 24439 | -59.12 | -13 | -46.12 | -76.47 | -71.88 | 3.76 | 18.66 | H |
|         | 27930 | -57.42 | -13 | -44.42 | -76.91 | -70.98 | 3.97 | 19.67 | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 6982  | -43.33 | -13 | -30.33 | -71.95 | -51.21 | 1.84 | 11.87 | V |
|         | 10473 | -38.50 | -13 | -25.50 | -72.62 | -44.91 | 2.25 | 10.82 | V |
|         | 13965 | -31.62 | -13 | -18.62 | -73.05 | -39.23 | 2.66 | 12.43 | V |
|         | 20948 | -61.77 | -13 | -48.77 | -74.19 | -74.20 | 3.24 | 17.82 | V |
|         | 24439 | -59.99 | -13 | -46.99 | -77.02 | -72.75 | 3.76 | 18.66 | V |
|         | 27930 | -57.62 | -13 | -44.62 | -76.72 | -71.18 | 3.97 | 19.67 | V |
|         |       |        |     |        |        |        |      |       | V |
| Highest | 7062  | -43.27 | -13 | -30.27 | -71.9  | -50.92 | 1.84 | 11.65 | H |
|         | 10593 | -37.50 | -13 | -24.50 | -72.45 | -43.85 | 2.24 | 10.74 | H |
|         | 14125 | -30.86 | -13 | -17.86 | -72.82 | -38.38 | 2.66 | 12.33 | H |
|         | 21188 | -59.80 | -13 | -46.80 | -73.09 | -72.39 | 3.29 | 18.03 | H |
|         | 24719 | -59.84 | -13 | -46.84 | -77.31 | -72.53 | 3.73 | 18.57 | H |
|         | 28250 | -57.03 | -13 | -44.03 | -76.51 | -70.45 | 3.98 | 19.55 | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 7062  | -43.29 | -13 | -30.29 | -72.11 | -50.94 | 1.84 | 11.65 | V |
|         | 10593 | -37.22 | -13 | -24.22 | -71.7  | -43.57 | 2.24 | 10.74 | V |
|         | 14125 | -31.03 | -13 | -18.03 | -72.68 | -38.55 | 2.66 | 12.33 | V |
|         | 21188 | -61.01 | -13 | -48.01 | -74    | -73.60 | 3.29 | 18.03 | V |
|         | 24719 | -60.02 | -13 | -47.02 | -77.18 | -72.71 | 3.73 | 18.57 | V |
|         | 28250 | -57.18 | -13 | -44.18 | -76.26 | -70.60 | 3.98 | 19.55 | V |
|         |       |        |     |        |        |        |      |       | V |

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 0 + Ant. 7>

**EN-DC 66A-n77A**

| EN-DC 66A-n77A / 10+20MHz /QPSK + PI/2 BPSK |                   |              |               |               |                   |                    |                      |                       |                    |
|---|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                                     | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Margin ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle                                      | 6982              | -43.27       | -13           | -30.27        | -71.73            | -51.15             | 1.84                 | 11.87                 | H                  |
|   | 10473             | -37.60       | -13           | -24.60        | -72.32            | -44.01             | 2.25                 | 10.82                 | H                  |
|   | 13965             | -30.84       | -13           | -17.84        | -72.92            | -38.45             | 2.66                 | 12.43                 | H                  |
|   | 20948             | -60.64       | -13           | -47.64        | -73.35            | -73.07             | 3.24                 | 17.82                 | H                  |
|   | 24439             | -59.31       | -13           | -46.31        | -76.66            | -72.07             | 3.76                 | 18.66                 | H                  |
|   | 27930             | -57.50       | -13           | -44.50        | -76.98            | -71.06             | 3.97                 | 19.67                 | H                  |
|   |                   |              |               |               |                   |                    |                      |                       | H                  |
|   | 6982              | -43.09       | -13           | -30.09        | -71.71            | -50.97             | 1.84                 | 11.87                 | V                  |
|   | 10473             | -38.10       | -13           | -25.10        | -72.22            | -44.51             | 2.25                 | 10.82                 | V                  |
|   | 13965             | -31.68       | -13           | -18.68        | -73.11            | -39.29             | 2.66                 | 12.43                 | V                  |
|   | 20948             | -57.89       | -13           | -44.89        | -70.31            | -70.32             | 3.24                 | 17.82                 | V                  |
|   | 24439             | -59.47       | -13           | -46.47        | -76.5             | -72.23             | 3.76                 | 18.66                 | V                  |
|   | 27930             | -57.57       | -13           | -44.57        | -76.67            | -71.13             | 3.97                 | 19.67                 | V                  |
|   |                   |              |               |               |                   |                    |                      |                       | V                  |

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<MIMO Antenna>  
MIMO <Ant. 6+1>

**5G NR n77**

| 5GNR n77 / 20MHz / QPSK |                   |              |               |               |                   |                    |                      |                       |                    |
|-------------------------|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                 | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Margin ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                  | 6902              | -43.29       | -13           | -30.29        | -71.63            | -51.49             | 1.84                 | 12.19                 | H                  |
|                         | 10353             | -37.04       | -13           | -24.04        | -71.62            | -43.52             | 2.26                 | 10.89                 | H                  |
|                         | 13805             | -30.38       | -13           | -17.38        | -73.12            | -38.15             | 2.63                 | 12.56                 | H                  |
|                         | 20708             | -65.07       | -13           | -52.07        | -77.77            | -77.61             | 3.22                 | 17.92                 | H                  |
|                         | 24159             | -61.18       | -13           | -48.18        | -77.97            | -73.74             | 3.78                 | 18.50                 | H                  |
|                         | 27610             | -57.15       | -13           | -44.15        | -76.84            | -70.60             | 3.95                 | 19.54                 | H                  |
|                         |                   |              |               |               |                   |                    |                      |                       | H                  |
|                         | 6902              | -43.76       | -13           | -30.76        | -72.6             | -51.96             | 1.84                 | 12.19                 | V                  |
|                         | 10353             | -38.45       | -13           | -25.45        | -72.24            | -44.93             | 2.26                 | 10.89                 | V                  |
|                         | 13805             | -31.69       | -13           | -18.69        | -73.4             | -39.46             | 2.63                 | 12.56                 | V                  |
|                         | 20708             | -65.22       | -13           | -52.22        | -77.68            | -77.76             | 3.22                 | 17.92                 | V                  |
|                         | 24159             | -61.15       | -13           | -48.15        | -77.58            | -73.71             | 3.78                 | 18.50                 | V                  |
|                         | 27610             | -58.49       | -13           | -45.49        | -77.86            | -71.94             | 3.95                 | 19.54                 | V                  |
|                         |                   |              |               |               |                   |                    |                      |                       | V                  |



|         |       |        |     |        |        |        |      |       |   |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Middle  | 6982  | -43.23 | -13 | -30.23 | -71.69 | -51.11 | 1.84 | 11.87 | H |
|         | 10473 | -37.12 | -13 | -24.12 | -71.84 | -43.53 | 2.25 | 10.82 | H |
|         | 13965 | -30.82 | -13 | -17.82 | -72.9  | -38.43 | 2.66 | 12.43 | H |
|         | 20948 | -64.31 | -13 | -51.31 | -77.02 | -76.74 | 3.24 | 17.82 | H |
|         | 24439 | -61.08 | -13 | -48.08 | -78.43 | -73.84 | 3.76 | 18.66 | H |
|         | 27930 | -57.79 | -13 | -44.79 | -77.28 | -71.35 | 3.97 | 19.67 | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 6982  | -43.43 | -13 | -30.43 | -72.05 | -51.31 | 1.84 | 11.87 | V |
|         | 10473 | -37.90 | -13 | -24.90 | -72.02 | -44.31 | 2.25 | 10.82 | V |
|         | 13965 | -31.66 | -13 | -18.66 | -73.09 | -39.27 | 2.66 | 12.43 | V |
|         | 20948 | -64.78 | -13 | -51.78 | -77.2  | -77.21 | 3.24 | 17.82 | V |
|         | 24439 | -61.09 | -13 | -48.09 | -78.13 | -73.85 | 3.76 | 18.66 | V |
|         | 27930 | -57.86 | -13 | -44.86 | -76.96 | -71.42 | 3.97 | 19.67 | V |
|         |       |        |     |        |        |        |      |       | V |
| Highest | 7062  | -43.60 | -13 | -30.60 | -72.24 | -51.25 | 1.84 | 11.65 | H |
|         | 10593 | -38.02 | -13 | -25.02 | -72.97 | -44.37 | 2.24 | 10.74 | H |
|         | 14125 | -31.02 | -13 | -18.02 | -72.98 | -38.54 | 2.66 | 12.33 | H |
|         | 21188 | -64.58 | -13 | -51.58 | -77.88 | -77.17 | 3.29 | 18.03 | H |
|         | 24719 | -60.68 | -13 | -47.68 | -78.15 | -73.37 | 3.73 | 18.57 | H |
|         | 28250 | -56.88 | -13 | -43.88 | -76.36 | -70.30 | 3.98 | 19.55 | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 7062  | -43.44 | -13 | -30.44 | -72.26 | -51.09 | 1.84 | 11.65 | V |
|         | 10593 | -38.29 | -13 | -25.29 | -72.77 | -44.64 | 2.24 | 10.74 | V |
|         | 14125 | -31.33 | -13 | -18.33 | -72.98 | -38.85 | 2.66 | 12.33 | V |
|         | 21188 | -64.92 | -13 | -51.92 | -77.91 | -77.51 | 3.29 | 18.03 | V |
|         | 24719 | -61.18 | -13 | -48.18 | -78.34 | -73.87 | 3.73 | 18.57 | V |
|         | 28250 | -58.08 | -13 | -45.08 | -77.15 | -71.50 | 3.98 | 19.55 | V |
|         |       |        |     |        |        |        |      |       | V |

**Remark:** Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



MIMO <Ant. 7+5>

**5G NR n77**

| 5GNR n77 / 20MHz / QPSK |                   |              |               |               |                   |                    |                      |                       |                    |
|-------------------------|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel                 | Frequency ( MHz ) | EIRP ( dBm ) | Limit ( dBm ) | Margin ( dB ) | SPA Reading (dBm) | S.G. Power ( dBm ) | TX Cable loss ( dB ) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest                  | 6902              | -43.55       | -13           | -30.55        | -71.89            | -51.75             | 1.84                 | 12.19                 | H                  |
|                         | 10353             | -36.85       | -13           | -23.85        | -71.43            | -43.33             | 2.26                 | 10.89                 | H                  |
|                         | 13805             | -30.35       | -13           | -17.35        | -73.09            | -38.12             | 2.63                 | 12.56                 | H                  |
|                         | 20708             | -64.80       | -13           | -51.80        | -77.5             | -77.34             | 3.22                 | 17.92                 | H                  |
|                         | 24159             | -61.34       | -13           | -48.34        | -78.13            | -73.90             | 3.78                 | 18.50                 | H                  |
|                         | 27610             | -58.05       | -13           | -45.05        | -77.74            | -71.50             | 3.95                 | 19.54                 | H                  |
|                         |                   |              |               |               |                   |                    |                      |                       | H                  |
|                         | 6902              | -43.32       | -13           | -30.32        | -72.16            | -51.52             | 1.84                 | 12.19                 | V                  |
|                         | 10353             | -37.69       | -13           | -24.69        | -71.48            | -44.17             | 2.26                 | 10.89                 | V                  |
|                         | 13805             | -31.00       | -13           | -18.00        | -72.71            | -38.77             | 2.63                 | 12.56                 | V                  |
|                         | 20708             | -65.27       | -13           | -52.27        | -77.73            | -77.81             | 3.22                 | 17.92                 | V                  |
|                         | 24159             | -61.49       | -13           | -48.49        | -77.92            | -74.05             | 3.78                 | 18.50                 | V                  |
|                         | 27610             | -57.72       | -13           | -44.72        | -77.09            | -71.17             | 3.95                 | 19.54                 | V                  |
|                         |                   |              |               |               |                   |                    |                      |                       | V                  |



|         |       |        |     |        |        |        |      |       |   |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Middle  | 6982  | -43.14 | -13 | -30.14 | -71.6  | -51.02 | 1.84 | 11.87 | H |
|         | 10473 | -36.73 | -13 | -23.73 | -71.46 | -43.14 | 2.25 | 10.82 | H |
|         | 13965 | -30.75 | -13 | -17.75 | -72.85 | -38.36 | 2.66 | 12.43 | H |
|         | 20948 | -63.96 | -13 | -50.96 | -76.67 | -76.39 | 3.24 | 17.82 | H |
|         | 24439 | -60.72 | -13 | -47.72 | -78.07 | -73.48 | 3.76 | 18.66 | H |
|         | 27930 | -57.98 | -13 | -44.98 | -77.47 | -71.54 | 3.97 | 19.67 | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 6982  | -43.15 | -13 | -30.15 | -71.77 | -51.03 | 1.84 | 11.87 | V |
|         | 10473 | -37.59 | -13 | -24.59 | -71.72 | -44.00 | 2.25 | 10.82 | V |
|         | 13965 | -31.29 | -13 | -18.29 | -72.73 | -38.90 | 2.66 | 12.43 | V |
|         | 20948 | -64.60 | -13 | -51.60 | -77.02 | -77.03 | 3.24 | 17.82 | V |
|         | 24439 | -61.01 | -13 | -48.01 | -78.05 | -73.77 | 3.76 | 18.66 | V |
|         | 27930 | -58.29 | -13 | -45.29 | -77.39 | -71.85 | 3.97 | 19.67 | V |
|         |       |        |     |        |        |        |      |       | V |
| Highest | 7062  | -43.11 | -13 | -30.11 | -71.75 | -50.76 | 1.84 | 11.65 | H |
|         | 10593 | -37.12 | -13 | -24.12 | -72.07 | -43.47 | 2.24 | 10.74 | H |
|         | 14125 | -30.62 | -13 | -17.62 | -72.58 | -38.14 | 2.66 | 12.33 | H |
|         | 21188 | -64.91 | -13 | -51.91 | -78.21 | -77.50 | 3.29 | 18.03 | H |
|         | 24719 | -61.15 | -13 | -48.15 | -78.62 | -73.84 | 3.73 | 18.57 | H |
|         | 28250 | -57.14 | -13 | -44.14 | -76.62 | -70.56 | 3.98 | 19.55 | H |
|         |       |        |     |        |        |        |      |       | H |
|         | 7062  | -42.86 | -13 | -29.86 | -71.68 | -50.51 | 1.84 | 11.65 | V |
|         | 10593 | -37.87 | -13 | -24.87 | -72.35 | -44.22 | 2.24 | 10.74 | V |
|         | 14125 | -30.79 | -13 | -17.79 | -72.45 | -38.31 | 2.66 | 12.33 | V |
|         | 21188 | -65.22 | -13 | -52.22 | -78.21 | -77.81 | 3.29 | 18.03 | V |
|         | 24719 | -61.40 | -13 | -48.40 | -78.56 | -74.09 | 3.73 | 18.57 | V |
|         | 28250 | -57.40 | -13 | -44.40 | -76.47 | -70.82 | 3.98 | 19.55 | V |
|         |       |        |     |        |        |        |      |       | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————