



FCC Part 96.47 TEST REPORT

FCC ID	:	A4RG2YBB
Equipment	:	Phone
Model Name	:	G2YBB
Applicant	:	Google LLC 1600 Amphitheatre Parkway, Mountain View, California, 94043 USA
Standard	:	FCC Part 96.47
RF Interface	:	NR n48

The product was received on Dec. 18, 2023, and testing was performed from Apr. 11, 2024 to Apr. 12, 2024. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

Sar

Approved by: Jones Tsai Sporton International Inc. Wensan Laboratory No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C)





Table of Contents

His	tory o	f this test report	3
Sur	nmary	/ of Test Result	4
1	Gene	ral Description	5
	1.1	Product Feature of Equipment Under Test	5
	1.2	Modification of EUT	
	1.3	Testing Laboratory	5
	1.4	Applicable Standards	6
2	Test (Configuration of Equipment Under Test	7
	2.1	Connection Diagram of Test System	7
3	End L	Jser Device additional requirement	8
	3.1	Test Requirement	8
	3.2	Test Procedure	
	3.3	Test Result	9
4	Meas	uring Equipment List	11
Арр	pendix	A. Setup Photographs	



History of this test report

Report No.	Version	Description	Issue Date
FG3N2327E	01	Initial issue of report	Apr. 17, 2024



Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3	96.47	End User Device additional requirement	Pass	-

Conformity Assessment Condition:

The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: William Chen Report Producer: Ming Chen



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature

General Specs

GSM/WCDMA/LTE/5G NR, Bluetooth, BLE, BLE channel sounding, Wi-Fi 802.11be, NFC, WPT and GNSS.

Antenna Type

WWAN:

<Ant. 1>: IFA Antenna

<Ant. 5>: IFA Antenna

<Ant. 6>: ILA Antenna

<Ant. 7>: ILA Antenna

Remark: The above EUT's information was declared by manufacturer. Please refer to Disclaimer in report summary.

EUT Information List			
S/N	Performed Test Item		
3B231FDAQ0001A	End User Device additional requirement		

1.2 Modification of EUT

No modifications are made to the EUT during the entire test sessions.

1.3 Testing Laboratory

Test Site	Sporton International Inc. Wensan Laboratory			
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855			
Test Site No.	Sporton Site No.			
	TH05-HY			
Test Engineer	Thomas Chen			
Temperature	20 ~ 23 °C			
Relative Humidity	46 ~ 53 %			

FCC designation No.: TW3786



1.4 Applicable Standards

- FCC Part 96.47
- FCC KDB 940660 D01 Part 96 CBRS Eqpt v03
- WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification


Remark:

- **1.** All test items were verified and recorded according to the standards and without any deviation during the test.
- 1. The TAF code is not including all the FCC KDB listed without accreditation.



2 Test Configuration of Equipment Under Test

2.1 Connection Diagram of Test System



The companion device is a certified NR CBSD (FCC ID: PIDAS2900)



3 End User Device additional requirement

3.1 Test Requirement

FCC Part 96.47

(a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.


(1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.


3.2 Test Procedure

The following procedure is following in accordance with WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification, using the certified Airspan NR CBSD (FCC ID: PIDAS2900) as companion device to present compliance with Part 96.47 requirement for End User Device (EUD):

- 1. Configure SAS granted CBSD to operate at frequency 3560-3600 MHz and power level 10 dBm/MHz
- 2. Enable CBSD service from Airspan ACP management
- 3. Check EUD Tx Frequency and power
- 4. Disable CBSD service from Airspan ACP management
 - a. Check if EUD stops transmission within 10 seconds.
- 5. Configure SAS granted CBSD to operate at frequency 3650-3690 MHz and power level 20 dBm/MHz
- 6. Enable CBSD service from Airspan ACP management
- 7. Check EUD Tx Frequency and power
- 8. Disable CBSD service from Airspan ACP management
 - a. Check if EUD stops transmission within 10 seconds.


3.3 Test Result






TEL : 886-3-327-0868 FAX : 886-3-327-0855 Report Template No.: BU5-FGLTE96.47 Version 2.0 Page Number: 9 of 11Issue Date: Apr. 17, 2024Report Version: 01







TEL : 886-3-327-0868 FAX : 886-3-327-0855 Report Template No.: BU5-FGLTE96.47 Version 2.0 Page Number: 10 of 11Issue Date: Apr. 17, 2024Report Version: 01



4 Measuring Equipment List

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S FSV3044	101435	10Hz~44GHz	Nov. 01, 2023	Apr. 11, 2024~	Oct 31 2024	Conducted	
					Apr. 12, 2024		(TH05-HY)	

------THE END-------