





FR1 n77 / 80MHz / DFT-S OFDM / QPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 80MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB







FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB





01:20:55 AM 04/03/2024

01:25:10 AM 04/03/2024

Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB



01:20:07 AM 04/03/2024



01:24:22 AM 04/03/2024



FR1 n77 / 90MHz / DFT-S OFDM / QPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 90MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 100MHz / DFT-S OFDM / QPSK



Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB



Lowest Band Edge / Outer Full RB

Highest Band Edge / Outer Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Inner Full RB

Highest Band Edge / Inner Full RB







Conducted Spurious Emission


FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel



Highest Channel





Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 27M	NR SA n41 PC1.5	H	8014	-36.92	RMS	36.67	-21.57	0.38	-95.23	42.83	-25.00	-11.92	V	Ant2+1
2	Part 27M	NR SA n41 PC1.5	M	7753	-45.18	RMS	36.60	-21.35	0.40	-95.23	34.40	-25.00	-20.18	V	Ant0+5
3	Part 27O	NR SA n77 PC1.5	H	11884	-40.03	RMS	38.53	-21.78	0.43	-95.23	38.02	-13.00	-27.03	V	Ant6+1
4	Part 27O	NR SA n77 PC1.5	H	11884	-43.85	RMS	38.53	-21.78	0.43	-95.23	34.20	-13.00	-30.85	H	Ant7+5
5	Part 27Q	NR SA n77 PC1.5	H	14125	-50.31	RMS	40.95	-22.23	0.46	-95.23	25.74	-13.00	-37.31	V	Ant6+1
6	Part 27Q	NR SA n77 PC1.5	M	10474	-44.72	RMS	37.10	-21.69	0.57	-95.23	34.53	-13.00	-31.72	V	Ant7+5




Ant2+1

Part 27M Mode 1


NR SA n41 PC1.5 20M Ch501204 1RB1 BPSK

L



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Horizontal
 : SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-58.98	RMS	32.70	-21.71	0.41	-95.23	24.85	-25.00	-33.98	Horizontal
2	7492.00	-53.98	RMS	36.82	-21.21	0.39	-95.23	25.25	-25.00	-28.98	Horizontal
3	9989.00	-54.76	RMS	37.30	-21.41	0.41	-95.23	24.17	-25.00	-29.76	Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Vertical
 : SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-59.22	RMS	32.70	-21.71	0.41	-95.23	24.61	-25.00	-34.22	Vertical
2	7492.00	-54.20	RMS	36.82	-21.21	0.39	-95.23	25.03	-25.00	-29.20	Vertical
3	9989.00	-55.62	RMS	37.30	-21.41	0.41	-95.23	23.31	-25.00	-30.62	Vertical




Ant2+1

Part 27M Mode 1


NR SA n41 PC1.5 20M Ch518598 1RB1 BPSK

M



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Horizontal
 : SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-57.69	RMS	32.60	-21.74	0.39	-95.23	26.29	-25.00	-32.69	Horizontal
2	7753.00	-44.65	RMS	36.60	-21.35	0.40	-95.23	34.93	-25.00	-19.65	Horizontal
3	10337.00	-55.34	RMS	37.35	-21.61	0.45	-95.23	23.70	-25.00	-30.34	Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Vertical
 : SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-54.50	RMS	32.60	-21.74	0.39	-95.23	29.48	-25.00	-29.50	Vertical
2	7753.00	-37.25	RMS	36.60	-21.35	0.40	-95.23	42.33	-25.00	-12.25	Vertical
3	10337.00	-55.22	RMS	37.35	-21.61	0.45	-95.23	23.82	-25.00	-30.22	Vertical




Ant2+1

Part 27M Mode 1


NR SA n41 PC1.5 20M Ch535998 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Horizontal
 : SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5343.00	-57.45	RMS	32.41	-21.78	0.58	-95.23	26.57	-25.00	-32.45	Horizontal
2	8014.00	-46.60	RMS	36.67	-21.57	0.38	-95.23	33.15	-25.00	-21.60	Horizontal
3	10685.00	-54.78	RMS	37.50	-21.68	0.50	-95.23	24.13	-25.00	-29.78	Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Vertical
 : SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5343.00	-54.22	RMS	32.41	-21.78	0.58	-95.23	29.80	-25.00	-29.22	Vertical
2	8014.00	-36.92	RMS	36.67	-21.57	0.38	-95.23	42.83	-25.00	-11.92	Vertical
3	10685.00	-54.69	RMS	37.50	-21.68	0.50	-95.23	24.22	-25.00	-29.69	Vertical




Ant0+5

Part 27M Mode 2


NR SA n41 PC1.5 20M Ch501204 1RB1 BPSK

L



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Horizontal
 : SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-58.53	RMS	32.70	-21.71	0.41	-95.23	25.30	-25.00	-33.53	Horizontal
2	7492.00	-55.46	RMS	36.82	-21.21	0.39	-95.23	23.77	-25.00	-30.46	Horizontal
3	9989.00	-54.84	RMS	37.30	-21.41	0.41	-95.23	24.09	-25.00	-29.84	Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Vertical
 : SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-58.86	RMS	32.70	-21.71	0.41	-95.23	24.97	-25.00	-33.86	Vertical
2	7492.00	-54.62	RMS	36.82	-21.21	0.39	-95.23	24.61	-25.00	-29.62	Vertical
3	9989.00	-55.00	RMS	37.30	-21.41	0.41	-95.23	23.93	-25.00	-30.00	Vertical




Ant0+5

Part 27M Mode 2


NR SA n41 PC1.5 20M Ch518598 1RB1 BPSK

M



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Horizontal
 : SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-56.73	RMS	32.60	-21.74	0.39	-95.23	27.25	-25.00	-31.73	Horizontal
2	7753.00	-48.30	RMS	36.60	-21.35	0.40	-95.23	31.28	-25.00	-23.30	Horizontal
3	10337.00	-54.78	RMS	37.35	-21.61	0.45	-95.23	24.26	-25.00	-29.78	Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Vertical
 : SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-59.13	RMS	32.60	-21.74	0.39	-95.23	24.85	-25.00	-34.13	Vertical
2	7753.00	-45.18	RMS	36.60	-21.35	0.40	-95.23	34.40	-25.00	-20.18	Vertical
3	10337.00	-54.45	RMS	37.35	-21.61	0.45	-95.23	24.59	-25.00	-29.45	Vertical




Ant0+5

Part 27M Mode 2


NR SA n41 PC1.5 20M Ch535998 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Horizontal
 : SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5343.00	-55.79	RMS	32.41	-21.78	0.58	-95.23	28.23	-25.00	-30.79	Horizontal
2	8014.00	-53.89	RMS	36.67	-21.57	0.38	-95.23	25.86	-25.00	-28.89	Horizontal
3	10685.00	-53.19	RMS	37.50	-21.68	0.50	-95.23	25.72	-25.00	-28.19	Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_230710 Vertical
 : SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5343.00	-59.45	RMS	32.41	-21.78	0.58	-95.23	24.57	-25.00	-34.45	Vertical
2	8014.00	-51.86	RMS	36.67	-21.57	0.38	-95.23	27.89	-25.00	-26.86	Vertical
3	10685.00	-54.55	RMS	37.50	-21.68	0.50	-95.23	24.36	-25.00	-29.55	Vertical




Ant6+1

Part 270 Mode 3


NR SA n77 PC1.5 20M Ch647334 1RB1 BPSK

L



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-54.79	RMS	36.90	-21.26	1.03	-95.23	23.77	-13.00	-41.79	Horizontal
2	11104.00	-51.05	RMS	38.11	-21.61	0.44	-95.23	27.24	-13.00	-38.05	Horizontal
3	14805.00	-50.23	RMS	41.60	-23.08	0.42	-95.23	26.06	-13.00	-37.23	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-53.66	RMS	36.90	-21.26	1.03	-95.23	24.90	-13.00	-40.66	Vertical
2	11104.00	-50.57	RMS	38.11	-21.61	0.44	-95.23	27.72	-13.00	-37.57	Vertical
3	14805.00	-50.49	RMS	41.60	-23.08	0.42	-95.23	25.80	-13.00	-37.49	Vertical




Ant6+1

Part 270 Mode 3


NR SA n77 PC1.5 20M Ch656000 1RB1 BPSK

M



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch656000 1RB1 BPSK

1	2	3	4	5	6	7	8	9	10	11
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7663.00	-54.97	RMS	36.67	-21.29	0.80	-95.23	24.08	-13.00	-41.97	Horizontal
11494.00	-50.87	RMS	38.70	-21.55	0.44	-95.23	26.77	-13.00	-37.87	Horizontal
15325.00	-50.66	RMS	40.90	-23.17	0.43	-95.23	26.41	-13.00	-37.66	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch656000 1RB1 BPSK

1	2	3	4	5	6	7	8	9	10	11
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7663.00	-50.97	RMS	36.67	-21.29	0.80	-95.23	28.08	-13.00	-37.97	Vertical
11494.00	-45.43	RMS	38.70	-21.55	0.44	-95.23	32.21	-13.00	-32.43	Vertical
15325.00	-50.42	RMS	40.90	-23.17	0.43	-95.23	26.65	-13.00	-37.42	Vertical




Ant6+1

Part 270 Mode 3


NR SA n77 PC1.5 20M Ch664666 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-55.39	RMS	36.60	-21.50	0.84	-95.23	23.90	-13.00	-42.39	Horizontal
2	11884.00	-47.44	RMS	38.53	-21.78	0.43	-95.23	30.61	-13.00	-34.44	Horizontal
3	15845.00	-51.08	RMS	40.71	-23.40	0.44	-95.23	26.40	-13.00	-38.08	Horizontal
4	19806.00	-64.97	RMS	37.75	-37.47	-9.54	-95.23	39.52	-13.00	-51.97	Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-52.91	RMS	36.60	-21.50	0.84	-95.23	26.38	-13.00	-39.91	Vertical
2	11884.00	-40.03	RMS	38.53	-21.78	0.43	-95.23	38.02	-13.00	-27.03	Vertical
3	15845.00	-51.23	RMS	40.71	-23.40	0.44	-95.23	26.25	-13.00	-38.23	Vertical
4	19806.00	-58.44	RMS	37.75	-37.47	-9.54	-95.23	46.05	-13.00	-45.44	Vertical




Ant7+5

Part 270 Mode 4


NR SA n77 PC1.5 20M Ch647334 1RB1 BPSK

L



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-51.23	RMS	36.90	-21.26	1.03	-95.23	27.33	-13.00	-38.23	Horizontal
2	11104.00	-47.20	RMS	38.11	-21.61	0.44	-95.23	31.09	-13.00	-34.20	Horizontal
3	14805.00	-50.50	RMS	41.60	-23.08	0.42	-95.23	25.79	-13.00	-37.50	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7403.00	-53.04	RMS	36.90	-21.26	1.03	-95.23	25.52	-13.00	-40.04	Vertical
2	11104.00	-50.60	RMS	38.11	-21.61	0.44	-95.23	27.69	-13.00	-37.60	Vertical
3	14805.00	-50.44	RMS	41.60	-23.08	0.42	-95.23	25.85	-13.00	-37.44	Vertical




Ant7+5

Part 270 Mode 4


NR SA n77 PC1.5 20M Ch656000 1RB1 BPSK

M



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-50.45	RMS	36.67	-21.29	0.80	-95.23	28.60	-13.00	-37.45	Horizontal
2	11494.00	-46.32	RMS	38.70	-21.55	0.44	-95.23	31.32	-13.00	-33.32	Horizontal
3	15325.00	-50.79	RMS	40.90	-23.17	0.43	-95.23	26.28	-13.00	-37.79	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-54.49	RMS	36.67	-21.29	0.80	-95.23	24.56	-13.00	-41.49	Vertical
2	11494.00	-47.61	RMS	38.70	-21.55	0.44	-95.23	30.03	-13.00	-34.61	Vertical
3	15325.00	-50.54	RMS	40.90	-23.17	0.43	-95.23	26.53	-13.00	-37.54	Vertical




Ant7+5

Part 270 Mode 4


NR SA n77 PC1.5 20M Ch664666 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7923.00	-51.55	RMS	36.60	-21.50	0.84	-95.23	27.74	-13.00	-38.55	Horizontal
2 11884.00	-43.85	RMS	38.53	-21.78	0.43	-95.23	34.20	-13.00	-30.85	Horizontal
3 15845.00	-50.99	RMS	40.71	-23.40	0.44	-95.23	26.49	-13.00	-37.99	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7923.00	-52.42	RMS	36.60	-21.50	0.84	-95.23	26.87	-13.00	-39.42	Vertical
2 11884.00	-46.30	RMS	38.53	-21.78	0.43	-95.23	31.75	-13.00	-33.30	Vertical
3 15845.00	-51.43	RMS	40.71	-23.40	0.44	-95.23	26.05	-13.00	-38.43	Vertical




Ant6+1

Part 27Q Mode 5


NR SA n77 PC1.5 20M Ch630668 1RB1 BPSK

L



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-54.76	RMS	36.31	-21.50	1.43	-95.23	24.23	-13.00	-41.76	Horizontal
2	10354.00	-55.01	RMS	37.39	-21.62	0.57	-95.23	23.88	-13.00	-42.01	Horizontal
3	13805.00	-50.88	RMS	40.32	-21.94	0.45	-95.23	25.52	-13.00	-37.88	Horizontal
4	20708.00	-64.49	RMS	38.03	-35.91	-9.54	-95.23	38.16	-13.00	-51.49	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-55.47	RMS	36.31	-21.50	1.43	-95.23	23.52	-13.00	-42.47	Vertical
2	10354.00	-54.72	RMS	37.39	-21.62	0.57	-95.23	24.17	-13.00	-41.72	Vertical
3	13805.00	-50.86	RMS	40.32	-21.94	0.45	-95.23	25.54	-13.00	-37.86	Vertical
4	20708.00	-61.84	RMS	38.03	-35.91	-9.54	-95.23	40.81	-13.00	-48.84	Vertical




Ant6+1

Part 27Q Mode 5


NR SA n77 PC1.5 20M Ch633334 1RB1 BPSK

M



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-55.03	RMS	36.47	-21.51	1.35	-95.23	23.89	-13.00	-42.03	Horizontal
2	10474.00	-55.17	RMS	37.10	-21.69	0.57	-95.23	24.08	-13.00	-42.17	Horizontal
3	13965.00	-50.61	RMS	40.76	-22.02	0.45	-95.23	25.43	-13.00	-37.61	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-55.08	RMS	36.47	-21.51	1.35	-95.23	23.84	-13.00	-42.08	Vertical
2	10474.00	-55.22	RMS	37.10	-21.69	0.57	-95.23	24.03	-13.00	-42.22	Vertical
3	13965.00	-50.46	RMS	40.76	-22.02	0.45	-95.23	25.58	-13.00	-37.46	Vertical




Ant6+1

Part 27Q Mode 5


NR SA n77 PC1.5 20M Ch636000 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-54.91	RMS	36.47	-21.46	1.25	-95.23	24.06	-13.00	-41.91	Horizontal
2	10594.00	-54.82	RMS	37.39	-21.69	0.56	-95.23	24.15	-13.00	-41.82	Horizontal
3	14125.00	-50.48	RMS	40.95	-22.23	0.46	-95.23	25.57	-13.00	-37.48	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-55.06	RMS	36.47	-21.46	1.25	-95.23	23.91	-13.00	-42.06	Vertical
2	10594.00	-55.00	RMS	37.39	-21.69	0.56	-95.23	23.97	-13.00	-42.00	Vertical
3	14125.00	-50.31	RMS	40.95	-22.23	0.46	-95.23	25.74	-13.00	-37.31	Vertical




Ant7+5

Part 27Q Mode 6


NR SA n77 PC1.5 20M Ch630668 1RB1 BPSK

L



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-56.09	RMS	36.31	-21.50	1.43	-95.23	22.90	-13.00	-43.09	Horizontal
2	10354.00	-49.62	RMS	37.39	-21.62	0.57	-95.23	29.27	-13.00	-36.62	Horizontal
3	13805.00	-50.92	RMS	40.32	-21.94	0.45	-95.23	25.48	-13.00	-37.92	Horizontal
4	20708.00	-65.07	RMS	38.03	-35.91	-9.54	-95.23	37.58	-13.00	-52.07	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-56.13	RMS	36.31	-21.50	1.43	-95.23	22.86	-13.00	-43.13	Vertical
2	10354.00	-45.36	RMS	37.39	-21.62	0.57	-95.23	33.53	-13.00	-32.36	Vertical
3	13805.00	-51.16	RMS	40.32	-21.94	0.45	-95.23	25.24	-13.00	-38.16	Vertical
4	20708.00	-62.41	RMS	38.03	-35.91	-9.54	-95.23	40.24	-13.00	-49.41	Vertical




Ant7+5

Part 27Q Mode 6


NR SA n77 PC1.5 20M Ch633334 1RB1 BPSK

M



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-55.58	RMS	36.47	-21.51	1.35	-95.23	23.34	-13.00	-42.58	Horizontal
2	10474.00	-49.49	RMS	37.10	-21.69	0.57	-95.23	29.76	-13.00	-36.49	Horizontal
3	13965.00	-50.65	RMS	40.76	-22.02	0.45	-95.23	25.39	-13.00	-37.65	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-54.69	RMS	36.47	-21.51	1.35	-95.23	24.23	-13.00	-41.69	Vertical
2	10474.00	-44.72	RMS	37.10	-21.69	0.57	-95.23	34.53	-13.00	-31.72	Vertical
3	13965.00	-50.89	RMS	40.76	-22.02	0.45	-95.23	25.15	-13.00	-37.89	Vertical




Ant7+5

Part 27Q Mode 6


NR SA n77 PC1.5 20M Ch636000 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Horizontal
 : SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-55.21	RMS	36.47	-21.46	1.25	-95.23	23.76	-13.00	-42.21	Horizontal
2	10594.00	-51.29	RMS	37.39	-21.69	0.56	-95.23	27.68	-13.00	-38.29	Horizontal
3	14125.00	-50.42	RMS	40.95	-22.23	0.46	-95.23	25.63	-13.00	-37.42	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_230710 Vertical
 : SA n77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7063.00	-55.29	RMS	36.47	-21.46	1.25	-95.23	23.68	-13.00	-42.29	Vertical
2	10594.00	-50.62	RMS	37.39	-21.69	0.56	-95.23	28.35	-13.00	-37.62	Vertical
3	14125.00	-50.72	RMS	40.95	-22.23	0.46	-95.23	25.33	-13.00	-37.72	Vertical




Ant2+1

Part 27M Mode 1


NR SA n41 PC1.5 20M Ch535998 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n41 20M Ch535998 1RB1 BPSK
 : #1 is fundamental signal which can be ignored.

1	Freq MHz	Level dBm	Detector	Ant Factor	Amp dB/m	\Cb dB	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	2680.00	22.89	RMS	27.30	8.96	0.00	-95.23	81.86	-25.00	47.89	Horizontal	



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n41 20M Ch535998 1RB1 BPSK
 : #1 is fundamental signal which can be ignored.

1	Freq MHz	Level dBm	Detector	Ant Factor	Amp dB/m	\Cb dB	Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
1	2680.00	17.81	RMS	27.30	8.96	0.00	-95.23	76.78	-25.00	42.81	Vertical	

Remark: The over limit signal #1 is fundamental signal which can be ignored.

————THE END————