




5G NR n48 30MHz BPSK Middle Channel RB1-0, ID:27966




5G NR n48 30MHz BPSK High Channel RB1-0, ID:27966




5G NR n48 30MHz BPSK Middle Channel RB1-77, ID:27966









5G NR n48 30MHz BPSK High Channel RB1-77, ID:27966






5G NR n48 30MHz BPSK Middle Channel RB75-0, ID:27966



5G NR n48 30MHz BPSK High Channel RB75-0, ID:27966





Intentionally Blank


9.2.13. LTE BAND 66 AND 5G NR n66

LIMITS


FCC: §27.53(h)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.


LTE BAND 66 BANDEGE




LTE B66 1.4MHz QPSK Low Channel RB1-0, ID:39005




LTE B66 1.4MHz QPSK High Channel RB1-5, ID:39005




LTE B66 1.4MHz QPSK Low Channel RB6-0, ID:39005









LTE B66 1.4MHz QPSK High Channel RB6-0, ID:39005




LTE B66 3MHz QPSK Low Channel RB1-0, ID:39005




LTE B66 3MHz QPSK High Channel RB1-14, ID:39005







LTE B66 10MHz QPSK Low Channel RB1-0, ID:39005




LTE B66 10MHz QPSK High Channel RB1-49, ID:39005




LTE B66 10MHz QPSK Low Channel RB50-0, ID:39005




LTE B66 10MHz QPSK High Channel RB50-0, ID:39005




LTE B66 15MHz QPSK Low Channel RB1-0, ID:39005




LTE B66 15MHz QPSK High Channel RB1-74, ID:39005




LTE B66 15MHz QPSK Low Channel RB75-0, ID:39005




LTE B66 15MHz QPSK High Channel RB75-0, ID:39005




LTE B66 20MHz QPSK Low Channel RB1-0, ID:39005



LTE B66 20MHz QPSK High Channel RB1-99, ID:39005















LTE B66 20MHz QPSK Low Channel RB100-0, ID:39005




LTE B66 20MHz QPSK High Channel RB100-0, ID:39005


5G NR n66 BANDEDGE









5G NR n66 20MHz BPSK Low Channel RB1-0, ID:50822




5G NR n66 20MHz BPSK High Channel RB1-105, ID:50822




5G NR n66 20MHz BPSK Low Channel RB100-0, ID:50822









5G NR n66 20MHz BPSK High Channel RB100-0, ID:50822







5G NR n66 25MHz BPSK Low Channel RB1-0, ID:27966



5G NR n66 25MHz BPSK High Channel RB1-132, ID:27966





9.2.14. 5G NR n70


LIMITS

FCC: §27.53(h)


The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log (P) dB.

NOTE: 20MHz and 25MHz Bandwidth Upper Block Bandedge is covered by 5G NR n66 20MHz and 25MHz Bandwidth.


5G NR n70 EMISSION MASK




5G NR n70 5MHz BPSK Low Channel (Lower Block) RB1-0, ID:50822









5G NR n70 15MHz BPSK Middle Channel (Full Block) RB1-0, ID:50822




5G NR n70 5MHz BPSK Low Channel (Lower Block) RB1-24, ID:50822




NR n70 15MHz BPSK Middle Channel (Full Block) RB1-78, ID:50822







5G NR n70 10MHz BPSK Low Channel (Full Block) RB1-0, ID:50822



5G NR n70 10MHz BPSK High Channel (Full Block) RB1-51, ID:28498



5G NR n70 10MHz BPSK Low Channel (Full Block) RB50-0, ID:50822



5G NR n70 10MHz BPSK High Channel (Full Block) RB50-0, ID:50822

9.2.15. LTE BAND 71 AND 5G NR n71

LIMITS

FCC: §27.53

(g) For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.