





FR1 n66 / 40MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n66 / 40MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n66 / 40MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n66 / 40MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







Conducted Spurious Emission

FR1 n66 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel





Frequency Stability

Test Conditions		FR1 n66 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0057	PASS
40	Normal Voltage	0.0059	
30	Normal Voltage	0.0032	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0029	
0	Normal Voltage	0.0003	
-10	Normal Voltage	0.0067	
-20	Normal Voltage	0.0066	
-30	Normal Voltage	0.0007	
20	Maximum Voltage	0.0036	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0018	

Note:

- 1. Normal Voltage = 3.87 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.48 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test


B1. Summary of each worse mode

Part	Mode	Ch	Freq (MHz)	Level (dBm)	Detector	Ant Factor (dB/m)	Amp\Cbl (dB)	Filter (dB)	EIRP CF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
24	7	H	5674.000	-43.95	RMS	33.44	-20.65	0.71	-95.23	37.78	-13.00	-30.95	H	Tx0Rx0
24	8	H	5674.000	-51.36	RMS	33.44	-20.65	0.71	-95.23	30.37	-13.00	-38.36	V	Tx1Rx1
24	9	M	7485.000	-55.15	RMS	36.83	-20.30	0.39	-95.23	23.16	-13.00	-42.15	H	Tx0Rx0
27	5	H	5283.000	-43.07	RMS	32.53	-20.36	0.50	-95.23	39.49	-13.00	-30.07	V	Tx0Rx0
27	6	H	7045.000	-55.60	RMS	36.50	-20.55	0.46	-95.23	23.22	-13.00	-42.60	V	Tx1Rx1
27	7	M	5209.000	-44.80	RMS	32.60	-20.28	0.40	-95.23	37.71	-13.00	-31.80	H	Tx0Rx0




Tx0Rx0

Part 24 Mode 7
NR SA n2 20M Ch372000 1RB1 BPSK
L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n2 20M Ch372000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3703.00	-60.26	RMS	29.82	-22.07	0.85	-95.23	26.37	-13.00	-47.26	Horizontal
2	5554.00	-58.43	RMS	33.00	-20.60	0.73	-95.23	23.67	-13.00	-45.43	Horizontal
3	7405.00	-55.29	RMS	36.90	-20.33	0.42	-95.23	22.95	-13.00	-42.29	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n2 20M Ch372000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3703.00	-60.49	RMS	29.82	-22.07	0.85	-95.23	26.14	-13.00	-47.49	Vertical
2	5554.00	-55.39	RMS	33.00	-20.60	0.73	-95.23	26.71	-13.00	-42.39	Vertical
3	7405.00	-55.39	RMS	36.90	-20.33	0.42	-95.23	22.85	-13.00	-42.39	Vertical




Tx0Rx0

Part 24 Mode 7
NR SA n2 20M Ch376000 1RB1 BPSK
M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
1	3743.00	-59.48	RMS	30.14	-22.00	0.84	-95.23	26.77	-13.00	-46.48	Horizontal
2	5614.00	-57.94	RMS	33.08	-20.63	0.74	-95.23	24.10	-13.00	-44.94	Horizontal
3	7485.00	-55.23	RMS	36.83	-20.30	0.39	-95.23	23.08	-13.00	-42.23	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
1	3743.00	-59.37	RMS	30.14	-22.00	0.84	-95.23	26.88	-13.00	-46.37	Vertical
2	5614.00	-57.64	RMS	33.08	-20.63	0.74	-95.23	24.40	-13.00	-44.64	Vertical
3	7485.00	-55.30	RMS	36.83	-20.30	0.39	-95.23	23.01	-13.00	-42.30	Vertical




Tx0Rx0

Part 24 Mode 7
NR SA n2 20M Ch380000 1RB1 BPSK
H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n2 20M Ch38000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			3783.00	-59.61	RMS	30.33	-21.93	0.83	-95.23	26.39	-13.00	-46.61	Horizontal
			5674.00	-43.95	RMS	33.44	-20.65	0.71	-95.23	37.78	-13.00	-30.95	Horizontal
			7565.00	-55.65	RMS	36.73	-20.31	0.37	-95.23	22.79	-13.00	-42.65	Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n2 20M Ch38000 1RB1 BPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			3783.00	-59.59	RMS	30.33	-21.93	0.83	-95.23	26.41	-13.00	-46.59	Vertical
			5674.00	-44.55	RMS	33.44	-20.65	0.71	-95.23	37.18	-13.00	-31.55	Vertical
			7565.00	-55.46	RMS	36.73	-20.31	0.37	-95.23	22.98	-13.00	-42.46	Vertical

Remark: Below #1 is fundamental frequency signal which can be ignored.




Tx0Rx0

Part 24 Mode 9
EN-DC B5+n2 10M Ch20525 1RB0 QPSK + 20M Ch376000 1RB1 BPSK
M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch 20525 1RB0 QPSK
 : SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3743.00	-59.40	RMS	30.14	-22.00	0.84	-95.23	26.85	-13.00	-46.40	Horizontal
2	5614.00	-58.02	RMS	33.08	-20.63	0.74	-95.23	24.02	-13.00	-45.02	Horizontal
3	7485.00	-55.15	RMS	36.83	-20.30	0.39	-95.23	23.16	-13.00	-42.15	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch 20525 1RB0 QPSK
 : SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3743.00	-59.74	RMS	30.14	-22.00	0.84	-95.23	26.51	-13.00	-46.74	Vertical
2	5614.00	-57.90	RMS	33.08	-20.63	0.74	-95.23	24.14	-13.00	-44.90	Vertical
3	7485.00	-55.53	RMS	36.83	-20.30	0.39	-95.23	22.78	-13.00	-42.53	Vertical




Tx1Rx1

Part 24 Mode 8
NR SA n2 20M Ch372000 1RB1 BPSK
L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n2 20M Ch372000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	1						dB
1	3703.00	-60.20	RMS	29.82	-22.07	0.85	-95.23	26.43	-13.00	-47.20	Horizontal
2	5554.00	-58.42	RMS	33.00	-20.60	0.73	-95.23	23.68	-13.00	-45.42	Horizontal
3	7405.00	-55.30	RMS	36.90	-20.33	0.42	-95.23	22.94	-13.00	-42.30	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n2 20M Ch372000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	1						dB
1	3703.00	-60.56	RMS	29.82	-22.07	0.85	-95.23	26.07	-13.00	-47.56	Vertical
2	5554.00	-57.93	RMS	33.00	-20.60	0.73	-95.23	24.17	-13.00	-44.93	Vertical
3	7405.00	-55.28	RMS	36.90	-20.33	0.42	-95.23	22.96	-13.00	-42.28	Vertical




Tx1Rx1

Part 24 Mode 8
NR SA n2 20M Ch376000 1RB1 BPSK
M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
1	3743.00	-59.75	RMS	30.14	-22.00	0.84	-95.23	26.50	-13.00	-46.75	Horizontal
2	5614.00	-58.21	RMS	33.08	-20.63	0.74	-95.23	23.83	-13.00	-45.21	Horizontal
3	7485.00	-55.44	RMS	36.83	-20.30	0.39	-95.23	22.87	-13.00	-42.44	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
1	3743.00	-59.34	RMS	30.14	-22.00	0.84	-95.23	26.91	-13.00	-46.34	Vertical
2	5614.00	-57.95	RMS	33.08	-20.63	0.74	-95.23	24.09	-13.00	-44.95	Vertical
3	7485.00	-55.48	RMS	36.83	-20.30	0.39	-95.23	22.83	-13.00	-42.48	Vertical




Tx1Rx1

Part 24 Mode 8
NR SA n2 20M Ch380000 1RB1 BPSK
H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n2 20M Ch380000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3783.00	-59.71	RMS	30.33	-21.93	0.83	-95.23	26.29	-13.00	-46.71	Horizontal
2	5674.00	-57.80	RMS	33.44	-20.65	0.71	-95.23	23.93	-13.00	-44.80	Horizontal
3	7565.00	-55.70	RMS	36.73	-20.31	0.37	-95.23	22.74	-13.00	-42.70	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n2 20M Ch380000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3783.00	-59.36	RMS	30.33	-21.93	0.83	-95.23	26.64	-13.00	-46.36	Vertical
2	5674.00	-51.36	RMS	33.44	-20.65	0.71	-95.23	30.37	-13.00	-38.36	Vertical
3	7565.00	-55.65	RMS	36.73	-20.31	0.37	-95.23	22.79	-13.00	-42.65	Vertical




Tx0Rx0

Part 27 Mode 5
NR SA n66 20M Ch344000 1RB1 BPSK
L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n66 20M Ch344000 1RB1 BPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			MHz	dBm		Factor	1						
1	3422.00	-62.60	RMS	28.59	-22.41	1.08	-95.23	25.37	-13.00	-49.60	Horizontal		
2	5133.00	-46.34	RMS	32.60	-20.21	0.40	-95.23	36.10	-13.00	-33.34	Horizontal		
3	6845.00	-56.48	RMS	36.21	-20.55	0.44	-95.23	22.65	-13.00	-43.48	Horizontal		




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n66 20M Ch344000 1RB1 BPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			MHz	dBm		Factor	1						
1	3422.00	-62.68	RMS	28.59	-22.41	1.08	-95.23	25.29	-13.00	-49.68	Vertical		
2	5133.00	-47.16	RMS	32.60	-20.21	0.40	-95.23	35.28	-13.00	-34.16	Vertical		
3	6845.00	-56.05	RMS	36.21	-20.55	0.44	-95.23	23.08	-13.00	-43.05	Vertical		




Tx0Rx0

Part 27 Mode 5
NR SA n66 20M Ch349000 1RB1 BPSK
M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n66 20M Ch349000 1RB1 BPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	1						dB
1	3472.00	-62.33	RMS	28.79	-22.38	1.02	-95.23	25.47	-13.00	-49.33	Horizontal
2	5208.00	-50.50	RMS	32.60	-20.28	0.40	-95.23	32.01	-13.00	-37.50	Horizontal
3	6945.00	-55.74	RMS	36.39	-20.57	0.45	-95.23	23.22	-13.00	-42.74	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n66 20M Ch349000 1RB1 BPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	1						dB
1	3472.00	-62.25	RMS	28.79	-22.38	1.02	-95.23	25.55	-13.00	-49.25	Vertical
2	5208.00	-47.90	RMS	32.60	-20.28	0.40	-95.23	34.61	-13.00	-34.90	Vertical
3	6945.00	-55.03	RMS	36.39	-20.57	0.45	-95.23	23.93	-13.00	-42.03	Vertical




Tx0Rx0

Part 27 Mode 5
NR SA n66 20M Ch354000 1RB1 BPSK
H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n66 20M Ch349000 1RB1 BPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	1						
1	3522.00	-61.01	RMS	29.08	-22.34	0.96	-95.23	26.52	-13.00	-48.01	Horizontal
2	5283.00	-46.38	RMS	32.53	-20.36	0.50	-95.23	36.18	-13.00	-33.38	Horizontal
3	7045.00	-55.64	RMS	36.50	-20.55	0.46	-95.23	23.18	-13.00	-42.64	Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n66 20M Ch349000 1RB1 BPSK


1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	1						
1	3522.00	-60.93	RMS	29.08	-22.34	0.96	-95.23	26.60	-13.00	-47.93	Vertical
2	5283.00	-43.07	RMS	32.53	-20.36	0.50	-95.23	39.49	-13.00	-30.07	Vertical
3	7045.00	-55.37	RMS	36.50	-20.55	0.46	-95.23	23.45	-13.00	-42.37	Vertical

Remark: Below #1 is fundamental frequency signal which can be ignored.




Tx0Rx0

Part 27 Mode 7
EN-DC B5+n66 10M Ch20525 1RB0 QPSK + 20M Ch349000 1RB1 BPSK
M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : SA n66 20M Ch349000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol			
			Factor	1				g	dB	dB	
1	3473.00	-61.62	RMS	28.79	-22.38	1.02	-95.23	26.18	-13.00	-48.62	Horizontal
2	5209.00	-44.80	RMS	32.60	-20.28	0.40	-95.23	37.71	-13.00	-31.80	Horizontal
3	6945.00	-55.60	RMS	36.39	-20.57	0.45	-95.23	23.36	-13.00	-42.60	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : SA n66 20M Ch349000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol			
			Factor	1				g	dB	dB	
1	3473.00	-62.32	RMS	28.79	-22.38	1.02	-95.23	25.48	-13.00	-49.32	Vertical
2	5209.00	-47.28	RMS	32.60	-20.28	0.40	-95.23	35.23	-13.00	-34.28	Vertical
3	6945.00	-55.58	RMS	36.39	-20.57	0.45	-95.23	23.38	-13.00	-42.58	Vertical




Tx1Rx1

Part 27 Mode 6
NR SA n66 20M Ch344000 1RB1 BPSK
L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n66 20M Ch344000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						dB
1	3422.00	-62.43	RMS	28.59	-22.41	1.08	-95.23	25.54	-13.00	-49.43	Horizontal
2	5133.00	-57.74	RMS	32.60	-20.21	0.40	-95.23	24.70	-13.00	-44.74	Horizontal
3	6845.00	-56.34	RMS	36.21	-20.55	0.44	-95.23	22.79	-13.00	-43.34	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n66 20M Ch344000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						dB
1	3422.00	-62.85	RMS	28.59	-22.41	1.08	-95.23	25.12	-13.00	-49.85	Vertical
2	5133.00	-57.90	RMS	32.60	-20.21	0.40	-95.23	24.54	-13.00	-44.90	Vertical
3	6845.00	-56.21	RMS	36.21	-20.55	0.44	-95.23	22.92	-13.00	-43.21	Vertical




Tx1Rx1

Part 27 Mode 6
NR SA n66 20M Ch349000 1RB1 BPSK
M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3473.00	-62.15	RMS	28.79	-22.38	1.02	-95.23	25.65	-13.00	-49.15	Horizontal
2	5209.00	-58.53	RMS	32.60	-20.28	0.40	-95.23	23.98	-13.00	-45.53	Horizontal
3	6945.00	-55.69	RMS	36.39	-20.57	0.45	-95.23	23.27	-13.00	-42.69	Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3473.00	-62.48	RMS	28.79	-22.38	1.02	-95.23	25.32	-13.00	-49.48	Vertical
2	5209.00	-58.71	RMS	32.60	-20.28	0.40	-95.23	23.80	-13.00	-45.71	Vertical
3	6945.00	-55.62	RMS	36.39	-20.57	0.45	-95.23	23.34	-13.00	-42.62	Vertical




Tx1Rx1

Part 27 Mode 6


NR SA n66 20M Ch354000 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n66 20M Ch354000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol	
				Factor	1						
1	3523.00	-61.70	RMS	29.08	-22.34	0.96	-95.23	25.83	-13.00	-48.70	Horizontal
2	5284.00	-58.91	RMS	32.53	-20.36	0.50	-95.23	23.65	-13.00	-45.91	Horizontal
3	7045.00	-55.60	RMS	36.50	-20.55	0.46	-95.23	23.22	-13.00	-42.60	Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n66 20M Ch354000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol	
				Factor	1						
1	3523.00	-62.09	RMS	29.08	-22.34	0.96	-95.23	25.44	-13.00	-49.09	Vertical
2	5284.00	-58.90	RMS	32.53	-20.36	0.50	-95.23	23.66	-13.00	-45.90	Vertical
3	7045.00	-55.60	RMS	36.50	-20.55	0.46	-95.23	23.22	-13.00	-42.60	Vertical

—THE END—