





FR1 n70 / 5MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n70 / 5MHz / DFT-S OFDM / 16QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n70 / 5MHz / DFT-S OFDM / 64QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n70 / 5MHz / DFT-S OFDM / 256QAM



Lowest Band Edge / 1RB0


Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB









FR1 n70 / 10MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge



Highest Band Edge



FR1 n70 / 10MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n70 / 10MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge


Highest Band Edge



FR1 n70 / 10MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n70 / 10MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge



Highest Band Edge



FR1 n70 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge






FR1 n70 / 15MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge


Highest Band Edge



FR1 n70 / 15MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n70 / 15MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge



Highest Band Edge



FR1 n70 / 15MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n70 / 15MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge



Highest Band Edge



FR1 n70 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







Conducted Spurious Emission

FR1 n70 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel





Frequency Stability

Test Conditions		FR1 n70 (PI/2 BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 15MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0069	PASS
40	Normal Voltage	0.0169	
30	Normal Voltage	0.0087	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0038	
0	Normal Voltage	0.0087	
-10	Normal Voltage	0.0009	
-20	Normal Voltage	0.0148	
-30	Normal Voltage	0.0122	
20	Maximum Voltage	0.0168	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0026	

Note:

- 1. Normal Voltage = 3.87 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.48 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Part	Mode	Ch	Freq (MHz)	Level (dBm)	Detector	Ant Factor (dB/m)	Ampl Cbl (dB)	Filter (dB)	EIRP CF (dB)	Reading (dBUV)	Limit (dBm)	Margin (dB)	Pol	Ant
Part 22H	3	M	2483.000	-27.63	RMS	27.93	-26.76	0.43	-95.23	66.00	-13.00	-14.63	H	Tx0Rx0
Part 22H	4	L	3301.000	-53.91	RMS	29.80	-24.95	0.26	-95.23	36.21	-13.00	-40.91	H	Tx1Rx1
Part 22H	6	M	3311.000	-54.56	RMS	29.78	-24.92	0.32	-95.23	35.49	-13.00	-41.56	V	Tx0Rx0
Part 24E	3	M	5621.000	-43.81	RMS	33.20	-23.32	0.62	-95.23	40.92	-13.00	-30.81	V	Tx0Rx0
Part 24E	4	H	7585.000	-44.94	RMS	36.40	-22.17	0.77	-95.23	35.29	-13.00	-31.94	H	Tx1Rx1
Part 24E	6	M	7495.000	-45.20	RMS	36.52	-22.20	0.70	-95.23	35.01	-13.00	-32.20	H	Tx0Rx0
Part 27H	1	L	2099.000	-25.90	RMS	27.50	-27.23	0.42	-95.23	68.64	-13.00	-12.90	V	Tx0Rx0
Part 27H	2	M	2109.000	-48.08	RMS	27.50	-27.23	0.41	-95.23	46.47	-13.00	-35.08	V	Tx1Rx1
Part 27H	3	M	2813.000	-55.48	RMS	28.50	-26.21	0.34	-95.23	37.12	-13.00	-42.48	V	Tx0Rx0
Part 27L	1	M	6784.000	-45.51	RMS	36.10	-22.56	0.73	-95.23	35.45	-13.00	-32.51	V	Tx0Rx0
Part 27L	2	L	6783.000	-45.64	RMS	36.10	-22.56	0.73	-95.23	35.32	-13.00	-32.64	H	Tx0Rx0
Part 27L	3	M	6784.000	-45.91	RMS	36.10	-22.56	0.73	-95.23	35.05	-13.00	-32.91	H	Tx1Rx1
Part 27L	4	H	6803.000	-45.87	RMS	36.11	-22.54	0.74	-95.23	35.05	-13.00	-32.87	H	Tx1Rx1
Part 27L	7	M	6784.000	-46.08	RMS	36.10	-22.56	0.73	-95.23	34.88	-13.00	-33.08	H	Tx0Rx0
Part 27D	5	M	9223.000	-57.21	RMS	38.40	-52.98	0.75	-95.23	51.85	-40.00	-17.21	H	Tx0Rx0
Part 27D	6	L	9222.000	-56.95	RMS	38.40	-52.98	0.75	-95.23	52.11	-40.00	-16.95	H	Tx0Rx0
Part 27D	7	M	9223.000	-57.22	RMS	38.40	-52.98	0.75	-95.23	51.84	-40.00	-17.22	V	Tx1Rx1
Part 27D	8	L	9222.000	-56.94	RMS	38.40	-52.98	0.75	-95.23	52.12	-40.00	-16.94	H	Tx1Rx1
Part 27D	9	M	6917.000	-54.91	RMS	36.00	-53.07	0.72	-95.23	56.67	-40.00	-14.91	V	Tx0Rx0
Part 27M	3	H	10685.000	-39.78	RMS	39.30	-19.39	0.77	-95.23	34.77	-25.00	-14.78	V	Tx0Rx0
Part 27M	4	M	7752.000	-39.34	RMS	36.81	-22.17	0.83	-95.23	40.42	-25.00	-14.34	V	Tx1Rx1
Part 27M	6	M	10337.000	-40.25	RMS	39.02	-19.95	0.78	-95.23	35.13	-25.00	-15.25	V	Tx1Rx1
Part 90S	1	L	3258.000	-53.22	Average	29.88	-25.10	0.24	-95.23	36.99	-13.00	-40.22	H	Tx0Rx0
Part 90S	2	L	3258.000	-53.36	RMS	29.88	-25.10	0.24	-95.23	36.85	-13.00	-40.36	H	Tx1Rx1
Part 90S	3	M	3270.000	-53.69	RMS	29.86	-25.06	0.25	-95.23	36.49	-13.00	-40.69	V	Tx0Rx0
Part 90S	4	M	3270.000	-53.54	RMS	29.86	-25.06	0.25	-95.23	36.64	-13.00	-40.54	V	Tx1Rx1
Part 90S	5	M	3270.000	-54.03	RMS	29.86	-25.06	0.31	-95.23	36.09	-13.00	-41.03	V	Tx1Rx1




Tx0Rx0

Part 22H Mode 3


NR SA n26 20M NR SA n26 20M Ch166800 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-61.55	RMS	25.40	-28.28	0.56	-95.23	36.00	-13.00	-48.55	Horizontal
2	2475.00	-30.16	RMS	27.85	-26.77	0.37	-95.23	63.62	-13.00	-17.16	Horizontal
3	3301.00	-54.18	RMS	29.80	-24.95	0.32	-95.23	35.88	-13.00	-41.18	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-61.29	RMS	25.40	-28.28	0.56	-95.23	36.26	-13.00	-48.29	Vertical
2	2475.00	-54.45	RMS	27.85	-26.77	0.37	-95.23	39.33	-13.00	-41.45	Vertical
3	3301.00	-54.19	RMS	29.80	-24.95	0.32	-95.23	35.87	-13.00	-41.19	Vertical




Tx0Rx0

Part 22H Mode 3


NR SA n26 20M NR SA n26 20M Ch167300 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 15M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1655.00	-59.44	RMS	25.40	-28.27	0.54	-95.23	38.12	-13.00	-46.44	Horizontal
2	2483.00	-27.63	RMS	27.93	-26.76	0.43	-95.23	66.00	-13.00	-14.63	Horizontal
3	3311.00	-54.40	RMS	29.78	-24.92	0.26	-95.23	35.71	-13.00	-41.40	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 15M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1655.00	-61.22	RMS	25.40	-28.27	0.54	-95.23	36.34	-13.00	-48.22	Vertical
2	2483.00	-53.75	RMS	27.93	-26.76	0.43	-95.23	39.88	-13.00	-40.75	Vertical
3	3311.00	-54.42	RMS	29.78	-24.92	0.26	-95.23	35.69	-13.00	-41.42	Vertical




Tx0Rx0

Part 22H Mode 3


NR SA n26 20M NR SA n26 20M Ch167800 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 15M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-61.62	RMS	25.40	-28.25	0.54	-95.23	35.92	-13.00	-48.62	Horizontal
2	2490.00	-29.39	RMS	28.00	-26.75	0.44	-95.23	64.15	-13.00	-16.39	Horizontal
3	3321.00	-54.48	RMS	29.76	-24.89	0.26	-95.23	35.62	-13.00	-41.48	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 15M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-61.38	RMS	25.40	-28.25	0.54	-95.23	36.16	-13.00	-48.38	Vertical
2	2490.00	-53.99	RMS	28.00	-26.75	0.44	-95.23	39.55	-13.00	-40.99	Vertical
3	3321.00	-54.51	RMS	29.76	-24.89	0.26	-95.23	35.59	-13.00	-41.51	Vertical




Tx0Rx0

Part 22H Mode 6


EN-DC B2+n26 10M + 20M EN-DC B2+n26 10M Ch18900 1RB0 QPSK + 20M Ch167300 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 2 10M Ch18900 1RB0 QPSK
 : SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1655.00	-61.93	RMS	25.40	-28.27	0.56	-95.23	35.61	-13.00	-48.93	Horizontal	
2	2483.00	-57.86	RMS	27.93	-26.76	0.37	-95.23	35.83	-13.00	-44.86	Horizontal	
3	3311.00	-54.72	RMS	29.78	-24.92	0.32	-95.23	35.33	-13.00	-41.72	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 2 10M Ch18900 1RB0 QPSK
 : SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1655.00	-61.50	RMS	25.40	-28.27	0.56	-95.23	36.04	-13.00	-48.50	Vertical	
2	2483.00	-57.45	RMS	27.93	-26.76	0.37	-95.23	36.24	-13.00	-44.45	Vertical	
3	3311.00	-54.56	RMS	29.78	-24.92	0.32	-95.23	35.49	-13.00	-41.56	Vertical	




Tx1Rx1

Part 22H Mode 4


NR SA n26 20M NR SA n26 20M Ch166800 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-61.11	RMS	25.40	-28.28	0.55	-95.23	36.45	-13.00	-48.11	Horizontal
2	2475.00	-57.48	RMS	27.85	-26.77	0.43	-95.23	36.24	-13.00	-44.48	Horizontal
3	3301.00	-53.91	RMS	29.80	-24.95	0.26	-95.23	36.21	-13.00	-40.91	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-61.23	RMS	25.40	-28.28	0.55	-95.23	36.33	-13.00	-48.23	Vertical
2	2475.00	-57.66	RMS	27.85	-26.77	0.43	-95.23	36.06	-13.00	-44.66	Vertical
3	3301.00	-54.49	RMS	29.80	-24.95	0.26	-95.23	35.63	-13.00	-41.49	Vertical




Tx1Rx1

Part 22H Mode 4


NR SA n26 20M NR SA n26 20M Ch167300 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 15M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1655.00	-61.39	RMS	25.40	-28.27	0.54	-95.23	36.17	-13.00	-48.39	Horizontal
2	2483.00	-57.49	RMS	27.93	-26.76	0.43	-95.23	36.14	-13.00	-44.49	Horizontal
3	3311.00	-54.59	RMS	29.78	-24.92	0.26	-95.23	35.52	-13.00	-41.59	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 15M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1655.00	-61.39	RMS	25.40	-28.27	0.54	-95.23	36.17	-13.00	-48.39	Vertical
2	2483.00	-57.46	RMS	27.93	-26.76	0.43	-95.23	36.17	-13.00	-44.46	Vertical
3	3311.00	-54.25	RMS	29.78	-24.92	0.26	-95.23	35.86	-13.00	-41.25	Vertical




Tx1Rx1

Part 22H Mode 4


NR SA n26 20M NR SA n26 20M Ch167800 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 15M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-61.10	RMS	25.40	-28.25	0.54	-95.23	36.44	-13.00	-48.10	Horizontal
2	2490.00	-57.76	RMS	28.00	-26.75	0.44	-95.23	35.78	-13.00	-44.76	Horizontal
3	3321.00	-54.28	RMS	29.76	-24.89	0.26	-95.23	35.82	-13.00	-41.28	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 15M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-61.23	RMS	25.40	-28.25	0.54	-95.23	36.31	-13.00	-48.23	Vertical
2	2490.00	-57.45	RMS	28.00	-26.75	0.44	-95.23	36.09	-13.00	-44.45	Vertical
3	3321.00	-54.33	RMS	29.76	-24.89	0.26	-95.23	35.77	-13.00	-41.33	Vertical




Tx0Rx0

Part 24E Mode 3


NR SA n25 20M NR SA n25 20M Ch372000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3702.00	-52.62	RMS	29.71	-24.09	1.14	-95.23	35.85	-13.00	-39.62	Horizontal
2	5553.00	-48.53	RMS	33.11	-23.30	0.67	-95.23	36.22	-13.00	-35.53	Horizontal
3	7405.00	-45.02	RMS	36.70	-22.24	0.63	-95.23	35.12	-13.00	-32.02	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3702.00	-52.78	RMS	29.71	-24.09	1.14	-95.23	35.69	-13.00	-39.78	Vertical
2	5553.00	-45.62	RMS	33.11	-23.30	0.67	-95.23	39.13	-13.00	-32.62	Vertical
3	7405.00	-44.97	RMS	36.70	-22.24	0.63	-95.23	35.17	-13.00	-31.97	Vertical




Tx0Rx0

Part 24E Mode 3


NR SA n25 20M NR SA n25 20M Ch376500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3747.00	-52.97	RMS	29.89	-24.00	1.09	-95.23	35.28	-13.00	-39.97	Horizontal
2	5621.00	-48.65	RMS	33.20	-23.32	0.62	-95.23	36.08	-13.00	-35.65	Horizontal
3	7495.00	-45.23	RMS	36.52	-22.20	0.70	-95.23	34.98	-13.00	-32.23	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3747.00	-52.25	RMS	29.89	-24.00	1.09	-95.23	36.00	-13.00	-39.25	Vertical
2	5621.00	-43.81	RMS	33.20	-23.32	0.62	-95.23	40.92	-13.00	-30.81	Vertical
3	7495.00	-45.66	RMS	36.52	-22.20	0.70	-95.23	34.55	-13.00	-32.66	Vertical




Tx0Rx0

Part 24E Mode 3


NR SA n25 20M NR SA n25 20M Ch381000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3792.00	-52.29	RMS	30.15	-23.91	1.05	-95.23	35.65	-13.00	-39.29	Horizontal
2	5688.00	-48.39	RMS	33.12	-23.28	0.60	-95.23	36.40	-13.00	-35.39	Horizontal
3	7585.00	-45.58	RMS	36.40	-22.17	0.77	-95.23	34.65	-13.00	-32.58	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3792.00	-52.11	RMS	30.15	-23.91	1.05	-95.23	35.83	-13.00	-39.11	Vertical
2	5688.00	-46.82	RMS	33.12	-23.28	0.60	-95.23	37.97	-13.00	-33.82	Vertical
3	7585.00	-44.85	RMS	36.40	-22.17	0.77	-95.23	35.38	-13.00	-31.85	Vertical




Tx0Rx0

Part 24E Mode 6


EN-DC B5+n25 10M + 20M EN-DC B5+n25 10M Ch20525 1RB0 QPSK + 20M Ch376500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3747.00	-52.53	RMS	29.89	-24.00	1.09	-95.23	35.72	-13.00	-39.53	Horizontal	
2	5621.00	-49.61	RMS	33.20	-23.32	0.62	-95.23	35.12	-13.00	-36.61	Horizontal	
3	7495.00	-45.20	RMS	36.52	-22.20	0.70	-95.23	35.01	-13.00	-32.20	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3747.00	-52.51	RMS	29.89	-24.00	1.09	-95.23	35.74	-13.00	-39.51	Vertical	
2	5621.00	-49.90	RMS	33.20	-23.32	0.62	-95.23	34.83	-13.00	-36.90	Vertical	
3	7495.00	-45.39	RMS	36.52	-22.20	0.70	-95.23	34.82	-13.00	-32.39	Vertical	




Tx1Rx1

Part 24E Mode 4


NR SA n25 20M NR SA n25 20M Ch372000 1RB1 BPSK

L




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3702.00	-52.86	RMS	29.71	-24.09	1.14	-95.23	35.61	-13.00	-39.86	Horizontal	
2	5553.00	-50.07	RMS	33.11	-23.30	0.67	-95.23	34.68	-13.00	-37.07	Horizontal	
3	7405.00	-45.11	RMS	36.70	-22.24	0.63	-95.23	35.03	-13.00	-32.11	Horizontal	




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3702.00	-52.86	RMS	29.71	-24.09	1.14	-95.23	35.61	-13.00	-39.86	Horizontal	
2	5553.00	-50.07	RMS	33.11	-23.30	0.67	-95.23	34.68	-13.00	-37.07	Horizontal	
3	7405.00	-45.11	RMS	36.70	-22.24	0.63	-95.23	35.03	-13.00	-32.11	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch372000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1						
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3702.00	-53.04	RMS	29.71	-24.09	1.14	-95.23	35.43	-13.00	-40.04	Vertical
2 5553.00	-49.72	RMS	33.11	-23.30	0.67	-95.23	35.03	-13.00	-36.72	Vertical
3 7405.00	-45.21	RMS	36.70	-22.24	0.63	-95.23	34.93	-13.00	-32.21	Vertical



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch372000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1						
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3702.00	-53.04	RMS	29.71	-24.09	1.14	-95.23	35.43	-13.00	-40.04	Vertical
2 5553.00	-49.72	RMS	33.11	-23.30	0.67	-95.23	35.03	-13.00	-36.72	Vertical
3 7405.00	-45.21	RMS	36.70	-22.24	0.63	-95.23	34.93	-13.00	-32.21	Vertical




Tx1Rx1

Part 24E Mode 4


NR SA n25 20M NR SA n25 20M Ch376500 1RB1 BPSK

M




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3747.00	-52.52	RMS	29.89	-24.00	1.09	-95.23	35.73	-13.00	-39.52	Horizontal
2	5621.00	-49.59	RMS	33.20	-23.32	0.62	-95.23	35.14	-13.00	-36.59	Horizontal
3	7495.00	-45.22	RMS	36.52	-22.20	0.70	-95.23	34.99	-13.00	-32.22	Horizontal




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3747.00	-52.52	RMS	29.89	-24.00	1.09	-95.23	35.73	-13.00	-39.52	Horizontal
2	5621.00	-49.59	RMS	33.20	-23.32	0.62	-95.23	35.14	-13.00	-36.59	Horizontal
3	7495.00	-45.22	RMS	36.52	-22.20	0.70	-95.23	34.99	-13.00	-32.22	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3747.00	-52.67	RMS	29.89	-24.00	1.09	-95.23	35.58	-13.00	-39.67	Vertical	
2 5621.00	-49.67	RMS	33.20	-23.32	0.62	-95.23	35.06	-13.00	-36.67	Vertical	
3 7495.00	-45.39	RMS	36.52	-22.20	0.70	-95.23	34.82	-13.00	-32.39	Vertical	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3747.00	-52.67	RMS	29.89	-24.00	1.09	-95.23	35.58	-13.00	-39.67	Vertical	
2 5621.00	-49.67	RMS	33.20	-23.32	0.62	-95.23	35.06	-13.00	-36.67	Vertical	
3 7495.00	-45.39	RMS	36.52	-22.20	0.70	-95.23	34.82	-13.00	-32.39	Vertical	




Tx1Rx1

Part 24E Mode 4


NR SA n25 20M NR SA n25 20M Ch381000 1RB1 BPSK

H




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3792.00	-52.36	RMS	30.15	-23.91	1.05	-95.23	35.58	-13.00	-39.36	Horizontal
2	5688.00	-49.72	RMS	33.12	-23.28	0.60	-95.23	35.07	-13.00	-36.72	Horizontal
3	7585.00	-44.94	RMS	36.40	-22.17	0.77	-95.23	35.29	-13.00	-31.94	Horizontal




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n25 20M Ch381000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3792.00	-52.36	RMS	30.15	-23.91	1.05	-95.23	35.58	-13.00	-39.36	Horizontal
2	5688.00	-49.72	RMS	33.12	-23.28	0.60	-95.23	35.07	-13.00	-36.72	Horizontal
3	7585.00	-44.94	RMS	36.40	-22.17	0.77	-95.23	35.29	-13.00	-31.94	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch381000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3792.00	-52.41	RMS	30.15	-23.91	1.05	-95.23	-95.23	35.53	-13.00	-39.41	Vertical
2 5688.00	-49.52	RMS	33.12	-23.28	0.60	-95.23	-95.23	35.27	-13.00	-36.52	Vertical
3 7585.00	-45.20	RMS	36.40	-22.17	0.77	-95.23	-95.23	35.03	-13.00	-32.20	Vertical



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n25 20M Ch381000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3792.00	-52.41	RMS	30.15	-23.91	1.05	-95.23	-95.23	35.53	-13.00	-39.41	Vertical
2 5688.00	-49.52	RMS	33.12	-23.28	0.60	-95.23	-95.23	35.27	-13.00	-36.52	Vertical
3 7585.00	-45.20	RMS	36.40	-22.17	0.77	-95.23	-95.23	35.03	-13.00	-32.20	Vertical




Tx0Rx0

Part 27H Mode 1


NR SA n12 10M NR SA n12 10M Ch140800 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	dB
1	1399.00	-55.52	RMS	25.90	-28.77	0.72	-95.23	41.86	-13.00	-42.52	Horizontal	
2	2099.00	-43.79	RMS	27.50	-27.23	0.42	-95.23	50.75	-13.00	-30.79	Horizontal	
3	2799.00	-56.82	RMS	28.50	-26.23	0.34	-95.23	35.80	-13.00	-43.82	Horizontal	



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	dB
1	1399.00	-55.86	RMS	25.90	-28.77	0.72	-95.23	41.52	-13.00	-42.86	Vertical	
2	2099.00	-25.90	RMS	27.50	-27.23	0.42	-95.23	68.64	-13.00	-12.90	Vertical	
3	2799.00	-56.95	RMS	28.50	-26.23	0.34	-95.23	35.67	-13.00	-43.95	Vertical	




Tx0Rx0

Part 27H Mode 1


NR SA n12 10M NR SA n12 10M Ch141500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1406.00	-55.05	RMS	25.90	-28.75		0.71	-95.23	42.32	-13.00	-42.05	Horizontal
2	2109.00	-41.87	RMS	27.50	-27.23		0.41	-95.23	52.68	-13.00	-28.87	Horizontal
3	2813.00	-56.68	RMS	28.50	-26.21		0.34	-95.23	35.92	-13.00	-43.68	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1406.00	-54.63	RMS	25.90	-28.75		0.71	-95.23	42.74	-13.00	-41.63	Vertical
2	2109.00	-41.66	RMS	27.50	-27.23		0.41	-95.23	52.89	-13.00	-28.66	Vertical
3	2813.00	-56.73	RMS	28.50	-26.21		0.34	-95.23	35.87	-13.00	-43.73	Vertical




Tx0Rx0

Part 27H Mode 1


NR SA n12 10M NR SA n12 10M Ch142200 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1413.00	-57.37	RMS	25.90	-28.73		0.71	-95.23	39.98	-13.00	-44.37	Horizontal
2	2120.00	-43.54	RMS	27.50	-27.23		0.41	-95.23	51.01	-13.00	-30.54	Horizontal
3	2827.00	-56.37	RMS	28.50	-26.19		0.33	-95.23	36.22	-13.00	-43.37	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1413.00	-58.52	RMS	25.90	-28.73		0.71	-95.23	38.83	-13.00	-45.52	Vertical
2	2120.00	-44.43	RMS	27.50	-27.23		0.41	-95.23	50.12	-13.00	-31.43	Vertical
3	2827.00	-56.47	RMS	28.50	-26.19		0.33	-95.23	36.12	-13.00	-43.47	Vertical




Tx0Rx0

Part 27H Mode 3


EN-DC B66+n12 10M + 10M EN-DC B66+n12 10M Ch132322 1RB0 QPSK + 10M Ch141500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : LTE Band66 10M CH132322 1RB1 QPSK
 : NR SA n12 10M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	1406.00	-59.43	RMS	25.90	-28.75	0.71	-95.23	37.94	-13.00	-46.43	Horizontal
2	2109.00	-57.50	RMS	27.50	-27.23	0.41	-95.23	37.05	-13.00	-44.50	Horizontal
3	2813.00	-55.66	RMS	28.50	-26.21	0.34	-95.23	36.94	-13.00	-42.66	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : LTE Band66 10M CH132322 1RB1 QPSK
 : NR SA n12 10M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	1406.00	-60.03	RMS	25.90	-28.75	0.71	-95.23	37.34	-13.00	-47.03	Vertical
2	2109.00	-57.57	RMS	27.50	-27.23	0.41	-95.23	36.98	-13.00	-44.57	Vertical
3	2813.00	-55.48	RMS	28.50	-26.21	0.34	-95.23	37.12	-13.00	-42.48	Vertical




Tx1Rx1

Part 27H Mode 2


NR SA n12 10M NR SA n12 10M Ch140800 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1399.00	-59.39	RMS	25.90	-28.77	0.72	-95.23	37.99	-13.00	-46.39		Horizontal
2	2099.00	-55.26	RMS	27.50	-27.23	0.42	-95.23	39.28	-13.00	-42.26		Horizontal
3	2799.00	-55.91	RMS	28.50	-26.23	0.34	-95.23	36.71	-13.00	-42.91		Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n12 10M Ch140800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1399.00	-59.37	RMS	25.90	-28.77	0.72	-95.23	38.01	-13.00	-46.37		Vertical
2	2099.00	-53.05	RMS	27.50	-27.23	0.42	-95.23	41.49	-13.00	-40.05		Vertical
3	2799.00	-55.41	RMS	28.50	-26.23	0.34	-95.23	37.21	-13.00	-42.41		Vertical




Tx1Rx1

Part 27H Mode 2


NR SA n12 10M NR SA n12 10M Ch141500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1406.00	-60.21	RMS	25.90	-28.75		0.71	-95.23	37.16	-13.00	-47.21	Horizontal
2	2109.00	-54.40	RMS	27.50	-27.23		0.41	-95.23	40.15	-13.00	-41.40	Horizontal
3	2813.00	-56.64	RMS	28.50	-26.21		0.34	-95.23	35.96	-13.00	-43.64	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n12 10M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1406.00	-60.05	RMS	25.90	-28.75		0.71	-95.23	37.32	-13.00	-47.05	Vertical
2	2109.00	-48.08	RMS	27.50	-27.23		0.41	-95.23	46.47	-13.00	-35.08	Vertical
3	2813.00	-56.63	RMS	28.50	-26.21		0.34	-95.23	35.97	-13.00	-43.63	Vertical




Tx1Rx1

Part 27H Mode 2


NR SA n12 10M NR SA n12 10M Ch142200 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1413.00	-59.66	RMS	25.90	-28.73		0.71	-95.23	37.69	-13.00	-46.66	Horizontal
2	2120.00	-54.36	RMS	27.50	-27.23		0.41	-95.23	40.19	-13.00	-41.36	Horizontal
3	2827.00	-55.80	RMS	28.50	-26.19		0.33	-95.23	36.79	-13.00	-42.80	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n12 10M Ch142200 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1413.00	-59.75	RMS	25.90	-28.73		0.71	-95.23	37.60	-13.00	-46.75	Vertical
2	2120.00	-53.02	RMS	27.50	-27.23		0.41	-95.23	41.53	-13.00	-40.02	Vertical
3	2827.00	-55.52	RMS	28.50	-26.19		0.33	-95.23	37.07	-13.00	-42.52	Vertical




Tx0Rx0

Part 27L Mode 1


NR SA n70 15M NR SA n70 15M Ch340500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-52.43	RMS	29.70	-24.65	1.20	-95.23	36.55	-13.00	-39.43	Horizontal
2	5088.00	-47.76	RMS	33.48	-23.74	0.67	-95.23	37.06	-13.00	-34.76	Horizontal
3	6784.00	-45.52	RMS	36.10	-22.56	0.73	-95.23	35.44	-13.00	-32.52	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-52.95	RMS	29.70	-24.65	1.20	-95.23	36.03	-13.00	-39.95	Vertical
2	5088.00	-48.69	RMS	33.48	-23.74	0.67	-95.23	36.13	-13.00	-35.69	Vertical
3	6784.00	-45.51	RMS	36.10	-22.56	0.73	-95.23	35.45	-13.00	-32.51	Vertical




Tx0Rx0

Part 27L Mode 2


NR SA n70 10M NR SA n70 10M Ch340000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-53.08	RMS	29.70	-24.65	1.20	-95.23	35.90	-13.00	-40.08	Horizontal
2	5087.00	-47.21	RMS	33.47	-23.74	0.66	-95.23	37.63	-13.00	-34.21	Horizontal
3	6783.00	-45.64	RMS	36.10	-22.56	0.73	-95.23	35.32	-13.00	-32.64	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-53.08	RMS	29.70	-24.65	1.20	-95.23	35.90	-13.00	-40.08	Vertical
2	5087.00	-48.74	RMS	33.47	-23.74	0.66	-95.23	36.10	-13.00	-35.74	Vertical
3	6783.00	-45.68	RMS	36.10	-22.56	0.73	-95.23	35.28	-13.00	-32.68	Vertical




Tx0Rx0

Part 27L Mode 2


NR SA n70 10M NR SA n70 10M Ch340500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3396.00	-53.58	RMS	29.70	-24.63	1.20	-95.23	35.38	-13.00	-40.58	Horizontal
2	5094.00	-48.61	RMS	33.49	-23.73	0.67	-95.23	36.19	-13.00	-35.61	Horizontal
3	6793.00	-45.83	RMS	36.10	-22.55	0.74	-95.23	35.11	-13.00	-32.83	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3396.00	-53.35	RMS	29.70	-24.63	1.20	-95.23	35.61	-13.00	-40.35	Vertical
2	5094.00	-48.59	RMS	33.49	-23.73	0.67	-95.23	36.21	-13.00	-35.59	Vertical
3	6793.00	-45.75	RMS	36.10	-22.55	0.74	-95.23	35.19	-13.00	-32.75	Vertical




Tx0Rx0

Part 27L Mode 2


NR SA n70 10M NR SA n70 10M Ch341000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-52.99	RMS	29.70	-24.62	1.19	-95.23	35.97	-13.00	-39.99	Horizontal
2	5102.00	-47.51	RMS	33.49	-23.72	0.67	-95.23	37.28	-13.00	-34.51	Horizontal
3	6803.00	-45.86	RMS	36.11	-22.54	0.74	-95.23	35.06	-13.00	-32.86	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-52.83	RMS	29.70	-24.62	1.19	-95.23	36.13	-13.00	-39.83	Vertical
2	5102.00	-48.43	RMS	33.49	-23.72	0.67	-95.23	36.36	-13.00	-35.43	Vertical
3	6803.00	-45.77	RMS	36.11	-22.54	0.74	-95.23	35.15	-13.00	-32.77	Vertical




Tx0Rx0

Part 27L Mode 7


EN-DC B5+n70 10M + 15M EN-DC B5+n70 10M Ch20525 1RB0 QPSK + 15M Ch340500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 5 10M 20525 1RB0 QPSK
 : NR SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3392.00	-53.32	RMS	29.70	-24.65	1.20	-95.23	-95.23	35.66	-13.00	-40.32	Horizontal
2	5088.00	-49.32	RMS	33.48	-23.74	0.67	-95.23	-95.23	35.50	-13.00	-36.32	Horizontal
3	6784.00	-46.08	RMS	36.10	-22.56	0.73	-95.23	-95.23	34.88	-13.00	-33.08	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 5 10M 20525 1RB0 QPSK
 : NR SA n70 15M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3392.00	-53.53	RMS	29.70	-24.65	1.20	-95.23	-95.23	35.45	-13.00	-40.53	Vertical
2	5088.00	-49.51	RMS	33.48	-23.74	0.67	-95.23	-95.23	35.31	-13.00	-36.51	Vertical
3	6784.00	-46.18	RMS	36.10	-22.56	0.73	-95.23	-95.23	34.78	-13.00	-33.18	Vertical




Tx1Rx1

Part 27L Mode 3


NR SA n70 15M NR SA n70 15M Ch340500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n70 20M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-53.05	RMS	29.70	-24.65	1.20	-95.23	35.93	-13.00	-40.05	Horizontal
2	5088.00	-49.18	RMS	33.48	-23.74	0.67	-95.23	35.64	-13.00	-36.18	Horizontal
3	6784.00	-45.91	RMS	36.10	-22.56	0.73	-95.23	35.05	-13.00	-32.91	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n70 20M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3392.00	-53.38	RMS	29.70	-24.65	1.20	-95.23	35.60	-13.00	-40.38	Vertical
2	5088.00	-49.64	RMS	33.48	-23.74	0.67	-95.23	35.18	-13.00	-36.64	Vertical
3	6784.00	-46.11	RMS	36.10	-22.56	0.73	-95.23	34.85	-13.00	-33.11	Vertical




Tx1Rx1

Part 27L Mode 4


NR SA n70 10M NR SA n70 10M Ch340000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-53.35	RMS	29.70	-24.65	1.20	-95.23	35.63	-13.00	-40.35	Horizontal
2	5087.00	-49.43	RMS	33.47	-23.74	0.66	-95.23	35.41	-13.00	-36.43	Horizontal
3	6783.00	-45.96	RMS	36.10	-22.56	0.73	-95.23	35.00	-13.00	-32.96	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-53.49	RMS	29.70	-24.65	1.20	-95.23	35.49	-13.00	-40.49	Vertical
2	5087.00	-49.39	RMS	33.47	-23.74	0.66	-95.23	35.45	-13.00	-36.39	Vertical
3	6783.00	-45.94	RMS	36.10	-22.56	0.73	-95.23	35.02	-13.00	-32.94	Vertical




Tx1Rx1

Part 27L Mode 4


NR SA n70 10M NR SA n70 10M Ch340500 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3396.00	-53.50	RMS	29.70	-24.63	1.20	-95.23	35.46	-13.00	-40.50	Horizontal
2	5094.00	-48.65	RMS	33.49	-23.73	0.67	-95.23	36.15	-13.00	-35.65	Horizontal
3	6793.00	-45.89	RMS	36.10	-22.55	0.74	-95.23	35.05	-13.00	-32.89	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3396.00	-53.28	RMS	29.70	-24.63	1.20	-95.23	35.68	-13.00	-40.28	Vertical
2	5094.00	-49.17	RMS	33.49	-23.73	0.67	-95.23	35.63	-13.00	-36.17	Vertical
3	6793.00	-45.90	RMS	36.10	-22.55	0.74	-95.23	35.04	-13.00	-32.90	Vertical




Tx1Rx1

Part 27L Mode 4


NR SA n70 10M NR SA n70 10M Ch341000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-52.49	RMS	29.70	-24.62	1.19	-95.23	36.47	-13.00	-39.49	Horizontal
2	5102.00	-49.16	RMS	33.49	-23.72	0.67	-95.23	35.63	-13.00	-36.16	Horizontal
3	6803.00	-45.87	RMS	36.11	-22.54	0.74	-95.23	35.05	-13.00	-32.87	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-53.24	RMS	29.70	-24.62	1.19	-95.23	35.72	-13.00	-40.24	Vertical
2	5102.00	-49.18	RMS	33.49	-23.72	0.67	-95.23	35.61	-13.00	-36.18	Vertical
3	6803.00	-46.24	RMS	36.11	-22.54	0.74	-95.23	34.68	-13.00	-33.24	Vertical




Tx0Rx0

Part 27D Mode 5


NR SA n30 10M NR SA n30 10M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-64.67	RMS	31.78	-57.17	0.75	-95.23	55.20	-40.00	-24.67	Horizontal
2	6917.00	-60.58	RMS	36.00	-53.07	0.72	-95.23	51.00	-40.00	-20.58	Horizontal
3	9223.00	-57.21	RMS	38.40	-52.98	0.75	-95.23	51.85	-40.00	-17.21	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-64.69	RMS	31.78	-57.17	0.75	-95.23	55.18	-40.00	-24.69	Vertical
2	6917.00	-60.79	RMS	36.00	-53.07	0.72	-95.23	50.79	-40.00	-20.79	Vertical
3	9223.00	-57.34	RMS	38.40	-52.98	0.75	-95.23	51.72	-40.00	-17.34	Vertical




Tx0Rx0

Part 27D Mode 6


NR SA n30 5M NR SA n30 5M Ch461500 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch415000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-64.05	RMS	31.78	-57.17	0.75	-95.23	55.82	-40.00	-24.05	Horizontal
2	6916.00	-60.67	RMS	36.00	-53.07	0.72	-95.23	50.91	-40.00	-20.67	Horizontal
3	9222.00	-56.95	RMS	38.40	-52.98	0.75	-95.23	52.11	-40.00	-16.95	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch415000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-64.41	RMS	31.78	-57.17	0.75	-95.23	55.46	-40.00	-24.41	Vertical
2	6916.00	-60.63	RMS	36.00	-53.07	0.72	-95.23	50.95	-40.00	-20.63	Vertical
3	9222.00	-57.28	RMS	38.40	-52.98	0.75	-95.23	51.78	-40.00	-17.28	Vertical




Tx0Rx0

Part 27D Mode 6


NR SA n30 5M NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-65.07	RMS	31.77	-57.16	0.75	-95.23	54.80	-40.00	-25.07	Horizontal
2	6924.00	-59.91	RMS	36.00	-53.07	0.72	-95.23	51.67	-40.00	-19.91	Horizontal
3	9232.00	-57.29	RMS	38.40	-52.97	0.75	-95.23	51.76	-40.00	-17.29	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-64.15	RMS	31.77	-57.16	0.75	-95.23	55.72	-40.00	-24.15	Vertical
2	6924.00	-60.22	RMS	36.00	-53.07	0.72	-95.23	51.36	-40.00	-20.22	Vertical
3	9232.00	-57.29	RMS	38.40	-52.97	0.75	-95.23	51.76	-40.00	-17.29	Vertical




Tx0Rx0

Part 27D Mode 6


NR SA n30 5M NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-64.67	RMS	31.76	-57.15	0.75	-95.23	55.20	-40.00	-24.67	Horizontal
2	6931.00	-60.09	RMS	36.00	-53.07	0.71	-95.23	51.50	-40.00	-20.09	Horizontal
3	9242.00	-57.14	RMS	38.40	-52.96	0.75	-95.23	51.90	-40.00	-17.14	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-64.88	RMS	31.76	-57.15	0.75	-95.23	54.99	-40.00	-24.88	Vertical
2	6931.00	-60.16	RMS	36.00	-53.07	0.71	-95.23	51.43	-40.00	-20.16	Vertical
3	9242.00	-57.39	RMS	38.40	-52.96	0.75	-95.23	51.65	-40.00	-17.39	Vertical




Tx0Rx0

Part 27D Mode 9


EN-DC B5+n30 10M + 10M EN-DC B5+n30 10M Ch20525 1RB0 QPSK + 10M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : NR SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	4611.00	-63.97	RMS	31.78	-57.17	0.75	-95.23	55.90	-40.00	-23.97	Horizontal	
2	6917.00	-55.83	RMS	36.00	-53.07	0.72	-95.23	55.75	-40.00	-15.83	Horizontal	
3	9223.00	-57.44	RMS	38.40	-52.98	0.75	-95.23	51.62	-40.00	-17.44	Horizontal	



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : NR SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	4611.00	-64.15	RMS	31.78	-57.17	0.75	-95.23	55.72	-40.00	-24.15	Vertical	
2	6917.00	-54.91	RMS	36.00	-53.07	0.72	-95.23	56.67	-40.00	-14.91	Vertical	
3	9223.00	-57.54	RMS	38.40	-52.98	0.75	-95.23	51.52	-40.00	-17.54	Vertical	




Tx1Rx1

Part 27D Mode 7


NR SA n30 10M NR SA n30 10M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-64.20	RMS	31.78	-57.17	0.75	-95.23	55.67	-40.00	-24.20	Horizontal
2	6917.00	-60.67	RMS	36.00	-53.07	0.72	-95.23	50.91	-40.00	-20.67	Horizontal
3	9223.00	-57.26	RMS	38.40	-52.98	0.75	-95.23	51.80	-40.00	-17.26	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-64.24	RMS	31.78	-57.17	0.75	-95.23	55.63	-40.00	-24.24	Vertical
2	6917.00	-60.47	RMS	36.00	-53.07	0.72	-95.23	51.11	-40.00	-20.47	Vertical
3	9223.00	-57.22	RMS	38.40	-52.98	0.75	-95.23	51.84	-40.00	-17.22	Vertical




Tx1Rx1

Part 27D Mode 8


NR SA n30 5M NR SA n30 5M Ch461500 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-64.32	RMS	31.78	-57.17	0.75	-95.23	55.55	-40.00	-24.32	Horizontal
2	6916.00	-60.55	RMS	36.00	-53.07	0.72	-95.23	51.03	-40.00	-20.55	Horizontal
3	9222.00	-56.94	RMS	38.40	-52.98	0.75	-95.23	52.12	-40.00	-16.94	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-64.21	RMS	31.78	-57.17	0.75	-95.23	55.66	-40.00	-24.21	Vertical
2	6916.00	-60.40	RMS	36.00	-53.07	0.72	-95.23	51.18	-40.00	-20.40	Vertical
3	9222.00	-57.07	RMS	38.40	-52.98	0.75	-95.23	51.99	-40.00	-17.07	Vertical




Tx1Rx1

Part 27D Mode 8


NR SA n30 5M NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-64.82	RMS	31.77	-57.16	0.75	-95.23	55.05	-40.00	-24.82	Horizontal
2	6924.00	-60.23	RMS	36.00	-53.07	0.72	-95.23	51.35	-40.00	-20.23	Horizontal
3	9232.00	-57.27	RMS	38.40	-52.97	0.75	-95.23	51.78	-40.00	-17.27	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-64.77	RMS	31.77	-57.16	0.75	-95.23	55.10	-40.00	-24.77	Vertical
2	6924.00	-60.16	RMS	36.00	-53.07	0.72	-95.23	51.42	-40.00	-20.16	Vertical
3	9232.00	-57.30	RMS	38.40	-52.97	0.75	-95.23	51.75	-40.00	-17.30	Vertical




Tx1Rx1

Part 27D Mode 8


NR SA n30 5M NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-64.64	RMS	31.76	-57.15	0.75	-95.23	55.23	-40.00	-24.64	Horizontal
2	6931.00	-60.06	RMS	36.00	-53.07	0.71	-95.23	51.53	-40.00	-20.06	Horizontal
3	9242.00	-57.05	RMS	38.40	-52.96	0.75	-95.23	51.99	-40.00	-17.05	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-64.64	RMS	31.76	-57.15	0.75	-95.23	55.23	-40.00	-24.64	Vertical
2	6931.00	-60.29	RMS	36.00	-53.07	0.71	-95.23	51.30	-40.00	-20.29	Vertical
3	9242.00	-57.09	RMS	38.40	-52.96	0.75	-95.23	51.95	-40.00	-17.09	Vertical




Tx0Rx0

Part 27M Mode 3


NR SA n41 20M NR SA n41 20M Ch501204 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-49.12	RMS	33.16	-23.85	0.63	-95.23	36.17	-25.00	-24.12	Horizontal
2	7491.00	-44.96	RMS	36.54	-22.20	0.70	-95.23	35.23	-25.00	-19.96	Horizontal
3	9989.00	-40.31	RMS	38.56	-20.39	0.78	-95.23	35.97	-25.00	-15.31	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-49.39	RMS	33.16	-23.85	0.63	-95.23	35.90	-25.00	-24.39	Vertical
2	7491.00	-45.08	RMS	36.54	-22.20	0.70	-95.23	35.11	-25.00	-20.08	Vertical
3	9989.00	-40.35	RMS	38.56	-20.39	0.78	-95.23	35.93	-25.00	-15.35	Vertical




Tx0Rx0

Part 27M Mode 3


NR SA n41 20M NR SA n41 20M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-49.71	RMS	33.16	-23.62	0.70	-95.23	35.28	-25.00	-24.71	Horizontal	
2	7752.00	-43.55	RMS	36.81	-22.17	0.83	-95.23	36.21	-25.00	-18.55	Horizontal	
3	10337.00	-40.23	RMS	39.02	-19.95	0.78	-95.23	35.15	-25.00	-15.23	Horizontal	



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-49.39	RMS	33.16	-23.62	0.70	-95.23	35.60	-25.00	-24.39	Vertical	
2	7752.00	-44.25	RMS	36.81	-22.17	0.83	-95.23	35.51	-25.00	-19.25	Vertical	
3	10337.00	-40.27	RMS	39.02	-19.95	0.78	-95.23	35.11	-25.00	-15.27	Vertical	




Tx0Rx0

Part 27M Mode 3


NR SA n41 20M NR SA n41 20M Ch535998 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5342.00	-49.47	RMS	33.20	-23.37	0.76	-95.23	35.17	-25.00	-24.47	Horizontal
2	8013.00	-43.31	RMS	37.30	-21.99	0.95	-95.23	35.66	-25.00	-18.31	Horizontal
3	10685.00	-39.94	RMS	39.30	-19.39	0.77	-95.23	34.61	-25.00	-14.94	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5342.00	-49.68	RMS	33.20	-23.37	0.76	-95.23	34.96	-25.00	-24.68	Vertical
2	8013.00	-43.53	RMS	37.30	-21.99	0.95	-95.23	35.44	-25.00	-18.53	Vertical
3	10685.00	-39.78	RMS	39.30	-19.39	0.77	-95.23	34.77	-25.00	-14.78	Vertical




Tx1Rx1

Part 27M Mode 4


NR SA n41 20M NR SA n41 20M Ch501204 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-49.21	RMS	33.16	-23.85	0.63	-95.23	36.08	-25.00	-24.21	Horizontal
2	7491.00	-45.06	RMS	36.54	-22.20	0.70	-95.23	35.13	-25.00	-20.06	Horizontal
3	9989.00	-40.36	RMS	38.56	-20.39	0.78	-95.23	35.92	-25.00	-15.36	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-49.57	RMS	33.16	-23.85	0.63	-95.23	35.72	-25.00	-24.57	Vertical
2	7491.00	-45.00	RMS	36.54	-22.20	0.70	-95.23	35.19	-25.00	-20.00	Vertical
3	9989.00	-40.62	RMS	38.56	-20.39	0.78	-95.23	35.66	-25.00	-15.62	Vertical




Tx1Rx1

Part 27M Mode 4


NR SA n41 20M NR SA n41 20M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-49.68	RMS	33.16	-23.62	0.70	-95.23	35.31	-25.00	-24.68	Horizontal
2	7752.00	-43.24	RMS	36.81	-22.17	0.83	-95.23	36.52	-25.00	-18.24	Horizontal
3	10337.00	-40.36	RMS	39.02	-19.95	0.78	-95.23	35.02	-25.00	-15.36	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-49.84	RMS	33.16	-23.62	0.70	-95.23	35.15	-25.00	-24.84	Vertical
2	7752.00	-39.34	RMS	36.81	-22.17	0.83	-95.23	40.42	-25.00	-14.34	Vertical
3	10337.00	-40.22	RMS	39.02	-19.95	0.78	-95.23	35.16	-25.00	-15.22	Vertical




Tx1Rx1

Part 27M Mode 4


NR SA n41 20M NR SA n41 20M Ch535998 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5342.00	-49.80	RMS	33.20	-23.37	0.76	-95.23	34.84	-25.00	-24.80	Horizontal
2	8013.00	-43.43	RMS	37.30	-21.99	0.95	-95.23	35.54	-25.00	-18.43	Horizontal
3	10685.00	-39.84	RMS	39.30	-19.39	0.77	-95.23	34.71	-25.00	-14.84	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 20M Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5342.00	-49.61	RMS	33.20	-23.37	0.76	-95.23	35.03	-25.00	-24.61	Vertical
2	8013.00	-43.48	RMS	37.30	-21.99	0.95	-95.23	35.49	-25.00	-18.48	Vertical
3	10685.00	-39.88	RMS	39.30	-19.39	0.77	-95.23	34.67	-25.00	-14.88	Vertical




Tx1Rx1

Part 27M Mode 6


EN-DC B5+n41 10M + 20M EN-DC B5+n41 10M Ch20525 1RB0 QPSK + 20M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : NR SA n41 20M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	dB
1 5168.00	-49.74	RMS	33.16	-23.62	0.70	-95.23	35.25	-25.00	-24.74	Horizontal
2 7752.00	-44.39	RMS	36.81	-22.17	0.83	-95.23	35.37	-25.00	-19.39	Horizontal
3 10337.00	-40.54	RMS	39.02	-19.95	0.78	-95.23	34.84	-25.00	-15.54	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : NR SA n41 20M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	dB
1 5168.00	-49.34	RMS	33.16	-23.62	0.70	-95.23	35.65	-25.00	-24.34	Vertical
2 7752.00	-44.36	RMS	36.81	-22.17	0.83	-95.23	35.40	-25.00	-19.36	Vertical
3 10337.00	-40.25	RMS	39.02	-19.95	0.78	-95.23	35.13	-25.00	-15.25	Vertical




Tx0Rx0

Part 90S Mode 1


NR SA n26 5M NR SA n26 5M Ch165300 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 5M Ch165300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-60.85	RMS	25.59	-28.32	0.56	-95.23	36.55	-13.00	-47.85	Horizontal
2	2444.00	-57.35	Average	27.64	-26.82	0.41	-95.23	36.65	-13.00	-44.35	Horizontal
3	3258.00	-53.22	Average	29.88	-25.10	0.24	-95.23	36.99	-13.00	-40.22	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 5M Ch165300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-60.96	RMS	25.59	-28.32	0.56	-95.23	36.44	-13.00	-47.96	Vertical
2	2444.00	-56.65	RMS	27.64	-26.82	0.41	-95.23	37.35	-13.00	-43.65	Vertical
3	3258.00	-53.28	RMS	29.88	-25.10	0.24	-95.23	36.93	-13.00	-40.28	Vertical




Tx0Rx0

Part 90S Mode 1


NR SA n26 5M NR SA n26 5M Ch167300 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 5M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-60.85	RMS	25.56	-28.31	0.55	-95.23	36.58	-13.00	-47.85	Horizontal
2	2451.00	-57.36	RMS	27.71	-26.81	0.41	-95.23	36.56	-13.00	-44.36	Horizontal
3	3268.00	-53.90	RMS	29.86	-25.06	0.25	-95.23	36.28	-13.00	-40.90	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 5M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-60.92	RMS	25.56	-28.31	0.55	-95.23	36.51	-13.00	-47.92	Vertical
2	2451.00	-57.43	RMS	27.71	-26.81	0.41	-95.23	36.49	-13.00	-44.43	Vertical
3	3268.00	-53.92	RMS	29.86	-25.06	0.25	-95.23	36.26	-13.00	-40.92	Vertical




Tx0Rx0

Part 90S Mode 1


NR SA n26 5M NR SA n26 5M Ch169300 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 5M Ch169300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-60.78	RMS	25.51	-28.30	0.55	-95.23	36.69	-13.00	-47.78	Horizontal
2	2459.00	-56.86	RMS	27.79	-26.80	0.42	-95.23	36.96	-13.00	-43.86	Horizontal
3	3278.00	-53.89	RMS	29.84	-25.03	0.25	-95.23	36.28	-13.00	-40.89	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 5M Ch169300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-60.82	RMS	25.51	-28.30	0.55	-95.23	36.65	-13.00	-47.82	Vertical
2	2459.00	-57.49	RMS	27.79	-26.80	0.42	-95.23	36.33	-13.00	-44.49	Vertical
3	3278.00	-53.96	RMS	29.84	-25.03	0.25	-95.23	36.21	-13.00	-40.96	Vertical




Tx0Rx0

Part 90S Mode 3


NR SA n26 15M NR SA n26 15M Ch164800 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-60.99	RMS	25.55	-28.31	0.55	-95.23	36.45	-13.00	-47.99	Horizontal
2	2453.00	-57.67	RMS	27.73	-26.81	0.41	-95.23	36.23	-13.00	-44.67	Horizontal
3	3270.00	-54.02	RMS	29.86	-25.06	0.25	-95.23	36.16	-13.00	-41.02	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-61.04	RMS	25.55	-28.31	0.55	-95.23	36.40	-13.00	-48.04	Vertical
2	2453.00	-57.24	RMS	27.73	-26.81	0.41	-95.23	36.66	-13.00	-44.24	Vertical
3	3270.00	-53.69	RMS	29.86	-25.06	0.25	-95.23	36.49	-13.00	-40.69	Vertical




Tx1Rx1

Part 90S Mode 2


NR SA n26 5M NR SA n26 5M Ch165300 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 5M Ch165300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-60.63	RMS	25.59	-28.32	0.56	-95.23	36.77	-13.00	-47.63	Horizontal
2	2444.00	-57.26	RMS	27.64	-26.82	0.41	-95.23	36.74	-13.00	-44.26	Horizontal
3	3258.00	-53.36	RMS	29.88	-25.10	0.24	-95.23	36.85	-13.00	-40.36	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 5M Ch165300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-60.95	RMS	25.59	-28.32	0.56	-95.23	36.45	-13.00	-47.95	Vertical
2	2444.00	-57.56	RMS	27.64	-26.82	0.41	-95.23	36.44	-13.00	-44.56	Vertical
3	3258.00	-53.83	RMS	29.88	-25.10	0.24	-95.23	36.38	-13.00	-40.83	Vertical




Tx1Rx1

Part 90S Mode 2


NR SA n26 5M NR SA n26 5M Ch167300 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 5M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-60.86	RMS	25.56	-28.31	0.55	-95.23	36.57	-13.00	-47.86	Horizontal
2	2451.00	-56.88	RMS	27.71	-26.81	0.41	-95.23	37.04	-13.00	-43.88	Horizontal
3	3268.00	-54.04	RMS	29.86	-25.06	0.25	-95.23	36.14	-13.00	-41.04	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 5M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-60.78	RMS	25.56	-28.31	0.55	-95.23	36.65	-13.00	-47.78	Vertical
2	2451.00	-57.28	RMS	27.71	-26.81	0.41	-95.23	36.64	-13.00	-44.28	Vertical
3	3268.00	-53.84	RMS	29.86	-25.06	0.25	-95.23	36.34	-13.00	-40.84	Vertical




Tx1Rx1

Part 90S Mode 2


NR SA n26 5M NR SA n26 5M Ch169300 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 5M Ch169300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-61.03	RMS	25.51	-28.30	0.55	-95.23	36.44	-13.00	-48.03	Horizontal
2	2459.00	-57.18	RMS	27.79	-26.80	0.42	-95.23	36.64	-13.00	-44.18	Horizontal
3	3278.00	-53.61	RMS	29.84	-25.03	0.25	-95.23	36.56	-13.00	-40.61	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 5M Ch169300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-61.08	RMS	25.51	-28.30	0.55	-95.23	36.39	-13.00	-48.08	Vertical
2	2459.00	-57.35	RMS	27.79	-26.80	0.42	-95.23	36.47	-13.00	-44.35	Vertical
3	3278.00	-53.52	RMS	29.84	-25.03	0.25	-95.23	36.65	-13.00	-40.52	Vertical




Tx1Rx1

Part 90S Mode 4


NR SA n26 15M NR SA n26 15M Ch164800 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-60.76	RMS	25.55	-28.31	0.55	-95.23	36.68	-13.00	-47.76	Horizontal
2	2453.00	-57.26	RMS	27.73	-26.81	0.41	-95.23	36.64	-13.00	-44.26	Horizontal
3	3270.00	-53.96	RMS	29.86	-25.06	0.25	-95.23	36.22	-13.00	-40.96	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-60.88	RMS	25.55	-28.31	0.55	-95.23	36.56	-13.00	-47.88	Vertical
2	2453.00	-57.32	RMS	27.73	-26.81	0.41	-95.23	36.58	-13.00	-44.32	Vertical
3	3270.00	-53.54	RMS	29.86	-25.06	0.25	-95.23	36.64	-13.00	-40.54	Vertical




Tx1Rx1

Part 90S Mode 5


EN-DC B2+n26 10M + 20M EN-DC B2+n26 10M Ch18900 1RB0 QPSK + 20M Ch164800 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band2 10M CH18900 1RB0 QPSK
 : SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-60.97	RMS	25.55	-28.31	0.56	-95.23	36.46	-13.00	-47.97	Horizontal	
2	2453.00	-57.40	RMS	27.73	-26.81	0.37	-95.23	36.54	-13.00	-44.40	Horizontal	
3	3270.00	-54.07	RMS	29.86	-25.06	0.31	-95.23	36.05	-13.00	-41.07	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band2 10M CH18900 1RB0 QPSK
 : SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-60.79	RMS	25.55	-28.31	0.56	-95.23	36.64	-13.00	-47.79	Vertical	
2	2453.00	-56.89	RMS	27.73	-26.81	0.37	-95.23	37.05	-13.00	-43.89	Vertical	
3	3270.00	-54.03	RMS	29.86	-25.06	0.31	-95.23	36.09	-13.00	-41.03	Vertical	

—THE END—