





Tx1Rx1

Part 27 Mode 8
LTE B12 10M Ch23060 1RB0 QPSK
L



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 12 10M Ch23060 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	1						dB
1	1399.00	-67.15	RMS	24.59	-24.85	0.72	-95.23	27.62	-13.00	-54.15	Horizontal
2	2099.00	-55.12	RMS	26.39	-23.84	0.42	-95.23	37.14	-13.00	-42.12	Horizontal
3	2798.00	-63.48	RMS	28.00	-22.88	0.34	-95.23	26.29	-13.00	-50.48	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 12 10M Ch23060 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	1						dB
1	1399.00	-67.20	RMS	24.59	-24.85	0.72	-95.23	27.57	-13.00	-54.20	Vertical
2	2099.00	-50.56	RMS	26.39	-23.84	0.42	-95.23	41.70	-13.00	-37.56	Vertical
3	2798.00	-63.54	RMS	28.00	-22.88	0.34	-95.23	26.23	-13.00	-50.54	Vertical




Tx1Rx1

Part 27 Mode 8
LTE B12 10M Ch23095 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 12 10M Ch23095 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV		dB		
1	1406.00	-67.11	RMS	24.66	-24.84	0.71	-95.23	27.59	-13.00	-54.11	Horizontal
2	2109.00	-56.62	RMS	26.40	-23.83	0.41	-95.23	35.63	-13.00	-43.62	Horizontal
3	2812.00	-63.26	RMS	28.08	-22.85	0.34	-95.23	26.40	-13.00	-50.26	Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 12 10M Ch23095 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV		dB		
1	1406.00	-67.15	RMS	24.66	-24.84	0.71	-95.23	27.55	-13.00	-54.15	Vertical
2	2109.00	-53.13	RMS	26.40	-23.83	0.41	-95.23	39.12	-13.00	-40.13	Vertical
3	2812.00	-63.24	RMS	28.08	-22.85	0.34	-95.23	26.42	-13.00	-50.24	Vertical




Tx1Rx1

Part 27 Mode 8


LTE B12 10M Ch23130 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 12 10M Ch23130 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin	Pol
						Factor	1	dB	dB				
			1413.00	-67.41	RMS	24.73	-24.82	0.71	-95.23	27.20	-13.00	-54.41	Horizontal
			2120.00	-51.69	RMS	26.40	-23.82	0.41	-95.23	40.55	-13.00	-38.69	Horizontal
			2826.00	-62.97	RMS	28.06	-22.83	0.33	-95.23	26.70	-13.00	-49.97	Horizontal




Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 12 10M Ch23130 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin	Pol
						Factor	1	dB	dB				
			1413.00	-67.09	RMS	24.73	-24.82	0.71	-95.23	27.52	-13.00	-54.09	Vertical
			2120.00	-51.64	RMS	26.40	-23.82	0.41	-95.23	40.60	-13.00	-38.64	Vertical
			2826.00	-63.48	RMS	28.06	-22.83	0.33	-95.23	26.19	-13.00	-50.48	Vertical




Tx1Rx1

Part 27 Mode 10
LTE B71 10M Ch133172 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 71 10M Ch133172 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1					g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1327.00	-67.09	RMS	24.40	-24.99	0.85	-95.23	27.88	-13.00	-54.09	Horizontal	
2	1991.00	-57.77	RMS	26.21	-23.98	0.43	-95.23	34.80	-13.00	-44.77	Horizontal	
3	2654.00	-64.86	RMS	27.20	-23.11	0.35	-95.23	25.93	-13.00	-51.86	Horizontal	




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 71 10M Ch133172 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1					g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1327.00	-67.10	RMS	24.40	-24.99	0.85	-95.23	27.87	-13.00	-54.10	Vertical	
2	1991.00	-52.95	RMS	26.21	-23.98	0.43	-95.23	39.62	-13.00	-39.95	Vertical	
3	2654.00	-64.43	RMS	27.20	-23.11	0.35	-95.23	26.36	-13.00	-51.43	Vertical	




Tx1Rx1

Part 27 Mode 10
LTE B71 10M Ch133272 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 71 10M Ch133272 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1347.00	-68.17	RMS	24.30	-24.95	0.81	-95.23	26.90	-13.00	-55.17	Horizontal	
2	2021.00	-54.38	RMS	26.30	-23.94	0.42	-95.23	38.07	-13.00	-41.38	Horizontal	
3	2694.00	-63.77	RMS	27.44	-23.05	0.35	-95.23	26.72	-13.00	-50.77	Horizontal	




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 71 10M Ch133272 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1347.00	-68.04	RMS	24.30	-24.95	0.81	-95.23	27.03	-13.00	-55.04	Vertical	
2	2021.00	-50.27	RMS	26.30	-23.94	0.42	-95.23	42.18	-13.00	-37.27	Vertical	
3	2694.00	-64.11	RMS	27.44	-23.05	0.35	-95.23	26.38	-13.00	-51.11	Vertical	




Tx1Rx1

Part 27 Mode 10
LTE B71 10M Ch133422 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 71 10M Ch133422 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1377.00	-66.80	RMS	24.40	-24.89	0.76	-95.23	28.16	-13.00	-53.80	Horizontal
2	2066.00	-52.89	RMS	26.26	-23.89	0.42	-95.23	39.55	-13.00	-39.89	Horizontal
3	2754.00	-64.16	RMS	27.84	-22.95	0.34	-95.23	25.84	-13.00	-51.16	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 71 10M Ch133422 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1377.00	-67.33	RMS	24.40	-24.89	0.76	-95.23	27.63	-13.00	-54.33	Vertical
2	2066.00	-47.09	RMS	26.26	-23.89	0.42	-95.23	45.35	-13.00	-34.09	Vertical
3	2754.00	-63.79	RMS	27.84	-22.95	0.34	-95.23	26.21	-13.00	-50.79	Vertical




Tx1Rx1

Part 27 Mode 12
LTE B7 10M Ch20800 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 7 10M Ch20800 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	5001.00	-57.75	RMS	32.70	-20.10	0.41	-95.23	24.47	-25.00	-32.75 Horizontal
2	7502.00	-51.69	RMS	36.80	-20.29	0.39	-95.23	26.64	-25.00	-26.69 Horizontal
3	10002.00	-54.59	RMS	37.30	-20.42	0.41	-95.23	23.35	-25.00	-29.59 Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 7 10M Ch20800 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	5001.00	-57.97	RMS	32.70	-20.10	0.41	-95.23	24.25	-25.00	-32.97 Vertical
2	7502.00	-46.03	RMS	36.80	-20.29	0.39	-95.23	32.30	-25.00	-21.03 Vertical
3	10002.00	-55.00	RMS	37.30	-20.42	0.41	-95.23	22.94	-25.00	-30.00 Vertical




Tx1Rx1

Part 27 Mode 12
LTE B7 10M Ch21100 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 7 10M Ch21100 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter			EIRPCF	Readin g	Limit g	Margin Pol	
				Factor	1	dB				dB	dB
1	5061.00	-57.89	RMS	32.60	-20.15	0.40	-95.23	24.49	-25.00	-32.89	Horizontal
2	7592.00	-47.45	RMS	36.78	-20.32	0.36	-95.23	30.96	-25.00	-22.45	Horizontal
3	10122.00	-54.50	RMS	37.24	-20.47	0.43	-95.23	23.53	-25.00	-29.50	Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 7 10M Ch21100 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter			EIRPCF	Readin g	Limit g	Margin Pol	
				Factor	1	dB				dB	dB
1	5061.00	-57.89	RMS	32.60	-20.15	0.40	-95.23	24.49	-25.00	-32.89	Vertical
2	7592.00	-43.85	RMS	36.78	-20.32	0.36	-95.23	34.56	-25.00	-18.85	Vertical
3	10122.00	-54.71	RMS	37.24	-20.47	0.43	-95.23	23.32	-25.00	-29.71	Vertical




Tx1Rx1

Part 27 Mode 12
LTE B7 10M Ch21400 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 7 10M Ch21400 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	5121.00	-58.15	RMS	32.60	-20.20	0.40	-95.23	24.28	-25.00	-33.15 Horizontal
2	7682.00	-50.22	RMS	36.64	-20.14	0.38	-95.23	28.13	-25.00	-25.22 Horizontal
3	10242.00	-54.43	RMS	37.23	-20.52	0.44	-95.23	23.65	-25.00	-29.43 Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 7 10M Ch21400 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	5121.00	-58.13	RMS	32.60	-20.20	0.40	-95.23	24.30	-25.00	-33.13 Vertical
2	7682.00	-44.39	RMS	36.64	-20.14	0.38	-95.23	33.96	-25.00	-19.39 Vertical
3	10242.00	-54.00	RMS	37.23	-20.52	0.44	-95.23	24.08	-25.00	-29.00 Vertical




Tx1Rx1

Part 27 Mode 14
LTE B41 10M Ch39700 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 41 10M Ch39700 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
1	2	3	4993.00	-56.99	RMS	32.70	-20.10	0.41	-95.23	25.23	-25.00	-31.99	Horizontal
2	2	3	7490.00	-51.01	RMS	36.82	-20.29	0.39	-95.23	27.30	-25.00	-26.01	Horizontal
3	2	3	9986.00	-53.71	RMS	37.30	-20.42	0.41	-95.23	24.23	-25.00	-28.71	Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 41 10M Ch39700 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
1	2	3	4993.00	-55.81	RMS	32.70	-20.10	0.41	-95.23	26.41	-25.00	-30.81	Vertical
2	2	3	7490.00	-51.14	RMS	36.82	-20.29	0.39	-95.23	27.17	-25.00	-26.14	Vertical
3	2	3	9986.00	-53.57	RMS	37.30	-20.42	0.41	-95.23	24.37	-25.00	-28.57	Vertical




Tx1Rx1

Part 27 Mode 14
LTE B41 10M Ch40620 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 41 10M Ch40620 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dBuV
1	2	3	5177.00	-57.56	RMS	32.60	-20.25	0.39	-95.23	24.93	-25.00	-32.56	Horizontal
2	2	3	7766.00	-43.67	RMS	36.60	-19.94	0.40	-95.23	34.50	-25.00	-18.67	Horizontal
3	2	3	10354.00	-53.38	RMS	37.39	-20.57	0.46	-95.23	24.57	-25.00	-28.38	Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 41 10M Ch40620 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dBuV
1	2	3	5177.00	-54.55	RMS	32.60	-20.25	0.39	-95.23	27.94	-25.00	-29.55	Vertical
2	2	3	7766.00	-47.70	RMS	36.60	-19.94	0.40	-95.23	30.47	-25.00	-22.70	Vertical
3	2	3	10354.00	-53.52	RMS	37.39	-20.57	0.46	-95.23	24.43	-25.00	-28.52	Vertical




Tx1Rx1

Part 27 Mode 14
LTE B41 10M Ch41540 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 41 10M Ch41540 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						dB
1	5361.00	-58.51	RMS	32.40	-20.44	0.60	-95.23	24.16	-25.00	-33.51	Horizontal
2	8042.00	-35.72	RMS	36.62	-20.47	0.38	-95.23	42.98	-25.00	-10.72	Horizontal
3	10722.00	-53.14	RMS	37.50	-20.47	0.50	-95.23	24.56	-25.00	-28.14	Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 41 10M Ch41540 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						dB
1	5361.00	-55.08	RMS	32.40	-20.44	0.60	-95.23	27.59	-25.00	-30.08	Vertical
2	8042.00	-38.68	RMS	36.62	-20.47	0.38	-95.23	40.02	-25.00	-13.68	Vertical
3	10722.00	-53.29	RMS	37.50	-20.47	0.50	-95.23	24.41	-25.00	-28.29	Vertical




Tx1Rx1

Part 27 Mode 16
LTE B41 20M Ch39750 1RB99 QPSK+20M Ch39948 1RB0 QPSK
L



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 41 20M Ch39750 1RB99 QPSK
 : LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 5039.00	-56.61	RMS	32.62	-20.13	0.41	-95.23	25.72	-25.00	-31.61	Horizontal	
2 7558.00	-54.61	RMS	36.72	-20.31	0.37	-95.23	23.84	-25.00	-29.61	Horizontal	
3 10078.00	-53.52	RMS	37.24	-20.45	0.42	-95.23	24.50	-25.00	-28.52	Horizontal	




Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 41 20M Ch39750 1RB99 QPSK
 : LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 5039.00	-56.85	RMS	32.62	-20.13	0.41	-95.23	25.48	-25.00	-31.85	Vertical	
2 7558.00	-54.69	RMS	36.72	-20.31	0.37	-95.23	23.76	-25.00	-29.69	Vertical	
3 10078.00	-53.62	RMS	37.24	-20.45	0.42	-95.23	24.40	-25.00	-28.62	Vertical	




Tx1Rx1

Part 27 Mode 16
LTE B41 20M Ch40521 1RB99 QPSK+20M Ch40719 1RB0 QPSK
M



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 41 20M Ch40521 1RB99 QPSK
 : LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		Filter	EIRPCF	Readin	Limit	Margin Pol	
			Factor	1					g	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5193.00	-57.61	RMS	32.60	-20.26	0.39	-95.23	24.89	-25.00	-32.61	Horizontal
2 7790.00	-54.16	RMS	36.60	-19.89	0.41	-95.23	23.95	-25.00	-29.16	Horizontal
3 10386.00	-53.66	RMS	37.33	-20.58	0.46	-95.23	24.36	-25.00	-28.66	Horizontal



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 41 20M Ch40521 1RB99 QPSK
 : LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		Filter	EIRPCF	Readin	Limit	Margin Pol	
			Factor	1					g	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5193.00	-57.24	RMS	32.60	-20.26	0.39	-95.23	25.26	-25.00	-32.24	Vertical
2 7790.00	-53.96	RMS	36.60	-19.89	0.41	-95.23	24.15	-25.00	-28.96	Vertical
3 10386.00	-53.80	RMS	37.33	-20.58	0.46	-95.23	24.22	-25.00	-28.80	Vertical




Tx1Rx1

Part 27 Mode 16


LTE B41 20M Ch41292 1RB99 QPSK+20M Ch41490 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		Filter	EIRPCF	Readin	Limit	Margin Pol		
			Factor	1					g	dB	dB
1	5347.00	-58.51	RMS	32.41	-20.43	0.58	-95.23	24.16	-25.00	-33.51	Horizontal
2	8021.00	-54.14	RMS	36.66	-20.43	0.38	-95.23	24.48	-25.00	-29.14	Horizontal
3	10694.00	-53.40	RMS	37.50	-20.49	0.50	-95.23	24.32	-25.00	-28.40	Horizontal



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		Filter	EIRPCF	Readin	Limit	Margin Pol		
			Factor	1					g	dB	dB
1	5347.00	-58.27	RMS	32.41	-20.43	0.58	-95.23	24.40	-25.00	-33.27	Vertical
2	8021.00	-52.14	RMS	36.66	-20.43	0.38	-95.23	26.48	-25.00	-27.14	Vertical
3	10694.00	-53.02	RMS	37.50	-20.49	0.50	-95.23	24.70	-25.00	-28.02	Vertical




Tx0Rx0

Part 90 Mode 1


LTE B26 5M Ch26715 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 26 5M Ch26715 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-65.25 RMS	24.60	-24.48	0.54	-95.23	29.32	-13.00	-52.25	Horizontal	
2	2443.00	-64.01 RMS	26.90	-23.43	0.35	-95.23	27.40	-13.00	-51.01	Horizontal	
3	3257.00	-63.61 RMS	28.13	-22.48	0.32	-95.23	25.65	-13.00	-50.61	Horizontal	
4	4072.00	-60.10 RMS	30.56	-21.30	0.31	-95.23	25.56	-13.00	-47.10	Horizontal	
5	4886.00	-58.05 RMS	32.57	-20.02	0.29	-95.23	24.34	-13.00	-45.05	Horizontal	
6	5700.00	-53.41 RMS	33.60	-20.66	0.39	-95.23	28.49	-13.00	-40.41	Horizontal	




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 26 5M Ch26715 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-66.47 RMS	24.60	-24.48	0.54	-95.23	28.10	-13.00	-53.47	Vertical	
2	2443.00	-64.94 RMS	26.90	-23.43	0.35	-95.23	26.47	-13.00	-51.94	Vertical	
3	3257.00	-63.58 RMS	28.13	-22.48	0.32	-95.23	25.68	-13.00	-50.58	Vertical	
4	4072.00	-59.90 RMS	30.56	-21.30	0.31	-95.23	25.76	-13.00	-46.90	Vertical	
5	4886.00	-58.22 RMS	32.57	-20.02	0.29	-95.23	24.17	-13.00	-45.22	Vertical	
6	5700.00	-58.00 RMS	33.60	-20.66	0.39	-95.23	23.90	-13.00	-45.00	Vertical	




Tx0Rx0

Part 90 Mode 1
LTE B26 5M Ch26740 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 26 5M Ch26740 1RB0 QPSK

1	2	3	4	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol	
				Factor	1						dB
Freq	Level	Detector									
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1634.00	-63.41	RMS		24.60	-24.47	0.54	-95.23	31.15	-13.00	-50.41	Horizontal
2451.00	-64.71	RMS		26.90	-23.42	0.35	-95.23	26.69	-13.00	-51.71	Horizontal
3267.00	-63.43	RMS		28.17	-22.48	0.32	-95.23	25.79	-13.00	-50.43	Horizontal
4084.00	-53.65	RMS		30.53	-21.27	0.31	-95.23	32.01	-13.00	-40.65	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 26 5M Ch26740 1RB0 QPSK

1	2	3	4	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol	
				Factor	1						dB
Freq	Level	Detector									
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1634.00	-67.81	RMS		24.60	-24.47	0.54	-95.23	26.75	-13.00	-54.81	Vertical
2451.00	-56.69	RMS		26.90	-23.42	0.35	-95.23	34.71	-13.00	-43.69	Vertical
3267.00	-63.59	RMS		28.17	-22.48	0.32	-95.23	25.63	-13.00	-50.59	Vertical
4084.00	-60.21	RMS		30.53	-21.27	0.31	-95.23	25.45	-13.00	-47.21	Vertical




Tx0Rx0

Part 90 Mode 1
LTE B26 5M Ch26765 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 26 5M Ch26765 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	1639.00	-67.46	RMS	24.60	-24.46	0.54	-95.23	27.09	-13.00	-54.46	Horizontal
2	2458.00	-62.14	RMS	26.90	-23.41	0.35	-95.23	29.25	-13.00	-49.14	Horizontal
3	3277.00	-62.95	RMS	28.21	-22.47	0.32	-95.23	26.22	-13.00	-49.95	Horizontal



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 26 5M Ch26765 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	1639.00	-67.81	RMS	24.60	-24.46	0.54	-95.23	26.74	-13.00	-54.81	Vertical
2	2458.00	-54.17	RMS	26.90	-23.41	0.35	-95.23	37.22	-13.00	-41.17	Vertical
3	3277.00	-63.19	RMS	28.21	-22.47	0.32	-95.23	25.98	-13.00	-50.19	Vertical




Tx0Rx0

Part 90 Mode 3


LTE B26 15M Ch26865 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 26 15M Ch26865 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
				Factor	1	dB	dB	dBuV	dBm	dB	dB
1	1650.00	-60.43	RMS	24.70	-24.44	0.55	-95.23	33.99	-13.00	-47.43	Horizontal
2	2475.00	-48.75	RMS	26.85	-23.39	0.35	-95.23	42.67	-13.00	-35.75	Horizontal
3	3299.00	-63.25	RMS	28.30	-22.46	0.32	-95.23	25.82	-13.00	-50.25	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 26 15M Ch26865 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
				Factor	1	dB	dB	dBuV	dBm	dB	dB
1	1650.00	-61.54	RMS	24.70	-24.44	0.55	-95.23	32.88	-13.00	-48.54	Vertical
2	2475.00	-59.36	RMS	26.85	-23.39	0.35	-95.23	32.06	-13.00	-46.36	Vertical
3	3299.00	-63.34	RMS	28.30	-22.46	0.32	-95.23	25.73	-13.00	-50.34	Vertical




Tx0Rx0

Part 90 Mode 5
LTE B14 5M Ch23305 1RB0 QPSK
L



Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 14 5M Ch23305 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1577.00	-67.04	RMS	24.40	-24.55	0.56	-95.23	27.78	-42.15	-24.89	Horizontal
			2365.00	-64.16	RMS	27.10	-23.52	0.36	-95.23	27.13	-13.00	-51.16	Horizontal
			3154.00	-63.41	RMS	28.00	-22.51	0.31	-95.23	26.02	-13.00	-50.41	Horizontal




Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 14 5M Ch23305 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1577.00	-67.56	RMS	24.40	-24.55	0.56	-95.23	27.26	-42.15	-25.41	Vertical
			2365.00	-64.38	RMS	27.10	-23.52	0.36	-95.23	26.91	-13.00	-51.38	Vertical
			3154.00	-63.51	RMS	28.00	-22.51	0.31	-95.23	25.92	-13.00	-50.51	Vertical




Tx0Rx0

Part 90 Mode 5
LTE B14 10M Ch23330 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 14 5M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1582.00	-66.73	RMS	24.42	-24.55	0.56	-95.23	28.07	-42.15	-24.58	Horizontal
			2373.00	-64.12	RMS	27.07	-23.51	0.36	-95.23	27.19	-13.00	-51.12	Horizontal
			3163.00	-63.41	RMS	28.00	-22.51	0.31	-95.23	26.02	-13.00	-50.41	Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 14 5M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1582.00	-67.08	RMS	24.42	-24.55	0.56	-95.23	27.72	-42.15	-24.93	Vertical
			2373.00	-47.06	RMS	27.07	-23.51	0.36	-95.23	44.25	-13.00	-34.06	Vertical
			3163.00	-63.86	RMS	28.00	-22.51	0.31	-95.23	25.57	-13.00	-50.86	Vertical




Tx0Rx0

Part 90 Mode 5


LTE B14 5M Ch23355 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 14 5M Ch23335 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol	
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1587.00	-67.55	RMS	24.47	-24.54	0.55	-95.23	27.20	-42.15	-25.40	Horizontal
2	2380.00	-64.59	RMS	27.00	-23.50	0.36	-95.23	26.78	-13.00	-51.59	Horizontal
3	3173.00	-63.24	RMS	28.00	-22.51	0.31	-95.23	26.19	-13.00	-50.24	Horizontal
4	3967.00	-60.07	RMS	30.67	-21.56	0.37	-95.23	25.68	-13.00	-47.07	Horizontal




Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 14 5M Ch23335 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol	
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1587.00	-65.87	RMS	24.47	-24.54	0.55	-95.23	28.88	-42.15	-23.72	Vertical
2	2380.00	-64.43	RMS	27.00	-23.50	0.36	-95.23	26.94	-13.00	-51.43	Vertical
3	3173.00	-63.45	RMS	28.00	-22.51	0.31	-95.23	25.98	-13.00	-50.45	Vertical
4	3967.00	-49.85	RMS	30.67	-21.56	0.37	-95.23	35.90	-13.00	-36.85	Vertical




Tx0Rx0

Part 90 Mode 5
LTE B14 10M Ch23330 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 14 10M Ch23330 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-67.90	RMS	24.40	-24.55	0.56	-95.23	26.92	-42.15	-25.75	Horizontal
2	2366.00	-64.35	RMS	27.10	-23.52	0.36	-95.23	26.94	-13.00	-51.35	Horizontal
3	3154.00	-63.47	RMS	28.00	-22.51	0.31	-95.23	25.96	-13.00	-50.47	Horizontal
4	3943.00	-43.24	RMS	30.71	-21.61	0.38	-95.23	42.51	-13.00	-30.24	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 14 10M Ch23330 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-67.80	RMS	24.40	-24.55	0.56	-95.23	27.02	-42.15	-25.65	Vertical
2	2366.00	-37.19	RMS	27.10	-23.52	0.36	-95.23	54.10	-13.00	-24.19	Vertical
3	3154.00	-63.65	RMS	28.00	-22.51	0.31	-95.23	25.78	-13.00	-50.65	Vertical
4	3943.00	-60.02	RMS	30.71	-21.61	0.38	-95.23	25.73	-13.00	-47.02	Vertical




Tx1Rx1

Part 90 Mode 2
LTE B26 5M Ch26715 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 26 5M Ch26715 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin Pol	
			MHz	dBm		Factor	1	dB	dB			dB	dB
1	1629.00	-67.63	RMS	24.60	-24.48	0.54	-95.23	26.94	-13.00	-54.63	Horizontal		
2	2443.00	-60.84	RMS	26.90	-23.43	0.35	-95.23	30.57	-13.00	-47.84	Horizontal		
3	3257.00	-63.60	RMS	28.13	-22.48	0.32	-95.23	25.66	-13.00	-50.60	Horizontal		




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 26 5M Ch26715 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin Pol	
			MHz	dBm		Factor	1	dB	dB			dB	dB
1	1629.00	-67.43	RMS	24.60	-24.48	0.54	-95.23	27.14	-13.00	-54.43	Vertical		
2	2443.00	-56.69	RMS	26.90	-23.43	0.35	-95.23	34.72	-13.00	-43.69	Vertical		
3	3257.00	-63.67	RMS	28.13	-22.48	0.32	-95.23	25.59	-13.00	-50.67	Vertical		




Tx1Rx1

Part 90 Mode 2
LTE B26 5M Ch26740 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 26 5M Ch26740 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol	
				Factor	1				dB	dB
1	1634.00	-67.70	RMS	24.60	-24.47	0.54	-95.23	26.86	-13.00	-54.70 Horizontal
2	2451.00	-63.25	RMS	26.90	-23.42	0.35	-95.23	28.15	-13.00	-50.25 Horizontal
3	3267.00	-63.57	RMS	28.17	-22.48	0.32	-95.23	25.65	-13.00	-50.57 Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 26 5M Ch26740 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol	
				Factor	1				dB	dB
1	1634.00	-67.96	RMS	24.60	-24.47	0.54	-95.23	26.60	-13.00	-54.96 Vertical
2	2451.00	-62.42	RMS	26.90	-23.42	0.35	-95.23	28.98	-13.00	-49.42 Vertical
3	3267.00	-63.44	RMS	28.17	-22.48	0.32	-95.23	25.78	-13.00	-50.44 Vertical




Tx1Rx1

Part 90 Mode 2
LTE B26 5M Ch26765 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-67.97	RMS	24.60	-24.46	0.54	-95.23	26.58	-13.00	-54.97	Horizontal
2	2458.00	-58.08	RMS	26.90	-23.41	0.35	-95.23	33.31	-13.00	-45.08	Horizontal
3	3277.00	-63.08	RMS	28.21	-22.47	0.32	-95.23	26.09	-13.00	-50.08	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-67.80	RMS	24.60	-24.46	0.54	-95.23	26.75	-13.00	-54.80	Vertical
2	2458.00	-64.82	RMS	26.90	-23.41	0.35	-95.23	26.57	-13.00	-51.82	Vertical
3	3277.00	-62.92	RMS	28.21	-22.47	0.32	-95.23	26.25	-13.00	-49.92	Vertical




Tx1Rx1

Part 90 Mode 4
LTE B26 15M Ch26865 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 26 15M Ch26865 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						g
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1650.00	-68.07	RMS	24.70	-24.44	0.55	-95.23	26.35	-13.00	-55.07	Horizontal
2	2475.00	-59.27	RMS	26.85	-23.39	0.35	-95.23	32.15	-13.00	-46.27	Horizontal
3	3299.00	-63.22	RMS	28.30	-22.46	0.32	-95.23	25.85	-13.00	-50.22	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 26 15M Ch26865 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						g
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1650.00	-68.16	RMS	24.70	-24.44	0.55	-95.23	26.26	-13.00	-55.16	Vertical
2	2475.00	-56.19	RMS	26.85	-23.39	0.35	-95.23	35.23	-13.00	-43.19	Vertical
3	3299.00	-63.21	RMS	28.30	-22.46	0.32	-95.23	25.86	-13.00	-50.21	Vertical




Tx1Rx1

Part 90 Mode 6
LTE B14 5M Ch23305 1RB0 QPSK
L



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 14 5M Ch23305 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			1577.00	-67.70	RMS	24.40	-24.55	0.56	-95.23	27.12	-42.15	-25.55	Horizontal
			2365.00	-62.30	RMS	27.10	-23.52	0.36	-95.23	28.99	-13.00	-49.30	Horizontal
			3153.00	-63.55	RMS	28.00	-22.51	0.31	-95.23	25.88	-13.00	-50.55	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 14 5M Ch23305 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			1577.00	-67.78	RMS	24.40	-24.55	0.56	-95.23	27.04	-42.15	-25.63	Vertical
			2365.00	-59.26	RMS	27.10	-23.52	0.36	-95.23	32.03	-13.00	-46.26	Vertical
			3153.00	-63.56	RMS	28.00	-22.51	0.31	-95.23	25.87	-13.00	-50.56	Vertical




Tx1Rx1

Part 90 Mode 6
LTE B14 10M Ch23330 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 14 5M Ch23330 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin		Pol
				Factor	1				dB	dB	
1	1582.00	-67.64	RMS	24.42	-24.55	0.56	-95.23	27.16	-42.15	-25.49	Horizontal
2	2373.00	-63.02	RMS	27.07	-23.51	0.36	-95.23	28.29	-13.00	-50.02	Horizontal
3	3163.00	-63.38	RMS	28.00	-22.51	0.31	-95.23	26.05	-13.00	-50.38	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 14 5M Ch23330 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin		Pol
				Factor	1				dB	dB	
1	1582.00	-67.13	RMS	24.42	-24.55	0.56	-95.23	27.67	-42.15	-24.98	Vertical
2	2373.00	-59.86	RMS	27.07	-23.51	0.36	-95.23	31.45	-13.00	-46.86	Vertical
3	3163.00	-62.99	RMS	28.00	-22.51	0.31	-95.23	26.44	-13.00	-49.99	Vertical




Tx1Rx1

Part 90 Mode 6
LTE B14 5M Ch23355 1RB0 QPSK
H



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 14 5M Ch23355 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
				Factor	1				dB	dB	dB
1	1587.00	-67.88	RMS	24.47	-24.54	0.55	-95.23	26.87	-42.15	-25.73	Horizontal
2	2380.00	-62.07	RMS	27.00	-23.50	0.36	-95.23	29.30	-13.00	-49.07	Horizontal
3	3173.00	-63.21	RMS	28.00	-22.51	0.31	-95.23	26.22	-13.00	-50.21	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 14 5M Ch23355 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
				Factor	1				dB	dB	dB
1	1587.00	-67.69	RMS	24.47	-24.54	0.55	-95.23	27.06	-42.15	-25.54	Vertical
2	2380.00	-59.42	RMS	27.00	-23.50	0.36	-95.23	31.95	-13.00	-46.42	Vertical
3	3173.00	-62.96	RMS	28.00	-22.51	0.31	-95.23	26.47	-13.00	-49.96	Vertical




Tx1Rx1

Part 90 Mode 6
LTE B14 10M Ch23330 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 14 10M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1577.00	-67.78	RMS	24.40	-24.55	0.56	-95.23	27.04	-42.15	-25.63	Horizontal
			2366.00	-62.14	RMS	27.10	-23.52	0.36	-95.23	29.15	-13.00	-49.14	Horizontal
			3154.00	-63.30	RMS	28.00	-22.51	0.31	-95.23	26.13	-13.00	-50.30	Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 14 10M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1577.00	-66.72	RMS	24.40	-24.55	0.56	-95.23	28.10	-42.15	-24.57	Vertical
			2366.00	-59.45	RMS	27.10	-23.52	0.36	-95.23	31.84	-13.00	-46.45	Vertical
			3154.00	-63.62	RMS	28.00	-22.51	0.31	-95.23	25.81	-13.00	-50.62	Vertical




B2. Summary of each worse mode

Part	Mode	Ch	Freq (MHz)	Level (dBm)	Detector	Ant Factor (dB/m)	Amp\Cbl (dB)	Filter (dB)	EIRP CF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	PoI	Ant
27	1	M	6916.000	-50.29	RMS	36.00	-53.07	0.72	-95.23	61.29	-40.00	-10.29	V	Tx0Rx0
27	2	L	6916.000	-49.43	RMS	36.00	-53.07	0.72	-95.23	62.15	-40.00	-9.43	H	Tx0Rx0
27	3	M	6916.000	-46.93	RMS	36.00	-53.07	0.72	-95.23	64.65	-40.00	-6.93	V	Tx1Rx1
27	4	L	6916.000	-47.73	RMS	36.00	-53.07	0.72	-95.23	63.85	-40.00	-7.73	V	Tx1Rx1




Tx0Rx0

Part 27 Mode 1
LTE B30 10M Ch27710 1RB0 QPSK
M



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: LTE Band 30 BW10M Ch27710 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	4611.00	-63.83	RMS	31.78	-57.17	0.75 -95.23	56.04	-40.00	-23.83	Horizontal
2	6916.00	-52.92	RMS	36.00	-53.07	0.72 -95.23	58.66	-40.00	-12.92	Horizontal
3	9222.00	-57.55	RMS	38.40	-52.98	0.75 -95.23	51.51	-40.00	-17.55	Horizontal




Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: LTE Band 30 BW10M Ch27710 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	4611.00	-63.80	RMS	31.78	-57.17	0.75 -95.23	56.07	-40.00	-23.80	Vertical
2	6916.00	-50.29	RMS	36.00	-53.07	0.72 -95.23	61.29	-40.00	-10.29	Vertical
3	9222.00	-57.65	RMS	38.40	-52.98	0.75 -95.23	51.41	-40.00	-17.65	Vertical




Tx0Rx0

Part 27 Mode 2
LTE B30 5M Ch27685 1RB0 QPSK
L



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: LTE Band 30 BW5M Ch27685 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4610.00	-64.21	RMS	31.78	-57.17	0.75	-95.23	55.66	-40.00	-24.21	Horizontal
2	6916.00	-49.43	RMS	36.00	-53.07	0.72	-95.23	62.15	-40.00	-9.43	Horizontal
3	9221.00	-57.77	RMS	38.40	-52.98	0.75	-95.23	51.29	-40.00	-17.77	Horizontal




Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: LTE Band 30 BW5M Ch27685 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4610.00	-64.04	RMS	31.78	-57.17	0.75	-95.23	55.83	-40.00	-24.04	Vertical
2	6916.00	-49.93	RMS	36.00	-53.07	0.72	-95.23	61.65	-40.00	-9.93	Vertical
3	9221.00	-57.20	RMS	38.40	-52.98	0.75	-95.23	51.86	-40.00	-17.20	Vertical




Tx0Rx0

Part 27 Mode 2
LTE B30 5M Ch27710 1RB0 QPSK
M



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: LTE Band 30 BW5M Ch27710 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4615.00	-64.65	RMS	31.77	-57.16	0.75	-95.23	55.22	-40.00	-24.65	Horizontal
2	6923.00	-53.53	RMS	36.00	-53.07	0.72	-95.23	58.05	-40.00	-13.53	Horizontal
3	9231.00	-57.70	RMS	38.40	-52.97	0.75	-95.23	51.35	-40.00	-17.70	Horizontal




Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: LTE Band 30 BW5M Ch27710 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4615.00	-64.77	RMS	31.77	-57.16	0.75	-95.23	55.10	-40.00	-24.77	Vertical
2	6923.00	-54.28	RMS	36.00	-53.07	0.72	-95.23	57.30	-40.00	-14.28	Vertical
3	9231.00	-57.36	RMS	38.40	-52.97	0.75	-95.23	51.69	-40.00	-17.36	Vertical




Tx0Rx0

Part 27 Mode 2
LTE B30 5M Ch27735 1RB0 QPSK
H



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: LTE Band 30 BW5M Ch27735 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4620.00	-64.78	RMS	31.76	-57.15	0.75	-95.23	55.09	-40.00	-24.78	Horizontal
2	6931.00	-54.28	RMS	36.00	-53.07	0.71	-95.23	57.31	-40.00	-14.28	Horizontal
3	9241.00	-57.52	RMS	38.40	-52.96	0.75	-95.23	51.52	-40.00	-17.52	Horizontal




Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: LTE Band 30 BW5M Ch27735 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4620.00	-65.05	RMS	31.76	-57.15	0.75	-95.23	54.82	-40.00	-25.05	Vertical
2	6931.00	-54.22	RMS	36.00	-53.07	0.71	-95.23	57.37	-40.00	-14.22	Vertical
3	9241.00	-57.59	RMS	38.40	-52.96	0.75	-95.23	51.45	-40.00	-17.59	Vertical




Tx1Rx1

Part 27 Mode 3
LTE B30 10M Ch27710 1RB0 QPSK
M



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: LTE Band 30 BW10M Ch27710 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4611.00	-63.82	RMS	31.78	-57.17	0.75	-95.23	56.05	-40.00	-23.82	Horizontal
2	6916.00	-58.71	RMS	36.00	-53.07	0.72	-95.23	52.87	-40.00	-18.71	Horizontal
3	9222.00	-57.29	RMS	38.40	-52.98	0.75	-95.23	51.77	-40.00	-17.29	Horizontal




Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: LTE Band 30 BW10M Ch27710 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4611.00	-63.76	RMS	31.78	-57.17	0.75	-95.23	56.11	-40.00	-23.76	Vertical
2	6916.00	-46.93	RMS	36.00	-53.07	0.72	-95.23	64.65	-40.00	-6.93	Vertical
3	9222.00	-57.56	RMS	38.40	-52.98	0.75	-95.23	51.50	-40.00	-17.56	Vertical




Tx1Rx1

Part 27 Mode 4
LTE B30 5M Ch27685 1RB0 QPSK
L



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: LTE Band 30 BW5M Ch27685 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4610.00	-64.28	RMS	31.78	-57.17	0.75	-95.23	55.59	-40.00	-24.28	Horizontal
2	6916.00	-60.03	RMS	36.00	-53.07	0.72	-95.23	51.55	-40.00	-20.03	Horizontal
3	9221.00	-57.22	RMS	38.40	-52.98	0.75	-95.23	51.84	-40.00	-17.22	Horizontal




Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: LTE Band 30 BW5M Ch27685 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4610.00	-61.64	RMS	31.78	-57.17	0.75	-95.23	58.23	-40.00	-21.64	Vertical
2	6916.00	-47.73	RMS	36.00	-53.07	0.72	-95.23	63.85	-40.00	-7.73	Vertical
3	9221.00	-57.27	RMS	38.40	-52.98	0.75	-95.23	51.79	-40.00	-17.27	Vertical




Tx1Rx1

Part 27 Mode 4
LTE B30 5M Ch27710 1RB0 QPSK
M



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: LTE Band 30 BW5M Ch27710 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1						
1	4615.00	-63.77	RMS	31.77	-57.16	0.75	-95.23	56.10	-40.00	-23.77	Horizontal
2	6923.00	-59.37	RMS	36.00	-53.07	0.72	-95.23	52.21	-40.00	-19.37	Horizontal
3	9231.00	-56.94	RMS	38.40	-52.97	0.75	-95.23	52.11	-40.00	-16.94	Horizontal




Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: LTE Band 30 BW5M Ch27710 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1						
1	4615.00	-64.41	RMS	31.77	-57.16	0.75	-95.23	55.46	-40.00	-24.41	Vertical
2	6923.00	-51.35	RMS	36.00	-53.07	0.72	-95.23	60.23	-40.00	-11.35	Vertical
3	9231.00	-57.04	RMS	38.40	-52.97	0.75	-95.23	52.01	-40.00	-17.04	Vertical




Tx1Rx1

Part 27 Mode 4
LTE B30 5M Ch27735 1RB0 QPSK
H



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: LTE Band 30 BW5M Ch27735 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4620.00	-64.46	RMS	31.76	-57.15	0.75	-95.23	55.41	-40.00	-24.46	Horizontal
2	6931.00	-59.32	RMS	36.00	-53.07	0.71	-95.23	52.27	-40.00	-19.32	Horizontal
3	9241.00	-56.97	RMS	38.40	-52.96	0.75	-95.23	52.07	-40.00	-16.97	Horizontal



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: LTE Band 30 BW5M Ch27735 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	4620.00	-64.38	RMS	31.76	-57.15	0.75	-95.23	55.49	-40.00	-24.38	Vertical
2	6931.00	-55.78	RMS	36.00	-53.07	0.71	-95.23	55.81	-40.00	-15.78	Vertical
3	9241.00	-57.32	RMS	38.40	-52.96	0.75	-95.23	51.72	-40.00	-17.32	Vertical



B3. Summary of each worse mode

Part	Mode	Ch	Freq (MHz)	Level (dBm)	Detector	Ant Factor (dB/m)	Amp\Cbl (dB)	Filter (dB)	EIRP CF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
Part 24E	1	L	7402.000	-44.57	RMS	36.70	-22.24	0.63	-95.23	35.57	-13.00	-31.57	V	Tx0Rx0
Part 24E	2	H	7602.000	-45.16	RMS	36.40	-22.17	0.78	-95.23	35.06	-13.00	-32.16	V	Tx1Rx1
Part 27L	2	H	7082.000	-44.14	RMS	36.43	-22.49	1.33	-95.23	35.82	-13.00	-31.14	H	Tx1Rx1
Part 27L	4	H	3541.000	-39.67	RMS	29.60	-24.33	1.76	-95.23	48.53	-13.00	-26.67	V	Tx0Rx0




Tx0Rx0

Part 24E Mode 1


EN-DC B2+n5 10M + 20M Ch18650 1RB0 QPSK + Ch167300 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 2 10M Ch18650 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3701.00	-51.57 RMS	29.70	-24.09	1.14	-95.23	36.91	-13.00	-38.57	Horizontal
2	5551.00	-49.01 RMS	33.10	-23.30	0.67	-95.23	35.75	-13.00	-36.01	Horizontal
3	7402.00	-44.85 RMS	36.70	-22.24	0.63	-95.23	35.29	-13.00	-31.85	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 2 10M Ch18650 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3701.00	-51.51 RMS	29.70	-24.09	1.14	-95.23	36.97	-13.00	-38.51	Vertical
2	5551.00	-49.02 RMS	33.10	-23.30	0.67	-95.23	35.74	-13.00	-36.02	Vertical
3	7402.00	-44.57 RMS	36.70	-22.24	0.63	-95.23	35.57	-13.00	-31.57	Vertical




Tx0Rx0

Part 24E Mode 1


EN-DC B2+n5 10M + 20M Ch18900 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 2 10M Ch18900 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3751.00	-52.17	RMS	29.91	-23.99	1.09	-95.23	36.05	-13.00	-39.17	Horizontal
2	5626.00	-48.92	RMS	33.20	-23.31	0.62	-95.23	35.80	-13.00	-35.92	Horizontal
3	7502.00	-44.95	RMS	36.50	-22.19	0.71	-95.23	35.26	-13.00	-31.95	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 2 10M Ch18900 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3751.00	-52.13	RMS	29.91	-23.99	1.09	-95.23	36.09	-13.00	-39.13	Vertical
2	5626.00	-49.07	RMS	33.20	-23.31	0.62	-95.23	35.65	-13.00	-36.07	Vertical
3	7502.00	-45.01	RMS	36.50	-22.19	0.71	-95.23	35.20	-13.00	-32.01	Vertical




Tx0Rx0

Part 24E Mode 1


EN-DC B2+n5 10M + 20M Ch19150 1RB0 QPSK + Ch167300 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 2 10M Ch19150 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3795.00	-51.19	RMS	30.17	-23.91	1.04	-95.23	36.74	-13.00	-38.19	Horizontal
2	5701.00	-48.95	RMS	33.11	-23.28	0.60	-95.23	35.85	-13.00	-35.95	Horizontal
3	7602.00	-45.14	RMS	36.40	-22.17	0.78	-95.23	35.08	-13.00	-32.14	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 2 10M Ch19150 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3795.00	-51.94	RMS	30.17	-23.91	1.04	-95.23	35.99	-13.00	-38.94	Vertical
2	5701.00	-48.75	RMS	33.11	-23.28	0.60	-95.23	36.05	-13.00	-35.75	Vertical
3	7602.00	-44.86	RMS	36.40	-22.17	0.78	-95.23	35.36	-13.00	-31.86	Vertical




Tx1Rx1

Part 24E Mode 2


EN-DC B2+n5 10M + 20M Ch18650 1RB0 QPSK + Ch167300 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 2 10M Ch18650 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3701.00	-52.20 RMS	29.70	-24.09	1.14	-95.23	36.28	-13.00	-39.20	Horizontal
2	5551.00	-49.65 RMS	33.10	-23.30	0.67	-95.23	35.11	-13.00	-36.65	Horizontal
3	7402.00	-45.34 RMS	36.70	-22.24	0.63	-95.23	34.80	-13.00	-32.34	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 2 10M Ch18650 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3701.00	-52.31 RMS	29.70	-24.09	1.14	-95.23	36.17	-13.00	-39.31	Vertical
2	5551.00	-49.61 RMS	33.10	-23.30	0.67	-95.23	35.15	-13.00	-36.61	Vertical
3	7402.00	-45.33 RMS	36.70	-22.24	0.63	-95.23	34.81	-13.00	-32.33	Vertical




Tx1Rx1

Part 24E Mode 2


EN-DC B2+n5 10M + 20M Ch18900 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 2 10M Ch18900 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3751.00	-52.59 RMS	29.91	-23.99	1.09	-95.23	35.63	-13.00	-39.59	Horizontal
2	5626.00	-49.63 RMS	33.20	-23.31	0.62	-95.23	35.09	-13.00	-36.63	Horizontal
3	7502.00	-45.21 RMS	36.50	-22.19	0.71	-95.23	35.00	-13.00	-32.21	Horizontal




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 2 10M Ch18900 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3751.00	-52.39 RMS	29.91	-23.99	1.09	-95.23	35.83	-13.00	-39.39	Vertical
2	5626.00	-49.46 RMS	33.20	-23.31	0.62	-95.23	35.26	-13.00	-36.46	Vertical
3	7502.00	-45.21 RMS	36.50	-22.19	0.71	-95.23	35.00	-13.00	-32.21	Vertical




Tx1Rx1

Part 24E Mode 2
EN-DC B2+n5 10M + 20M Ch19150 1RB0 QPSK + Ch167300 1RB1 BPSK
H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 2 10M Ch19150 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3801.00	-52.33 RMS	30.21	-23.90	1.04	-95.23	35.55	-13.00	-39.33	Horizontal
2	5701.00	-49.45 RMS	33.11	-23.28	0.60	-95.23	35.35	-13.00	-36.45	Horizontal
3	7602.00	-45.33 RMS	36.40	-22.17	0.78	-95.23	34.89	-13.00	-32.33	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 2 10M Ch19150 1RB0 QPSK
 : NR SA n5 20M Ch167300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3801.00	-51.57 RMS	30.21	-23.90	1.04	-95.23	36.31	-13.00	-38.57	Vertical
2	5701.00	-49.36 RMS	33.11	-23.28	0.60	-95.23	35.44	-13.00	-36.36	Vertical
3	7602.00	-45.16 RMS	36.40	-22.17	0.78	-95.23	35.06	-13.00	-32.16	Vertical




Tx1Rx1

Part 27L Mode 2


EN-DC B66+n48 10M + 20M Ch132022 1RB0 QPSK + Ch641666 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 10M Ch132022 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
1	3421.00	-51.64	RMS	29.74	-24.56	1.67	-95.23	36.74	-13.00	-38.64	Horizontal
2	5131.00	-48.43	RMS	33.31	-23.68	1.16	-95.23	36.01	-13.00	-35.43	Horizontal
3	6842.00	-44.70	RMS	36.18	-22.53	1.39	-95.23	35.49	-13.00	-31.70	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 10M Ch132022 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK


Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
1	3421.00	-52.22	RMS	29.74	-24.56	1.67	-95.23	36.16	-13.00	-39.22	Vertical
2	5131.00	-48.19	RMS	33.31	-23.68	1.16	-95.23	36.25	-13.00	-35.19	Vertical
3	6842.00	-44.66	RMS	36.18	-22.53	1.39	-95.23	35.53	-13.00	-31.66	Vertical



Tx1Rx1


Part 27L Mode 2
EN-DC B66+n48 10M + 20M Ch132322 1RB0 QPSK + Ch641666 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 10M Ch132322 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3481.00	-52.16	RMS	29.68	-24.41	1.72	-95.23	36.08	-13.00	-39.16	Horizontal
2	5221.00	-47.84	RMS	33.14	-23.55	1.23	-95.23	36.57	-13.00	-34.84	Horizontal
3	6962.00	-45.04	RMS	36.02	-22.51	1.34	-95.23	35.34	-13.00	-32.04	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 10M Ch132322 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3481.00	-52.37	RMS	29.68	-24.41	1.72	-95.23	35.87	-13.00	-39.37	Vertical
2	5221.00	-48.70	RMS	33.14	-23.55	1.23	-95.23	35.71	-13.00	-35.70	Vertical
3	6962.00	-44.65	RMS	36.02	-22.51	1.34	-95.23	35.73	-13.00	-31.65	Vertical




Tx1Rx1

Part 27L Mode 2


EN-DC B66+n48 10M + 20M Ch132622 1RB0 QPSK + Ch641666 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 10M Ch132622 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3541.00	-51.13	RMS	29.60	-24.33	1.76	-95.23	37.07	-13.00	-38.13	Horizontal
2 5311.00	-48.47	RMS	33.20	-23.42	1.36	-95.23	35.62	-13.00	-35.47	Horizontal
3 7082.00	-44.14	RMS	36.43	-22.49	1.33	-95.23	35.82	-13.00	-31.14	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 10M Ch132622 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3541.00	-49.83	RMS	29.60	-24.33	1.76	-95.23	38.37	-13.00	-36.83	Vertical
2 5311.00	-48.66	RMS	33.20	-23.42	1.36	-95.23	35.43	-13.00	-35.66	Vertical
3 7082.00	-44.47	RMS	36.43	-22.49	1.33	-95.23	35.49	-13.00	-31.47	Vertical




Tx0Rx0

Part 27L Mode 4


EN-DC B66+n48 10M + 20M Ch132022 1RB0 QPSK + Ch641666 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 10M Ch132022 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3421.00	-52.35	RMS	29.74	-24.56	1.67	-95.23	36.03	-13.00	-39.35	Horizontal
2	5131.00	-48.08	RMS	33.31	-23.68	1.16	-95.23	36.36	-13.00	-35.08	Horizontal
3	6842.00	-44.52	RMS	36.18	-22.53	1.39	-95.23	35.67	-13.00	-31.52	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 10M Ch132022 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3421.00	-46.25	RMS	29.74	-24.56	1.67	-95.23	42.13	-13.00	-33.25	Vertical
2	5131.00	-48.31	RMS	33.31	-23.68	1.16	-95.23	36.13	-13.00	-35.31	Vertical
3	6842.00	-44.45	RMS	36.18	-22.53	1.39	-95.23	35.74	-13.00	-31.45	Vertical




Tx0Rx0

Part 27L Mode 4


EN-DC B66+n48 10M + 20M Ch132322 1RB0 QPSK + Ch641666 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 10M Ch132322 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3481.00	-52.03	RMS	29.68	-24.41	1.72	-95.23	36.21	-13.00	-39.03	Horizontal
2 5221.00	-48.03	RMS	33.14	-23.55	1.23	-95.23	36.38	-13.00	-35.03	Horizontal
3 6962.00	-44.73	RMS	36.02	-22.51	1.34	-95.23	35.65	-13.00	-31.73	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 10M Ch132322 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3481.00	-44.45	RMS	29.68	-24.41	1.72	-95.23	43.79	-13.00	-31.45	Vertical
2 5221.00	-48.05	RMS	33.14	-23.55	1.23	-95.23	36.36	-13.00	-35.05	Vertical
3 6962.00	-44.79	RMS	36.02	-22.51	1.34	-95.23	35.59	-13.00	-31.79	Vertical




Tx0Rx0

Part 27L Mode 4


EN-DC B66+n48 10M + 20M Ch132622 1RB0 QPSK + Ch641666 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : LTE Band 66 10M Ch132622 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3541.00	-47.54 RMS	29.60	-24.33	1.76	-95.23	40.66	-13.00	-34.54	Horizontal
2	5311.00	-46.91 RMS	33.20	-23.42	1.36	-95.23	37.18	-13.00	-33.91	Horizontal
3	7082.00	-43.93 RMS	36.43	-22.49	1.33	-95.23	36.03	-13.00	-30.93	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : LTE Band 66 10M Ch132622 1RB0 QPSK
 : NR SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3541.00	-39.67 RMS	29.60	-24.33	1.76	-95.23	48.53	-13.00	-26.67	Vertical
2	5311.00	-48.30 RMS	33.20	-23.42	1.36	-95.23	35.79	-13.00	-35.30	Vertical
3	7082.00	-44.02 RMS	36.43	-22.49	1.33	-95.23	35.94	-13.00	-31.02	Vertical

—THE END—