





FR1 n71 / 10MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN 2020 05:50:36

Date: 30 JUN 2020 06:15:18

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 05:51:42



Date: 30 JUN 2020 06:17:02



FR1 n71 / 10MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN 2020 05:54:58

Date: 30 JUN 2020 06:23:23

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 05:53:01


Date: 30 JUN 2020 06:21:03




FR1 n71 / 10MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 05:58:04





Date: 30 JUN 2020 06:02:03



FR1 n71 / 15MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN 2020 06:30:12

Date: 30 JUN 2020 07:03:43

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 06:31:46



Date: 30 JUN 2020 07:05:06



FR1 n71 / 15MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / 1RB0


Highest Band Edge / 1RBmax




Date: 30 JUN 2020 06:34:21

Date: 30 JUN 2020 07:10:40

Channel Power -19.27dBm < -13dBm (Pass)



Date: 30 JUN 2020 06:38:34







FR1 n71 / 15MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN 2020 06:42:33

Date: 30 JUN 2020 07:12:22

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 06:43:59


Date: 30 JUN 2020 07:14:01




FR1 n71 / 15MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




Date: 30 JUN 2020 06:47:28




Date: 30 JUN 2020 07:16:27

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 06:45:16





Date: 30 JUN 2020 07:20:11



FR1 n71 / 15MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN 2020 06:55:52

Date: 30 JUN 2020 07:23:38

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 06:54:08



Date: 30 JUN 2020 07:22:06



FR1 n71 / 15MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 06:57:58



Date: 30 JUN 2020 06:59:58



FR1 n71 / 20MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN 2020 09:18:20

Date: 30 JUN 2020 11:22:20


Channel Power -22.44dBm < -13dBm (Pass)

Channel Power -25.15dBm < -13dBm (Pass)



Date: 30 JUN 2020 09:30:50

Date: 30 JUN 2020 11:29:42







FR1 n71 / 20MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / 1RB0


Highest Band Edge / 1RBmax




Date: 30 JUN 2020 09:20:47

Date: 30 JUN 2020 11:26:18

Channel Power -22.05dBm < -13dBm (Pass)



Date: 30 JUN 2020 09:32:08







FR1 n71 / 20MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN.2020 09:28:10

Date: 30 JUN.2020 11:18:42

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN.2020 10:57:15



Date: 30 JUN.2020 11:15:41



FR1 n71 / 20MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN 2020 09:26:56

Date: 30 JUN 2020 11:17:32

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN 2020 11:00:25



Date: 30 JUN 2020 11:16:17



FR1 n71 / 20MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 30 JUN.2020 11:02:41

Date: 30 JUN.2020 11:31:41

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN.2020 11:01:33


Date: 30 JUN.2020 11:32:38




FR1 n71 / 20MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 30 JUN.2020 11:07:25



Date: 30 JUN.2020 11:08:11





Conducted Spurious Emission

FR1 n71 / 5MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 30.JUN.2020 05:16:22

Date: 30.JUN.2020 05:14:57

Highest Channel / 1RB1




Date: 30.JUN.2020 05:13:29




FR1 n71 / 10MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1

Middle Channel / 1RB1




Date: 30 JUN.2020 05:18:36



Date: 30 JUN.2020 06:25:25

Highest Channel / 1RB1




Date: 30 JUN.2020 06:03:32




FR1 n71 / 15MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1

Middle Channel / 1RB1




Date: 30.JUN.2020 06:48:47



Date: 30.JUN.2020 06:27:46

Highest Channel / 1RB1





Date: 30.JUN.2020 07:01:33



FR1 n71 / 20MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 30 JUN.2020 07:57:05

Date: 30 JUN.2020 07:55:34

Highest Channel / 1RB1



Date: 30 JUN.2020 07:59:12



Frequency Stability

| Test Conditions | | FR1 n71 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|---------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 20MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0010 | PASS |
| 40 | Normal Voltage | 0.0048 | |
| 30 | Normal Voltage | 0.0032 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0046 | |
| 0 | Normal Voltage | 0.0038 | |
| -10 | Normal Voltage | 0.0051 | |
| -20 | Normal Voltage | 0.0003 | |
| -30 | Normal Voltage | 0.0071 | |
| 20 | Maximum Voltage | 0.0015 | |
| 20 | Normal Voltage | 0.0006 | |
| 20 | Battery End Point | 0.0022 | |

Note:

- 1. Normal Voltage =3.87 V. ; Battery End Point (BEP) =3.49 V. ; Maximum Voltage =4.45 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of ERP/EIRP and Radiated Test

ERP/EIRP

<Primary Antenna>

<DFT-s-OFDM>

| NR n2 / 5MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 23 | 24.89 | 0.3084 | 24.89 | 0.3084 |
| Middle | | 1 | 23 | 24.60 | 0.2885 | 24.60 | 0.2885 |
| Highest | | 1 | 23 | 23.73 | 0.2361 | 23.73 | 0.2361 |
| Lowest | QPSK | 12 | 6 | 24.52 | 0.2832 | 24.52 | 0.2832 |
| Middle | | 12 | 6 | 24.69 | 0.2945 | 24.69 | 0.2945 |
| Highest | | 12 | 6 | 24.55 | 0.2852 | 24.55 | 0.2852 |
| Lowest | 16QAM | 1 | 1 | 23.53 | 0.2255 | 23.53 | 0.2255 |
| Middle | | 1 | 1 | 23.87 | 0.2438 | 23.87 | 0.2438 |
| Highest | | 1 | 1 | 23.52 | 0.2250 | 23.52 | 0.2250 |
| Lowest | 64QAM | 1 | 1 | 21.90 | 0.1549 | 21.90 | 0.1549 |
| Middle | | 1 | 1 | 22.16 | 0.1645 | 22.16 | 0.1645 |
| Highest | | 1 | 1 | 21.84 | 0.1528 | 21.84 | 0.1528 |
| Lowest | 256QAM | 1 | 1 | 19.90 | 0.0978 | 19.90 | 0.0978 |
| Middle | | 1 | 1 | 19.71 | 0.0936 | 19.71 | 0.0936 |
| Highest | | 1 | 1 | 19.63 | 0.0919 | 19.63 | 0.0919 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n2 / 10MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 25 | 12 | 24.69 | 0.2945 | 24.69 | 0.2945 |
| Middle | | 25 | 12 | 24.87 | 0.3070 | 24.87 | 0.3070 |
| Highest | | 25 | 12 | 24.26 | 0.2667 | 24.26 | 0.2667 |
| Lowest | QPSK | 25 | 12 | 24.75 | 0.2986 | 24.75 | 0.2986 |
| Middle | | 25 | 12 | 24.86 | 0.3062 | 24.86 | 0.3062 |
| Highest | | 25 | 12 | 24.60 | 0.2885 | 24.60 | 0.2885 |
| Lowest | 16QAM | 1 | 1 | 23.69 | 0.2339 | 23.69 | 0.2339 |
| Middle | | 1 | 1 | 23.72 | 0.2356 | 23.72 | 0.2356 |
| Highest | | 1 | 1 | 23.46 | 0.2219 | 23.46 | 0.2219 |
| Lowest | 64QAM | 1 | 1 | 22.23 | 0.1672 | 22.23 | 0.1672 |
| Middle | | 1 | 1 | 22.10 | 0.1622 | 22.10 | 0.1622 |
| Highest | | 1 | 1 | 21.91 | 0.1553 | 21.91 | 0.1553 |
| Lowest | 256QAM | 1 | 1 | 19.88 | 0.0973 | 19.88 | 0.0973 |
| Middle | | 1 | 1 | 19.98 | 0.0996 | 19.98 | 0.0996 |
| Highest | | 1 | 1 | 19.98 | 0.0996 | 19.98 | 0.0996 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n2 / 15MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 36 | 18 | 25.11 | 0.3244 | 25.11 | 0.3244 |
| Middle | | 36 | 18 | 24.79 | 0.3014 | 24.79 | 0.3014 |
| Highest | | 36 | 18 | 24.52 | 0.2832 | 24.52 | 0.2832 |
| Lowest | QPSK | 1 | 1 | 24.70 | 0.2952 | 24.70 | 0.2952 |
| Middle | | 1 | 1 | 24.61 | 0.2891 | 24.61 | 0.2891 |
| Highest | | 1 | 1 | 23.85 | 0.2427 | 23.85 | 0.2427 |
| Lowest | 16QAM | 1 | 1 | 23.94 | 0.2478 | 23.94 | 0.2478 |
| Middle | | 1 | 1 | 23.78 | 0.2388 | 23.78 | 0.2388 |
| Highest | | 1 | 1 | 23.31 | 0.2143 | 23.31 | 0.2143 |
| Lowest | 64QAM | 1 | 1 | 22.61 | 0.1824 | 22.61 | 0.1824 |
| Middle | | 1 | 1 | 22.31 | 0.1703 | 22.31 | 0.1703 |
| Highest | | 1 | 1 | 22.37 | 0.1726 | 22.37 | 0.1726 |
| Lowest | 256QAM | 1 | 1 | 19.92 | 0.0982 | 19.92 | 0.0982 |
| Middle | | 1 | 1 | 19.82 | 0.0960 | 19.82 | 0.0960 |
| Highest | | 1 | 1 | 19.83 | 0.0962 | 19.83 | 0.0962 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n2 / 20MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 25.12 | 0.3251 | 25.12 | 0.3251 |
| Middle | | 1 | 1 | 25.07 | 0.3214 | 25.07 | 0.3214 |
| Highest | | 1 | 1 | 24.62 | 0.2898 | 24.62 | 0.2898 |
| Lowest | QPSK | 50 | 25 | 24.84 | 0.3048 | 24.84 | 0.3048 |
| Middle | | 50 | 25 | 24.90 | 0.3091 | 24.90 | 0.3091 |
| Highest | | 50 | 25 | 24.44 | 0.2780 | 24.44 | 0.2780 |
| Lowest | 16QAM | 1 | 1 | 23.80 | 0.2399 | 23.80 | 0.2399 |
| Middle | | 1 | 1 | 23.87 | 0.2438 | 23.87 | 0.2438 |
| Highest | | 1 | 1 | 23.88 | 0.2444 | 23.88 | 0.2444 |
| Lowest | 64QAM | 1 | 1 | 22.36 | 0.1722 | 22.36 | 0.1722 |
| Middle | | 1 | 1 | 22.16 | 0.1645 | 22.16 | 0.1645 |
| Highest | | 1 | 1 | 22.18 | 0.1652 | 22.18 | 0.1652 |
| Lowest | 256QAM | 1 | 1 | 20.35 | 0.1084 | 20.35 | 0.1084 |
| Middle | | 1 | 1 | 20.06 | 0.1014 | 20.06 | 0.1014 |
| Highest | | 1 | 1 | 19.88 | 0.0973 | 19.88 | 0.0973 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n5 / 5MHz (Average) (GT - LC = -3.2 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.25 | 0.2661 | 18.90 | 0.0777 |
| Middle | | 1 | 1 | 24.12 | 0.2583 | 18.77 | 0.0754 |
| Highest | | 1 | 1 | 24.22 | 0.2643 | 18.87 | 0.0771 |
| Lowest | QPSK | 1 | 1 | 24.27 | 0.2674 | 18.92 | 0.0780 |
| Middle | | 1 | 1 | 24.15 | 0.2601 | 18.80 | 0.0759 |
| Highest | | 1 | 1 | 24.18 | 0.2619 | 18.83 | 0.0764 |
| Lowest | 16QAM | 1 | 1 | 23.36 | 0.2168 | 18.01 | 0.0633 |
| Middle | | 1 | 1 | 23.16 | 0.2071 | 17.81 | 0.0604 |
| Highest | | 1 | 1 | 23.31 | 0.2143 | 17.96 | 0.0626 |
| Lowest | 64QAM | 1 | 1 | 21.63 | 0.1456 | 16.28 | 0.0425 |
| Middle | | 1 | 1 | 21.33 | 0.1359 | 15.98 | 0.0397 |
| Highest | | 1 | 1 | 21.48 | 0.1407 | 16.13 | 0.0411 |
| Lowest | 256QAM | 1 | 1 | 20.06 | 0.1014 | 14.71 | 0.0296 |
| Middle | | 1 | 1 | 19.92 | 0.0982 | 14.57 | 0.0287 |
| Highest | | 1 | 1 | 19.80 | 0.0955 | 14.45 | 0.0279 |
| Limit | ERP < 7W | | | Result | | PASS | |

| NR n5 / 10MHz (Average) (GT - LC = -3.2 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 25 | 12 | 24.23 | 0.2649 | 18.88 | 0.0773 |
| Middle | | 25 | 12 | 24.19 | 0.2625 | 18.84 | 0.0766 |
| Highest | | 25 | 12 | 24.15 | 0.2601 | 18.80 | 0.0759 |
| Lowest | QPSK | 25 | 12 | 24.20 | 0.2631 | 18.85 | 0.0768 |
| Middle | | 25 | 12 | 24.07 | 0.2553 | 18.72 | 0.0745 |
| Highest | | 25 | 12 | 24.09 | 0.2565 | 18.74 | 0.0749 |
| Lowest | 16QAM | 1 | 1 | 23.30 | 0.2138 | 17.95 | 0.0624 |
| Middle | | 1 | 1 | 23.16 | 0.2071 | 17.81 | 0.0604 |
| Highest | | 1 | 1 | 23.22 | 0.2099 | 17.87 | 0.0613 |
| Lowest | 64QAM | 1 | 1 | 21.56 | 0.1433 | 16.21 | 0.0418 |
| Middle | | 1 | 1 | 21.33 | 0.1359 | 15.98 | 0.0397 |
| Highest | | 1 | 1 | 21.49 | 0.1410 | 16.14 | 0.0412 |
| Lowest | 256QAM | 1 | 1 | 19.99 | 0.0998 | 14.64 | 0.0292 |
| Middle | | 1 | 1 | 19.92 | 0.0982 | 14.57 | 0.0287 |
| Highest | | 1 | 1 | 19.84 | 0.0964 | 14.49 | 0.0282 |
| Limit | ERP < 7W | | | Result | | PASS | |



| NR n5 / 15MHz (Average) (GT - LC = -3.2 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.26 | 0.2667 | 18.91 | 0.0779 |
| Middle | | 1 | 1 | 24.14 | 0.2595 | 18.79 | 0.0757 |
| Highest | | 1 | 1 | 24.24 | 0.2655 | 18.89 | 0.0775 |
| Lowest | QPSK | 1 | 1 | 24.34 | 0.2717 | 18.99 | 0.0793 |
| Middle | | 1 | 1 | 24.19 | 0.2625 | 18.84 | 0.0766 |
| Highest | | 1 | 1 | 24.19 | 0.2625 | 18.84 | 0.0766 |
| Lowest | 16QAM | 1 | 1 | 23.49 | 0.2234 | 18.14 | 0.0652 |
| Middle | | 1 | 1 | 23.30 | 0.2138 | 17.95 | 0.0624 |
| Highest | | 1 | 1 | 23.37 | 0.2173 | 18.02 | 0.0634 |
| Lowest | 64QAM | 1 | 1 | 21.68 | 0.1473 | 16.33 | 0.0430 |
| Middle | | 1 | 1 | 21.41 | 0.1384 | 16.06 | 0.0404 |
| Highest | | 1 | 1 | 21.57 | 0.1436 | 16.22 | 0.0419 |
| Lowest | 256QAM | 1 | 1 | 20.12 | 0.1029 | 14.77 | 0.0300 |
| Middle | | 1 | 1 | 20.10 | 0.1024 | 14.75 | 0.0299 |
| Highest | | 1 | 1 | 19.95 | 0.0989 | 14.60 | 0.0289 |
| Limit | ERP < 7W | | | Result | | PASS | |

| NR n5 / 20MHz (Average) (GT - LC = -3.2 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 50 | 25 | 24.26 | 0.2667 | 18.91 | 0.0779 |
| Middle | | 50 | 25 | 24.23 | 0.2649 | 18.88 | 0.0773 |
| Highest | | 50 | 25 | 24.35 | 0.2723 | 19.00 | 0.0795 |
| Lowest | QPSK | 1 | 1 | 24.30 | 0.2692 | 18.95 | 0.0786 |
| Middle | | 1 | 1 | 24.10 | 0.2571 | 18.75 | 0.0750 |
| Highest | | 1 | 1 | 24.35 | 0.2723 | 19.00 | 0.0795 |
| Lowest | 16QAM | 1 | 1 | 23.48 | 0.2229 | 18.13 | 0.0651 |
| Middle | | 1 | 1 | 23.29 | 0.2134 | 17.94 | 0.0623 |
| Highest | | 1 | 1 | 23.44 | 0.2209 | 18.09 | 0.0645 |
| Lowest | 64QAM | 1 | 1 | 21.62 | 0.1453 | 16.27 | 0.0424 |
| Middle | | 1 | 1 | 21.40 | 0.1381 | 16.05 | 0.0403 |
| Highest | | 1 | 1 | 21.59 | 0.1443 | 16.24 | 0.0421 |
| Lowest | 256QAM | 1 | 1 | 19.43 | 0.0878 | 14.08 | 0.0256 |
| Middle | | 1 | 1 | 19.41 | 0.0873 | 14.06 | 0.0255 |
| Highest | | 1 | 1 | 19.40 | 0.0871 | 14.05 | 0.0255 |
| Limit | ERP < 7W | | | Result | | PASS | |



| NR n7 / 5MHz (Average) (GT - LC = -2.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.71 | 0.2350 | 21.21 | 0.1322 |
| Middle | | 1 | 1 | 23.66 | 0.2323 | 21.16 | 0.1307 |
| Highest | | 1 | 1 | 23.79 | 0.2394 | 21.29 | 0.1346 |
| Lowest | QPSK | 1 | 1 | 23.72 | 0.2356 | 21.22 | 0.1325 |
| Middle | | 1 | 1 | 23.68 | 0.2334 | 21.18 | 0.1313 |
| Highest | | 1 | 1 | 23.77 | 0.2383 | 21.27 | 0.1340 |
| Lowest | 16QAM | 1 | 1 | 22.82 | 0.1915 | 20.32 | 0.1077 |
| Middle | | 1 | 1 | 22.81 | 0.1910 | 20.31 | 0.1074 |
| Highest | | 1 | 1 | 23.00 | 0.1996 | 20.50 | 0.1123 |
| Lowest | 64QAM | 1 | 1 | 21.03 | 0.1268 | 18.53 | 0.0713 |
| Middle | | 1 | 1 | 21.03 | 0.1268 | 18.53 | 0.0713 |
| Highest | | 1 | 1 | 21.18 | 0.1313 | 18.68 | 0.0738 |
| Lowest | 256QAM | 1 | 1 | 19.13 | 0.0819 | 16.63 | 0.0461 |
| Middle | | 1 | 1 | 19.22 | 0.0836 | 16.72 | 0.0470 |
| Highest | | 1 | 1 | 18.96 | 0.0788 | 16.46 | 0.0443 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n7 / 10MHz (Average) (GT - LC = -2.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.69 | 0.2339 | 21.19 | 0.1316 |
| Middle | | 1 | 1 | 23.59 | 0.2286 | 21.09 | 0.1286 |
| Highest | | 1 | 1 | 23.94 | 0.2478 | 21.44 | 0.1394 |
| Lowest | QPSK | 1 | 1 | 23.65 | 0.2318 | 21.15 | 0.1304 |
| Middle | | 1 | 1 | 23.63 | 0.2307 | 21.13 | 0.1298 |
| Highest | | 1 | 1 | 23.96 | 0.2489 | 21.46 | 0.1400 |
| Lowest | 16QAM | 1 | 1 | 22.76 | 0.1888 | 20.26 | 0.1062 |
| Middle | | 1 | 1 | 22.77 | 0.1893 | 20.27 | 0.1065 |
| Highest | | 1 | 1 | 23.19 | 0.2085 | 20.69 | 0.1173 |
| Lowest | 64QAM | 1 | 1 | 20.98 | 0.1254 | 18.48 | 0.0705 |
| Middle | | 1 | 1 | 20.91 | 0.1234 | 18.41 | 0.0694 |
| Highest | | 1 | 1 | 21.29 | 0.1346 | 18.79 | 0.0757 |
| Lowest | 256QAM | 1 | 1 | 19.14 | 0.0821 | 16.64 | 0.0462 |
| Middle | | 1 | 1 | 19.20 | 0.0832 | 16.70 | 0.0468 |
| Highest | | 1 | 1 | 19.03 | 0.0800 | 16.53 | 0.0450 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n7 / 15MHz (Average) (GT - LC = -2.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 36 | 18 | 23.77 | 0.2383 | 21.27 | 0.1340 |
| Middle | | 36 | 18 | 23.75 | 0.2372 | 21.25 | 0.1334 |
| Highest | | 36 | 18 | 24.05 | 0.2541 | 21.55 | 0.1429 |
| Lowest | QPSK | 36 | 18 | 23.70 | 0.2345 | 21.20 | 0.1319 |
| Middle | | 36 | 18 | 23.66 | 0.2323 | 21.16 | 0.1307 |
| Highest | | 36 | 18 | 23.96 | 0.2489 | 21.46 | 0.1400 |
| Lowest | 16QAM | 1 | 1 | 22.87 | 0.1937 | 20.37 | 0.1089 |
| Middle | | 1 | 1 | 22.88 | 0.1941 | 20.38 | 0.1092 |
| Highest | | 1 | 1 | 23.00 | 0.1996 | 20.50 | 0.1123 |
| Lowest | 64QAM | 1 | 1 | 21.09 | 0.1286 | 18.59 | 0.0723 |
| Middle | | 1 | 1 | 21.12 | 0.1295 | 18.62 | 0.0728 |
| Highest | | 1 | 1 | 21.19 | 0.1316 | 18.69 | 0.0740 |
| Lowest | 256QAM | 1 | 1 | 19.27 | 0.0846 | 16.77 | 0.0476 |
| Middle | | 1 | 1 | 19.31 | 0.0854 | 16.81 | 0.0480 |
| Highest | | 1 | 1 | 19.12 | 0.0817 | 16.62 | 0.0460 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n7 / 20MHz (Average) (GT - LC = -2.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 50 | 25 | 23.83 | 0.2416 | 21.33 | 0.1359 |
| Middle | | 50 | 25 | 23.84 | 0.2422 | 21.34 | 0.1362 |
| Highest | | 50 | 25 | 23.97 | 0.2495 | 21.47 | 0.1403 |
| Lowest | QPSK | 50 | 25 | 23.74 | 0.2366 | 21.24 | 0.1331 |
| Middle | | 50 | 25 | 23.80 | 0.2399 | 21.30 | 0.1349 |
| Highest | | 50 | 25 | 23.88 | 0.2444 | 21.38 | 0.1375 |
| Lowest | 16QAM | 1 | 1 | 22.90 | 0.1950 | 20.40 | 0.1097 |
| Middle | | 1 | 1 | 22.96 | 0.1977 | 20.46 | 0.1112 |
| Highest | | 1 | 1 | 23.10 | 0.2042 | 20.60 | 0.1149 |
| Lowest | 64QAM | 1 | 1 | 21.02 | 0.1265 | 18.52 | 0.0712 |
| Middle | | 1 | 1 | 21.09 | 0.1286 | 18.59 | 0.0723 |
| Highest | | 1 | 1 | 21.33 | 0.1359 | 18.83 | 0.0764 |
| Lowest | 256QAM | 1 | 1 | 19.17 | 0.0827 | 16.67 | 0.0465 |
| Middle | | 1 | 1 | 19.22 | 0.0836 | 16.72 | 0.0470 |
| Highest | | 1 | 1 | 19.14 | 0.0821 | 16.64 | 0.0462 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n12 / 5MHz (Average) (GT - LC = -5.2 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.63 | 0.2307 | 16.28 | 0.0425 |
| Middle | | 1 | 1 | 23.55 | 0.2265 | 16.20 | 0.0417 |
| Highest | | 1 | 1 | 23.33 | 0.2153 | 15.98 | 0.0397 |
| Lowest | QPSK | 1 | 1 | 23.53 | 0.2255 | 16.18 | 0.0415 |
| Middle | | 1 | 1 | 23.38 | 0.2178 | 16.03 | 0.0401 |
| Highest | | 1 | 1 | 23.19 | 0.2085 | 15.84 | 0.0384 |
| Lowest | 16QAM | 1 | 1 | 22.49 | 0.1775 | 15.14 | 0.0327 |
| Middle | | 1 | 1 | 22.42 | 0.1746 | 15.07 | 0.0322 |
| Highest | | 1 | 1 | 22.11 | 0.1626 | 14.76 | 0.0300 |
| Lowest | 64QAM | 1 | 1 | 21.21 | 0.1322 | 13.86 | 0.0244 |
| Middle | | 1 | 1 | 21.10 | 0.1289 | 13.75 | 0.0238 |
| Highest | | 1 | 1 | 20.88 | 0.1225 | 13.53 | 0.0226 |
| Lowest | 256QAM | 1 | 1 | 18.73 | 0.0747 | 11.38 | 0.0138 |
| Middle | | 1 | 1 | 18.55 | 0.0717 | 11.20 | 0.0132 |
| Highest | | 1 | 1 | 18.35 | 0.0684 | 11.00 | 0.0126 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n12 / 10MHz (Average) (GT - LC = -5.2 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 25 | 12 | 23.55 | 0.2265 | 16.20 | 0.0417 |
| Middle | | 25 | 12 | 23.47 | 0.2224 | 16.12 | 0.0410 |
| Highest | | 25 | 12 | 23.35 | 0.2163 | 16.00 | 0.0399 |
| Lowest | QPSK | 25 | 12 | 23.46 | 0.2219 | 16.11 | 0.0409 |
| Middle | | 25 | 12 | 23.42 | 0.2198 | 16.07 | 0.0405 |
| Highest | | 25 | 12 | 23.33 | 0.2153 | 15.98 | 0.0397 |
| Lowest | 16QAM | 1 | 1 | 22.33 | 0.1711 | 14.98 | 0.0315 |
| Middle | | 1 | 1 | 22.30 | 0.1699 | 14.95 | 0.0313 |
| Highest | | 1 | 1 | 22.21 | 0.1664 | 14.86 | 0.0307 |
| Lowest | 64QAM | 1 | 1 | 21.02 | 0.1265 | 13.67 | 0.0233 |
| Middle | | 1 | 1 | 21.07 | 0.1280 | 13.72 | 0.0236 |
| Highest | | 1 | 1 | 20.88 | 0.1225 | 13.53 | 0.0226 |
| Lowest | 256QAM | 1 | 1 | 18.58 | 0.0722 | 11.23 | 0.0133 |
| Middle | | 1 | 1 | 18.53 | 0.0713 | 11.18 | 0.0132 |
| Highest | | 1 | 1 | 18.37 | 0.0688 | 11.02 | 0.0127 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n12 / 15MHz (Average) (GT - LC = -5.2 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.68 | 0.2334 | 16.33 | 0.0430 |
| Middle | | 1 | 1 | 23.64 | 0.2313 | 16.29 | 0.0426 |
| Highest | | 1 | 1 | 23.60 | 0.2291 | 16.25 | 0.0422 |
| Lowest | QPSK | 1 | 1 | 23.52 | 0.2250 | 16.17 | 0.0414 |
| Middle | | 1 | 1 | 23.51 | 0.2244 | 16.16 | 0.0414 |
| Highest | | 1 | 1 | 23.54 | 0.2260 | 16.19 | 0.0416 |
| Lowest | 16QAM | 1 | 1 | 22.54 | 0.1795 | 15.19 | 0.0331 |
| Middle | | 1 | 1 | 22.48 | 0.1771 | 15.13 | 0.0326 |
| Highest | | 1 | 1 | 22.46 | 0.1762 | 15.11 | 0.0325 |
| Lowest | 64QAM | 1 | 1 | 21.14 | 0.1301 | 13.79 | 0.0240 |
| Middle | | 1 | 1 | 21.14 | 0.1301 | 13.79 | 0.0240 |
| Highest | | 1 | 1 | 21.12 | 0.1295 | 13.77 | 0.0239 |
| Lowest | 256QAM | 1 | 1 | 18.77 | 0.0754 | 11.42 | 0.0139 |
| Middle | | 1 | 1 | 18.71 | 0.0744 | 11.36 | 0.0137 |
| Highest | | 1 | 1 | 18.61 | 0.0727 | 11.26 | 0.0134 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n25 / 5MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 23 | 24.42 | 0.2767 | 24.42 | 0.2767 |
| Middle | | 1 | 23 | 24.45 | 0.2787 | 24.45 | 0.2787 |
| Highest | | 1 | 23 | 23.63 | 0.2307 | 23.63 | 0.2307 |
| Lowest | QPSK | 12 | 6 | 24.36 | 0.2729 | 24.36 | 0.2729 |
| Middle | | 12 | 6 | 24.37 | 0.2736 | 24.37 | 0.2736 |
| Highest | | 12 | 6 | 24.05 | 0.2541 | 24.05 | 0.2541 |
| Lowest | 16QAM | 1 | 1 | 23.11 | 0.2047 | 23.11 | 0.2047 |
| Middle | | 1 | 1 | 23.20 | 0.2090 | 23.20 | 0.2090 |
| Highest | | 1 | 1 | 23.03 | 0.2010 | 23.03 | 0.2010 |
| Lowest | 64QAM | 1 | 1 | 21.94 | 0.1564 | 21.94 | 0.1564 |
| Middle | | 1 | 1 | 22.02 | 0.1593 | 22.02 | 0.1593 |
| Highest | | 1 | 1 | 21.82 | 0.1521 | 21.82 | 0.1521 |
| Lowest | 256QAM | 1 | 1 | 19.32 | 0.0856 | 19.32 | 0.0856 |
| Middle | | 1 | 1 | 19.37 | 0.0865 | 19.37 | 0.0865 |
| Highest | | 1 | 1 | 19.25 | 0.0842 | 19.25 | 0.0842 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n25 / 10MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 50 | 24.40 | 0.2755 | 24.40 | 0.2755 |
| Middle | | 1 | 50 | 24.47 | 0.2799 | 24.47 | 0.2799 |
| Highest | | 1 | 50 | 23.85 | 0.2427 | 23.85 | 0.2427 |
| Lowest | QPSK | 1 | 50 | 24.46 | 0.2793 | 24.46 | 0.2793 |
| Middle | | 1 | 50 | 24.31 | 0.2698 | 24.31 | 0.2698 |
| Highest | | 1 | 50 | 23.79 | 0.2394 | 23.79 | 0.2394 |
| Lowest | 16QAM | 1 | 1 | 23.12 | 0.2052 | 23.12 | 0.2052 |
| Middle | | 1 | 1 | 23.24 | 0.2109 | 23.24 | 0.2109 |
| Highest | | 1 | 1 | 23.02 | 0.2005 | 23.02 | 0.2005 |
| Lowest | 64QAM | 1 | 1 | 22.03 | 0.1596 | 22.03 | 0.1596 |
| Middle | | 1 | 1 | 21.86 | 0.1535 | 21.86 | 0.1535 |
| Highest | | 1 | 1 | 21.93 | 0.1560 | 21.93 | 0.1560 |
| Lowest | 256QAM | 1 | 1 | 19.37 | 0.0865 | 19.37 | 0.0865 |
| Middle | | 1 | 1 | 19.22 | 0.0836 | 19.22 | 0.0836 |
| Highest | | 1 | 1 | 19.32 | 0.0856 | 19.32 | 0.0856 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n25 / 15MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.48 | 0.2806 | 24.48 | 0.2806 |
| Middle | | 1 | 1 | 24.50 | 0.2819 | 24.50 | 0.2819 |
| Highest | | 1 | 1 | 24.37 | 0.2736 | 24.37 | 0.2736 |
| Lowest | QPSK | 1 | 77 | 24.47 | 0.2799 | 24.47 | 0.2799 |
| Middle | | 1 | 77 | 24.35 | 0.2723 | 24.35 | 0.2723 |
| Highest | | 1 | 77 | 24.30 | 0.2692 | 24.30 | 0.2692 |
| Lowest | 16QAM | 1 | 1 | 23.45 | 0.2214 | 23.45 | 0.2214 |
| Middle | | 1 | 1 | 23.41 | 0.2193 | 23.41 | 0.2193 |
| Highest | | 1 | 1 | 23.29 | 0.2134 | 23.29 | 0.2134 |
| Lowest | 64QAM | 1 | 1 | 21.90 | 0.1549 | 21.90 | 0.1549 |
| Middle | | 1 | 1 | 21.93 | 0.1560 | 21.93 | 0.1560 |
| Highest | | 1 | 1 | 21.65 | 0.1463 | 21.65 | 0.1463 |
| Lowest | 256QAM | 1 | 1 | 19.36 | 0.0863 | 19.36 | 0.0863 |
| Middle | | 1 | 1 | 19.50 | 0.0892 | 19.50 | 0.0892 |
| Highest | | 1 | 1 | 19.40 | 0.0871 | 19.40 | 0.0871 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n25 / 20MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 50 | 25 | 24.50 | 0.2819 | 24.50 | 0.2819 |
| Middle | | 50 | 25 | 24.38 | 0.2742 | 24.38 | 0.2742 |
| Highest | | 50 | 25 | 24.37 | 0.2736 | 24.37 | 0.2736 |
| Lowest | QPSK | 50 | 25 | 24.41 | 0.2761 | 24.41 | 0.2761 |
| Middle | | 50 | 25 | 24.34 | 0.2717 | 24.34 | 0.2717 |
| Highest | | 50 | 25 | 24.38 | 0.2742 | 24.38 | 0.2742 |
| Lowest | 16QAM | 1 | 1 | 23.41 | 0.2193 | 23.41 | 0.2193 |
| Middle | | 1 | 1 | 23.35 | 0.2163 | 23.35 | 0.2163 |
| Highest | | 1 | 1 | 23.36 | 0.2168 | 23.36 | 0.2168 |
| Lowest | 64QAM | 1 | 1 | 21.89 | 0.1546 | 21.89 | 0.1546 |
| Middle | | 1 | 1 | 21.93 | 0.1560 | 21.93 | 0.1560 |
| Highest | | 1 | 1 | 21.87 | 0.1539 | 21.87 | 0.1539 |
| Lowest | 256QAM | 1 | 1 | 19.45 | 0.0882 | 19.45 | 0.0882 |
| Middle | | 1 | 1 | 19.43 | 0.0878 | 19.43 | 0.0878 |
| Highest | | 1 | 1 | 19.41 | 0.0873 | 19.41 | 0.0873 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n66 / 5MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.26 | 0.2667 | 22.76 | 0.1888 |
| Middle | | 1 | 1 | 24.42 | 0.2767 | 22.92 | 0.1959 |
| Highest | | 1 | 1 | 24.20 | 0.2631 | 22.70 | 0.1863 |
| Lowest | QPSK | 1 | 23 | 23.97 | 0.2495 | 22.47 | 0.1767 |
| Middle | | 1 | 23 | 24.25 | 0.2661 | 22.75 | 0.1884 |
| Highest | | 1 | 23 | 24.10 | 0.2571 | 22.60 | 0.1820 |
| Lowest | 16QAM | 1 | 1 | 22.20 | 0.1660 | 20.70 | 0.1175 |
| Middle | | 1 | 1 | 22.09 | 0.1619 | 20.59 | 0.1146 |
| Highest | | 1 | 1 | 21.94 | 0.1564 | 20.44 | 0.1107 |
| Lowest | 64QAM | 1 | 1 | 20.98 | 0.1254 | 19.48 | 0.0888 |
| Middle | | 1 | 1 | 20.78 | 0.1197 | 19.28 | 0.0848 |
| Highest | | 1 | 1 | 20.43 | 0.1105 | 18.93 | 0.0782 |
| Lowest | 256QAM | 1 | 1 | 18.67 | 0.0737 | 17.17 | 0.0522 |
| Middle | | 1 | 1 | 18.34 | 0.0683 | 16.84 | 0.0484 |
| Highest | | 1 | 1 | 18.18 | 0.0658 | 16.68 | 0.0466 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| NR n66 / 10MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 50 | 24.20 | 0.2631 | 22.70 | 0.1863 |
| Middle | | 1 | 50 | 24.36 | 0.2729 | 22.86 | 0.1932 |
| Highest | | 1 | 50 | 24.16 | 0.2607 | 22.66 | 0.1846 |
| Lowest | QPSK | 25 | 12 | 24.18 | 0.2619 | 22.68 | 0.1854 |
| Middle | | 25 | 12 | 24.33 | 0.2711 | 22.83 | 0.1919 |
| Highest | | 25 | 12 | 24.13 | 0.2589 | 22.63 | 0.1833 |
| Lowest | 16QAM | 1 | 1 | 22.21 | 0.1664 | 20.71 | 0.1178 |
| Middle | | 1 | 1 | 22.03 | 0.1596 | 20.53 | 0.1130 |
| Highest | | 1 | 1 | 22.06 | 0.1607 | 20.56 | 0.1138 |
| Lowest | 64QAM | 1 | 1 | 20.85 | 0.1217 | 19.35 | 0.0861 |
| Middle | | 1 | 1 | 20.42 | 0.1102 | 18.92 | 0.0780 |
| Highest | | 1 | 1 | 20.38 | 0.1092 | 18.88 | 0.0773 |
| Lowest | 256QAM | 1 | 1 | 18.61 | 0.0727 | 17.11 | 0.0515 |
| Middle | | 1 | 1 | 18.25 | 0.0669 | 16.75 | 0.0474 |
| Highest | | 1 | 1 | 18.12 | 0.0649 | 16.62 | 0.0460 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| NR n66 / 15MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.28 | 0.2680 | 22.78 | 0.1897 |
| Middle | | 1 | 1 | 24.39 | 0.2748 | 22.89 | 0.1946 |
| Highest | | 1 | 1 | 24.20 | 0.2631 | 22.70 | 0.1863 |
| Lowest | QPSK | 1 | 1 | 24.13 | 0.2589 | 22.63 | 0.1833 |
| Middle | | 1 | 1 | 24.30 | 0.2692 | 22.80 | 0.1906 |
| Highest | | 1 | 1 | 24.10 | 0.2571 | 22.60 | 0.1820 |
| Lowest | 16QAM | 1 | 1 | 22.36 | 0.1722 | 20.86 | 0.1219 |
| Middle | | 1 | 1 | 21.97 | 0.1574 | 20.47 | 0.1115 |
| Highest | | 1 | 1 | 22.04 | 0.1600 | 20.54 | 0.1133 |
| Lowest | 64QAM | 1 | 1 | 21.02 | 0.1265 | 19.52 | 0.0896 |
| Middle | | 1 | 1 | 20.75 | 0.1189 | 19.25 | 0.0842 |
| Highest | | 1 | 1 | 20.52 | 0.1128 | 19.02 | 0.0798 |
| Lowest | 256QAM | 1 | 1 | 18.66 | 0.0735 | 17.16 | 0.0520 |
| Middle | | 1 | 1 | 18.46 | 0.0702 | 16.96 | 0.0497 |
| Highest | | 1 | 1 | 18.29 | 0.0675 | 16.79 | 0.0478 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| NR n66 / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 104 | 24.31 | 0.2698 | 22.81 | 0.1910 |
| Middle | | 1 | 104 | 24.03 | 0.2530 | 22.53 | 0.1791 |
| Highest | | 1 | 104 | 24.12 | 0.2583 | 22.62 | 0.1829 |
| Lowest | QPSK | 1 | 1 | 24.10 | 0.2571 | 22.60 | 0.1820 |
| Middle | | 1 | 1 | 24.09 | 0.2565 | 22.59 | 0.1816 |
| Highest | | 1 | 1 | 24.21 | 0.2637 | 22.71 | 0.1867 |
| Lowest | 16QAM | 1 | 1 | 22.24 | 0.1675 | 20.74 | 0.1186 |
| Middle | | 1 | 1 | 22.03 | 0.1596 | 20.53 | 0.1130 |
| Highest | | 1 | 1 | 22.08 | 0.1615 | 20.58 | 0.1143 |
| Lowest | 64QAM | 1 | 1 | 20.84 | 0.1214 | 19.34 | 0.0860 |
| Middle | | 1 | 1 | 20.71 | 0.1178 | 19.21 | 0.0834 |
| Highest | | 1 | 1 | 20.82 | 0.1208 | 19.32 | 0.0856 |
| Lowest | 256QAM | 1 | 1 | 18.55 | 0.0717 | 17.05 | 0.0507 |
| Middle | | 1 | 1 | 18.30 | 0.0677 | 16.80 | 0.0479 |
| Highest | | 1 | 1 | 18.31 | 0.0678 | 16.81 | 0.0480 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| NR n71 / 5MHz (Average) (GT - LC = -5.3 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.35 | 0.2163 | 15.90 | 0.0390 |
| Middle | | 1 | 1 | 23.17 | 0.2075 | 15.72 | 0.0374 |
| Highest | | 1 | 1 | 23.12 | 0.2052 | 15.67 | 0.0369 |
| Lowest | QPSK | 1 | 1 | 23.32 | 0.2148 | 15.87 | 0.0387 |
| Middle | | 1 | 1 | 23.15 | 0.2066 | 15.70 | 0.0372 |
| Highest | | 1 | 1 | 22.96 | 0.1977 | 15.51 | 0.0356 |
| Lowest | 16QAM | 1 | 1 | 22.20 | 0.1660 | 14.75 | 0.0299 |
| Middle | | 1 | 1 | 22.09 | 0.1619 | 14.64 | 0.0292 |
| Highest | | 1 | 1 | 21.94 | 0.1564 | 14.49 | 0.0282 |
| Lowest | 64QAM | 1 | 1 | 20.98 | 0.1254 | 13.53 | 0.0226 |
| Middle | | 1 | 1 | 20.78 | 0.1197 | 13.33 | 0.0216 |
| Highest | | 1 | 1 | 20.43 | 0.1105 | 12.98 | 0.0199 |
| Lowest | 256QAM | 1 | 1 | 18.67 | 0.0737 | 11.22 | 0.0133 |
| Middle | | 1 | 1 | 18.34 | 0.0683 | 10.89 | 0.0123 |
| Highest | | 1 | 1 | 18.18 | 0.0658 | 10.73 | 0.0119 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n71 / 10MHz (Average) (GT - LC = -5.3 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.34 | 0.2158 | 15.89 | 0.0389 |
| Middle | | 1 | 1 | 23.05 | 0.2019 | 15.60 | 0.0364 |
| Highest | | 1 | 1 | 23.35 | 0.2163 | 15.90 | 0.0390 |
| Lowest | QPSK | 1 | 1 | 23.32 | 0.2148 | 15.87 | 0.0387 |
| Middle | | 1 | 1 | 23.04 | 0.2014 | 15.59 | 0.0363 |
| Highest | | 1 | 1 | 23.02 | 0.2005 | 15.57 | 0.0361 |
| Lowest | 16QAM | 1 | 1 | 22.21 | 0.1664 | 14.76 | 0.0300 |
| Middle | | 1 | 1 | 22.03 | 0.1596 | 14.58 | 0.0288 |
| Highest | | 1 | 1 | 22.06 | 0.1607 | 14.61 | 0.0290 |
| Lowest | 64QAM | 1 | 1 | 20.85 | 0.1217 | 13.40 | 0.0219 |
| Middle | | 1 | 1 | 20.42 | 0.1102 | 12.97 | 0.0199 |
| Highest | | 1 | 1 | 20.38 | 0.1092 | 12.93 | 0.0197 |
| Lowest | 256QAM | 1 | 1 | 18.61 | 0.0727 | 11.16 | 0.0131 |
| Middle | | 1 | 1 | 18.25 | 0.0669 | 10.80 | 0.0121 |
| Highest | | 1 | 1 | 18.12 | 0.0649 | 10.67 | 0.0117 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n71 / 15MHz (Average) (GT - LC = -5.3 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.41 | 0.2193 | 15.96 | 0.0395 |
| Middle | | 1 | 1 | 23.22 | 0.2099 | 15.77 | 0.0378 |
| Highest | | 1 | 1 | 23.12 | 0.2052 | 15.67 | 0.0369 |
| Lowest | QPSK | 1 | 1 | 23.39 | 0.2183 | 15.94 | 0.0393 |
| Middle | | 1 | 1 | 23.10 | 0.2042 | 15.65 | 0.0368 |
| Highest | | 1 | 1 | 23.05 | 0.2019 | 15.60 | 0.0364 |
| Lowest | 16QAM | 1 | 1 | 22.36 | 0.1722 | 14.91 | 0.0310 |
| Middle | | 1 | 1 | 21.97 | 0.1574 | 14.52 | 0.0284 |
| Highest | | 1 | 1 | 22.04 | 0.1600 | 14.59 | 0.0288 |
| Lowest | 64QAM | 1 | 1 | 21.02 | 0.1265 | 13.57 | 0.0228 |
| Middle | | 1 | 1 | 20.75 | 0.1189 | 13.30 | 0.0214 |
| Highest | | 1 | 1 | 20.52 | 0.1128 | 13.07 | 0.0203 |
| Lowest | 256QAM | 1 | 1 | 18.66 | 0.0735 | 11.21 | 0.0133 |
| Middle | | 1 | 1 | 18.46 | 0.0702 | 11.01 | 0.0127 |
| Highest | | 1 | 1 | 18.29 | 0.0675 | 10.84 | 0.0122 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n71 / 20MHz (Average) (GT - LC = -5.3 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.46 | 0.2219 | 16.01 | 0.0400 |
| Middle | | 1 | 1 | 23.23 | 0.2104 | 15.78 | 0.0379 |
| Highest | | 1 | 1 | 23.26 | 0.2119 | 15.81 | 0.0382 |
| Lowest | QPSK | 1 | 1 | 23.34 | 0.2158 | 15.89 | 0.0389 |
| Middle | | 1 | 1 | 23.15 | 0.2066 | 15.70 | 0.0372 |
| Highest | | 1 | 1 | 23.17 | 0.2075 | 15.72 | 0.0374 |
| Lowest | 16QAM | 1 | 1 | 22.24 | 0.1675 | 14.79 | 0.0302 |
| Middle | | 1 | 1 | 22.03 | 0.1596 | 14.58 | 0.0288 |
| Highest | | 1 | 1 | 22.08 | 0.1615 | 14.63 | 0.0291 |
| Lowest | 64QAM | 1 | 1 | 20.84 | 0.1214 | 13.39 | 0.0219 |
| Middle | | 1 | 1 | 20.71 | 0.1178 | 13.26 | 0.0212 |
| Highest | | 1 | 1 | 20.82 | 0.1208 | 13.37 | 0.0218 |
| Lowest | 256QAM | 1 | 1 | 18.55 | 0.0717 | 11.10 | 0.0129 |
| Middle | | 1 | 1 | 18.30 | 0.0677 | 10.85 | 0.0122 |
| Highest | | 1 | 1 | 18.31 | 0.0678 | 10.86 | 0.0122 |
| Limit | ERP < 3W | | | Result | | PASS | |



<CP-OFDM>

| NR n2 / 5MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.02 | 0.2005 | 23.02 | 0.2005 |
| Middle | | 1 | 1 | 23.10 | 0.2042 | 23.10 | 0.2042 |
| Highest | | 1 | 1 | 22.83 | 0.1919 | 22.83 | 0.1919 |
| Lowest | 16QAM | 1 | 1 | 22.31 | 0.1703 | 22.31 | 0.1703 |
| Middle | | 1 | 1 | 22.02 | 0.1593 | 22.02 | 0.1593 |
| Highest | | 1 | 1 | 22.17 | 0.1649 | 22.17 | 0.1649 |
| Lowest | 64QAM | 1 | 1 | 20.79 | 0.1200 | 20.79 | 0.1200 |
| Middle | | 1 | 1 | 20.74 | 0.1186 | 20.74 | 0.1186 |
| Highest | | 1 | 1 | 20.73 | 0.1184 | 20.73 | 0.1184 |
| Lowest | 256QAM | 1 | 1 | 17.77 | 0.0599 | 17.77 | 0.0599 |
| Middle | | 1 | 1 | 17.84 | 0.0609 | 17.84 | 0.0609 |
| Highest | | 1 | 1 | 17.53 | 0.0567 | 17.53 | 0.0567 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n2 / 10MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.03 | 0.2010 | 23.03 | 0.2010 |
| Middle | | 1 | 1 | 23.01 | 0.2000 | 23.01 | 0.2000 |
| Highest | | 1 | 1 | 22.75 | 0.1884 | 22.75 | 0.1884 |
| Lowest | 16QAM | 1 | 1 | 22.38 | 0.1730 | 22.38 | 0.1730 |
| Middle | | 1 | 1 | 22.15 | 0.1641 | 22.15 | 0.1641 |
| Highest | | 1 | 1 | 22.19 | 0.1656 | 22.19 | 0.1656 |
| Lowest | 64QAM | 1 | 1 | 20.77 | 0.1194 | 20.77 | 0.1194 |
| Middle | | 1 | 1 | 20.80 | 0.1203 | 20.80 | 0.1203 |
| Highest | | 1 | 1 | 20.91 | 0.1234 | 20.91 | 0.1234 |
| Lowest | 256QAM | 1 | 1 | 17.80 | 0.0603 | 17.80 | 0.0603 |
| Middle | | 1 | 1 | 17.79 | 0.0602 | 17.79 | 0.0602 |
| Highest | | 1 | 1 | 17.91 | 0.0619 | 17.91 | 0.0619 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n2 / 15MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.37 | 0.2173 | 23.37 | 0.2173 |
| Middle | | 1 | 1 | 23.29 | 0.2134 | 23.29 | 0.2134 |
| Highest | | 1 | 1 | 22.30 | 0.1699 | 22.30 | 0.1699 |
| Lowest | 16QAM | 1 | 1 | 22.44 | 0.1754 | 22.44 | 0.1754 |
| Middle | | 1 | 1 | 22.51 | 0.1783 | 22.51 | 0.1783 |
| Highest | | 1 | 1 | 21.52 | 0.1420 | 21.52 | 0.1420 |
| Lowest | 64QAM | 1 | 1 | 20.99 | 0.1257 | 20.99 | 0.1257 |
| Middle | | 1 | 1 | 21.08 | 0.1283 | 21.08 | 0.1283 |
| Highest | | 1 | 1 | 20.72 | 0.1181 | 20.72 | 0.1181 |
| Lowest | 256QAM | 1 | 1 | 18.13 | 0.0651 | 18.13 | 0.0651 |
| Middle | | 1 | 1 | 18.15 | 0.0654 | 18.15 | 0.0654 |
| Highest | | 1 | 1 | 18.00 | 0.0631 | 18.00 | 0.0631 |
| Limit | EIRP < 2W | | Result | | PASS | | |

| NR n2 / 20MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.54 | 0.2260 | 23.54 | 0.2260 |
| Middle | | 1 | 1 | 23.21 | 0.2095 | 23.21 | 0.2095 |
| Highest | | 1 | 1 | 23.22 | 0.2099 | 23.22 | 0.2099 |
| Lowest | 16QAM | 1 | 1 | 22.46 | 0.1762 | 22.46 | 0.1762 |
| Middle | | 1 | 1 | 22.44 | 0.1754 | 22.44 | 0.1754 |
| Highest | | 1 | 1 | 22.52 | 0.1787 | 22.52 | 0.1787 |
| Lowest | 64QAM | 1 | 1 | 20.86 | 0.1219 | 20.86 | 0.1219 |
| Middle | | 1 | 1 | 21.12 | 0.1295 | 21.12 | 0.1295 |
| Highest | | 1 | 1 | 21.08 | 0.1283 | 21.08 | 0.1283 |
| Lowest | 256QAM | 1 | 1 | 18.08 | 0.0643 | 18.08 | 0.0643 |
| Middle | | 1 | 1 | 18.26 | 0.0670 | 18.26 | 0.0670 |
| Highest | | 1 | 1 | 17.88 | 0.0614 | 17.88 | 0.0614 |
| Limit | EIRP < 2W | | Result | | PASS | | |



| NR n5 / 5MHz (Average) (GT - LC = -3.2 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 22.55 | 0.1799 | 17.20 | 0.0525 |
| Middle | | 1 | 1 | 22.60 | 0.1820 | 17.25 | 0.0531 |
| Highest | | 1 | 1 | 22.63 | 0.1833 | 17.28 | 0.0535 |
| Lowest | 16QAM | 1 | 1 | 22.21 | 0.1664 | 16.86 | 0.0486 |
| Middle | | 1 | 1 | 22.27 | 0.1687 | 16.92 | 0.0493 |
| Highest | | 1 | 1 | 22.30 | 0.1699 | 16.95 | 0.0496 |
| Lowest | 64QAM | 1 | 1 | 20.67 | 0.1167 | 15.32 | 0.0341 |
| Middle | | 1 | 1 | 20.66 | 0.1165 | 15.31 | 0.0340 |
| Highest | | 1 | 1 | 20.71 | 0.1178 | 15.36 | 0.0344 |
| Lowest | 256QAM | 1 | 1 | 17.52 | 0.0565 | 12.17 | 0.0165 |
| Middle | | 1 | 1 | 17.48 | 0.0560 | 12.13 | 0.0164 |
| Highest | | 1 | 1 | 17.37 | 0.0546 | 12.02 | 0.0160 |
| Limit | ERP < 7W | | | Result | | PASS | |

| NR n5 / 10MHz (Average) (GT - LC = -3.2 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 22.47 | 0.1767 | 17.12 | 0.0516 |
| Middle | | 1 | 1 | 22.51 | 0.1783 | 17.16 | 0.0520 |
| Highest | | 1 | 1 | 22.46 | 0.1762 | 17.11 | 0.0515 |
| Lowest | 16QAM | 1 | 1 | 22.05 | 0.1604 | 16.70 | 0.0468 |
| Middle | | 1 | 1 | 22.08 | 0.1615 | 16.73 | 0.0471 |
| Highest | | 1 | 1 | 21.99 | 0.1582 | 16.64 | 0.0462 |
| Lowest | 64QAM | 1 | 1 | 20.59 | 0.1146 | 15.24 | 0.0335 |
| Middle | | 1 | 1 | 20.65 | 0.1162 | 15.30 | 0.0339 |
| Highest | | 1 | 1 | 20.56 | 0.1138 | 15.21 | 0.0332 |
| Lowest | 256QAM | 1 | 1 | 17.42 | 0.0553 | 12.07 | 0.0162 |
| Middle | | 1 | 1 | 17.32 | 0.0540 | 11.97 | 0.0158 |
| Highest | | 1 | 1 | 17.21 | 0.0527 | 11.86 | 0.0154 |
| Limit | ERP < 7W | | | Result | | PASS | |



| NR n5 / 15MHz (Average) (GT - LC = -3.2 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 22.78 | 0.1897 | 17.43 | 0.0554 |
| Middle | | 1 | 1 | 22.73 | 0.1875 | 17.38 | 0.0548 |
| Highest | | 1 | 1 | 22.72 | 0.1871 | 17.37 | 0.0546 |
| Lowest | 16QAM | 1 | 1 | 22.25 | 0.1679 | 16.90 | 0.0490 |
| Middle | | 1 | 1 | 22.30 | 0.1699 | 16.95 | 0.0496 |
| Highest | | 1 | 1 | 22.25 | 0.1679 | 16.90 | 0.0490 |
| Lowest | 64QAM | 1 | 1 | 20.72 | 0.1181 | 15.37 | 0.0345 |
| Middle | | 1 | 1 | 20.72 | 0.1181 | 15.37 | 0.0345 |
| Highest | | 1 | 1 | 20.75 | 0.1189 | 15.40 | 0.0347 |
| Lowest | 256QAM | 1 | 1 | 17.45 | 0.0556 | 12.10 | 0.0163 |
| Middle | | 1 | 1 | 17.50 | 0.0563 | 12.15 | 0.0165 |
| Highest | | 1 | 1 | 17.46 | 0.0558 | 12.11 | 0.0163 |
| Limit | ERP < 7W | | | Result | | PASS | |

| NR n5 / 20MHz (Average) (GT - LC = -3.2 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 22.76 | 0.1888 | 17.41 | 0.0551 |
| Middle | | 1 | 1 | 22.80 | 0.1906 | 17.45 | 0.0556 |
| Highest | | 1 | 1 | 22.70 | 0.1863 | 17.35 | 0.0544 |
| Lowest | 16QAM | 1 | 1 | 22.32 | 0.1707 | 16.97 | 0.0498 |
| Middle | | 1 | 1 | 22.30 | 0.1699 | 16.95 | 0.0496 |
| Highest | | 1 | 1 | 22.30 | 0.1699 | 16.95 | 0.0496 |
| Lowest | 64QAM | 1 | 1 | 20.75 | 0.1189 | 15.40 | 0.0347 |
| Middle | | 1 | 1 | 20.70 | 0.1175 | 15.35 | 0.0343 |
| Highest | | 1 | 1 | 20.70 | 0.1175 | 15.35 | 0.0343 |
| Lowest | 256QAM | 1 | 1 | 17.38 | 0.0548 | 12.03 | 0.0160 |
| Middle | | 1 | 1 | 17.49 | 0.0562 | 12.14 | 0.0164 |
| Highest | | 1 | 1 | 17.42 | 0.0553 | 12.07 | 0.0162 |
| Limit | ERP < 7W | | | Result | | PASS | |



| NR n7 / 5MHz (Average) (GT - LC = -2.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.95 | 0.1567 | 19.45 | 0.0882 |
| Middle | | 1 | 1 | 22.34 | 0.1714 | 19.84 | 0.0964 |
| Highest | | 1 | 1 | 22.28 | 0.1691 | 19.78 | 0.0951 |
| Lowest | 16QAM | 1 | 1 | 21.64 | 0.1459 | 19.14 | 0.0821 |
| Middle | | 1 | 1 | 21.97 | 0.1574 | 19.47 | 0.0886 |
| Highest | | 1 | 1 | 22.00 | 0.1585 | 19.50 | 0.0892 |
| Lowest | 64QAM | 1 | 1 | 20.08 | 0.1019 | 17.58 | 0.0573 |
| Middle | | 1 | 1 | 20.39 | 0.1094 | 17.89 | 0.0616 |
| Highest | | 1 | 1 | 20.44 | 0.1107 | 17.94 | 0.0623 |
| Lowest | 256QAM | 1 | 1 | 17.04 | 0.0506 | 14.54 | 0.0285 |
| Middle | | 1 | 1 | 17.13 | 0.0517 | 14.63 | 0.0291 |
| Highest | | 1 | 1 | 16.93 | 0.0494 | 14.43 | 0.0278 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n7 / 10MHz (Average) (GT - LC = -2.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.10 | 0.1622 | 19.60 | 0.0913 |
| Middle | | 1 | 1 | 22.32 | 0.1707 | 19.82 | 0.0960 |
| Highest | | 1 | 1 | 22.55 | 0.1799 | 20.05 | 0.1012 |
| Lowest | 16QAM | 1 | 1 | 21.56 | 0.1433 | 19.06 | 0.0806 |
| Middle | | 1 | 1 | 21.90 | 0.1549 | 19.40 | 0.0871 |
| Highest | | 1 | 1 | 22.02 | 0.1593 | 19.52 | 0.0896 |
| Lowest | 64QAM | 1 | 1 | 20.15 | 0.1036 | 17.65 | 0.0583 |
| Middle | | 1 | 1 | 20.50 | 0.1123 | 18.00 | 0.0631 |
| Highest | | 1 | 1 | 20.57 | 0.1141 | 18.07 | 0.0642 |
| Lowest | 256QAM | 1 | 1 | 17.04 | 0.0506 | 14.54 | 0.0285 |
| Middle | | 1 | 1 | 17.04 | 0.0506 | 14.54 | 0.0285 |
| Highest | | 1 | 1 | 16.96 | 0.0497 | 14.46 | 0.0280 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n7 / 15MHz (Average) (GT - LC = -2.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.31 | 0.1703 | 19.81 | 0.0958 |
| Middle | | 1 | 1 | 22.42 | 0.1746 | 19.92 | 0.0982 |
| Highest | | 1 | 1 | 22.27 | 0.1687 | 19.77 | 0.0949 |
| Lowest | 16QAM | 1 | 1 | 21.74 | 0.1493 | 19.24 | 0.0840 |
| Middle | | 1 | 1 | 21.93 | 0.1560 | 19.43 | 0.0878 |
| Highest | | 1 | 1 | 21.83 | 0.1525 | 19.33 | 0.0858 |
| Lowest | 64QAM | 1 | 1 | 20.30 | 0.1072 | 17.80 | 0.0603 |
| Middle | | 1 | 1 | 20.49 | 0.1120 | 17.99 | 0.0630 |
| Highest | | 1 | 1 | 20.50 | 0.1123 | 18.00 | 0.0631 |
| Lowest | 256QAM | 1 | 1 | 17.12 | 0.0516 | 14.62 | 0.0290 |
| Middle | | 1 | 1 | 17.22 | 0.0528 | 14.72 | 0.0297 |
| Highest | | 1 | 1 | 17.01 | 0.0503 | 14.51 | 0.0283 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n7 / 20MHz (Average) (GT - LC = -2.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.26 | 0.1683 | 19.76 | 0.0947 |
| Middle | | 1 | 1 | 22.46 | 0.1762 | 19.96 | 0.0991 |
| Highest | | 1 | 1 | 22.55 | 0.1799 | 20.05 | 0.1012 |
| Lowest | 16QAM | 1 | 1 | 21.73 | 0.1490 | 19.23 | 0.0838 |
| Middle | | 1 | 1 | 22.00 | 0.1585 | 19.50 | 0.0892 |
| Highest | | 1 | 1 | 21.98 | 0.1578 | 19.48 | 0.0888 |
| Lowest | 64QAM | 1 | 1 | 20.29 | 0.1070 | 17.79 | 0.0602 |
| Middle | | 1 | 1 | 20.65 | 0.1162 | 18.15 | 0.0654 |
| Highest | | 1 | 1 | 20.54 | 0.1133 | 18.04 | 0.0637 |
| Lowest | 256QAM | 1 | 1 | 17.02 | 0.0504 | 14.52 | 0.0284 |
| Middle | | 1 | 1 | 17.12 | 0.0516 | 14.62 | 0.0290 |
| Highest | | 1 | 1 | 17.04 | 0.0506 | 14.54 | 0.0285 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n12 / 5MHz (Average) (GT - LC = -5.2 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.86 | 0.1535 | 14.51 | 0.0283 |
| Middle | | 1 | 1 | 21.77 | 0.1504 | 14.42 | 0.0277 |
| Highest | | 1 | 1 | 21.58 | 0.1439 | 14.23 | 0.0265 |
| Lowest | 16QAM | 1 | 1 | 21.62 | 0.1453 | 14.27 | 0.0268 |
| Middle | | 1 | 1 | 21.55 | 0.1429 | 14.20 | 0.0264 |
| Highest | | 1 | 1 | 21.29 | 0.1346 | 13.94 | 0.0248 |
| Lowest | 64QAM | 1 | 1 | 20.22 | 0.1052 | 12.87 | 0.0194 |
| Middle | | 1 | 1 | 20.12 | 0.1029 | 12.77 | 0.0190 |
| Highest | | 1 | 1 | 19.92 | 0.0982 | 12.57 | 0.0181 |
| Lowest | 256QAM | 1 | 1 | 16.58 | 0.0455 | 9.23 | 0.0084 |
| Middle | | 1 | 1 | 16.64 | 0.0462 | 9.29 | 0.0085 |
| Highest | | 1 | 1 | 16.35 | 0.0432 | 9.00 | 0.0080 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n12 / 10MHz (Average) (GT - LC = -5.2 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.66 | 0.1466 | 14.31 | 0.0270 |
| Middle | | 1 | 1 | 21.62 | 0.1453 | 14.27 | 0.0268 |
| Highest | | 1 | 1 | 21.51 | 0.1416 | 14.16 | 0.0261 |
| Lowest | 16QAM | 1 | 1 | 21.44 | 0.1394 | 14.09 | 0.0257 |
| Middle | | 1 | 1 | 21.44 | 0.1394 | 14.09 | 0.0257 |
| Highest | | 1 | 1 | 21.32 | 0.1356 | 13.97 | 0.0250 |
| Lowest | 64QAM | 1 | 1 | 20.04 | 0.1010 | 12.69 | 0.0186 |
| Middle | | 1 | 1 | 20.08 | 0.1019 | 12.73 | 0.0188 |
| Highest | | 1 | 1 | 19.96 | 0.0991 | 12.61 | 0.0183 |
| Lowest | 256QAM | 1 | 1 | 16.45 | 0.0442 | 9.10 | 0.0082 |
| Middle | | 1 | 1 | 16.49 | 0.0446 | 9.14 | 0.0083 |
| Highest | | 1 | 1 | 16.33 | 0.0430 | 8.98 | 0.0080 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n12 / 15MHz (Average) (GT - LC = -5.2 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.85 | 0.1532 | 14.50 | 0.0282 |
| Middle | | 1 | 1 | 21.84 | 0.1528 | 14.49 | 0.0282 |
| Highest | | 1 | 1 | 21.85 | 0.1532 | 14.50 | 0.0282 |
| Lowest | 16QAM | 1 | 1 | 21.67 | 0.1469 | 14.32 | 0.0271 |
| Middle | | 1 | 1 | 21.56 | 0.1433 | 14.21 | 0.0264 |
| Highest | | 1 | 1 | 21.57 | 0.1436 | 14.22 | 0.0265 |
| Lowest | 64QAM | 1 | 1 | 20.23 | 0.1055 | 12.88 | 0.0195 |
| Middle | | 1 | 1 | 20.16 | 0.1038 | 12.81 | 0.0191 |
| Highest | | 1 | 1 | 20.19 | 0.1045 | 12.84 | 0.0193 |
| Lowest | 256QAM | 1 | 1 | 16.81 | 0.0480 | 9.46 | 0.0089 |
| Middle | | 1 | 1 | 16.69 | 0.0467 | 9.34 | 0.0086 |
| Highest | | 1 | 1 | 16.71 | 0.0469 | 9.36 | 0.0087 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n25 / 5MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.58 | 0.1812 | 22.58 | 0.1812 |
| Middle | | 1 | 1 | 22.57 | 0.1808 | 22.57 | 0.1808 |
| Highest | | 1 | 1 | 22.35 | 0.1718 | 22.35 | 0.1718 |
| Lowest | 16QAM | 1 | 1 | 22.24 | 0.1675 | 22.24 | 0.1675 |
| Middle | | 1 | 1 | 22.35 | 0.1718 | 22.35 | 0.1718 |
| Highest | | 1 | 1 | 22.16 | 0.1645 | 22.16 | 0.1645 |
| Lowest | 64QAM | 1 | 1 | 21.34 | 0.1362 | 21.34 | 0.1362 |
| Middle | | 1 | 1 | 20.98 | 0.1254 | 20.98 | 0.1254 |
| Highest | | 1 | 1 | 20.78 | 0.1197 | 20.78 | 0.1197 |
| Lowest | 256QAM | 1 | 1 | 17.28 | 0.0535 | 17.28 | 0.0535 |
| Middle | | 1 | 1 | 17.24 | 0.0530 | 17.24 | 0.0530 |
| Highest | | 1 | 1 | 17.13 | 0.0517 | 17.13 | 0.0517 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n25 / 10MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.71 | 0.1867 | 22.71 | 0.1867 |
| Middle | | 1 | 1 | 22.63 | 0.1833 | 22.63 | 0.1833 |
| Highest | | 1 | 1 | 22.39 | 0.1734 | 22.39 | 0.1734 |
| Lowest | 16QAM | 1 | 1 | 22.40 | 0.1738 | 22.40 | 0.1738 |
| Middle | | 1 | 1 | 22.31 | 0.1703 | 22.31 | 0.1703 |
| Highest | | 1 | 1 | 22.19 | 0.1656 | 22.19 | 0.1656 |
| Lowest | 64QAM | 1 | 1 | 21.07 | 0.1280 | 21.07 | 0.1280 |
| Middle | | 1 | 1 | 21.09 | 0.1286 | 21.09 | 0.1286 |
| Highest | | 1 | 1 | 20.83 | 0.1211 | 20.83 | 0.1211 |
| Lowest | 256QAM | 1 | 1 | 17.27 | 0.0534 | 17.27 | 0.0534 |
| Middle | | 1 | 1 | 17.26 | 0.0533 | 17.26 | 0.0533 |
| Highest | | 1 | 1 | 17.11 | 0.0515 | 17.11 | 0.0515 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n25 / 15MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.75 | 0.1884 | 22.75 | 0.1884 |
| Middle | | 1 | 1 | 22.85 | 0.1928 | 22.85 | 0.1928 |
| Highest | | 1 | 1 | 22.69 | 0.1858 | 22.69 | 0.1858 |
| Lowest | 16QAM | 1 | 1 | 22.59 | 0.1816 | 22.59 | 0.1816 |
| Middle | | 1 | 1 | 22.57 | 0.1808 | 22.57 | 0.1808 |
| Highest | | 1 | 1 | 22.41 | 0.1742 | 22.41 | 0.1742 |
| Lowest | 64QAM | 1 | 1 | 21.15 | 0.1304 | 21.15 | 0.1304 |
| Middle | | 1 | 1 | 21.00 | 0.1259 | 21.00 | 0.1259 |
| Highest | | 1 | 1 | 20.76 | 0.1192 | 20.76 | 0.1192 |
| Lowest | 256QAM | 1 | 1 | 17.36 | 0.0545 | 17.36 | 0.0545 |
| Middle | | 1 | 1 | 17.33 | 0.0541 | 17.33 | 0.0541 |
| Highest | | 1 | 1 | 17.29 | 0.0536 | 17.29 | 0.0536 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n25 / 20MHz (Average) (GT - LC = 0 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.61 | 0.1824 | 22.61 | 0.1824 |
| Middle | | 1 | 1 | 22.58 | 0.1812 | 22.58 | 0.1812 |
| Highest | | 1 | 1 | 22.59 | 0.1816 | 22.59 | 0.1816 |
| Lowest | 16QAM | 1 | 1 | 22.36 | 0.1722 | 22.36 | 0.1722 |
| Middle | | 1 | 1 | 22.35 | 0.1718 | 22.35 | 0.1718 |
| Highest | | 1 | 1 | 22.33 | 0.1711 | 22.33 | 0.1711 |
| Lowest | 64QAM | 1 | 1 | 21.11 | 0.1292 | 21.11 | 0.1292 |
| Middle | | 1 | 1 | 21.04 | 0.1271 | 21.04 | 0.1271 |
| Highest | | 1 | 1 | 21.03 | 0.1268 | 21.03 | 0.1268 |
| Lowest | 256QAM | 1 | 1 | 17.97 | 0.0627 | 17.97 | 0.0627 |
| Middle | | 1 | 1 | 18.00 | 0.0631 | 18.00 | 0.0631 |
| Highest | | 1 | 1 | 17.95 | 0.0624 | 17.95 | 0.0624 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n66 / 5MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.61 | 0.1449 | 20.11 | 0.1026 |
| Middle | | 1 | 1 | 21.52 | 0.1420 | 20.02 | 0.1005 |
| Highest | | 1 | 1 | 21.43 | 0.1390 | 19.93 | 0.0985 |
| Lowest | 16QAM | 1 | 1 | 21.50 | 0.1413 | 20.00 | 0.1000 |
| Middle | | 1 | 1 | 21.25 | 0.1334 | 19.75 | 0.0945 |
| Highest | | 1 | 1 | 21.16 | 0.1307 | 19.66 | 0.0925 |
| Lowest | 64QAM | 1 | 1 | 19.96 | 0.0991 | 18.46 | 0.0702 |
| Middle | | 1 | 1 | 19.12 | 0.0817 | 17.62 | 0.0579 |
| Highest | | 1 | 1 | 19.66 | 0.0925 | 18.16 | 0.0655 |
| Lowest | 256QAM | 1 | 1 | 16.75 | 0.0474 | 15.25 | 0.0335 |
| Middle | | 1 | 1 | 16.43 | 0.0440 | 14.93 | 0.0312 |
| Highest | | 1 | 1 | 16.12 | 0.0410 | 14.62 | 0.0290 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| NR n66 / 10MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.52 | 0.1420 | 20.02 | 0.1005 |
| Middle | | 1 | 1 | 21.71 | 0.1483 | 20.21 | 0.1050 |
| Highest | | 1 | 1 | 21.28 | 0.1343 | 19.78 | 0.0951 |
| Lowest | 16QAM | 1 | 1 | 21.40 | 0.1381 | 19.90 | 0.0978 |
| Middle | | 1 | 1 | 21.27 | 0.1340 | 19.77 | 0.0949 |
| Highest | | 1 | 1 | 20.83 | 0.1211 | 19.33 | 0.0858 |
| Lowest | 64QAM | 1 | 1 | 19.96 | 0.0991 | 18.46 | 0.0702 |
| Middle | | 1 | 1 | 19.61 | 0.0915 | 18.11 | 0.0648 |
| Highest | | 1 | 1 | 19.62 | 0.0917 | 18.12 | 0.0649 |
| Lowest | 256QAM | 1 | 1 | 16.56 | 0.0453 | 15.06 | 0.0321 |
| Middle | | 1 | 1 | 16.20 | 0.0417 | 14.70 | 0.0296 |
| Highest | | 1 | 1 | 16.17 | 0.0414 | 14.67 | 0.0294 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| NR n66 / 15MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.75 | 0.1497 | 20.25 | 0.1060 |
| Middle | | 1 | 1 | 21.48 | 0.1407 | 19.98 | 0.0996 |
| Highest | | 1 | 1 | 21.33 | 0.1359 | 19.83 | 0.0962 |
| Lowest | 16QAM | 1 | 1 | 21.57 | 0.1436 | 20.07 | 0.1017 |
| Middle | | 1 | 1 | 21.25 | 0.1334 | 19.75 | 0.0945 |
| Highest | | 1 | 1 | 21.07 | 0.1280 | 19.57 | 0.0906 |
| Lowest | 64QAM | 1 | 1 | 20.03 | 0.1007 | 18.53 | 0.0713 |
| Middle | | 1 | 1 | 19.90 | 0.0978 | 18.40 | 0.0692 |
| Highest | | 1 | 1 | 19.63 | 0.0919 | 18.13 | 0.0651 |
| Lowest | 256QAM | 1 | 1 | 16.68 | 0.0466 | 15.18 | 0.0330 |
| Middle | | 1 | 1 | 16.48 | 0.0445 | 14.98 | 0.0315 |
| Highest | | 1 | 1 | 16.40 | 0.0437 | 14.90 | 0.0310 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| NR n66 / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.71 | 0.1483 | 20.21 | 0.1050 |
| Middle | | 1 | 1 | 21.45 | 0.1397 | 19.95 | 0.0989 |
| Highest | | 1 | 1 | 21.52 | 0.1420 | 20.02 | 0.1005 |
| Lowest | 16QAM | 1 | 1 | 21.55 | 0.1429 | 20.05 | 0.1012 |
| Middle | | 1 | 1 | 21.17 | 0.1310 | 19.67 | 0.0927 |
| Highest | | 1 | 1 | 21.24 | 0.1331 | 19.74 | 0.0942 |
| Lowest | 64QAM | 1 | 1 | 19.99 | 0.0998 | 18.49 | 0.0707 |
| Middle | | 1 | 1 | 20.15 | 0.1036 | 18.65 | 0.0733 |
| Highest | | 1 | 1 | 20.12 | 0.1029 | 18.62 | 0.0728 |
| Lowest | 256QAM | 1 | 1 | 16.60 | 0.0458 | 15.10 | 0.0324 |
| Middle | | 1 | 1 | 16.49 | 0.0446 | 14.99 | 0.0316 |
| Highest | | 1 | 1 | 16.36 | 0.0433 | 14.86 | 0.0307 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| NR n71 / 5MHz (Average) (GT - LC = -5.3 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.61 | 0.1449 | 14.16 | 0.0261 |
| Middle | | 1 | 1 | 21.52 | 0.1420 | 14.07 | 0.0256 |
| Highest | | 1 | 1 | 21.43 | 0.1390 | 13.98 | 0.0251 |
| Lowest | 16QAM | 1 | 1 | 21.50 | 0.1413 | 14.05 | 0.0255 |
| Middle | | 1 | 1 | 21.25 | 0.1334 | 13.80 | 0.0240 |
| Highest | | 1 | 1 | 21.16 | 0.1307 | 13.71 | 0.0235 |
| Lowest | 64QAM | 1 | 1 | 19.96 | 0.0991 | 12.51 | 0.0179 |
| Middle | | 1 | 1 | 19.12 | 0.0817 | 11.67 | 0.0147 |
| Highest | | 1 | 1 | 19.66 | 0.0925 | 12.21 | 0.0167 |
| Lowest | 256QAM | 1 | 1 | 16.75 | 0.0474 | 9.30 | 0.0086 |
| Middle | | 1 | 1 | 16.43 | 0.0440 | 8.98 | 0.0080 |
| Highest | | 1 | 1 | 16.12 | 0.0410 | 8.67 | 0.0074 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n71 / 10MHz (Average) (GT - LC = -5.3 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.52 | 0.1420 | 14.07 | 0.0256 |
| Middle | | 1 | 1 | 21.71 | 0.1483 | 14.26 | 0.0267 |
| Highest | | 1 | 1 | 21.28 | 0.1343 | 13.83 | 0.0242 |
| Lowest | 16QAM | 1 | 1 | 21.40 | 0.1381 | 13.95 | 0.0249 |
| Middle | | 1 | 1 | 21.27 | 0.1340 | 13.82 | 0.0241 |
| Highest | | 1 | 1 | 20.83 | 0.1211 | 13.38 | 0.0218 |
| Lowest | 64QAM | 1 | 1 | 19.96 | 0.0991 | 12.51 | 0.0179 |
| Middle | | 1 | 1 | 19.61 | 0.0915 | 12.16 | 0.0165 |
| Highest | | 1 | 1 | 19.62 | 0.0917 | 12.17 | 0.0165 |
| Lowest | 256QAM | 1 | 1 | 16.56 | 0.0453 | 9.11 | 0.0082 |
| Middle | | 1 | 1 | 16.20 | 0.0417 | 8.75 | 0.0075 |
| Highest | | 1 | 1 | 16.17 | 0.0414 | 8.72 | 0.0075 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n71 / 15MHz (Average) (GT - LC = -5.3 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.75 | 0.1497 | 14.30 | 0.0270 |
| Middle | | 1 | 1 | 21.48 | 0.1407 | 14.03 | 0.0253 |
| Highest | | 1 | 1 | 21.33 | 0.1359 | 13.88 | 0.0245 |
| Lowest | 16QAM | 1 | 1 | 21.57 | 0.1436 | 14.12 | 0.0259 |
| Middle | | 1 | 1 | 21.25 | 0.1334 | 13.80 | 0.0240 |
| Highest | | 1 | 1 | 21.07 | 0.1280 | 13.62 | 0.0231 |
| Lowest | 64QAM | 1 | 1 | 20.03 | 0.1007 | 12.58 | 0.0182 |
| Middle | | 1 | 1 | 19.90 | 0.0978 | 12.45 | 0.0176 |
| Highest | | 1 | 1 | 19.63 | 0.0919 | 12.18 | 0.0166 |
| Lowest | 256QAM | 1 | 1 | 16.68 | 0.0466 | 9.23 | 0.0084 |
| Middle | | 1 | 1 | 16.48 | 0.0445 | 9.03 | 0.0080 |
| Highest | | 1 | 1 | 16.40 | 0.0437 | 8.95 | 0.0079 |
| Limit | EEP < 3W | | | Result | | PASS | |

| NR n71 / 20MHz (Average) (GT - LC = -5.3 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.71 | 0.1483 | 14.26 | 0.0267 |
| Middle | | 1 | 1 | 21.45 | 0.1397 | 14.00 | 0.0252 |
| Highest | | 1 | 1 | 21.52 | 0.1420 | 14.07 | 0.0256 |
| Lowest | 16QAM | 1 | 1 | 21.55 | 0.1429 | 14.10 | 0.0258 |
| Middle | | 1 | 1 | 21.17 | 0.1310 | 13.72 | 0.0236 |
| Highest | | 1 | 1 | 21.24 | 0.1331 | 13.79 | 0.0240 |
| Lowest | 64QAM | 1 | 1 | 19.99 | 0.0998 | 12.54 | 0.0180 |
| Middle | | 1 | 1 | 20.15 | 0.1036 | 12.70 | 0.0187 |
| Highest | | 1 | 1 | 20.12 | 0.1029 | 12.67 | 0.0185 |
| Lowest | 256QAM | 1 | 1 | 16.60 | 0.0458 | 9.15 | 0.0083 |
| Middle | | 1 | 1 | 16.49 | 0.0446 | 9.04 | 0.0081 |
| Highest | | 1 | 1 | 16.36 | 0.0433 | 8.91 | 0.0078 |
| Limit | EEP < 3W | | | Result | | PASS | |



<Ant. 5>

<DFT-s-OFDM>

| NR n41 (HPUE) / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 25 | 12 | 25.58 | 0.3615 | 24.08 | 0.2559 |
| Middle | | 25 | 12 | 26.51 | 0.4478 | 25.01 | 0.3170 |
| Highest | | 25 | 12 | 26.25 | 0.4217 | 24.75 | 0.2986 |
| Lowest | QPSK | 1 | 49 | 26.21 | 0.4179 | 24.71 | 0.2959 |
| Middle | | 1 | 49 | 26.47 | 0.4437 | 24.97 | 0.3141 |
| Highest | | 1 | 49 | 26.00 | 0.3982 | 24.50 | 0.2819 |
| Lowest | 16QAM | 1 | 1 | 24.84 | 0.3048 | 23.34 | 0.2158 |
| Middle | | 1 | 1 | 25.55 | 0.3590 | 24.05 | 0.2541 |
| Highest | | 1 | 1 | 25.58 | 0.3615 | 24.08 | 0.2559 |
| Lowest | 64QAM | 1 | 1 | 24.28 | 0.2680 | 22.78 | 0.1897 |
| Middle | | 1 | 1 | 24.36 | 0.2729 | 22.86 | 0.1932 |
| Highest | | 1 | 1 | 24.19 | 0.2625 | 22.69 | 0.1858 |
| Lowest | 256QAM | 1 | 1 | 22.57 | 0.1808 | 21.07 | 0.1280 |
| Middle | | 1 | 1 | 21.74 | 0.1493 | 20.24 | 0.1057 |
| Highest | | 1 | 1 | 21.71 | 0.1483 | 20.21 | 0.1050 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 (HPUE) / 40MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 25.43 | 0.3492 | 23.93 | 0.2472 |
| Middle | | 1 | 1 | 26.71 | 0.4689 | 25.21 | 0.3319 |
| Highest | | 1 | 1 | 26.87 | 0.4865 | 25.37 | 0.3444 |
| Lowest | QPSK | 1 | 1 | 25.35 | 0.3428 | 23.85 | 0.2427 |
| Middle | | 1 | 1 | 26.58 | 0.4550 | 25.08 | 0.3222 |
| Highest | | 1 | 1 | 26.89 | 0.4887 | 25.39 | 0.3460 |
| Lowest | 16QAM | 1 | 1 | 24.29 | 0.2686 | 22.79 | 0.1902 |
| Middle | | 1 | 1 | 25.73 | 0.3742 | 24.23 | 0.2649 |
| Highest | | 1 | 1 | 26.11 | 0.4084 | 24.61 | 0.2891 |
| Lowest | 64QAM | 1 | 1 | 24.11 | 0.2577 | 22.61 | 0.1824 |
| Middle | | 1 | 1 | 24.24 | 0.2655 | 22.74 | 0.1880 |
| Highest | | 1 | 1 | 24.73 | 0.2972 | 23.23 | 0.2104 |
| Lowest | 256QAM | 1 | 1 | 21.63 | 0.1456 | 20.13 | 0.1031 |
| Middle | | 1 | 1 | 21.91 | 0.1553 | 20.41 | 0.1100 |
| Highest | | 1 | 1 | 22.22 | 0.1668 | 20.72 | 0.1181 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 (HPUE) / 50MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 26.02 | 0.4000 | 24.52 | 0.2832 |
| Middle | | 1 | 1 | 26.26 | 0.4227 | 24.76 | 0.2993 |
| Highest | | 1 | 1 | 26.70 | 0.4678 | 25.20 | 0.3312 |
| Lowest | QPSK | 1 | 1 | 26.17 | 0.4140 | 24.67 | 0.2931 |
| Middle | | 1 | 1 | 26.20 | 0.4169 | 24.70 | 0.2952 |
| Highest | | 1 | 1 | 26.72 | 0.4699 | 25.22 | 0.3327 |
| Lowest | 16QAM | 1 | 1 | 25.36 | 0.3436 | 23.86 | 0.2433 |
| Middle | | 1 | 1 | 25.31 | 0.3397 | 23.81 | 0.2405 |
| Highest | | 1 | 1 | 25.91 | 0.3900 | 24.41 | 0.2761 |
| Lowest | 64QAM | 1 | 1 | 24.24 | 0.2655 | 22.74 | 0.1880 |
| Middle | | 1 | 1 | 24.08 | 0.2559 | 22.58 | 0.1812 |
| Highest | | 1 | 1 | 24.50 | 0.2819 | 23.00 | 0.1996 |
| Lowest | 256QAM | 1 | 1 | 21.73 | 0.1490 | 20.23 | 0.1055 |
| Middle | | 1 | 1 | 21.73 | 0.1490 | 20.23 | 0.1055 |
| Highest | | 1 | 1 | 22.08 | 0.1615 | 20.58 | 0.1143 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 (HPUE) / 60MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 26.23 | 0.4198 | 24.73 | 0.2972 |
| Middle | | 1 | 1 | 26.11 | 0.4084 | 24.61 | 0.2891 |
| Highest | | 1 | 1 | 26.64 | 0.4614 | 25.14 | 0.3266 |
| Lowest | QPSK | 1 | 160 | 26.41 | 0.4376 | 24.91 | 0.3098 |
| Middle | | 1 | 160 | 26.66 | 0.4635 | 25.16 | 0.3281 |
| Highest | | 1 | 160 | 25.82 | 0.3820 | 24.32 | 0.2704 |
| Lowest | 16QAM | 1 | 1 | 25.34 | 0.3420 | 23.84 | 0.2422 |
| Middle | | 1 | 1 | 25.43 | 0.3492 | 23.93 | 0.2472 |
| Highest | | 1 | 1 | 25.82 | 0.3820 | 24.32 | 0.2704 |
| Lowest | 64QAM | 1 | 1 | 24.07 | 0.2553 | 22.57 | 0.1808 |
| Middle | | 1 | 1 | 23.99 | 0.2507 | 22.49 | 0.1775 |
| Highest | | 1 | 1 | 24.39 | 0.2748 | 22.89 | 0.1946 |
| Lowest | 256QAM | 1 | 1 | 21.53 | 0.1423 | 20.03 | 0.1007 |
| Middle | | 1 | 1 | 21.57 | 0.1436 | 20.07 | 0.1017 |
| Highest | | 1 | 1 | 21.92 | 0.1556 | 20.42 | 0.1102 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 (HPUE) / 80MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 108 | 54 | 26.26 | 0.4227 | 24.76 | 0.2993 |
| Middle | | 108 | 54 | 26.54 | 0.4509 | 25.04 | 0.3192 |
| Highest | | 108 | 54 | 26.67 | 0.4646 | 25.17 | 0.3289 |
| Lowest | QPSK | 108 | 54 | 26.25 | 0.4217 | 24.75 | 0.2986 |
| Middle | | 108 | 54 | 26.48 | 0.4447 | 24.98 | 0.3148 |
| Highest | | 108 | 54 | 26.65 | 0.4624 | 25.15 | 0.3274 |
| Lowest | 16QAM | 1 | 1 | 24.68 | 0.2938 | 23.18 | 0.2080 |
| Middle | | 1 | 1 | 25.54 | 0.3581 | 24.04 | 0.2536 |
| Highest | | 1 | 1 | 25.72 | 0.3733 | 24.22 | 0.2643 |
| Lowest | 64QAM | 1 | 1 | 23.00 | 0.1996 | 21.50 | 0.1413 |
| Middle | | 1 | 1 | 24.13 | 0.2589 | 22.63 | 0.1833 |
| Highest | | 1 | 1 | 24.35 | 0.2723 | 22.85 | 0.1928 |
| Lowest | 256QAM | 1 | 1 | 20.45 | 0.1110 | 18.95 | 0.0786 |
| Middle | | 1 | 1 | 21.76 | 0.1500 | 20.26 | 0.1062 |
| Highest | | 1 | 1 | 21.99 | 0.1582 | 20.49 | 0.1120 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 (HPUE) / 90MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 243 | 26.45 | 0.4416 | 24.95 | 0.3127 |
| Middle | | 1 | 243 | 26.76 | 0.4743 | 25.26 | 0.3358 |
| Highest | | 1 | 243 | 26.16 | 0.4131 | 24.66 | 0.2925 |
| Lowest | QPSK | 1 | 243 | 26.48 | 0.4447 | 24.98 | 0.3148 |
| Middle | | 1 | 243 | 26.72 | 0.4699 | 25.22 | 0.3327 |
| Highest | | 1 | 243 | 26.22 | 0.4188 | 24.72 | 0.2965 |
| Lowest | 16QAM | 1 | 1 | 25.08 | 0.3222 | 23.58 | 0.2281 |
| Middle | | 1 | 1 | 25.61 | 0.3640 | 24.11 | 0.2577 |
| Highest | | 1 | 1 | 25.70 | 0.3716 | 24.20 | 0.2631 |
| Lowest | 64QAM | 1 | 1 | 23.45 | 0.2214 | 21.95 | 0.1567 |
| Middle | | 1 | 1 | 24.09 | 0.2565 | 22.59 | 0.1816 |
| Highest | | 1 | 1 | 24.47 | 0.2799 | 22.97 | 0.1982 |
| Lowest | 256QAM | 1 | 1 | 21.73 | 0.1490 | 20.23 | 0.1055 |
| Middle | | 1 | 1 | 21.75 | 0.1497 | 20.25 | 0.1060 |
| Highest | | 1 | 1 | 21.92 | 0.1556 | 20.42 | 0.1102 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 (HPUE) / 100MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 271 | 26.05 | 0.4028 | 24.55 | 0.2852 |
| Middle | | 1 | 271 | 26.80 | 0.4787 | 25.30 | 0.3389 |
| Highest | | 1 | 271 | 26.11 | 0.4084 | 24.61 | 0.2891 |
| Lowest | QPSK | 1 | 271 | 26.01 | 0.3991 | 24.51 | 0.2825 |
| Middle | | 1 | 271 | 26.68 | 0.4656 | 25.18 | 0.3297 |
| Highest | | 1 | 271 | 25.80 | 0.3802 | 24.30 | 0.2692 |
| Lowest | 16QAM | 1 | 1 | 24.71 | 0.2959 | 23.21 | 0.2095 |
| Middle | | 1 | 1 | 25.61 | 0.3640 | 24.11 | 0.2577 |
| Highest | | 1 | 1 | 25.20 | 0.3312 | 23.70 | 0.2345 |
| Lowest | 64QAM | 1 | 1 | 23.65 | 0.2318 | 22.15 | 0.1641 |
| Middle | | 1 | 1 | 24.24 | 0.2655 | 22.74 | 0.1880 |
| Highest | | 1 | 1 | 24.15 | 0.2601 | 22.65 | 0.1841 |
| Lowest | 256QAM | 1 | 1 | 21.28 | 0.1343 | 19.78 | 0.0951 |
| Middle | | 1 | 1 | 21.97 | 0.1574 | 20.47 | 0.1115 |
| Highest | | 1 | 1 | 21.99 | 0.1582 | 20.49 | 0.1120 |
| Limit | EIRP < 2W | | | Result | | PASS | |



<CP-OFDM>

| NR n41 (HPUE) / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.99 | 0.2507 | 22.49 | 0.1775 |
| Middle | | 1 | 1 | 24.97 | 0.3141 | 23.47 | 0.2224 |
| Highest | | 1 | 1 | 24.98 | 0.3148 | 23.48 | 0.2229 |
| Lowest | 16QAM | 1 | 1 | 23.73 | 0.2361 | 22.23 | 0.1672 |
| Middle | | 1 | 1 | 24.78 | 0.3007 | 23.28 | 0.2129 |
| Highest | | 1 | 1 | 24.70 | 0.2952 | 23.20 | 0.2090 |
| Lowest | 64QAM | 1 | 1 | 22.77 | 0.1893 | 21.27 | 0.1340 |
| Middle | | 1 | 1 | 23.21 | 0.2095 | 21.71 | 0.1483 |
| Highest | | 1 | 1 | 23.09 | 0.2038 | 21.59 | 0.1443 |
| Lowest | 256QAM | 1 | 1 | 20.39 | 0.1094 | 18.89 | 0.0775 |
| Middle | | 1 | 1 | 19.82 | 0.0960 | 18.32 | 0.0680 |
| Highest | | 1 | 1 | 19.68 | 0.0929 | 18.18 | 0.0658 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 (HPUE) / 40MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.80 | 0.2399 | 22.30 | 0.1699 |
| Middle | | 1 | 1 | 25.16 | 0.3281 | 23.66 | 0.2323 |
| Highest | | 1 | 1 | 25.45 | 0.3508 | 23.95 | 0.2484 |
| Lowest | 16QAM | 1 | 1 | 23.56 | 0.2270 | 22.06 | 0.1607 |
| Middle | | 1 | 1 | 24.78 | 0.3007 | 23.28 | 0.2129 |
| Highest | | 1 | 1 | 25.23 | 0.3335 | 23.73 | 0.2361 |
| Lowest | 64QAM | 1 | 1 | 22.39 | 0.1734 | 20.89 | 0.1228 |
| Middle | | 1 | 1 | 23.63 | 0.2307 | 22.13 | 0.1634 |
| Highest | | 1 | 1 | 23.57 | 0.2276 | 22.07 | 0.1611 |
| Lowest | 256QAM | 1 | 1 | 20.08 | 0.1019 | 18.58 | 0.0722 |
| Middle | | 1 | 1 | 20.04 | 0.1010 | 18.54 | 0.0715 |
| Highest | | 1 | 1 | 20.34 | 0.1082 | 18.84 | 0.0766 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 (HPUE) / 50MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 24.81 | 0.3027 | 23.31 | 0.2143 |
| Middle | | 1 | 1 | 24.95 | 0.3127 | 23.45 | 0.2214 |
| Highest | | 1 | 1 | 25.34 | 0.3420 | 23.84 | 0.2422 |
| Lowest | 16QAM | 1 | 1 | 24.36 | 0.2729 | 22.86 | 0.1932 |
| Middle | | 1 | 1 | 24.66 | 0.2925 | 23.16 | 0.2071 |
| Highest | | 1 | 1 | 24.97 | 0.3141 | 23.47 | 0.2224 |
| Lowest | 64QAM | 1 | 1 | 22.92 | 0.1959 | 21.42 | 0.1387 |
| Middle | | 1 | 1 | 23.14 | 0.2061 | 21.64 | 0.1459 |
| Highest | | 1 | 1 | 23.37 | 0.2173 | 21.87 | 0.1539 |
| Lowest | 256QAM | 1 | 1 | 19.71 | 0.0936 | 18.21 | 0.0663 |
| Middle | | 1 | 1 | 19.72 | 0.0938 | 18.22 | 0.0664 |
| Highest | | 1 | 1 | 20.18 | 0.1043 | 18.68 | 0.0738 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 (HPUE) / 60MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 24.71 | 0.2959 | 23.21 | 0.2095 |
| Middle | | 1 | 1 | 24.74 | 0.2979 | 23.24 | 0.2109 |
| Highest | | 1 | 1 | 25.24 | 0.3342 | 23.74 | 0.2366 |
| Lowest | 16QAM | 1 | 1 | 24.24 | 0.2655 | 22.74 | 0.1880 |
| Middle | | 1 | 1 | 24.61 | 0.2891 | 23.11 | 0.2047 |
| Highest | | 1 | 1 | 24.74 | 0.2979 | 23.24 | 0.2109 |
| Lowest | 64QAM | 1 | 1 | 23.30 | 0.2138 | 21.80 | 0.1514 |
| Middle | | 1 | 1 | 22.96 | 0.1977 | 21.46 | 0.1400 |
| Highest | | 1 | 1 | 23.34 | 0.2158 | 21.84 | 0.1528 |
| Lowest | 256QAM | 1 | 1 | 19.97 | 0.0994 | 18.47 | 0.0704 |
| Middle | | 1 | 1 | 19.69 | 0.0932 | 18.19 | 0.0660 |
| Highest | | 1 | 1 | 20.10 | 0.1024 | 18.60 | 0.0725 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 (HPUE) / 80MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.95 | 0.2484 | 22.45 | 0.1758 |
| Middle | | 1 | 1 | 24.93 | 0.3112 | 23.43 | 0.2203 |
| Highest | | 1 | 1 | 25.18 | 0.3297 | 23.68 | 0.2334 |
| Lowest | 16QAM | 1 | 1 | 23.76 | 0.2377 | 22.26 | 0.1683 |
| Middle | | 1 | 1 | 24.51 | 0.2825 | 23.01 | 0.2000 |
| Highest | | 1 | 1 | 24.72 | 0.2965 | 23.22 | 0.2099 |
| Lowest | 64QAM | 1 | 1 | 22.07 | 0.1611 | 20.57 | 0.1141 |
| Middle | | 1 | 1 | 23.19 | 0.2085 | 21.69 | 0.1476 |
| Highest | | 1 | 1 | 23.53 | 0.2255 | 22.03 | 0.1596 |
| Lowest | 256QAM | 1 | 1 | 18.63 | 0.0730 | 17.13 | 0.0517 |
| Middle | | 1 | 1 | 19.82 | 0.0960 | 18.32 | 0.0680 |
| Highest | | 1 | 1 | 20.09 | 0.1021 | 18.59 | 0.0723 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 (HPUE) / 90MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 24.62 | 0.2898 | 23.12 | 0.2052 |
| Middle | | 1 | 1 | 24.95 | 0.3127 | 23.45 | 0.2214 |
| Highest | | 1 | 1 | 24.86 | 0.3062 | 23.36 | 0.2168 |
| Lowest | 16QAM | 1 | 1 | 24.28 | 0.2680 | 22.78 | 0.1897 |
| Middle | | 1 | 1 | 24.70 | 0.2952 | 23.20 | 0.2090 |
| Highest | | 1 | 1 | 24.57 | 0.2865 | 23.07 | 0.2028 |
| Lowest | 64QAM | 1 | 1 | 23.16 | 0.2071 | 21.66 | 0.1466 |
| Middle | | 1 | 1 | 23.03 | 0.2010 | 21.53 | 0.1423 |
| Highest | | 1 | 1 | 23.45 | 0.2214 | 21.95 | 0.1567 |
| Lowest | 256QAM | 1 | 1 | 19.72 | 0.0938 | 18.22 | 0.0664 |
| Middle | | 1 | 1 | 19.94 | 0.0987 | 18.44 | 0.0699 |
| Highest | | 1 | 1 | 20.02 | 0.1005 | 18.52 | 0.0712 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 (HPUE) / 100MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.84 | 0.2422 | 22.34 | 0.1714 |
| Middle | | 1 | 1 | 25.15 | 0.3274 | 23.65 | 0.2318 |
| Highest | | 1 | 1 | 24.80 | 0.3020 | 23.30 | 0.2138 |
| Lowest | 16QAM | 1 | 1 | 23.51 | 0.2244 | 22.01 | 0.1589 |
| Middle | | 1 | 1 | 24.82 | 0.3034 | 23.32 | 0.2148 |
| Highest | | 1 | 1 | 24.41 | 0.2761 | 22.91 | 0.1955 |
| Lowest | 64QAM | 1 | 1 | 22.88 | 0.1941 | 21.38 | 0.1375 |
| Middle | | 1 | 1 | 23.38 | 0.2178 | 21.88 | 0.1542 |
| Highest | | 1 | 1 | 23.11 | 0.2047 | 21.61 | 0.1449 |
| Lowest | 256QAM | 1 | 1 | 19.92 | 0.0982 | 18.42 | 0.0696 |
| Middle | | 1 | 1 | 19.78 | 0.0951 | 18.28 | 0.0673 |
| Highest | | 1 | 1 | 20.02 | 0.1005 | 18.52 | 0.0712 |
| Limit | EIRP < 2W | | | Result | | PASS | |



<Ant. 2>

<DFT-s-OFDM>

| NR n41 / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.99 | 0.3156 | 23.49 | 0.2234 |
| Middle | | 1 | 1 | 24.66 | 0.2925 | 23.16 | 0.2071 |
| Highest | | 1 | 1 | 24.34 | 0.2717 | 22.84 | 0.1924 |
| Lowest | QPSK | 1 | 1 | 24.94 | 0.3119 | 23.44 | 0.2209 |
| Middle | | 1 | 1 | 24.54 | 0.2845 | 23.04 | 0.2014 |
| Highest | | 1 | 1 | 24.19 | 0.2625 | 22.69 | 0.1858 |
| Lowest | 16QAM | 1 | 1 | 24.21 | 0.2637 | 22.71 | 0.1867 |
| Middle | | 1 | 1 | 23.89 | 0.2450 | 22.39 | 0.1734 |
| Highest | | 1 | 1 | 23.62 | 0.2302 | 22.12 | 0.1630 |
| Lowest | 64QAM | 1 | 1 | 22.74 | 0.1880 | 21.24 | 0.1331 |
| Middle | | 1 | 1 | 22.30 | 0.1699 | 20.80 | 0.1203 |
| Highest | | 1 | 1 | 22.14 | 0.1637 | 20.64 | 0.1159 |
| Lowest | 256QAM | 1 | 1 | 20.26 | 0.1062 | 18.76 | 0.0752 |
| Middle | | 1 | 1 | 20.00 | 0.1000 | 18.50 | 0.0708 |
| Highest | | 1 | 1 | 19.71 | 0.0936 | 18.21 | 0.0663 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 / 40MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 25.34 | 0.3420 | 23.84 | 0.2422 |
| Middle | | 1 | 1 | 24.96 | 0.3134 | 23.46 | 0.2219 |
| Highest | | 1 | 1 | 24.83 | 0.3041 | 23.33 | 0.2153 |
| Lowest | QPSK | 1 | 1 | 25.28 | 0.3373 | 23.78 | 0.2388 |
| Middle | | 1 | 1 | 24.85 | 0.3055 | 23.35 | 0.2163 |
| Highest | | 1 | 1 | 24.76 | 0.2993 | 23.26 | 0.2119 |
| Lowest | 16QAM | 1 | 1 | 24.56 | 0.2858 | 23.06 | 0.2024 |
| Middle | | 1 | 1 | 24.12 | 0.2583 | 22.62 | 0.1829 |
| Highest | | 1 | 1 | 24.09 | 0.2565 | 22.59 | 0.1816 |
| Lowest | 64QAM | 1 | 1 | 23.04 | 0.2014 | 21.54 | 0.1426 |
| Middle | | 1 | 1 | 22.60 | 0.1820 | 21.10 | 0.1289 |
| Highest | | 1 | 1 | 22.67 | 0.1850 | 21.17 | 0.1310 |
| Lowest | 256QAM | 1 | 1 | 20.67 | 0.1167 | 19.17 | 0.0827 |
| Middle | | 1 | 1 | 20.31 | 0.1074 | 18.81 | 0.0761 |
| Highest | | 1 | 1 | 20.21 | 0.1050 | 18.71 | 0.0744 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 / 50MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 25.11 | 0.3244 | 23.61 | 0.2297 |
| Middle | | 1 | 1 | 24.64 | 0.2911 | 23.14 | 0.2061 |
| Highest | | 1 | 1 | 24.48 | 0.2806 | 22.98 | 0.1987 |
| Lowest | QPSK | 1 | 1 | 24.99 | 0.3156 | 23.49 | 0.2234 |
| Middle | | 1 | 1 | 24.54 | 0.2845 | 23.04 | 0.2014 |
| Highest | | 1 | 1 | 24.39 | 0.2748 | 22.89 | 0.1946 |
| Lowest | 16QAM | 1 | 1 | 24.28 | 0.2680 | 22.78 | 0.1897 |
| Middle | | 1 | 1 | 23.88 | 0.2444 | 22.38 | 0.1730 |
| Highest | | 1 | 1 | 23.73 | 0.2361 | 22.23 | 0.1672 |
| Lowest | 64QAM | 1 | 1 | 22.87 | 0.1937 | 21.37 | 0.1371 |
| Middle | | 1 | 1 | 22.30 | 0.1699 | 20.80 | 0.1203 |
| Highest | | 1 | 1 | 22.28 | 0.1691 | 20.78 | 0.1197 |
| Lowest | 256QAM | 1 | 1 | 20.43 | 0.1105 | 18.93 | 0.0782 |
| Middle | | 1 | 1 | 19.98 | 0.0996 | 18.48 | 0.0705 |
| Highest | | 1 | 1 | 19.85 | 0.0967 | 18.35 | 0.0684 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 / 60MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 25.01 | 0.3170 | 23.51 | 0.2244 |
| Middle | | 1 | 1 | 24.64 | 0.2911 | 23.14 | 0.2061 |
| Highest | | 1 | 1 | 24.58 | 0.2871 | 23.08 | 0.2033 |
| Lowest | QPSK | 1 | 1 | 24.93 | 0.3112 | 23.43 | 0.2203 |
| Middle | | 1 | 1 | 24.56 | 0.2858 | 23.06 | 0.2024 |
| Highest | | 1 | 1 | 24.46 | 0.2793 | 22.96 | 0.1977 |
| Lowest | 16QAM | 1 | 1 | 24.16 | 0.2607 | 22.66 | 0.1846 |
| Middle | | 1 | 1 | 23.88 | 0.2444 | 22.38 | 0.1730 |
| Highest | | 1 | 1 | 23.83 | 0.2416 | 22.33 | 0.1711 |
| Lowest | 64QAM | 1 | 1 | 22.74 | 0.1880 | 21.24 | 0.1331 |
| Middle | | 1 | 1 | 22.33 | 0.1711 | 20.83 | 0.1211 |
| Highest | | 1 | 1 | 22.39 | 0.1734 | 20.89 | 0.1228 |
| Lowest | 256QAM | 1 | 1 | 20.34 | 0.1082 | 18.84 | 0.0766 |
| Middle | | 1 | 1 | 20.00 | 0.1000 | 18.50 | 0.0708 |
| Highest | | 1 | 1 | 19.87 | 0.0971 | 18.37 | 0.0688 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 / 80MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 25.06 | 0.3207 | 23.56 | 0.2270 |
| Middle | | 1 | 1 | 24.80 | 0.3020 | 23.30 | 0.2138 |
| Highest | | 1 | 1 | 24.62 | 0.2898 | 23.12 | 0.2052 |
| Lowest | QPSK | 1 | 1 | 24.95 | 0.3127 | 23.45 | 0.2214 |
| Middle | | 1 | 1 | 24.69 | 0.2945 | 23.19 | 0.2085 |
| Highest | | 1 | 1 | 24.54 | 0.2845 | 23.04 | 0.2014 |
| Lowest | 16QAM | 1 | 1 | 24.27 | 0.2674 | 22.77 | 0.1893 |
| Middle | | 1 | 1 | 24.02 | 0.2524 | 22.52 | 0.1787 |
| Highest | | 1 | 1 | 23.91 | 0.2461 | 22.41 | 0.1742 |
| Lowest | 64QAM | 1 | 1 | 22.74 | 0.1880 | 21.24 | 0.1331 |
| Middle | | 1 | 1 | 22.49 | 0.1775 | 20.99 | 0.1257 |
| Highest | | 1 | 1 | 22.43 | 0.1750 | 20.93 | 0.1239 |
| Lowest | 256QAM | 1 | 1 | 20.41 | 0.1100 | 18.91 | 0.0779 |
| Middle | | 1 | 1 | 20.18 | 0.1043 | 18.68 | 0.0738 |
| Highest | | 1 | 1 | 19.96 | 0.0991 | 18.46 | 0.0702 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 / 90MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 25.04 | 0.3192 | 23.54 | 0.2260 |
| Middle | | 1 | 1 | 24.75 | 0.2986 | 23.25 | 0.2114 |
| Highest | | 1 | 1 | 24.66 | 0.2925 | 23.16 | 0.2071 |
| Lowest | QPSK | 1 | 1 | 24.93 | 0.3112 | 23.43 | 0.2203 |
| Middle | | 1 | 1 | 24.67 | 0.2931 | 23.17 | 0.2075 |
| Highest | | 1 | 1 | 24.54 | 0.2845 | 23.04 | 0.2014 |
| Lowest | 16QAM | 1 | 1 | 24.27 | 0.2674 | 22.77 | 0.1893 |
| Middle | | 1 | 1 | 23.92 | 0.2467 | 22.42 | 0.1746 |
| Highest | | 1 | 1 | 23.95 | 0.2484 | 22.45 | 0.1758 |
| Lowest | 64QAM | 1 | 1 | 22.74 | 0.1880 | 21.24 | 0.1331 |
| Middle | | 1 | 1 | 22.38 | 0.1730 | 20.88 | 0.1225 |
| Highest | | 1 | 1 | 22.48 | 0.1771 | 20.98 | 0.1254 |
| Lowest | 256QAM | 1 | 1 | 20.36 | 0.1087 | 18.86 | 0.0770 |
| Middle | | 1 | 1 | 20.08 | 0.1019 | 18.58 | 0.0722 |
| Highest | | 1 | 1 | 19.99 | 0.0998 | 18.49 | 0.0707 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 / 100MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 25.07 | 0.3214 | 23.57 | 0.2276 |
| Middle | | 1 | 1 | 24.83 | 0.3041 | 23.33 | 0.2153 |
| Highest | | 1 | 1 | 24.64 | 0.2911 | 23.14 | 0.2061 |
| Lowest | QPSK | 1 | 1 | 25.04 | 0.3192 | 23.54 | 0.2260 |
| Middle | | 1 | 1 | 24.77 | 0.3000 | 23.27 | 0.2124 |
| Highest | | 1 | 1 | 24.58 | 0.2871 | 23.08 | 0.2033 |
| Lowest | 16QAM | 1 | 1 | 24.31 | 0.2698 | 22.81 | 0.1910 |
| Middle | | 1 | 1 | 24.08 | 0.2559 | 22.58 | 0.1812 |
| Highest | | 1 | 1 | 23.95 | 0.2484 | 22.45 | 0.1758 |
| Lowest | 64QAM | 1 | 1 | 22.83 | 0.1919 | 21.33 | 0.1359 |
| Middle | | 1 | 1 | 22.55 | 0.1799 | 21.05 | 0.1274 |
| Highest | | 1 | 1 | 22.49 | 0.1775 | 20.99 | 0.1257 |
| Lowest | 256QAM | 1 | 1 | 20.43 | 0.1105 | 18.93 | 0.0782 |
| Middle | | 1 | 1 | 20.25 | 0.1060 | 18.75 | 0.0750 |
| Highest | | 1 | 1 | 20.02 | 0.1005 | 18.52 | 0.0712 |
| Limit | EIRP < 2W | | | Result | | PASS | |



<CP-OFDM>

| NR n41 / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.63 | 0.2307 | 22.13 | 0.1634 |
| Middle | | 1 | 1 | 23.29 | 0.2134 | 21.79 | 0.1511 |
| Highest | | 1 | 1 | 22.84 | 0.1924 | 21.34 | 0.1362 |
| Lowest | 16QAM | 1 | 1 | 23.16 | 0.2071 | 21.66 | 0.1466 |
| Middle | | 1 | 1 | 22.82 | 0.1915 | 21.32 | 0.1356 |
| Highest | | 1 | 1 | 22.36 | 0.1722 | 20.86 | 0.1219 |
| Lowest | 64QAM | 1 | 1 | 22.00 | 0.1585 | 20.50 | 0.1123 |
| Middle | | 1 | 1 | 21.51 | 0.1416 | 20.01 | 0.1003 |
| Highest | | 1 | 1 | 21.04 | 0.1271 | 19.54 | 0.0900 |
| Lowest | 256QAM | 1 | 1 | 18.44 | 0.0699 | 16.94 | 0.0495 |
| Middle | | 1 | 1 | 18.17 | 0.0657 | 16.67 | 0.0465 |
| Highest | | 1 | 1 | 17.59 | 0.0575 | 16.09 | 0.0407 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 / 40MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 24.02 | 0.2524 | 22.52 | 0.1787 |
| Middle | | 1 | 1 | 23.53 | 0.2255 | 22.03 | 0.1596 |
| Highest | | 1 | 1 | 23.38 | 0.2178 | 21.88 | 0.1542 |
| Lowest | 16QAM | 1 | 1 | 23.55 | 0.2265 | 22.05 | 0.1604 |
| Middle | | 1 | 1 | 23.13 | 0.2056 | 21.63 | 0.1456 |
| Highest | | 1 | 1 | 22.95 | 0.1973 | 21.45 | 0.1397 |
| Lowest | 64QAM | 1 | 1 | 22.39 | 0.1734 | 20.89 | 0.1228 |
| Middle | | 1 | 1 | 21.78 | 0.1507 | 20.28 | 0.1067 |
| Highest | | 1 | 1 | 21.61 | 0.1449 | 20.11 | 0.1026 |
| Lowest | 256QAM | 1 | 1 | 18.84 | 0.0766 | 17.34 | 0.0543 |
| Middle | | 1 | 1 | 18.38 | 0.0689 | 16.88 | 0.0488 |
| Highest | | 1 | 1 | 18.10 | 0.0646 | 16.60 | 0.0458 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 / 50MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.74 | 0.2366 | 22.24 | 0.1675 |
| Middle | | 1 | 1 | 23.36 | 0.2168 | 21.86 | 0.1535 |
| Highest | | 1 | 1 | 23.14 | 0.2061 | 21.64 | 0.1459 |
| Lowest | 16QAM | 1 | 1 | 23.32 | 0.2148 | 21.82 | 0.1521 |
| Middle | | 1 | 1 | 22.98 | 0.1987 | 21.48 | 0.1407 |
| Highest | | 1 | 1 | 22.62 | 0.1829 | 21.12 | 0.1295 |
| Lowest | 64QAM | 1 | 1 | 22.12 | 0.1630 | 20.62 | 0.1154 |
| Middle | | 1 | 1 | 21.64 | 0.1459 | 20.14 | 0.1033 |
| Highest | | 1 | 1 | 21.34 | 0.1362 | 19.84 | 0.0964 |
| Lowest | 256QAM | 1 | 1 | 18.51 | 0.0710 | 17.01 | 0.0503 |
| Middle | | 1 | 1 | 18.23 | 0.0666 | 16.73 | 0.0471 |
| Highest | | 1 | 1 | 17.85 | 0.0610 | 16.35 | 0.0432 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 / 60MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.67 | 0.2329 | 22.17 | 0.1649 |
| Middle | | 1 | 1 | 23.30 | 0.2138 | 21.80 | 0.1514 |
| Highest | | 1 | 1 | 23.17 | 0.2075 | 21.67 | 0.1469 |
| Lowest | 16QAM | 1 | 1 | 23.23 | 0.2104 | 21.73 | 0.1490 |
| Middle | | 1 | 1 | 22.91 | 0.1955 | 21.41 | 0.1384 |
| Highest | | 1 | 1 | 22.71 | 0.1867 | 21.21 | 0.1322 |
| Lowest | 64QAM | 1 | 1 | 22.04 | 0.1600 | 20.54 | 0.1133 |
| Middle | | 1 | 1 | 21.55 | 0.1429 | 20.05 | 0.1012 |
| Highest | | 1 | 1 | 21.37 | 0.1371 | 19.87 | 0.0971 |
| Lowest | 256QAM | 1 | 1 | 18.43 | 0.0697 | 16.93 | 0.0494 |
| Middle | | 1 | 1 | 18.21 | 0.0663 | 16.71 | 0.0469 |
| Highest | | 1 | 1 | 17.91 | 0.0619 | 16.41 | 0.0438 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 / 80MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.81 | 0.2405 | 22.31 | 0.1703 |
| Middle | | 1 | 1 | 23.41 | 0.2193 | 21.91 | 0.1553 |
| Highest | | 1 | 1 | 23.26 | 0.2119 | 21.76 | 0.1500 |
| Lowest | 16QAM | 1 | 1 | 23.38 | 0.2178 | 21.88 | 0.1542 |
| Middle | | 1 | 1 | 22.94 | 0.1968 | 21.44 | 0.1394 |
| Highest | | 1 | 1 | 22.82 | 0.1915 | 21.32 | 0.1356 |
| Lowest | 64QAM | 1 | 1 | 22.16 | 0.1645 | 20.66 | 0.1165 |
| Middle | | 1 | 1 | 21.69 | 0.1476 | 20.19 | 0.1045 |
| Highest | | 1 | 1 | 21.50 | 0.1413 | 20.00 | 0.1000 |
| Lowest | 256QAM | 1 | 1 | 18.66 | 0.0735 | 17.16 | 0.0520 |
| Middle | | 1 | 1 | 18.25 | 0.0669 | 16.75 | 0.0474 |
| Highest | | 1 | 1 | 18.00 | 0.0631 | 16.50 | 0.0447 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n41 / 90MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.65 | 0.2318 | 22.15 | 0.1641 |
| Middle | | 1 | 1 | 23.37 | 0.2173 | 21.87 | 0.1539 |
| Highest | | 1 | 1 | 23.25 | 0.2114 | 21.75 | 0.1497 |
| Lowest | 16QAM | 1 | 1 | 23.15 | 0.2066 | 21.65 | 0.1463 |
| Middle | | 1 | 1 | 22.98 | 0.1987 | 21.48 | 0.1407 |
| Highest | | 1 | 1 | 22.79 | 0.1902 | 21.29 | 0.1346 |
| Lowest | 64QAM | 1 | 1 | 21.96 | 0.1571 | 20.46 | 0.1112 |
| Middle | | 1 | 1 | 21.61 | 0.1449 | 20.11 | 0.1026 |
| Highest | | 1 | 1 | 21.46 | 0.1400 | 19.96 | 0.0991 |
| Lowest | 256QAM | 1 | 1 | 18.45 | 0.0700 | 16.95 | 0.0496 |
| Middle | | 1 | 1 | 18.27 | 0.0672 | 16.77 | 0.0476 |
| Highest | | 1 | 1 | 17.93 | 0.0621 | 16.43 | 0.0440 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n41 / 100MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 23.56 | 0.2270 | 22.06 | 0.1607 |
| Middle | | 1 | 1 | 23.42 | 0.2198 | 21.92 | 0.1556 |
| Highest | | 1 | 1 | 23.39 | 0.2183 | 21.89 | 0.1546 |
| Lowest | 16QAM | 1 | 1 | 23.14 | 0.2061 | 21.64 | 0.1459 |
| Middle | | 1 | 1 | 23.05 | 0.2019 | 21.55 | 0.1429 |
| Highest | | 1 | 1 | 22.97 | 0.1982 | 21.47 | 0.1403 |
| Lowest | 64QAM | 1 | 1 | 21.95 | 0.1567 | 20.45 | 0.1110 |
| Middle | | 1 | 1 | 21.72 | 0.1486 | 20.22 | 0.1052 |
| Highest | | 1 | 1 | 21.68 | 0.1473 | 20.18 | 0.1043 |
| Lowest | 256QAM | 1 | 1 | 18.41 | 0.0694 | 16.91 | 0.0491 |
| Middle | | 1 | 1 | 18.35 | 0.0684 | 16.85 | 0.0485 |
| Highest | | 1 | 1 | 18.17 | 0.0657 | 16.67 | 0.0465 |
| Limit | EIRP < 2W | | | Result | | PASS | |



<ASDIV Antenna>

<DFT-s-OFDM>

| NR n2 / 5MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 12 | 6 | 24.37 | 0.2736 | 22.87 | 0.1937 |
| Middle | | 12 | 6 | 24.31 | 0.2698 | 22.81 | 0.1910 |
| Highest | | 12 | 6 | 23.95 | 0.2484 | 22.45 | 0.1758 |
| Lowest | QPSK | 1 | 23 | 24.21 | 0.2637 | 22.71 | 0.1867 |
| Middle | | 1 | 23 | 24.28 | 0.2680 | 22.78 | 0.1897 |
| Highest | | 1 | 23 | 23.64 | 0.2313 | 22.14 | 0.1637 |
| Lowest | 16QAM | 1 | 1 | 22.97 | 0.1982 | 21.47 | 0.1403 |
| Middle | | 1 | 1 | 23.15 | 0.2066 | 21.65 | 0.1463 |
| Highest | | 1 | 1 | 22.92 | 0.1959 | 21.42 | 0.1387 |
| Lowest | 64QAM | 1 | 1 | 21.91 | 0.1553 | 20.41 | 0.1100 |
| Middle | | 1 | 1 | 21.98 | 0.1578 | 20.48 | 0.1117 |
| Highest | | 1 | 1 | 21.72 | 0.1486 | 20.22 | 0.1052 |
| Lowest | 256QAM | 1 | 1 | 19.16 | 0.0825 | 17.66 | 0.0584 |
| Middle | | 1 | 1 | 19.26 | 0.0844 | 17.76 | 0.0598 |
| Highest | | 1 | 1 | 19.20 | 0.0832 | 17.70 | 0.0589 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n2 / 10MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 50 | 24.34 | 0.2717 | 22.84 | 0.1924 |
| Middle | | 1 | 50 | 24.39 | 0.2748 | 22.89 | 0.1946 |
| Highest | | 1 | 50 | 23.69 | 0.2339 | 22.19 | 0.1656 |
| Lowest | QPSK | 1 | 50 | 24.38 | 0.2742 | 22.88 | 0.1941 |
| Middle | | 1 | 50 | 24.13 | 0.2589 | 22.63 | 0.1833 |
| Highest | | 1 | 50 | 23.68 | 0.2334 | 22.18 | 0.1652 |
| Lowest | 16QAM | 1 | 1 | 23.00 | 0.1996 | 21.50 | 0.1413 |
| Middle | | 1 | 1 | 23.07 | 0.2028 | 21.57 | 0.1436 |
| Highest | | 1 | 1 | 22.93 | 0.1964 | 21.43 | 0.1390 |
| Lowest | 64QAM | 1 | 1 | 21.97 | 0.1574 | 20.47 | 0.1115 |
| Middle | | 1 | 1 | 21.73 | 0.1490 | 20.23 | 0.1055 |
| Highest | | 1 | 1 | 21.84 | 0.1528 | 20.34 | 0.1082 |
| Lowest | 256QAM | 1 | 1 | 19.27 | 0.0846 | 17.77 | 0.0599 |
| Middle | | 1 | 1 | 19.14 | 0.0821 | 17.64 | 0.0581 |
| Highest | | 1 | 1 | 19.24 | 0.0840 | 17.74 | 0.0595 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n2 / 15MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.42 | 0.2767 | 22.92 | 0.1959 |
| Middle | | 1 | 1 | 24.48 | 0.2806 | 22.98 | 0.1987 |
| Highest | | 1 | 1 | 24.31 | 0.2698 | 22.81 | 0.1910 |
| Lowest | QPSK | 1 | 77 | 24.45 | 0.2787 | 22.95 | 0.1973 |
| Middle | | 1 | 77 | 24.25 | 0.2661 | 22.75 | 0.1884 |
| Highest | | 1 | 77 | 24.23 | 0.2649 | 22.73 | 0.1875 |
| Lowest | 16QAM | 1 | 1 | 23.40 | 0.2188 | 21.90 | 0.1549 |
| Middle | | 1 | 1 | 23.31 | 0.2143 | 21.81 | 0.1518 |
| Highest | | 1 | 1 | 23.21 | 0.2095 | 21.71 | 0.1483 |
| Lowest | 64QAM | 1 | 1 | 21.84 | 0.1528 | 20.34 | 0.1082 |
| Middle | | 1 | 1 | 21.86 | 0.1535 | 20.36 | 0.1087 |
| Highest | | 1 | 1 | 21.61 | 0.1449 | 20.11 | 0.1026 |
| Lowest | 256QAM | 1 | 1 | 19.36 | 0.0863 | 17.86 | 0.0611 |
| Middle | | 1 | 1 | 19.46 | 0.0884 | 17.96 | 0.0626 |
| Highest | | 1 | 1 | 19.32 | 0.0856 | 17.82 | 0.0606 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n2 / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.44 | 0.2780 | 22.94 | 0.1968 |
| Middle | | 1 | 1 | 24.44 | 0.2780 | 22.94 | 0.1968 |
| Highest | | 1 | 1 | 24.29 | 0.2686 | 22.79 | 0.1902 |
| Lowest | QPSK | 1 | 104 | 24.42 | 0.2767 | 22.92 | 0.1959 |
| Middle | | 1 | 104 | 24.29 | 0.2686 | 22.79 | 0.1902 |
| Highest | | 1 | 104 | 24.27 | 0.2674 | 22.77 | 0.1893 |
| Lowest | 16QAM | 1 | 1 | 23.36 | 0.2168 | 21.86 | 0.1535 |
| Middle | | 1 | 1 | 23.25 | 0.2114 | 21.75 | 0.1497 |
| Highest | | 1 | 1 | 23.18 | 0.2080 | 21.68 | 0.1473 |
| Lowest | 64QAM | 1 | 1 | 21.81 | 0.1518 | 20.31 | 0.1074 |
| Middle | | 1 | 1 | 21.84 | 0.1528 | 20.34 | 0.1082 |
| Highest | | 1 | 1 | 21.51 | 0.1416 | 20.01 | 0.1003 |
| Lowest | 256QAM | 1 | 1 | 19.31 | 0.0854 | 17.81 | 0.0604 |
| Middle | | 1 | 1 | 19.31 | 0.0854 | 17.81 | 0.0604 |
| Highest | | 1 | 1 | 19.33 | 0.0858 | 17.83 | 0.0607 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n5 / 5MHz (Average) (GT - LC = -8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 12 | 6 | 24.19 | 0.2625 | 14.04 | 0.0254 |
| Middle | | 12 | 6 | 24.10 | 0.2571 | 13.95 | 0.0249 |
| Highest | | 12 | 6 | 24.06 | 0.2547 | 13.91 | 0.0247 |
| Lowest | QPSK | 1 | 1 | 24.22 | 0.2643 | 14.07 | 0.0256 |
| Middle | | 1 | 1 | 24.07 | 0.2553 | 13.92 | 0.0247 |
| Highest | | 1 | 1 | 24.11 | 0.2577 | 13.96 | 0.0249 |
| Lowest | 16QAM | 1 | 1 | 23.34 | 0.2158 | 13.19 | 0.0209 |
| Middle | | 1 | 1 | 23.12 | 0.2052 | 12.97 | 0.0199 |
| Highest | | 1 | 1 | 23.28 | 0.2129 | 13.13 | 0.0206 |
| Lowest | 64QAM | 1 | 1 | 21.56 | 0.1433 | 11.41 | 0.0139 |
| Middle | | 1 | 1 | 21.31 | 0.1353 | 11.16 | 0.0131 |
| Highest | | 1 | 1 | 21.48 | 0.1407 | 11.33 | 0.0136 |
| Lowest | 256QAM | 1 | 1 | 20.03 | 0.1007 | 9.88 | 0.0098 |
| Middle | | 1 | 1 | 19.89 | 0.0975 | 9.74 | 0.0095 |
| Highest | | 1 | 1 | 19.78 | 0.0951 | 9.63 | 0.0092 |
| Limit | ERP < 7W | | | Result | | PASS | |

| NR n5 / 10MHz (Average) (GT - LC = -8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.07 | 0.2553 | 13.92 | 0.0247 |
| Middle | | 1 | 1 | 23.95 | 0.2484 | 13.80 | 0.0240 |
| Highest | | 1 | 1 | 24.22 | 0.2643 | 14.07 | 0.0256 |
| Lowest | QPSK | 25 | 12 | 24.17 | 0.2613 | 14.02 | 0.0253 |
| Middle | | 25 | 12 | 23.99 | 0.2507 | 13.84 | 0.0243 |
| Highest | | 25 | 12 | 24.06 | 0.2547 | 13.91 | 0.0247 |
| Lowest | 16QAM | 1 | 1 | 23.23 | 0.2104 | 13.08 | 0.0204 |
| Middle | | 1 | 1 | 23.13 | 0.2056 | 12.98 | 0.0199 |
| Highest | | 1 | 1 | 23.12 | 0.2052 | 12.97 | 0.0199 |
| Lowest | 64QAM | 1 | 1 | 21.56 | 0.1433 | 11.41 | 0.0139 |
| Middle | | 1 | 1 | 21.28 | 0.1343 | 11.13 | 0.0130 |
| Highest | | 1 | 1 | 21.44 | 0.1394 | 11.29 | 0.0135 |
| Lowest | 256QAM | 1 | 1 | 19.94 | 0.0987 | 9.79 | 0.0096 |
| Middle | | 1 | 1 | 19.89 | 0.0975 | 9.74 | 0.0095 |
| Highest | | 1 | 1 | 19.78 | 0.0951 | 9.63 | 0.0092 |
| Limit | ERP < 7W | | | Result | | PASS | |



| NR n5 / 15MHz (Average) (GT - LC = -8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.19 | 0.2625 | 14.04 | 0.0254 |
| Middle | | 1 | 1 | 24.05 | 0.2541 | 13.90 | 0.0246 |
| Highest | | 1 | 1 | 24.22 | 0.2643 | 14.07 | 0.0256 |
| Lowest | QPSK | 1 | 1 | 24.30 | 0.2692 | 14.15 | 0.0261 |
| Middle | | 1 | 1 | 24.15 | 0.2601 | 14.00 | 0.0252 |
| Highest | | 1 | 1 | 24.14 | 0.2595 | 13.99 | 0.0251 |
| Lowest | 16QAM | 1 | 1 | 23.40 | 0.2188 | 13.25 | 0.0212 |
| Middle | | 1 | 1 | 23.21 | 0.2095 | 13.06 | 0.0203 |
| Highest | | 1 | 1 | 23.29 | 0.2134 | 13.14 | 0.0207 |
| Lowest | 64QAM | 1 | 1 | 21.65 | 0.1463 | 11.50 | 0.0142 |
| Middle | | 1 | 1 | 21.35 | 0.1365 | 11.20 | 0.0132 |
| Highest | | 1 | 1 | 21.53 | 0.1423 | 11.38 | 0.0138 |
| Lowest | 256QAM | 1 | 1 | 20.10 | 0.1024 | 9.95 | 0.0099 |
| Middle | | 1 | 1 | 20.10 | 0.1024 | 9.95 | 0.0099 |
| Highest | | 1 | 1 | 19.92 | 0.0982 | 9.77 | 0.0095 |
| Limit | ERP < 7W | | | Result | | PASS | |

| NR n5 / 20MHz (Average) (GT - LC = -8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 50 | 25 | 24.26 | 0.2667 | 14.11 | 0.0258 |
| Middle | | 50 | 25 | 24.17 | 0.2613 | 14.02 | 0.0253 |
| Highest | | 50 | 25 | 24.34 | 0.2717 | 14.19 | 0.0263 |
| Lowest | QPSK | 1 | 1 | 24.21 | 0.2637 | 14.06 | 0.0255 |
| Middle | | 1 | 1 | 24.09 | 0.2565 | 13.94 | 0.0248 |
| Highest | | 1 | 1 | 24.32 | 0.2704 | 14.17 | 0.0262 |
| Lowest | 16QAM | 1 | 1 | 23.42 | 0.2198 | 13.27 | 0.0213 |
| Middle | | 1 | 1 | 23.27 | 0.2124 | 13.12 | 0.0206 |
| Highest | | 1 | 1 | 23.38 | 0.2178 | 13.23 | 0.0211 |
| Lowest | 64QAM | 1 | 1 | 21.54 | 0.1426 | 11.39 | 0.0138 |
| Middle | | 1 | 1 | 21.39 | 0.1378 | 11.24 | 0.0134 |
| Highest | | 1 | 1 | 21.54 | 0.1426 | 11.39 | 0.0138 |
| Lowest | 256QAM | 1 | 1 | 19.35 | 0.0861 | 9.20 | 0.0084 |
| Middle | | 1 | 1 | 19.40 | 0.0871 | 9.25 | 0.0085 |
| Highest | | 1 | 1 | 19.33 | 0.0858 | 9.18 | 0.0083 |
| Limit | ERP < 7W | | | Result | | PASS | |



| NR n7 / 5MHz (Average) (GT - LC = -2.4 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 12 | 6 | 23.73 | 0.2361 | 21.33 | 0.1359 |
| Middle | | 12 | 6 | 23.61 | 0.2297 | 21.21 | 0.1322 |
| Highest | | 12 | 6 | 23.50 | 0.2239 | 21.10 | 0.1289 |
| Lowest | QPSK | 1 | 1 | 23.71 | 0.2350 | 21.31 | 0.1353 |
| Middle | | 1 | 1 | 23.65 | 0.2318 | 21.25 | 0.1334 |
| Highest | | 1 | 1 | 23.70 | 0.2345 | 21.30 | 0.1349 |
| Lowest | 16QAM | 1 | 1 | 22.77 | 0.1893 | 20.37 | 0.1089 |
| Middle | | 1 | 1 | 22.71 | 0.1867 | 20.31 | 0.1074 |
| Highest | | 1 | 1 | 23.00 | 0.1996 | 20.60 | 0.1149 |
| Lowest | 64QAM | 1 | 1 | 21.00 | 0.1259 | 18.60 | 0.0725 |
| Middle | | 1 | 1 | 21.01 | 0.1262 | 18.61 | 0.0727 |
| Highest | | 1 | 1 | 21.14 | 0.1301 | 18.74 | 0.0749 |
| Lowest | 256QAM | 1 | 1 | 19.11 | 0.0815 | 16.71 | 0.0469 |
| Middle | | 1 | 1 | 19.14 | 0.0821 | 16.74 | 0.0473 |
| Highest | | 1 | 1 | 18.87 | 0.0771 | 16.47 | 0.0444 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n7 / 10MHz (Average) (GT - LC = -2.4 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.67 | 0.2329 | 21.27 | 0.1340 |
| Middle | | 1 | 1 | 23.52 | 0.2250 | 21.12 | 0.1295 |
| Highest | | 1 | 1 | 23.91 | 0.2461 | 21.51 | 0.1416 |
| Lowest | QPSK | 1 | 1 | 23.63 | 0.2307 | 21.23 | 0.1328 |
| Middle | | 1 | 1 | 23.60 | 0.2291 | 21.20 | 0.1319 |
| Highest | | 1 | 1 | 23.91 | 0.2461 | 21.51 | 0.1416 |
| Lowest | 16QAM | 1 | 1 | 22.70 | 0.1863 | 20.30 | 0.1072 |
| Middle | | 1 | 1 | 22.76 | 0.1888 | 20.36 | 0.1087 |
| Highest | | 1 | 1 | 23.16 | 0.2071 | 20.76 | 0.1192 |
| Lowest | 64QAM | 1 | 1 | 20.95 | 0.1245 | 18.55 | 0.0717 |
| Middle | | 1 | 1 | 20.81 | 0.1206 | 18.41 | 0.0694 |
| Highest | | 1 | 1 | 21.29 | 0.1346 | 18.89 | 0.0775 |
| Lowest | 256QAM | 1 | 1 | 19.04 | 0.0802 | 16.64 | 0.0462 |
| Middle | | 1 | 1 | 19.13 | 0.0819 | 16.73 | 0.0471 |
| Highest | | 1 | 1 | 18.96 | 0.0788 | 16.56 | 0.0453 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n7 / 15MHz (Average) (GT - LC = -2.4 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 36 | 18 | 23.72 | 0.2356 | 21.32 | 0.1356 |
| Middle | | 36 | 18 | 23.65 | 0.2318 | 21.25 | 0.1334 |
| Highest | | 36 | 18 | 24.03 | 0.2530 | 21.63 | 0.1456 |
| Lowest | QPSK | 36 | 18 | 23.66 | 0.2323 | 21.26 | 0.1337 |
| Middle | | 36 | 18 | 23.62 | 0.2302 | 21.22 | 0.1325 |
| Highest | | 36 | 18 | 23.94 | 0.2478 | 21.54 | 0.1426 |
| Lowest | 16QAM | 1 | 1 | 22.84 | 0.1924 | 20.44 | 0.1107 |
| Middle | | 1 | 1 | 22.87 | 0.1937 | 20.47 | 0.1115 |
| Highest | | 1 | 1 | 22.90 | 0.1950 | 20.50 | 0.1123 |
| Lowest | 64QAM | 1 | 1 | 21.07 | 0.1280 | 18.67 | 0.0737 |
| Middle | | 1 | 1 | 21.06 | 0.1277 | 18.66 | 0.0735 |
| Highest | | 1 | 1 | 21.11 | 0.1292 | 18.71 | 0.0744 |
| Lowest | 256QAM | 1 | 1 | 19.18 | 0.0828 | 16.78 | 0.0477 |
| Middle | | 1 | 1 | 19.28 | 0.0848 | 16.88 | 0.0488 |
| Highest | | 1 | 1 | 19.09 | 0.0811 | 16.69 | 0.0467 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n7 / 20MHz (Average) (GT - LC = -2.4 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 50 | 25 | 23.78 | 0.2388 | 21.38 | 0.1375 |
| Middle | | 50 | 25 | 23.82 | 0.2410 | 21.42 | 0.1387 |
| Highest | | 50 | 25 | 23.89 | 0.2450 | 21.49 | 0.1410 |
| Lowest | QPSK | 1 | 1 | 23.57 | 0.2276 | 21.17 | 0.1310 |
| Middle | | 1 | 1 | 23.79 | 0.2394 | 21.39 | 0.1378 |
| Highest | | 1 | 1 | 23.76 | 0.2377 | 21.36 | 0.1368 |
| Lowest | 16QAM | 1 | 1 | 22.87 | 0.1937 | 20.47 | 0.1115 |
| Middle | | 1 | 1 | 22.89 | 0.1946 | 20.49 | 0.1120 |
| Highest | | 1 | 1 | 23.05 | 0.2019 | 20.65 | 0.1162 |
| Lowest | 64QAM | 1 | 1 | 20.95 | 0.1245 | 18.55 | 0.0717 |
| Middle | | 1 | 1 | 21.04 | 0.1271 | 18.64 | 0.0732 |
| Highest | | 1 | 1 | 21.24 | 0.1331 | 18.84 | 0.0766 |
| Lowest | 256QAM | 1 | 1 | 19.12 | 0.0817 | 16.72 | 0.0470 |
| Middle | | 1 | 1 | 19.20 | 0.0832 | 16.80 | 0.0479 |
| Highest | | 1 | 1 | 19.12 | 0.0817 | 16.72 | 0.0470 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n12 / 5MHz (Average) (GT - LC = -7.7 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.54 | 0.2260 | 13.69 | 0.0234 |
| Middle | | 1 | 1 | 23.53 | 0.2255 | 13.68 | 0.0234 |
| Highest | | 1 | 1 | 23.26 | 0.2119 | 13.41 | 0.0220 |
| Lowest | QPSK | 1 | 1 | 23.47 | 0.2224 | 13.62 | 0.0231 |
| Middle | | 1 | 1 | 23.32 | 0.2148 | 13.47 | 0.0223 |
| Highest | | 1 | 1 | 23.16 | 0.2071 | 13.31 | 0.0215 |
| Lowest | 16QAM | 1 | 1 | 22.42 | 0.1746 | 12.57 | 0.0181 |
| Middle | | 1 | 1 | 22.37 | 0.1726 | 12.52 | 0.0179 |
| Highest | | 1 | 1 | 22.02 | 0.1593 | 12.17 | 0.0165 |
| Lowest | 64QAM | 1 | 1 | 21.16 | 0.1307 | 11.31 | 0.0136 |
| Middle | | 1 | 1 | 21.09 | 0.1286 | 11.24 | 0.0134 |
| Highest | | 1 | 1 | 20.88 | 0.1225 | 11.03 | 0.0127 |
| Lowest | 256QAM | 1 | 1 | 18.70 | 0.0742 | 8.85 | 0.0077 |
| Middle | | 1 | 1 | 18.53 | 0.0713 | 8.68 | 0.0074 |
| Highest | | 1 | 1 | 18.30 | 0.0677 | 8.45 | 0.0070 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n12 / 10MHz (Average) (GT - LC = -7.7 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.48 | 0.2229 | 13.63 | 0.0231 |
| Middle | | 1 | 1 | 23.42 | 0.2198 | 13.57 | 0.0228 |
| Highest | | 1 | 1 | 23.38 | 0.2178 | 13.53 | 0.0226 |
| Lowest | QPSK | 25 | 12 | 23.46 | 0.2219 | 13.61 | 0.0230 |
| Middle | | 25 | 12 | 23.41 | 0.2193 | 13.56 | 0.0227 |
| Highest | | 25 | 12 | 23.29 | 0.2134 | 13.44 | 0.0221 |
| Lowest | 16QAM | 1 | 1 | 22.31 | 0.1703 | 12.46 | 0.0177 |
| Middle | | 1 | 1 | 22.21 | 0.1664 | 12.36 | 0.0173 |
| Highest | | 1 | 1 | 22.11 | 0.1626 | 12.26 | 0.0169 |
| Lowest | 64QAM | 1 | 1 | 20.94 | 0.1242 | 11.09 | 0.0129 |
| Middle | | 1 | 1 | 21.02 | 0.1265 | 11.17 | 0.0131 |
| Highest | | 1 | 1 | 20.85 | 0.1217 | 11.00 | 0.0126 |
| Lowest | 256QAM | 1 | 1 | 18.53 | 0.0713 | 8.68 | 0.0074 |
| Middle | | 1 | 1 | 18.53 | 0.0713 | 8.68 | 0.0074 |
| Highest | | 1 | 1 | 18.32 | 0.0680 | 8.47 | 0.0071 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n12 / 15MHz (Average) (GT - LC = -7.7 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.63 | 0.2307 | 13.78 | 0.0239 |
| Middle | | 1 | 1 | 23.58 | 0.2281 | 13.73 | 0.0237 |
| Highest | | 1 | 1 | 23.57 | 0.2276 | 13.72 | 0.0236 |
| Lowest | QPSK | 1 | 1 | 23.49 | 0.2234 | 13.64 | 0.0232 |
| Middle | | 1 | 1 | 23.43 | 0.2203 | 13.58 | 0.0229 |
| Highest | | 1 | 1 | 23.50 | 0.2239 | 13.65 | 0.0232 |
| Lowest | 16QAM | 1 | 1 | 22.51 | 0.1783 | 12.66 | 0.0185 |
| Middle | | 1 | 1 | 22.42 | 0.1746 | 12.57 | 0.0181 |
| Highest | | 1 | 1 | 22.40 | 0.1738 | 12.55 | 0.0180 |
| Lowest | 64QAM | 1 | 1 | 21.05 | 0.1274 | 11.20 | 0.0132 |
| Middle | | 1 | 1 | 21.06 | 0.1277 | 11.21 | 0.0133 |
| Highest | | 1 | 1 | 21.06 | 0.1277 | 11.21 | 0.0133 |
| Lowest | 256QAM | 1 | 1 | 18.67 | 0.0737 | 8.82 | 0.0077 |
| Middle | | 1 | 1 | 18.69 | 0.0740 | 8.84 | 0.0077 |
| Highest | | 1 | 1 | 18.54 | 0.0715 | 8.69 | 0.0074 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n25 / 5MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 12 | 6 | 24.43 | 0.2774 | 22.93 | 0.1964 |
| Middle | | 12 | 6 | 24.37 | 0.2736 | 22.87 | 0.1937 |
| Highest | | 12 | 6 | 24.05 | 0.2541 | 22.55 | 0.1799 |
| Lowest | QPSK | 1 | 23 | 24.31 | 0.2698 | 22.81 | 0.1910 |
| Middle | | 1 | 23 | 24.28 | 0.2680 | 22.78 | 0.1897 |
| Highest | | 1 | 23 | 23.70 | 0.2345 | 22.20 | 0.1660 |
| Lowest | 16QAM | 1 | 1 | 23.05 | 0.2019 | 21.55 | 0.1429 |
| Middle | | 1 | 1 | 23.19 | 0.2085 | 21.69 | 0.1476 |
| Highest | | 1 | 1 | 22.97 | 0.1982 | 21.47 | 0.1403 |
| Lowest | 64QAM | 1 | 1 | 21.92 | 0.1556 | 20.42 | 0.1102 |
| Middle | | 1 | 1 | 22.01 | 0.1589 | 20.51 | 0.1125 |
| Highest | | 1 | 1 | 21.82 | 0.1521 | 20.32 | 0.1077 |
| Lowest | 256QAM | 1 | 1 | 19.25 | 0.0842 | 17.75 | 0.0596 |
| Middle | | 1 | 1 | 19.36 | 0.0863 | 17.86 | 0.0611 |
| Highest | | 1 | 1 | 19.21 | 0.0834 | 17.71 | 0.0591 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n25 / 10MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 50 | 24.38 | 0.2742 | 22.88 | 0.1941 |
| Middle | | 1 | 50 | 24.43 | 0.2774 | 22.93 | 0.1964 |
| Highest | | 1 | 50 | 23.79 | 0.2394 | 22.29 | 0.1695 |
| Lowest | QPSK | 1 | 50 | 24.45 | 0.2787 | 22.95 | 0.1973 |
| Middle | | 1 | 50 | 24.22 | 0.2643 | 22.72 | 0.1871 |
| Highest | | 1 | 50 | 23.72 | 0.2356 | 22.22 | 0.1668 |
| Lowest | 16QAM | 1 | 1 | 23.03 | 0.2010 | 21.53 | 0.1423 |
| Middle | | 1 | 1 | 23.15 | 0.2066 | 21.65 | 0.1463 |
| Highest | | 1 | 1 | 22.98 | 0.1987 | 21.48 | 0.1407 |
| Lowest | 64QAM | 1 | 1 | 21.99 | 0.1582 | 20.49 | 0.1120 |
| Middle | | 1 | 1 | 21.83 | 0.1525 | 20.33 | 0.1079 |
| Highest | | 1 | 1 | 21.91 | 0.1553 | 20.41 | 0.1100 |
| Lowest | 256QAM | 1 | 1 | 19.37 | 0.0865 | 17.87 | 0.0613 |
| Middle | | 1 | 1 | 19.16 | 0.0825 | 17.66 | 0.0584 |
| Highest | | 1 | 1 | 19.31 | 0.0854 | 17.81 | 0.0604 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n25 / 15MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.48 | 0.2806 | 22.98 | 0.1987 |
| Middle | | 1 | 1 | 24.50 | 0.2819 | 23.00 | 0.1996 |
| Highest | | 1 | 1 | 24.37 | 0.2736 | 22.87 | 0.1937 |
| Lowest | QPSK | 1 | 77 | 24.47 | 0.2799 | 22.97 | 0.1982 |
| Middle | | 1 | 77 | 24.35 | 0.2723 | 22.85 | 0.1928 |
| Highest | | 1 | 77 | 24.30 | 0.2692 | 22.80 | 0.1906 |
| Lowest | 16QAM | 1 | 1 | 23.45 | 0.2214 | 21.95 | 0.1567 |
| Middle | | 1 | 1 | 23.41 | 0.2193 | 21.91 | 0.1553 |
| Highest | | 1 | 1 | 23.29 | 0.2134 | 21.79 | 0.1511 |
| Lowest | 64QAM | 1 | 1 | 21.90 | 0.1549 | 20.40 | 0.1097 |
| Middle | | 1 | 1 | 21.93 | 0.1560 | 20.43 | 0.1105 |
| Highest | | 1 | 1 | 21.65 | 0.1463 | 20.15 | 0.1036 |
| Lowest | 256QAM | 1 | 1 | 19.36 | 0.0863 | 17.86 | 0.0611 |
| Middle | | 1 | 1 | 19.50 | 0.0892 | 18.00 | 0.0631 |
| Highest | | 1 | 1 | 19.40 | 0.0871 | 17.90 | 0.0617 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n25 / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.45 | 0.2787 | 22.95 | 0.1973 |
| Middle | | 1 | 1 | 24.49 | 0.2812 | 22.99 | 0.1991 |
| Highest | | 1 | 1 | 24.32 | 0.2704 | 22.82 | 0.1915 |
| Lowest | QPSK | 1 | 104 | 24.44 | 0.2780 | 22.94 | 0.1968 |
| Middle | | 1 | 104 | 24.34 | 0.2717 | 22.84 | 0.1924 |
| Highest | | 1 | 104 | 24.28 | 0.2680 | 22.78 | 0.1897 |
| Lowest | 16QAM | 1 | 1 | 23.45 | 0.2214 | 21.95 | 0.1567 |
| Middle | | 1 | 1 | 23.33 | 0.2153 | 21.83 | 0.1525 |
| Highest | | 1 | 1 | 23.20 | 0.2090 | 21.70 | 0.1480 |
| Lowest | 64QAM | 1 | 1 | 21.84 | 0.1528 | 20.34 | 0.1082 |
| Middle | | 1 | 1 | 21.93 | 0.1560 | 20.43 | 0.1105 |
| Highest | | 1 | 1 | 21.58 | 0.1439 | 20.08 | 0.1019 |
| Lowest | 256QAM | 1 | 1 | 19.34 | 0.0860 | 17.84 | 0.0609 |
| Middle | | 1 | 1 | 19.41 | 0.0873 | 17.91 | 0.0619 |
| Highest | | 1 | 1 | 19.40 | 0.0871 | 17.90 | 0.0617 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n66 / 5MHz (Average) (GT - LC = -0.8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 12 | 6 | 24.20 | 0.2631 | 23.40 | 0.2188 |
| Middle | | 12 | 6 | 24.36 | 0.2729 | 23.56 | 0.2270 |
| Highest | | 12 | 6 | 24.09 | 0.2565 | 23.29 | 0.2134 |
| Lowest | QPSK | 12 | 6 | 24.17 | 0.2613 | 23.37 | 0.2173 |
| Middle | | 12 | 6 | 24.21 | 0.2637 | 23.41 | 0.2193 |
| Highest | | 12 | 6 | 24.03 | 0.2530 | 23.23 | 0.2104 |
| Lowest | 16QAM | 1 | 1 | 22.14 | 0.1637 | 21.34 | 0.1362 |
| Middle | | 1 | 1 | 22.05 | 0.1604 | 21.25 | 0.1334 |
| Highest | | 1 | 1 | 21.87 | 0.1539 | 21.07 | 0.1280 |
| Lowest | 64QAM | 1 | 1 | 20.94 | 0.1242 | 20.14 | 0.1033 |
| Middle | | 1 | 1 | 20.69 | 0.1173 | 19.89 | 0.0975 |
| Highest | | 1 | 1 | 20.38 | 0.1092 | 19.58 | 0.0908 |
| Lowest | 256QAM | 1 | 1 | 18.66 | 0.0735 | 17.86 | 0.0611 |
| Middle | | 1 | 1 | 18.33 | 0.0681 | 17.53 | 0.0567 |
| Highest | | 1 | 1 | 18.16 | 0.0655 | 17.36 | 0.0545 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| NR n66 / 10MHz (Average) (GT - LC = -0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 50 | 24.15 | 0.2601 | 23.35 | 0.2163 |
| Middle | | 1 | 50 | 24.31 | 0.2698 | 23.51 | 0.2244 |
| Highest | | 1 | 50 | 24.07 | 0.2553 | 23.27 | 0.2124 |
| Lowest | QPSK | 25 | 12 | 24.10 | 0.2571 | 23.30 | 0.2138 |
| Middle | | 25 | 12 | 24.32 | 0.2704 | 23.52 | 0.2250 |
| Highest | | 25 | 12 | 24.10 | 0.2571 | 23.30 | 0.2138 |
| Lowest | 16QAM | 1 | 1 | 22.17 | 0.1649 | 21.37 | 0.1371 |
| Middle | | 1 | 1 | 21.98 | 0.1578 | 21.18 | 0.1313 |
| Highest | | 1 | 1 | 22.00 | 0.1585 | 21.20 | 0.1319 |
| Lowest | 64QAM | 1 | 1 | 20.75 | 0.1189 | 19.95 | 0.0989 |
| Middle | | 1 | 1 | 20.39 | 0.1094 | 19.59 | 0.0910 |
| Highest | | 1 | 1 | 20.37 | 0.1089 | 19.57 | 0.0906 |
| Lowest | 256QAM | 1 | 1 | 18.53 | 0.0713 | 17.73 | 0.0593 |
| Middle | | 1 | 1 | 18.22 | 0.0664 | 17.42 | 0.0553 |
| Highest | | 1 | 1 | 18.06 | 0.0640 | 17.26 | 0.0533 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| NR n66 / 15MHz (Average) (GT - LC = -0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 24.19 | 0.2625 | 23.39 | 0.2183 |
| Middle | | 1 | 1 | 24.37 | 0.2736 | 23.57 | 0.2276 |
| Highest | | 1 | 1 | 24.17 | 0.2613 | 23.37 | 0.2173 |
| Lowest | QPSK | 1 | 1 | 24.13 | 0.2589 | 23.33 | 0.2153 |
| Middle | | 1 | 1 | 24.27 | 0.2674 | 23.47 | 0.2224 |
| Highest | | 1 | 1 | 24.09 | 0.2565 | 23.29 | 0.2134 |
| Lowest | 16QAM | 1 | 1 | 22.33 | 0.1711 | 21.53 | 0.1423 |
| Middle | | 1 | 1 | 21.91 | 0.1553 | 21.11 | 0.1292 |
| Highest | | 1 | 1 | 22.03 | 0.1596 | 21.23 | 0.1328 |
| Lowest | 64QAM | 1 | 1 | 20.95 | 0.1245 | 20.15 | 0.1036 |
| Middle | | 1 | 1 | 20.73 | 0.1184 | 19.93 | 0.0985 |
| Highest | | 1 | 1 | 20.50 | 0.1123 | 19.70 | 0.0934 |
| Lowest | 256QAM | 1 | 1 | 18.64 | 0.0732 | 17.84 | 0.0609 |
| Middle | | 1 | 1 | 18.43 | 0.0697 | 17.63 | 0.0580 |
| Highest | | 1 | 1 | 18.22 | 0.0664 | 17.42 | 0.0553 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| NR n66 / 20MHz (Average) (GT - LC = -0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.97 | 0.2495 | 23.17 | 0.2075 |
| Middle | | 1 | 1 | 24.12 | 0.2583 | 23.32 | 0.2148 |
| Highest | | 1 | 1 | 24.23 | 0.2649 | 23.43 | 0.2203 |
| Lowest | QPSK | 1 | 104 | 24.15 | 0.2601 | 23.35 | 0.2163 |
| Middle | | 1 | 104 | 23.90 | 0.2455 | 23.10 | 0.2042 |
| Highest | | 1 | 104 | 23.96 | 0.2489 | 23.16 | 0.2071 |
| Lowest | 16QAM | 1 | 1 | 22.21 | 0.1664 | 21.41 | 0.1384 |
| Middle | | 1 | 1 | 21.96 | 0.1571 | 21.16 | 0.1307 |
| Highest | | 1 | 1 | 22.00 | 0.1585 | 21.20 | 0.1319 |
| Lowest | 64QAM | 1 | 1 | 20.83 | 0.1211 | 20.03 | 0.1007 |
| Middle | | 1 | 1 | 20.71 | 0.1178 | 19.91 | 0.0980 |
| Highest | | 1 | 1 | 20.73 | 0.1184 | 19.93 | 0.0985 |
| Lowest | 256QAM | 1 | 1 | 18.54 | 0.0715 | 17.74 | 0.0595 |
| Middle | | 1 | 1 | 18.23 | 0.0666 | 17.43 | 0.0554 |
| Highest | | 1 | 1 | 18.23 | 0.0666 | 17.43 | 0.0554 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| NR n71 / 5MHz (Average) (GT - LC = -9.6 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.27 | 0.2124 | 11.52 | 0.0142 |
| Middle | | 1 | 1 | 23.15 | 0.2066 | 11.40 | 0.0139 |
| Highest | | 1 | 1 | 23.08 | 0.2033 | 11.33 | 0.0136 |
| Lowest | QPSK | 1 | 1 | 23.26 | 0.2119 | 11.51 | 0.0142 |
| Middle | | 1 | 1 | 23.10 | 0.2042 | 11.35 | 0.0137 |
| Highest | | 1 | 1 | 22.91 | 0.1955 | 11.16 | 0.0131 |
| Lowest | 16QAM | 1 | 1 | 22.14 | 0.1637 | 10.39 | 0.0110 |
| Middle | | 1 | 1 | 22.05 | 0.1604 | 10.30 | 0.0108 |
| Highest | | 1 | 1 | 21.87 | 0.1539 | 10.12 | 0.0103 |
| Lowest | 64QAM | 1 | 1 | 20.94 | 0.1242 | 9.19 | 0.0083 |
| Middle | | 1 | 1 | 20.69 | 0.1173 | 8.94 | 0.0079 |
| Highest | | 1 | 1 | 20.38 | 0.1092 | 8.63 | 0.0073 |
| Lowest | 256QAM | 1 | 1 | 18.66 | 0.0735 | 6.91 | 0.0050 |
| Middle | | 1 | 1 | 18.33 | 0.0681 | 6.58 | 0.0046 |
| Highest | | 1 | 1 | 18.16 | 0.0655 | 6.41 | 0.0044 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n71 / 10MHz (Average) (GT - LC = -9.6 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.28 | 0.2129 | 11.53 | 0.0143 |
| Middle | | 1 | 1 | 23.05 | 0.2019 | 11.30 | 0.0135 |
| Highest | | 1 | 1 | 23.27 | 0.2124 | 11.52 | 0.0142 |
| Lowest | QPSK | 1 | 1 | 23.27 | 0.2124 | 11.52 | 0.0142 |
| Middle | | 1 | 1 | 22.98 | 0.1987 | 11.23 | 0.0133 |
| Highest | | 1 | 1 | 22.95 | 0.1973 | 11.20 | 0.0132 |
| Lowest | 16QAM | 1 | 1 | 22.17 | 0.1649 | 10.42 | 0.0111 |
| Middle | | 1 | 1 | 21.98 | 0.1578 | 10.23 | 0.0106 |
| Highest | | 1 | 1 | 22.00 | 0.1585 | 10.25 | 0.0106 |
| Lowest | 64QAM | 1 | 1 | 20.75 | 0.1189 | 9.00 | 0.0080 |
| Middle | | 1 | 1 | 20.39 | 0.1094 | 8.64 | 0.0074 |
| Highest | | 1 | 1 | 20.37 | 0.1089 | 8.62 | 0.0073 |
| Lowest | 256QAM | 1 | 1 | 18.53 | 0.0713 | 6.78 | 0.0048 |
| Middle | | 1 | 1 | 18.22 | 0.0664 | 6.47 | 0.0045 |
| Highest | | 1 | 1 | 18.06 | 0.0640 | 6.31 | 0.0043 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n71 / 15MHz (Average) (GT - LC = -9.6 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.40 | 0.2188 | 11.65 | 0.0147 |
| Middle | | 1 | 1 | 23.16 | 0.2071 | 11.41 | 0.0139 |
| Highest | | 1 | 1 | 23.02 | 0.2005 | 11.27 | 0.0134 |
| Lowest | QPSK | 1 | 1 | 23.33 | 0.2153 | 11.58 | 0.0144 |
| Middle | | 1 | 1 | 23.08 | 0.2033 | 11.33 | 0.0136 |
| Highest | | 1 | 1 | 23.02 | 0.2005 | 11.27 | 0.0134 |
| Lowest | 16QAM | 1 | 1 | 22.33 | 0.1711 | 10.58 | 0.0115 |
| Middle | | 1 | 1 | 21.91 | 0.1553 | 10.16 | 0.0104 |
| Highest | | 1 | 1 | 22.03 | 0.1596 | 10.28 | 0.0107 |
| Lowest | 64QAM | 1 | 1 | 20.95 | 0.1245 | 9.20 | 0.0084 |
| Middle | | 1 | 1 | 20.73 | 0.1184 | 8.98 | 0.0080 |
| Highest | | 1 | 1 | 20.50 | 0.1123 | 8.75 | 0.0075 |
| Lowest | 256QAM | 1 | 1 | 18.64 | 0.0732 | 6.89 | 0.0049 |
| Middle | | 1 | 1 | 18.43 | 0.0697 | 6.68 | 0.0047 |
| Highest | | 1 | 1 | 18.22 | 0.0664 | 6.47 | 0.0045 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n71 / 20MHz (Average) (GT - LC = -9.6 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | PI/2 BPSK | 1 | 1 | 23.40 | 0.2188 | 11.65 | 0.0147 |
| Middle | | 1 | 1 | 23.20 | 0.2090 | 11.45 | 0.0140 |
| Highest | | 1 | 1 | 23.16 | 0.2071 | 11.41 | 0.0139 |
| Lowest | QPSK | 1 | 1 | 23.32 | 0.2148 | 11.57 | 0.0144 |
| Middle | | 1 | 1 | 23.12 | 0.2052 | 11.37 | 0.0138 |
| Highest | | 1 | 1 | 23.09 | 0.2038 | 11.34 | 0.0137 |
| Lowest | 16QAM | 1 | 1 | 22.21 | 0.1664 | 10.46 | 0.0112 |
| Middle | | 1 | 1 | 21.96 | 0.1571 | 10.21 | 0.0105 |
| Highest | | 1 | 1 | 22.00 | 0.1585 | 10.25 | 0.0106 |
| Lowest | 64QAM | 1 | 1 | 20.83 | 0.1211 | 9.08 | 0.0081 |
| Middle | | 1 | 1 | 20.71 | 0.1178 | 8.96 | 0.0079 |
| Highest | | 1 | 1 | 20.73 | 0.1184 | 8.98 | 0.0080 |
| Lowest | 256QAM | 1 | 1 | 18.54 | 0.0715 | 6.79 | 0.0048 |
| Middle | | 1 | 1 | 18.23 | 0.0666 | 6.48 | 0.0045 |
| Highest | | 1 | 1 | 18.23 | 0.0666 | 6.48 | 0.0045 |
| Limit | ERP < 3W | | | Result | | PASS | |



<CP-OFDM>

| NR n2 / 5MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.50 | 0.1779 | 21.00 | 0.1259 |
| Middle | | 1 | 1 | 22.56 | 0.1804 | 21.06 | 0.1277 |
| Highest | | 1 | 1 | 22.30 | 0.1699 | 20.80 | 0.1203 |
| Lowest | 16QAM | 1 | 1 | 22.16 | 0.1645 | 20.66 | 0.1165 |
| Middle | | 1 | 1 | 22.30 | 0.1699 | 20.80 | 0.1203 |
| Highest | | 1 | 1 | 22.09 | 0.1619 | 20.59 | 0.1146 |
| Lowest | 64QAM | 1 | 1 | 21.32 | 0.1356 | 19.82 | 0.0960 |
| Middle | | 1 | 1 | 20.92 | 0.1236 | 19.42 | 0.0875 |
| Highest | | 1 | 1 | 20.73 | 0.1184 | 19.23 | 0.0838 |
| Lowest | 256QAM | 1 | 1 | 17.19 | 0.0524 | 15.69 | 0.0371 |
| Middle | | 1 | 1 | 17.18 | 0.0523 | 15.68 | 0.0370 |
| Highest | | 1 | 1 | 17.04 | 0.0506 | 15.54 | 0.0359 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n2 / 10MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.61 | 0.1824 | 21.11 | 0.1292 |
| Middle | | 1 | 1 | 22.51 | 0.1783 | 21.01 | 0.1262 |
| Highest | | 1 | 1 | 22.28 | 0.1691 | 20.78 | 0.1197 |
| Lowest | 16QAM | 1 | 1 | 22.29 | 0.1695 | 20.79 | 0.1200 |
| Middle | | 1 | 1 | 22.29 | 0.1695 | 20.79 | 0.1200 |
| Highest | | 1 | 1 | 22.08 | 0.1615 | 20.58 | 0.1143 |
| Lowest | 64QAM | 1 | 1 | 20.93 | 0.1239 | 19.43 | 0.0878 |
| Middle | | 1 | 1 | 21.03 | 0.1268 | 19.53 | 0.0898 |
| Highest | | 1 | 1 | 20.71 | 0.1178 | 19.21 | 0.0834 |
| Lowest | 256QAM | 1 | 1 | 17.15 | 0.0519 | 15.65 | 0.0368 |
| Middle | | 1 | 1 | 17.24 | 0.0530 | 15.74 | 0.0375 |
| Highest | | 1 | 1 | 17.01 | 0.0503 | 15.51 | 0.0356 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n2 / 15MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.69 | 0.1858 | 21.19 | 0.1316 |
| Middle | | 1 | 1 | 22.72 | 0.1871 | 21.22 | 0.1325 |
| Highest | | 1 | 1 | 22.57 | 0.1808 | 21.07 | 0.1280 |
| Lowest | 16QAM | 1 | 1 | 22.46 | 0.1762 | 20.96 | 0.1248 |
| Middle | | 1 | 1 | 22.47 | 0.1767 | 20.97 | 0.1251 |
| Highest | | 1 | 1 | 22.29 | 0.1695 | 20.79 | 0.1200 |
| Lowest | 64QAM | 1 | 1 | 21.10 | 0.1289 | 19.60 | 0.0913 |
| Middle | | 1 | 1 | 20.82 | 0.1208 | 19.32 | 0.0856 |
| Highest | | 1 | 1 | 20.63 | 0.1157 | 19.13 | 0.0819 |
| Lowest | 256QAM | 1 | 1 | 17.23 | 0.0529 | 15.73 | 0.0375 |
| Middle | | 1 | 1 | 17.27 | 0.0534 | 15.77 | 0.0378 |
| Highest | | 1 | 1 | 17.14 | 0.0518 | 15.64 | 0.0367 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n2 / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.47 | 0.1767 | 20.97 | 0.1251 |
| Middle | | 1 | 1 | 22.46 | 0.1762 | 20.96 | 0.1248 |
| Highest | | 1 | 1 | 22.50 | 0.1779 | 21.00 | 0.1259 |
| Lowest | 16QAM | 1 | 1 | 22.18 | 0.1652 | 20.68 | 0.1170 |
| Middle | | 1 | 1 | 22.20 | 0.1660 | 20.70 | 0.1175 |
| Highest | | 1 | 1 | 22.18 | 0.1652 | 20.68 | 0.1170 |
| Lowest | 64QAM | 1 | 1 | 21.07 | 0.1280 | 19.57 | 0.0906 |
| Middle | | 1 | 1 | 20.90 | 0.1231 | 19.40 | 0.0871 |
| Highest | | 1 | 1 | 20.88 | 0.1225 | 19.38 | 0.0867 |
| Lowest | 256QAM | 1 | 1 | 17.85 | 0.0610 | 16.35 | 0.0432 |
| Middle | | 1 | 1 | 17.89 | 0.0616 | 16.39 | 0.0436 |
| Highest | | 1 | 1 | 17.86 | 0.0611 | 16.36 | 0.0433 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n5 / 5MHz (Average) (GT - LC = -8 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 22.50 | 0.1779 | 12.35 | 0.0172 |
| Middle | | 1 | 1 | 22.52 | 0.1787 | 12.37 | 0.0173 |
| Highest | | 1 | 1 | 22.54 | 0.1795 | 12.39 | 0.0174 |
| Lowest | 16QAM | 1 | 1 | 22.11 | 0.1626 | 11.96 | 0.0158 |
| Middle | | 1 | 1 | 22.24 | 0.1675 | 12.09 | 0.0162 |
| Highest | | 1 | 1 | 22.25 | 0.1679 | 12.10 | 0.0163 |
| Lowest | 64QAM | 1 | 1 | 20.57 | 0.1141 | 10.42 | 0.0111 |
| Middle | | 1 | 1 | 20.56 | 0.1138 | 10.41 | 0.0110 |
| Highest | | 1 | 1 | 20.70 | 0.1175 | 10.55 | 0.0114 |
| Lowest | 256QAM | 1 | 1 | 17.50 | 0.0563 | 7.35 | 0.0055 |
| Middle | | 1 | 1 | 17.46 | 0.0558 | 7.31 | 0.0054 |
| Highest | | 1 | 1 | 17.30 | 0.0538 | 7.15 | 0.0052 |
| Limit | ERP < 7W | | | Result | | PASS | |

| NR n5 / 10MHz (Average) (GT - LC = -8 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 22.43 | 0.1750 | 12.28 | 0.0170 |
| Middle | | 1 | 1 | 22.48 | 0.1771 | 12.33 | 0.0172 |
| Highest | | 1 | 1 | 22.43 | 0.1750 | 12.28 | 0.0170 |
| Lowest | 16QAM | 1 | 1 | 22.01 | 0.1589 | 11.86 | 0.0154 |
| Middle | | 1 | 1 | 22.05 | 0.1604 | 11.90 | 0.0155 |
| Highest | | 1 | 1 | 21.97 | 0.1574 | 11.82 | 0.0153 |
| Lowest | 64QAM | 1 | 1 | 20.59 | 0.1146 | 10.44 | 0.0111 |
| Middle | | 1 | 1 | 20.62 | 0.1154 | 10.47 | 0.0112 |
| Highest | | 1 | 1 | 20.54 | 0.1133 | 10.39 | 0.0110 |
| Lowest | 256QAM | 1 | 1 | 17.34 | 0.0543 | 7.19 | 0.0053 |
| Middle | | 1 | 1 | 17.31 | 0.0539 | 7.16 | 0.0052 |
| Highest | | 1 | 1 | 17.19 | 0.0524 | 7.04 | 0.0051 |
| Limit | ERP < 7W | | | Result | | PASS | |



| NR n5 / 15MHz (Average) (GT - LC = -8 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 22.69 | 0.1858 | 12.54 | 0.0180 |
| Middle | | 1 | 1 | 22.68 | 0.1854 | 12.53 | 0.0180 |
| Highest | | 1 | 1 | 22.65 | 0.1841 | 12.50 | 0.0178 |
| Lowest | 16QAM | 1 | 1 | 22.19 | 0.1656 | 12.04 | 0.0160 |
| Middle | | 1 | 1 | 22.25 | 0.1679 | 12.10 | 0.0163 |
| Highest | | 1 | 1 | 22.20 | 0.1660 | 12.05 | 0.0161 |
| Lowest | 64QAM | 1 | 1 | 20.65 | 0.1162 | 10.50 | 0.0113 |
| Middle | | 1 | 1 | 20.70 | 0.1175 | 10.55 | 0.0114 |
| Highest | | 1 | 1 | 20.67 | 0.1167 | 10.52 | 0.0113 |
| Lowest | 256QAM | 1 | 1 | 17.37 | 0.0546 | 7.22 | 0.0053 |
| Middle | | 1 | 1 | 17.48 | 0.0560 | 7.33 | 0.0055 |
| Highest | | 1 | 1 | 17.40 | 0.0550 | 7.25 | 0.0054 |
| Limit | ERP < 7W | | | Result | | PASS | |

| NR n5 / 20MHz (Average) (GT - LC = -8 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 22.73 | 0.1875 | 12.58 | 0.0182 |
| Middle | | 1 | 1 | 22.79 | 0.1902 | 12.64 | 0.0184 |
| Highest | | 1 | 1 | 22.69 | 0.1858 | 12.54 | 0.0180 |
| Lowest | 16QAM | 1 | 1 | 22.24 | 0.1675 | 12.09 | 0.0162 |
| Middle | | 1 | 1 | 22.25 | 0.1679 | 12.10 | 0.0163 |
| Highest | | 1 | 1 | 22.28 | 0.1691 | 12.13 | 0.0164 |
| Lowest | 64QAM | 1 | 1 | 20.69 | 0.1173 | 10.54 | 0.0114 |
| Middle | | 1 | 1 | 20.63 | 0.1157 | 10.48 | 0.0112 |
| Highest | | 1 | 1 | 20.68 | 0.1170 | 10.53 | 0.0113 |
| Lowest | 256QAM | 1 | 1 | 17.36 | 0.0545 | 7.21 | 0.0053 |
| Middle | | 1 | 1 | 17.42 | 0.0553 | 7.27 | 0.0054 |
| Highest | | 1 | 1 | 17.41 | 0.0551 | 7.26 | 0.0054 |
| Limit | ERP < 7W | | | Result | | PASS | |



| NR n7 / 5MHz (Average) (GT - LC = -2.4 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.87 | 0.1539 | 19.47 | 0.0886 |
| Middle | | 1 | 1 | 22.31 | 0.1703 | 19.91 | 0.0980 |
| Highest | | 1 | 1 | 22.28 | 0.1691 | 19.88 | 0.0973 |
| Lowest | 16QAM | 1 | 1 | 21.56 | 0.1433 | 19.16 | 0.0825 |
| Middle | | 1 | 1 | 21.96 | 0.1571 | 19.56 | 0.0904 |
| Highest | | 1 | 1 | 21.99 | 0.1582 | 19.59 | 0.0910 |
| Lowest | 64QAM | 1 | 1 | 20.02 | 0.1005 | 17.62 | 0.0579 |
| Middle | | 1 | 1 | 20.35 | 0.1084 | 17.95 | 0.0624 |
| Highest | | 1 | 1 | 20.34 | 0.1082 | 17.94 | 0.0623 |
| Lowest | 256QAM | 1 | 1 | 17.04 | 0.0506 | 14.64 | 0.0292 |
| Middle | | 1 | 1 | 17.08 | 0.0511 | 14.68 | 0.0294 |
| Highest | | 1 | 1 | 16.90 | 0.0490 | 14.50 | 0.0282 |
| Limit | EIRP < 2W | | Result | | PASS | | |

| NR n7 / 10MHz (Average) (GT - LC = -2.4 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.08 | 0.1615 | 19.68 | 0.0929 |
| Middle | | 1 | 1 | 22.29 | 0.1695 | 19.89 | 0.0975 |
| Highest | | 1 | 1 | 22.51 | 0.1783 | 20.11 | 0.1026 |
| Lowest | 16QAM | 1 | 1 | 21.54 | 0.1426 | 19.14 | 0.0821 |
| Middle | | 1 | 1 | 21.84 | 0.1528 | 19.44 | 0.0880 |
| Highest | | 1 | 1 | 21.98 | 0.1578 | 19.58 | 0.0908 |
| Lowest | 64QAM | 1 | 1 | 20.11 | 0.1026 | 17.71 | 0.0591 |
| Middle | | 1 | 1 | 20.49 | 0.1120 | 18.09 | 0.0645 |
| Highest | | 1 | 1 | 20.51 | 0.1125 | 18.11 | 0.0648 |
| Lowest | 256QAM | 1 | 1 | 17.04 | 0.0506 | 14.64 | 0.0292 |
| Middle | | 1 | 1 | 16.95 | 0.0496 | 14.55 | 0.0286 |
| Highest | | 1 | 1 | 16.89 | 0.0489 | 14.49 | 0.0282 |
| Limit | EIRP < 2W | | Result | | PASS | | |



| NR n7 / 15MHz (Average) (GT - LC = -2.4 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.29 | 0.1695 | 19.89 | 0.0975 |
| Middle | | 1 | 1 | 22.33 | 0.1711 | 19.93 | 0.0985 |
| Highest | | 1 | 1 | 22.21 | 0.1664 | 19.81 | 0.0958 |
| Lowest | 16QAM | 1 | 1 | 21.73 | 0.1490 | 19.33 | 0.0858 |
| Middle | | 1 | 1 | 21.85 | 0.1532 | 19.45 | 0.0882 |
| Highest | | 1 | 1 | 21.80 | 0.1514 | 19.40 | 0.0871 |
| Lowest | 64QAM | 1 | 1 | 20.27 | 0.1065 | 17.87 | 0.0613 |
| Middle | | 1 | 1 | 20.40 | 0.1097 | 18.00 | 0.0631 |
| Highest | | 1 | 1 | 20.41 | 0.1100 | 18.01 | 0.0633 |
| Lowest | 256QAM | 1 | 1 | 17.09 | 0.0512 | 14.69 | 0.0295 |
| Middle | | 1 | 1 | 17.21 | 0.0527 | 14.81 | 0.0303 |
| Highest | | 1 | 1 | 16.96 | 0.0497 | 14.56 | 0.0286 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n7 / 20MHz (Average) (GT - LC = -2.4 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.19 | 0.1656 | 19.79 | 0.0953 |
| Middle | | 1 | 1 | 22.38 | 0.1730 | 19.98 | 0.0996 |
| Highest | | 1 | 1 | 22.51 | 0.1783 | 20.11 | 0.1026 |
| Lowest | 16QAM | 1 | 1 | 21.72 | 0.1486 | 19.32 | 0.0856 |
| Middle | | 1 | 1 | 21.91 | 0.1553 | 19.51 | 0.0894 |
| Highest | | 1 | 1 | 21.93 | 0.1560 | 19.53 | 0.0898 |
| Lowest | 64QAM | 1 | 1 | 20.26 | 0.1062 | 17.86 | 0.0611 |
| Middle | | 1 | 1 | 20.56 | 0.1138 | 18.16 | 0.0655 |
| Highest | | 1 | 1 | 20.47 | 0.1115 | 18.07 | 0.0642 |
| Lowest | 256QAM | 1 | 1 | 16.96 | 0.0497 | 14.56 | 0.0286 |
| Middle | | 1 | 1 | 17.03 | 0.0505 | 14.63 | 0.0291 |
| Highest | | 1 | 1 | 17.01 | 0.0503 | 14.61 | 0.0290 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n12 / 5MHz (Average) (GT - LC = -7.7 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.75 | 0.1497 | 11.90 | 0.0155 |
| Middle | | 1 | 1 | 21.61 | 0.1449 | 11.76 | 0.0150 |
| Highest | | 1 | 1 | 21.54 | 0.1426 | 11.69 | 0.0148 |
| Lowest | 16QAM | 1 | 1 | 21.49 | 0.1410 | 11.64 | 0.0146 |
| Middle | | 1 | 1 | 21.45 | 0.1397 | 11.60 | 0.0145 |
| Highest | | 1 | 1 | 21.26 | 0.1337 | 11.41 | 0.0139 |
| Lowest | 64QAM | 1 | 1 | 20.09 | 0.1021 | 10.24 | 0.0106 |
| Middle | | 1 | 1 | 19.99 | 0.0998 | 10.14 | 0.0104 |
| Highest | | 1 | 1 | 19.83 | 0.0962 | 9.98 | 0.0100 |
| Lowest | 256QAM | 1 | 1 | 16.43 | 0.0440 | 6.58 | 0.0046 |
| Middle | | 1 | 1 | 16.61 | 0.0459 | 6.76 | 0.0048 |
| Highest | | 1 | 1 | 16.16 | 0.0414 | 6.31 | 0.0043 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n12 / 10MHz (Average) (GT - LC = -7.7 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.66 | 0.1466 | 11.81 | 0.0152 |
| Middle | | 1 | 1 | 21.60 | 0.1446 | 11.75 | 0.0150 |
| Highest | | 1 | 1 | 21.46 | 0.1400 | 11.61 | 0.0145 |
| Lowest | 16QAM | 1 | 1 | 21.41 | 0.1384 | 11.56 | 0.0144 |
| Middle | | 1 | 1 | 21.44 | 0.1394 | 11.59 | 0.0145 |
| Highest | | 1 | 1 | 21.27 | 0.1340 | 11.42 | 0.0139 |
| Lowest | 64QAM | 1 | 1 | 19.97 | 0.0994 | 10.12 | 0.0103 |
| Middle | | 1 | 1 | 20.04 | 0.1010 | 10.19 | 0.0105 |
| Highest | | 1 | 1 | 19.95 | 0.0989 | 10.10 | 0.0103 |
| Lowest | 256QAM | 1 | 1 | 16.37 | 0.0434 | 6.52 | 0.0045 |
| Middle | | 1 | 1 | 16.48 | 0.0445 | 6.63 | 0.0047 |
| Highest | | 1 | 1 | 16.29 | 0.0426 | 6.44 | 0.0045 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n12 / 15MHz (Average) (GT - LC = -7.7 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.78 | 0.1507 | 11.93 | 0.0156 |
| Middle | | 1 | 1 | 21.78 | 0.1507 | 11.93 | 0.0156 |
| Highest | | 1 | 1 | 21.81 | 0.1518 | 11.96 | 0.0158 |
| Lowest | 16QAM | 1 | 1 | 21.66 | 0.1466 | 11.81 | 0.0152 |
| Middle | | 1 | 1 | 21.53 | 0.1423 | 11.68 | 0.0148 |
| Highest | | 1 | 1 | 21.57 | 0.1436 | 11.72 | 0.0149 |
| Lowest | 64QAM | 1 | 1 | 20.15 | 0.1036 | 10.30 | 0.0108 |
| Middle | | 1 | 1 | 20.08 | 0.1019 | 10.23 | 0.0106 |
| Highest | | 1 | 1 | 20.18 | 0.1043 | 10.33 | 0.0108 |
| Lowest | 256QAM | 1 | 1 | 16.74 | 0.0473 | 6.89 | 0.0049 |
| Middle | | 1 | 1 | 16.64 | 0.0462 | 6.79 | 0.0048 |
| Highest | | 1 | 1 | 16.63 | 0.0461 | 6.78 | 0.0048 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n25 / 5MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.58 | 0.1812 | 21.08 | 0.1283 |
| Middle | | 1 | 1 | 22.57 | 0.1808 | 21.07 | 0.1280 |
| Highest | | 1 | 1 | 22.35 | 0.1718 | 20.85 | 0.1217 |
| Lowest | 16QAM | 1 | 1 | 22.24 | 0.1675 | 20.74 | 0.1186 |
| Middle | | 1 | 1 | 22.35 | 0.1718 | 20.85 | 0.1217 |
| Highest | | 1 | 1 | 22.16 | 0.1645 | 20.66 | 0.1165 |
| Lowest | 64QAM | 1 | 1 | 21.34 | 0.1362 | 19.84 | 0.0964 |
| Middle | | 1 | 1 | 20.98 | 0.1254 | 19.48 | 0.0888 |
| Highest | | 1 | 1 | 20.78 | 0.1197 | 19.28 | 0.0848 |
| Lowest | 256QAM | 1 | 1 | 17.28 | 0.0535 | 15.78 | 0.0379 |
| Middle | | 1 | 1 | 17.24 | 0.0530 | 15.74 | 0.0375 |
| Highest | | 1 | 1 | 17.13 | 0.0517 | 15.63 | 0.0366 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n25 / 10MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.61 | 0.1824 | 21.11 | 0.1292 |
| Middle | | 1 | 1 | 22.56 | 0.1804 | 21.06 | 0.1277 |
| Highest | | 1 | 1 | 22.36 | 0.1722 | 20.86 | 0.1219 |
| Lowest | 16QAM | 1 | 1 | 22.30 | 0.1699 | 20.80 | 0.1203 |
| Middle | | 1 | 1 | 22.29 | 0.1695 | 20.79 | 0.1200 |
| Highest | | 1 | 1 | 22.10 | 0.1622 | 20.60 | 0.1149 |
| Lowest | 64QAM | 1 | 1 | 20.99 | 0.1257 | 19.49 | 0.0890 |
| Middle | | 1 | 1 | 21.09 | 0.1286 | 19.59 | 0.0910 |
| Highest | | 1 | 1 | 20.79 | 0.1200 | 19.29 | 0.0850 |
| Lowest | 256QAM | 1 | 1 | 17.23 | 0.0529 | 15.73 | 0.0375 |
| Middle | | 1 | 1 | 17.25 | 0.0531 | 15.75 | 0.0376 |
| Highest | | 1 | 1 | 17.05 | 0.0507 | 15.55 | 0.0359 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n25 / 15MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.73 | 0.1875 | 21.23 | 0.1328 |
| Middle | | 1 | 1 | 22.81 | 0.1910 | 21.31 | 0.1353 |
| Highest | | 1 | 1 | 22.64 | 0.1837 | 21.14 | 0.1301 |
| Lowest | 16QAM | 1 | 1 | 22.53 | 0.1791 | 21.03 | 0.1268 |
| Middle | | 1 | 1 | 22.54 | 0.1795 | 21.04 | 0.1271 |
| Highest | | 1 | 1 | 22.35 | 0.1718 | 20.85 | 0.1217 |
| Lowest | 64QAM | 1 | 1 | 21.15 | 0.1304 | 19.65 | 0.0923 |
| Middle | | 1 | 1 | 20.91 | 0.1234 | 19.41 | 0.0873 |
| Highest | | 1 | 1 | 20.71 | 0.1178 | 19.21 | 0.0834 |
| Lowest | 256QAM | 1 | 1 | 17.28 | 0.0535 | 15.78 | 0.0379 |
| Middle | | 1 | 1 | 17.33 | 0.0541 | 15.83 | 0.0383 |
| Highest | | 1 | 1 | 17.20 | 0.0525 | 15.70 | 0.0372 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| NR n25 / 20MHz (Average) (GT - LC = -1.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 22.54 | 0.1795 | 21.04 | 0.1271 |
| Middle | | 1 | 1 | 22.53 | 0.1791 | 21.03 | 0.1268 |
| Highest | | 1 | 1 | 22.55 | 0.1799 | 21.05 | 0.1274 |
| Lowest | 16QAM | 1 | 1 | 22.27 | 0.1687 | 20.77 | 0.1194 |
| Middle | | 1 | 1 | 22.27 | 0.1687 | 20.77 | 0.1194 |
| Highest | | 1 | 1 | 22.25 | 0.1679 | 20.75 | 0.1189 |
| Lowest | 64QAM | 1 | 1 | 21.08 | 0.1283 | 19.58 | 0.0908 |
| Middle | | 1 | 1 | 20.95 | 0.1245 | 19.45 | 0.0882 |
| Highest | | 1 | 1 | 20.96 | 0.1248 | 19.46 | 0.0884 |
| Lowest | 256QAM | 1 | 1 | 17.94 | 0.0623 | 16.44 | 0.0441 |
| Middle | | 1 | 1 | 17.98 | 0.0629 | 16.48 | 0.0445 |
| Highest | | 1 | 1 | 17.89 | 0.0616 | 16.39 | 0.0436 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| NR n66 / 5MHz (Average) (GT - LC = -0.8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.52 | 0.1420 | 20.72 | 0.1181 |
| Middle | | 1 | 1 | 21.44 | 0.1394 | 20.64 | 0.1159 |
| Highest | | 1 | 1 | 21.38 | 0.1375 | 20.58 | 0.1143 |
| Lowest | 16QAM | 1 | 1 | 21.45 | 0.1397 | 20.65 | 0.1162 |
| Middle | | 1 | 1 | 21.19 | 0.1316 | 20.39 | 0.1094 |
| Highest | | 1 | 1 | 21.10 | 0.1289 | 20.30 | 0.1072 |
| Lowest | 64QAM | 1 | 1 | 19.93 | 0.0985 | 19.13 | 0.0819 |
| Middle | | 1 | 1 | 19.03 | 0.0800 | 18.23 | 0.0666 |
| Highest | | 1 | 1 | 19.62 | 0.0917 | 18.82 | 0.0763 |
| Lowest | 256QAM | 1 | 1 | 16.72 | 0.0470 | 15.92 | 0.0391 |
| Middle | | 1 | 1 | 16.41 | 0.0438 | 15.61 | 0.0364 |
| Highest | | 1 | 1 | 16.04 | 0.0402 | 15.24 | 0.0335 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| NR n66 / 10MHz (Average) (GT - LC = -0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.48 | 0.1407 | 20.68 | 0.1170 |
| Middle | | 1 | 1 | 21.70 | 0.1480 | 20.90 | 0.1231 |
| Highest | | 1 | 1 | 21.26 | 0.1337 | 20.46 | 0.1112 |
| Lowest | 16QAM | 1 | 1 | 21.31 | 0.1353 | 20.51 | 0.1125 |
| Middle | | 1 | 1 | 21.27 | 0.1340 | 20.47 | 0.1115 |
| Highest | | 1 | 1 | 20.78 | 0.1197 | 19.98 | 0.0996 |
| Lowest | 64QAM | 1 | 1 | 19.91 | 0.0980 | 19.11 | 0.0815 |
| Middle | | 1 | 1 | 19.52 | 0.0896 | 18.72 | 0.0745 |
| Highest | | 1 | 1 | 19.57 | 0.0906 | 18.77 | 0.0754 |
| Lowest | 256QAM | 1 | 1 | 16.46 | 0.0443 | 15.66 | 0.0369 |
| Middle | | 1 | 1 | 16.16 | 0.0414 | 15.36 | 0.0344 |
| Highest | | 1 | 1 | 16.17 | 0.0414 | 15.37 | 0.0345 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| NR n66 / 15MHz (Average) (GT - LC = -0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.68 | 0.1473 | 20.88 | 0.1225 |
| Middle | | 1 | 1 | 21.41 | 0.1384 | 20.61 | 0.1151 |
| Highest | | 1 | 1 | 21.31 | 0.1353 | 20.51 | 0.1125 |
| Lowest | 16QAM | 1 | 1 | 21.52 | 0.1420 | 20.72 | 0.1181 |
| Middle | | 1 | 1 | 21.18 | 0.1313 | 20.38 | 0.1092 |
| Highest | | 1 | 1 | 21.00 | 0.1259 | 20.20 | 0.1048 |
| Lowest | 64QAM | 1 | 1 | 20.01 | 0.1003 | 19.21 | 0.0834 |
| Middle | | 1 | 1 | 19.90 | 0.0978 | 19.10 | 0.0813 |
| Highest | | 1 | 1 | 19.61 | 0.0915 | 18.81 | 0.0761 |
| Lowest | 256QAM | 1 | 1 | 16.62 | 0.0460 | 15.82 | 0.0382 |
| Middle | | 1 | 1 | 16.44 | 0.0441 | 15.64 | 0.0367 |
| Highest | | 1 | 1 | 16.30 | 0.0427 | 15.50 | 0.0355 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| NR n66 / 20MHz (Average) (GT - LC = -0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 1 | 21.66 | 0.1466 | 20.86 | 0.1219 |
| Middle | | 1 | 1 | 21.40 | 0.1381 | 20.60 | 0.1149 |
| Highest | | 1 | 1 | 21.45 | 0.1397 | 20.65 | 0.1162 |
| Lowest | 16QAM | 1 | 1 | 21.53 | 0.1423 | 20.73 | 0.1184 |
| Middle | | 1 | 1 | 21.14 | 0.1301 | 20.34 | 0.1082 |
| Highest | | 1 | 1 | 21.21 | 0.1322 | 20.41 | 0.1100 |
| Lowest | 64QAM | 1 | 1 | 19.90 | 0.0978 | 19.10 | 0.0813 |
| Middle | | 1 | 1 | 20.12 | 0.1029 | 19.32 | 0.0856 |
| Highest | | 1 | 1 | 20.11 | 0.1026 | 19.31 | 0.0854 |
| Lowest | 256QAM | 1 | 1 | 16.60 | 0.0458 | 15.80 | 0.0381 |
| Middle | | 1 | 1 | 16.40 | 0.0437 | 15.60 | 0.0364 |
| Highest | | 1 | 1 | 16.32 | 0.0429 | 15.52 | 0.0357 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| NR n71 / 5MHz (Average) (GT - LC = -9.6 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.52 | 0.1420 | 9.77 | 0.0095 |
| Middle | | 1 | 1 | 21.44 | 0.1394 | 9.69 | 0.0094 |
| Highest | | 1 | 1 | 21.38 | 0.1375 | 9.63 | 0.0092 |
| Lowest | 16QAM | 1 | 1 | 21.45 | 0.1397 | 9.70 | 0.0094 |
| Middle | | 1 | 1 | 21.19 | 0.1316 | 9.44 | 0.0088 |
| Highest | | 1 | 1 | 21.10 | 0.1289 | 9.35 | 0.0087 |
| Lowest | 64QAM | 1 | 1 | 19.93 | 0.0985 | 8.18 | 0.0066 |
| Middle | | 1 | 1 | 19.03 | 0.0800 | 7.28 | 0.0054 |
| Highest | | 1 | 1 | 19.62 | 0.0917 | 7.87 | 0.0062 |
| Lowest | 256QAM | 1 | 1 | 16.72 | 0.0470 | 4.97 | 0.0032 |
| Middle | | 1 | 1 | 16.41 | 0.0438 | 4.66 | 0.0030 |
| Highest | | 1 | 1 | 16.04 | 0.0402 | 4.29 | 0.0027 |
| Limit | ERP < 3W | | | Result | | PASS | |

| NR n71 / 10MHz (Average) (GT - LC = -9.6 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.48 | 0.1407 | 9.73 | 0.0094 |
| Middle | | 1 | 1 | 21.70 | 0.1480 | 9.95 | 0.0099 |
| Highest | | 1 | 1 | 21.26 | 0.1337 | 9.51 | 0.0090 |
| Lowest | 16QAM | 1 | 1 | 21.31 | 0.1353 | 9.56 | 0.0091 |
| Middle | | 1 | 1 | 21.27 | 0.1340 | 9.52 | 0.0090 |
| Highest | | 1 | 1 | 20.78 | 0.1197 | 9.03 | 0.0080 |
| Lowest | 64QAM | 1 | 1 | 19.91 | 0.0980 | 8.16 | 0.0066 |
| Middle | | 1 | 1 | 19.52 | 0.0896 | 7.77 | 0.0060 |
| Highest | | 1 | 1 | 19.57 | 0.0906 | 7.82 | 0.0061 |
| Lowest | 256QAM | 1 | 1 | 16.46 | 0.0443 | 4.71 | 0.0030 |
| Middle | | 1 | 1 | 16.16 | 0.0414 | 4.41 | 0.0028 |
| Highest | | 1 | 1 | 16.17 | 0.0414 | 4.42 | 0.0028 |
| Limit | ERP < 3W | | | Result | | PASS | |



| NR n71 / 15MHz (Average) (GT - LC = -9.6 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.68 | 0.1473 | 9.93 | 0.0099 |
| Middle | | 1 | 1 | 21.41 | 0.1384 | 9.66 | 0.0093 |
| Highest | | 1 | 1 | 21.31 | 0.1353 | 9.56 | 0.0091 |
| Lowest | 16QAM | 1 | 1 | 21.52 | 0.1420 | 9.77 | 0.0095 |
| Middle | | 1 | 1 | 21.18 | 0.1313 | 9.43 | 0.0088 |
| Highest | | 1 | 1 | 21.00 | 0.1259 | 9.25 | 0.0085 |
| Lowest | 64QAM | 1 | 1 | 20.01 | 0.1003 | 8.26 | 0.0067 |
| Middle | | 1 | 1 | 19.90 | 0.0978 | 8.15 | 0.0066 |
| Highest | | 1 | 1 | 19.61 | 0.0915 | 7.86 | 0.0062 |
| Lowest | 256QAM | 1 | 1 | 16.62 | 0.0460 | 4.87 | 0.0031 |
| Middle | | 1 | 1 | 16.44 | 0.0441 | 4.69 | 0.0030 |
| Highest | | 1 | 1 | 16.30 | 0.0427 | 4.55 | 0.0029 |
| Limit | EEP < 3W | | | Result | | PASS | |

| NR n71 / 20MHz (Average) (GT - LC = -9.6 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 1 | 21.66 | 0.1466 | 9.91 | 0.0098 |
| Middle | | 1 | 1 | 21.40 | 0.1381 | 9.65 | 0.0093 |
| Highest | | 1 | 1 | 21.45 | 0.1397 | 9.70 | 0.0094 |
| Lowest | 16QAM | 1 | 1 | 21.53 | 0.1423 | 9.78 | 0.0096 |
| Middle | | 1 | 1 | 21.14 | 0.1301 | 9.39 | 0.0087 |
| Highest | | 1 | 1 | 21.21 | 0.1322 | 9.46 | 0.0089 |
| Lowest | 64QAM | 1 | 1 | 19.90 | 0.0978 | 8.15 | 0.0066 |
| Middle | | 1 | 1 | 20.12 | 0.1029 | 8.37 | 0.0069 |
| Highest | | 1 | 1 | 20.11 | 0.1026 | 8.36 | 0.0069 |
| Lowest | 256QAM | 1 | 1 | 16.60 | 0.0458 | 4.85 | 0.0031 |
| Middle | | 1 | 1 | 16.40 | 0.0437 | 4.65 | 0.0030 |
| Highest | | 1 | 1 | 16.32 | 0.0429 | 4.57 | 0.0029 |
| Limit | EEP < 3W | | | Result | | PASS | |



Radiated Spurious Emission

<Primary Antenna>

<Ant. 0>

EN-DC 2A-n5A

| EN-DC 2A-n5A / 20MHz / PI/2 BPSK | | | | | | | | | |
|----------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1648 | -40.66 | -13 | -27.66 | -74.14 | -46.25 | 0.92 | 8.66 | H |
| | 2472 | -35.81 | -13 | -22.81 | -74.18 | -43.18 | 1.14 | 10.66 | H |
| | 3304 | -34.74 | -13 | -21.74 | -74.9 | -43.29 | 1.32 | 12.03 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1648 | -41.20 | -13 | -28.20 | -74.15 | -46.79 | 0.92 | 8.66 | V |
| | 2472 | -35.76 | -13 | -22.76 | -74.28 | -43.13 | 1.14 | 10.66 | V |
| | 3304 | -34.00 | -13 | -21.00 | -74.63 | -42.55 | 1.32 | 12.03 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 1656 | -40.08 | -13 | -27.08 | -73.6 | -45.70 | 0.92 | 8.69 | H |
| | 2480 | -36.16 | -13 | -23.16 | -74.54 | -43.54 | 1.15 | 10.67 | H |
| | 3312 | -34.41 | -13 | -21.41 | -74.56 | -42.98 | 1.33 | 12.05 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1656 | -41.09 | -13 | -28.09 | -74.04 | -46.71 | 0.92 | 8.69 | V |
| | 2480 | -35.75 | -13 | -22.75 | -74.3 | -43.13 | 1.15 | 10.67 | V |
| | 3312 | -33.87 | -13 | -20.87 | -74.48 | -42.44 | 1.33 | 12.05 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 1664 | -40.10 | -13 | -27.10 | -73.63 | -45.75 | 0.93 | 8.72 | H |
| | 2488 | -35.87 | -13 | -22.87 | -74.27 | -43.26 | 1.15 | 10.68 | H |
| | 3320 | -34.65 | -13 | -21.65 | -74.78 | -43.24 | 1.33 | 12.07 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1664 | -41.20 | -13 | -28.20 | -74.14 | -46.85 | 0.93 | 8.72 | V |
| | 2488 | -35.90 | -13 | -22.90 | -74.49 | -43.29 | 1.15 | 10.68 | V |
| | 3320 | -33.70 | -13 | -20.70 | -74.29 | -42.29 | 1.33 | 12.07 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 2A-n12A

| EN-DC 2A-n12A / 15MHz / PI/2 BPSK | | | | | | | | | |
|-----------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1400 | -49.40 | -13.00 | -36.40 | -73.90 | -54.05 | 0.84 | 7.64 | H |
| | 2100 | -47.24 | -13.00 | -34.24 | -74.90 | -54.17 | 1.06 | 10.14 | H |
| | 2800 | -45.36 | -13.00 | -32.36 | -74.51 | -53.05 | 1.22 | 11.06 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1400 | -50.43 | -13.00 | -37.43 | -73.70 | -55.08 | 0.84 | 7.64 | V |
| | 2100 | -48.26 | -13.00 | -35.26 | -74.82 | -55.19 | 1.06 | 10.14 | V |
| | 2800 | -45.50 | -13.00 | -32.50 | -74.59 | -53.19 | 1.22 | 11.06 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 1402 | -49.49 | -13.00 | -36.49 | -73.99 | -54.14 | 0.84 | 7.65 | H |
| | 2103 | -47.28 | -13.00 | -34.28 | -75.00 | -54.21 | 1.06 | 10.14 | H |
| | 2804 | -45.50 | -13.00 | -32.50 | -74.67 | -53.19 | 1.22 | 11.06 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1402 | -50.51 | -13.00 | -37.51 | -73.78 | -55.16 | 0.84 | 7.65 | V |
| | 2103 | -48.10 | -13.00 | -35.10 | -74.71 | -55.03 | 1.06 | 10.14 | V |
| | 2804 | -45.90 | -13.00 | -32.90 | -75.01 | -53.59 | 1.22 | 11.06 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|--------|--------|--------|--------|------|-------|---|
| Highest | 1404 | -49.12 | -13.00 | -36.12 | -73.60 | -53.78 | 0.85 | 7.66 | H |
| | 2106 | -47.05 | -13.00 | -34.05 | -74.82 | -53.99 | 1.06 | 10.15 | H |
| | 2808 | -45.36 | -13.00 | -32.36 | -74.55 | -53.06 | 1.22 | 11.07 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1404 | -50.67 | -13.00 | -37.67 | -73.93 | -55.33 | 0.85 | 7.66 | V |
| | 2106 | -48.32 | -13.00 | -35.32 | -74.98 | -55.26 | 1.06 | 10.15 | V |
| | 2808 | -45.48 | -13.00 | -32.48 | -74.62 | -53.18 | 1.22 | 11.07 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 66A-n71A

| EN-DC 66A-n71A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1328 | -39.58 | -13 | -26.58 | -73.65 | -46.06 | 0.83 | 7.31 | H |
| | 1992 | -38.38 | -13 | -25.38 | -74.23 | -47.31 | 1.04 | 9.97 | H |
| | 2657 | -36.24 | -13 | -23.24 | -74.86 | -45.94 | 1.19 | 10.89 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1328 | -40.07 | -13 | -27.07 | -73.3 | -46.55 | 0.83 | 7.31 | V |
| | 1992 | -39.59 | -13 | -26.59 | -74.47 | -48.52 | 1.04 | 9.97 | V |
| | 2657 | -36.35 | -13 | -23.35 | -74.93 | -46.05 | 1.19 | 10.89 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 1343 | -39.14 | -13 | -26.14 | -73.3 | -45.69 | 0.83 | 7.38 | H |
| | 2015 | -38.33 | -13 | -25.33 | -74.52 | -47.31 | 1.04 | 10.02 | H |
| | 2687 | -36.06 | -13 | -23.06 | -74.79 | -45.79 | 1.19 | 10.92 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1343 | -40.24 | -13 | -27.24 | -73.48 | -46.79 | 0.83 | 7.38 | V |
| | 2015 | -39.51 | -13 | -26.51 | -74.71 | -48.49 | 1.04 | 10.02 | V |
| | 2687 | -36.06 | -13 | -23.06 | -74.75 | -45.79 | 1.19 | 10.92 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 1358 | -38.91 | -13 | -25.91 | -73.16 | -45.52 | 0.83 | 7.45 | H |
| | 2037 | -37.50 | -13 | -24.50 | -74.08 | -46.50 | 1.05 | 10.05 | H |
| | 2717 | -35.72 | -13 | -22.72 | -74.57 | -45.48 | 1.20 | 10.96 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1358 | -40.32 | -13 | -27.32 | -73.57 | -46.93 | 0.83 | 7.45 | V |
| | 2037 | -38.76 | -13 | -25.76 | -74.32 | -47.76 | 1.05 | 10.05 | V |
| | 2717 | -35.69 | -13 | -22.69 | -74.49 | -45.45 | 1.20 | 10.96 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 2A-n71A

| EN-DC 66A-n71 / 20MHz / PI/2 BPSK | | | | | | | | | |
|-----------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1329 | -59.03 | -13 | -46.03 | -73.11 | -65.52 | 0.83 | 7.31 | H |
| | 1993 | -58.63 | -13 | -45.63 | -74.45 | -67.57 | 1.04 | 9.97 | H |
| | 2657 | -56.26 | -13 | -43.26 | -74.83 | -65.96 | 1.19 | 10.89 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1329 | -60.36 | -13 | -47.36 | -73.59 | -66.85 | 0.83 | 7.31 | V |
| | 1993 | -59.79 | -13 | -46.79 | -74.64 | -68.73 | 1.04 | 9.97 | V |
| | 2657 | -56.48 | -13 | -43.48 | -75.01 | -66.18 | 1.19 | 10.89 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 1344 | -58.42 | -13 | -45.42 | -72.59 | -64.97 | 0.83 | 7.38 | H |
| | 2015 | -50.02 | -13 | -37.02 | -66.17 | -59.00 | 1.04 | 10.02 | H |
| | 2687 | -55.58 | -13 | -42.58 | -74.26 | -65.31 | 1.19 | 10.92 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1344 | -60.24 | -13 | -47.24 | -73.48 | -66.79 | 0.83 | 7.38 | V |
| | 2015 | -54.03 | -13 | -41.03 | -69.19 | -63.01 | 1.04 | 10.02 | V |
| | 2687 | -56.24 | -13 | -43.24 | -74.88 | -65.97 | 1.19 | 10.92 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 1359 | -59.24 | -13 | -46.24 | -73.49 | -65.86 | 0.83 | 7.45 | H |
| | 2038 | -55.75 | -13 | -42.75 | -72.3 | -64.75 | 1.05 | 10.05 | H |
| | 2717 | -55.68 | -13 | -42.68 | -74.48 | -65.44 | 1.20 | 10.96 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1359 | -60.28 | -13 | -47.28 | -73.53 | -66.90 | 0.83 | 7.45 | V |
| | 2038 | -58.12 | -13 | -45.12 | -73.65 | -67.12 | 1.05 | 10.05 | V |
| | 2717 | -56.05 | -13 | -43.05 | -74.8 | -65.81 | 1.20 | 10.96 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 2>

EN-DC 12A-n25A

| EN-DC 12A-n25A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3700 | -32.13 | -13 | -19.13 | -74.31 | -43.34 | 1.41 | 12.62 | H |
| | 5554 | -27.64 | -13 | -14.64 | -75.29 | -39.20 | 1.74 | 13.30 | H |
| | 7407 | -43.48 | -13 | -30.48 | -74.78 | -52.79 | 1.94 | 11.25 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3700 | -33.81 | -13 | -20.81 | -76.13 | -45.02 | 1.41 | 12.62 | V |
| | 5554 | -27.91 | -13 | -14.91 | -75.09 | -39.47 | 1.74 | 13.30 | V |
| | 7407 | -43.71 | -13 | -30.71 | -74.86 | -53.02 | 1.94 | 11.25 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 3748 | -32.90 | -13 | -19.90 | -75.3 | -44.12 | 1.42 | 12.65 | H |
| | 5620 | -28.03 | -13 | -15.03 | -75.6 | -39.59 | 1.74 | 13.30 | H |
| | 7495 | -43.35 | -13 | -30.35 | -74.21 | -52.47 | 1.99 | 11.11 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3748 | -33.30 | -13 | -20.30 | -75.9 | -44.52 | 1.42 | 12.65 | V |
| | 5620 | -28.35 | -13 | -15.35 | -75.56 | -39.91 | 1.74 | 13.30 | V |
| | 7495 | -43.74 | -13 | -30.74 | -74.57 | -52.86 | 1.99 | 11.11 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 3790 | -31.40 | -13 | -18.40 | -74.01 | -42.64 | 1.44 | 12.67 | H |
| | 5686 | -27.89 | -13 | -14.89 | -75.76 | -39.46 | 1.73 | 13.30 | H |
| | 7583 | -44.27 | -13 | -31.27 | -74.64 | -53.38 | 2.00 | 11.12 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3790 | -32.33 | -13 | -19.33 | -75.19 | -43.57 | 1.44 | 12.67 | V |
| | 5686 | -28.33 | -13 | -15.33 | -75.67 | -39.90 | 1.73 | 13.30 | V |
| | 7583 | -44.36 | -13 | -31.36 | -74.68 | -53.47 | 2.00 | 11.12 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 12A-n66A

| EN-DC 12A-n66A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3423 | -54.19 | -13 | -41.19 | -75.04 | -65.16 | 1.35 | 12.32 | H |
| | 5134 | -49.31 | -13 | -36.31 | -75.77 | -60.45 | 1.64 | 12.79 | H |
| | 6845 | -45.47 | -13 | -32.47 | -75.08 | -55.85 | 1.74 | 12.12 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3423 | -53.74 | -13 | -40.74 | -75.01 | -64.71 | 1.35 | 12.32 | V |
| | 5134 | -49.63 | -13 | -36.63 | -75.84 | -60.77 | 1.64 | 12.79 | V |
| | 6845 | -46.20 | -13 | -33.20 | -75.41 | -56.58 | 1.74 | 12.12 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 3473 | -53.51 | -13 | -40.51 | -74.85 | -64.59 | 1.36 | 12.44 | H |
| | 5209 | -48.57 | -13 | -35.57 | -75.1 | -59.80 | 1.66 | 12.89 | H |
| | 6945 | -44.67 | -13 | -31.67 | -74.72 | -54.92 | 1.73 | 11.98 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3473 | -53.15 | -13 | -40.15 | -74.87 | -64.23 | 1.36 | 12.44 | V |
| | 5209 | -48.98 | -13 | -35.98 | -75.34 | -60.21 | 1.66 | 12.89 | V |
| | 6945 | -45.20 | -13 | -32.20 | -74.79 | -55.45 | 1.73 | 11.98 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 3523 | -53.10 | -13 | -40.10 | -74.9 | -64.25 | 1.37 | 12.51 | H |
| | 5284 | -48.71 | -13 | -35.71 | -75.5 | -60.02 | 1.68 | 13.00 | H |
| | 7045 | -44.30 | -13 | -31.30 | -74.73 | -54.38 | 1.74 | 11.83 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3523 | -52.73 | -13 | -39.73 | -74.81 | -63.88 | 1.37 | 12.51 | V |
| | 5284 | -48.66 | -13 | -35.66 | -75.18 | -59.97 | 1.68 | 13.00 | V |
| | 7045 | -44.90 | -13 | -31.90 | -74.88 | -54.98 | 1.74 | 11.83 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 48A-n66A

| EN-DC 48A-n66A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3422 | -53.99 | -13 | -40.99 | -74.83 | -64.96 | 1.35 | 12.31 | H |
| | 5133 | -43.39 | -13 | -30.39 | -69.85 | -54.53 | 1.64 | 12.79 | H |
| | 6845 | -45.96 | -13 | -32.96 | -75.57 | -56.34 | 1.74 | 12.12 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3422 | -53.98 | -13 | -40.98 | -75.24 | -64.95 | 1.35 | 12.31 | V |
| | 5133 | -42.49 | -13 | -29.49 | -68.7 | -53.63 | 1.64 | 12.79 | V |
| | 6845 | -46.15 | -13 | -33.15 | -75.36 | -56.53 | 1.74 | 12.12 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 3472 | -53.71 | -13 | -40.71 | -75.04 | -64.79 | 1.35 | 12.43 | H |
| | 5208 | -40.76 | -13 | -27.76 | -67.29 | -51.99 | 1.66 | 12.89 | H |
| | 6945 | -44.98 | -13 | -31.98 | -75.03 | -55.23 | 1.73 | 11.98 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3472 | -53.20 | -13 | -40.20 | -74.91 | -64.28 | 1.35 | 12.43 | V |
| | 5208 | -38.47 | -13 | -25.47 | -64.83 | -49.70 | 1.66 | 12.89 | V |
| | 6945 | -45.54 | -13 | -32.54 | -75.13 | -55.79 | 1.73 | 11.98 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 3522 | -53.31 | -13 | -40.31 | -75.1 | -64.46 | 1.37 | 12.51 | H |
| | 5283 | -43.76 | -13 | -30.76 | -70.55 | -55.07 | 1.68 | 13.00 | H |
| | 7045 | -44.54 | -13 | -31.54 | -74.97 | -54.62 | 1.74 | 11.83 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3522 | -52.77 | -13 | -39.77 | -74.84 | -63.92 | 1.37 | 12.51 | V |
| | 5283 | -41.05 | -13 | -28.05 | -67.57 | -52.36 | 1.68 | 13.00 | V |
| | 7045 | -44.88 | -13 | -31.88 | -74.86 | -54.96 | 1.74 | 11.83 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 12A-n7A

| EN-DC 12A-n7A / 20MHz / PI/2 BPSK | | | | | | | | | |
|-----------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 5002 | -29.80 | -25 | -4.80 | -66.08 | -40.79 | 1.61 | 12.60 | H |
| | 7503 | -34.10 | -25 | -9.10 | -74.38 | -43.21 | 1.99 | 11.10 | H |
| | 10005 | -40.73 | -25 | -15.73 | -74.32 | -49.63 | 2.40 | 11.30 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5002 | -34.62 | -25 | -9.62 | -70.45 | -45.61 | 1.61 | 12.60 | V |
| | 7503 | -34.43 | -25 | -9.43 | -74.68 | -43.54 | 1.99 | 11.10 | V |
| | 10005 | -40.04 | -25 | -15.04 | -74.42 | -48.94 | 2.40 | 11.30 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 5053 | -28.11 | -25 | -3.11 | -64.4 | -39.16 | 1.62 | 12.67 | H |
| | 7580 | -34.30 | -25 | -9.30 | -74.13 | -43.41 | 2.00 | 11.12 | H |
| | 10105 | -40.63 | -25 | -15.63 | -74.45 | -49.45 | 2.40 | 11.22 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5053 | -36.81 | -25 | -11.81 | -72.73 | -47.86 | 1.62 | 12.67 | V |
| | 7580 | -34.70 | -25 | -9.70 | -74.49 | -43.81 | 2.00 | 11.12 | V |
| | 10105 | -40.16 | -25 | -15.16 | -74.55 | -48.98 | 2.40 | 11.22 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5102 | -28.89 | -25 | -3.89 | -65.2 | -40.00 | 1.64 | 12.74 | H |
| | 7650 | -34.13 | -25 | -9.13 | -73.83 | -43.25 | 2.01 | 11.13 | H |
| | 10200 | -40.40 | -25 | -15.40 | -74.43 | -49.14 | 2.40 | 11.14 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5102 | -37.04 | -25 | -12.04 | -73.05 | -48.15 | 1.64 | 12.74 | V |
| | 7650 | -34.22 | -25 | -9.22 | -73.8 | -43.34 | 2.01 | 11.13 | V |
| | 10200 | -40.06 | -25 | -15.06 | -74.45 | -48.80 | 2.40 | 11.14 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 2A-n41A (HPUE)

| EN-DC 2A-n41A / 20MHz / PI/2 BPSK | | | | | | | | | |
|-----------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 4995 | -49.32 | -25 | -24.32 | -75.72 | -60.31 | 1.61 | 12.60 | H |
| | 7492 | -44.52 | -25 | -19.52 | -74.99 | -53.65 | 1.99 | 11.11 | H |
| | 9999 | -41.44 | -25 | -16.44 | -74.79 | -50.34 | 2.40 | 11.30 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 4995 | -49.55 | -25 | -24.55 | -75.49 | -60.54 | 1.61 | 12.60 | V |
| | 7492 | -44.29 | -25 | -19.29 | -74.72 | -53.42 | 1.99 | 11.11 | V |
| | 9999 | -40.57 | -25 | -15.57 | -74.69 | -49.47 | 2.40 | 11.30 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 5169 | -49.51 | -25 | -24.51 | -76 | -60.69 | 1.65 | 12.84 | H |
| | 7753 | -44.93 | -25 | -19.93 | -74.74 | -54.06 | 2.03 | 11.15 | H |
| | 10337 | -40.96 | -25 | -15.96 | -75.03 | -49.60 | 2.39 | 11.03 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5169 | -49.98 | -25 | -24.98 | -76.26 | -61.16 | 1.65 | 12.84 | V |
| | 7753 | -45.14 | -25 | -20.14 | -74.7 | -54.27 | 2.03 | 11.15 | V |
| | 10337 | -40.85 | -25 | -15.85 | -74.98 | -49.49 | 2.39 | 11.03 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5340 | -48.63 | -25 | -23.63 | -75.63 | -60.01 | 1.70 | 13.08 | H |
| | 8016 | -43.20 | -25 | -18.20 | -74.3 | -52.37 | 2.06 | 11.23 | H |
| | 10683 | -40.32 | -25 | -15.32 | -74.81 | -48.73 | 2.49 | 10.90 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5340 | -49.35 | -25 | -24.35 | -76.01 | -60.73 | 1.70 | 13.08 | V |
| | 8016 | -43.31 | -25 | -18.31 | -74.3 | -52.48 | 2.06 | 11.23 | V |
| | 10683 | -40.27 | -25 | -15.27 | -74.52 | -48.68 | 2.49 | 10.90 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 25A-n41A (HPUE)

| EN-DC 25A-n41A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 4992 | -49.14 | -25 | -24.14 | -75.53 | -60.13 | 1.61 | 12.60 | H |
| | 7494 | -44.01 | -25 | -19.01 | -74.47 | -53.13 | 1.99 | 11.11 | H |
| | 9990 | -40.97 | -25 | -15.97 | -74.32 | -49.88 | 2.40 | 11.30 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 4992 | -49.60 | -25 | -24.60 | -75.53 | -60.59 | 1.61 | 12.60 | V |
| | 7494 | -44.09 | -25 | -19.09 | -74.51 | -53.21 | 1.99 | 11.11 | V |
| | 9990 | -40.54 | -25 | -15.54 | -74.66 | -49.45 | 2.40 | 11.30 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 5166 | -49.16 | -25 | -24.16 | -75.65 | -60.34 | 1.65 | 12.83 | H |
| | 7752 | -44.64 | -25 | -19.64 | -74.45 | -53.77 | 2.03 | 11.15 | H |
| | 10341 | -40.81 | -25 | -15.81 | -74.89 | -49.44 | 2.39 | 11.03 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5166 | -49.50 | -25 | -24.50 | -75.78 | -60.68 | 1.65 | 12.83 | V |
| | 7752 | -45.06 | -25 | -20.06 | -74.63 | -54.19 | 2.03 | 11.15 | V |
| | 10341 | -41.04 | -25 | -16.04 | -75.17 | -49.67 | 2.39 | 11.03 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5340 | -48.47 | -25 | -23.47 | -75.47 | -59.85 | 1.70 | 13.08 | H |
| | 8016 | -43.30 | -25 | -18.30 | -74.4 | -52.47 | 2.06 | 11.23 | H |
| | 10683 | -39.81 | -25 | -14.81 | -74.3 | -48.22 | 2.49 | 10.90 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5340 | -48.86 | -25 | -23.86 | -75.52 | -60.24 | 1.70 | 13.08 | V |
| | 8016 | -43.35 | -25 | -18.35 | -74.34 | -52.52 | 2.06 | 11.23 | V |
| | 10683 | -40.41 | -25 | -15.41 | -74.66 | -48.82 | 2.49 | 10.90 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 66A-n41A (HPUE)

| EN-DC 66A-n41A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 4992 | -48.78 | -25 | -23.78 | -75.17 | -59.77 | 1.61 | 12.60 | H |
| | 7494 | -35.62 | -25 | -10.62 | -66.1 | -44.74 | 1.99 | 11.11 | H |
| | 9990 | -41.12 | -25 | -16.12 | -74.47 | -50.03 | 2.40 | 11.30 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 4992 | -49.48 | -25 | -24.48 | -75.41 | -60.47 | 1.61 | 12.60 | V |
| | 7494 | -35.71 | -25 | -10.71 | -66.15 | -44.83 | 1.99 | 11.11 | V |
| | 9990 | -40.17 | -25 | -15.17 | -74.29 | -49.08 | 2.40 | 11.30 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 5168 | -49.38 | -25 | -24.38 | -75.87 | -60.56 | 1.65 | 12.84 | H |
| | 7752 | -39.78 | -25 | -14.78 | -69.59 | -48.91 | 2.03 | 11.15 | H |
| | 10337 | -40.74 | -25 | -15.74 | -74.81 | -49.38 | 2.39 | 11.03 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5168 | -49.88 | -25 | -24.88 | -76.16 | -61.06 | 1.65 | 12.84 | V |
| | 7752 | -39.75 | -25 | -14.75 | -69.32 | -48.88 | 2.03 | 11.15 | V |
| | 10337 | -40.77 | -25 | -15.77 | -74.9 | -49.41 | 2.39 | 11.03 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5342 | -48.75 | -25 | -23.75 | -75.76 | -60.13 | 1.70 | 13.08 | H |
| | 8010 | -37.34 | -25 | -12.34 | -68.45 | -46.50 | 2.06 | 11.22 | H |
| | 10683 | -39.92 | -25 | -14.92 | -74.41 | -48.33 | 2.49 | 10.90 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5342 | -48.93 | -25 | -23.93 | -75.59 | -60.31 | 1.70 | 13.08 | V |
| | 8010 | -38.50 | -25 | -13.50 | -69.49 | -47.66 | 2.06 | 11.22 | V |
| | 10683 | -39.99 | -25 | -14.99 | -74.24 | -48.40 | 2.49 | 10.90 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<ASDIV Antenna>

<Ant. 0>

EN-DC 12A-n25A

| EN-DC 12A-n25A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3702 | -31.15 | -13 | -18.15 | -73.34 | -42.36 | 1.41 | 12.62 | H |
| | 5553 | -27.18 | -13 | -14.18 | -74.83 | -38.74 | 1.74 | 13.30 | H |
| | 7405 | -43.43 | -13 | -30.43 | -74.74 | -52.74 | 1.94 | 11.25 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3702 | -33.65 | -13 | -20.65 | -75.99 | -44.86 | 1.41 | 12.62 | V |
| | 5553 | -28.02 | -13 | -15.02 | -75.2 | -39.58 | 1.74 | 13.30 | V |
| | 7405 | -43.64 | -13 | -30.64 | -74.8 | -52.95 | 1.94 | 11.25 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 3747 | -31.58 | -13 | -18.58 | -73.97 | -42.80 | 1.42 | 12.65 | H |
| | 5620 | -27.54 | -13 | -14.54 | -75.11 | -39.10 | 1.74 | 13.30 | H |
| | 7495 | -43.45 | -13 | -30.45 | -74.31 | -52.57 | 1.99 | 11.11 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3747 | -32.64 | -13 | -19.64 | -75.24 | -43.86 | 1.42 | 12.65 | V |
| | 5620 | -28.17 | -13 | -15.17 | -75.38 | -39.73 | 1.74 | 13.30 | V |
| | 7495 | -43.65 | -13 | -30.65 | -74.48 | -52.77 | 1.99 | 11.11 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 3790 | -30.41 | -13 | -17.41 | -73.02 | -41.65 | 1.44 | 12.67 | H |
| | 5686 | -27.85 | -13 | -14.85 | -75.72 | -39.42 | 1.73 | 13.30 | H |
| | 7585 | -44.32 | -13 | -31.32 | -74.68 | -53.44 | 2.00 | 11.12 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3790 | -32.26 | -13 | -19.26 | -75.12 | -43.50 | 1.44 | 12.67 | V |
| | 5686 | -28.14 | -13 | -15.14 | -75.48 | -39.71 | 1.73 | 13.30 | V |
| | 7585 | -44.27 | -13 | -31.27 | -74.58 | -53.39 | 2.00 | 11.12 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 12A-n66A

| EN-DC 12A-n66A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3423 | -54.33 | -13 | -41.33 | -75.18 | -65.30 | 1.35 | 12.32 | H |
| | 5134 | -49.17 | -13 | -36.17 | -75.63 | -60.31 | 1.64 | 12.79 | H |
| | 6845 | -45.69 | -13 | -32.69 | -75.3 | -56.07 | 1.74 | 12.12 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3423 | -53.81 | -13 | -40.81 | -75.08 | -64.78 | 1.35 | 12.32 | V |
| | 5134 | -49.35 | -13 | -36.35 | -75.56 | -60.49 | 1.64 | 12.79 | V |
| | 6845 | -45.29 | -13 | -32.29 | -74.5 | -55.67 | 1.74 | 12.12 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 3473 | -53.35 | -13 | -40.35 | -74.69 | -64.43 | 1.36 | 12.44 | H |
| | 5209 | -48.55 | -13 | -35.55 | -75.08 | -59.78 | 1.66 | 12.89 | H |
| | 6945 | -44.71 | -13 | -31.71 | -74.76 | -54.96 | 1.73 | 11.98 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3473 | -53.01 | -13 | -40.01 | -74.73 | -64.09 | 1.36 | 12.44 | V |
| | 5209 | -48.86 | -13 | -35.86 | -75.22 | -60.09 | 1.66 | 12.89 | V |
| | 6945 | -45.37 | -13 | -32.37 | -74.96 | -55.62 | 1.73 | 11.98 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 3523 | -53.12 | -13 | -40.12 | -74.92 | -64.27 | 1.37 | 12.51 | H |
| | 5284 | -48.86 | -13 | -35.86 | -75.65 | -60.17 | 1.68 | 13.00 | H |
| | 7045 | -44.32 | -13 | -31.32 | -74.75 | -54.40 | 1.74 | 11.83 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3523 | -52.91 | -13 | -39.91 | -74.99 | -64.06 | 1.37 | 12.51 | V |
| | 5284 | -49.18 | -13 | -36.18 | -75.7 | -60.49 | 1.68 | 13.00 | V |
| | 7045 | -44.72 | -13 | -31.72 | -74.7 | -54.80 | 1.74 | 11.83 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 48A-n66A

| EN-DC 48A-n66A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 3422 | -54.50 | -13 | -41.50 | -75.34 | -65.47 | 1.35 | 12.31 | H |
| | 5133 | -49.71 | -13 | -36.71 | -76.17 | -60.85 | 1.64 | 12.79 | H |
| | 6845 | -46.14 | -13 | -33.14 | -75.75 | -56.52 | 1.74 | 12.12 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3422 | -53.86 | -13 | -40.86 | -75.12 | -64.83 | 1.35 | 12.31 | V |
| | 5133 | -49.74 | -13 | -36.74 | -75.95 | -60.88 | 1.64 | 12.79 | V |
| | 6845 | -46.28 | -13 | -33.28 | -75.49 | -56.66 | 1.74 | 12.12 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 3472 | -53.85 | -13 | -40.85 | -75.19 | -64.93 | 1.35 | 12.43 | H |
| | 5208 | -48.73 | -13 | -35.73 | -75.26 | -59.96 | 1.66 | 12.89 | H |
| | 6945 | -45.11 | -13 | -32.11 | -75.16 | -55.36 | 1.73 | 11.98 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3472 | -53.42 | -13 | -40.42 | -75.14 | -64.50 | 1.35 | 12.43 | V |
| | 5208 | -49.36 | -13 | -36.36 | -75.72 | -60.59 | 1.66 | 12.89 | V |
| | 6945 | -45.06 | -13 | -32.06 | -74.65 | -55.31 | 1.73 | 11.98 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 3522 | -53.52 | -13 | -40.52 | -75.31 | -64.67 | 1.37 | 12.51 | H |
| | 5283 | -48.91 | -13 | -35.91 | -75.7 | -60.22 | 1.68 | 13.00 | H |
| | 7045 | -44.81 | -13 | -31.81 | -75.24 | -54.89 | 1.74 | 11.83 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 3522 | -52.94 | -13 | -39.94 | -75.01 | -64.09 | 1.37 | 12.51 | V |
| | 5283 | -49.53 | -13 | -36.53 | -76.05 | -60.84 | 1.68 | 13.00 | V |
| | 7045 | -45.22 | -13 | -32.22 | -75.2 | -55.30 | 1.74 | 11.83 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 12A-n7A

| EN-DC 12A-n7A / 20MHz / PI/2 BPSK | | | | | | | | | |
|-----------------------------------|-------------------|--------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 5002 | -28.78 | -25 | -3.78 | -65.06 | -39.77 | 1.61 | 12.60 | H |
| | 7503 | -34.36 | -25 | -9.36 | -74.64 | -43.47 | 1.99 | 11.10 | H |
| | 10005 | -40.84 | -25 | -15.84 | -74.43 | -49.74 | 2.40 | 11.30 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5002 | -37.17 | -25 | -12.17 | -73 | -48.16 | 1.61 | 12.60 | V |
| | 7503 | -34.17 | -25 | -9.17 | -74.42 | -43.28 | 1.99 | 11.10 | V |
| | 10005 | -39.88 | -25 | -14.88 | -74.26 | -48.78 | 2.40 | 11.30 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 5053 | -28.22 | -25 | -3.22 | -64.51 | -39.27 | 1.62 | 12.67 | H |
| | 7580 | -34.47 | -25 | -9.47 | -74.3 | -43.58 | 2.00 | 11.12 | H |
| | 10105 | -40.93 | -25 | -15.93 | -74.75 | -49.75 | 2.40 | 11.22 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5053 | -35.43 | -25 | -10.43 | -71.35 | -46.48 | 1.62 | 12.67 | V |
| | 7580 | -34.74 | -25 | -9.74 | -74.53 | -43.85 | 2.00 | 11.12 | V |
| | 10105 | -32.13 | -25 | -7.13 | -74.34 | -40.95 | 2.40 | 11.22 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 5102 | -28.20 | -25 | -3.20 | -64.51 | -39.31 | 1.64 | 12.74 | H |
| | 7650 | -34.53 | -25 | -9.53 | -74.23 | -43.65 | 2.01 | 11.13 | H |
| | 10200 | -39.99 | -25 | -14.99 | -74.02 | -48.73 | 2.40 | 11.14 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 5102 | -35.51 | -25 | -10.51 | -71.52 | -46.62 | 1.64 | 12.74 | V |
| | 7650 | -34.64 | -25 | -9.64 | -74.22 | -43.76 | 2.01 | 11.13 | V |
| | 10200 | -40.19 | -25 | -15.19 | -74.58 | -48.93 | 2.40 | 11.14 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 1>

EN-DC 2A-n5A

| EN-DC 2A-n5A / 20MHz / PI/2 BPSK | | | | | | | | | |
|----------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1648 | -40.72 | -13 | -27.72 | -74.2 | -46.31 | 0.92 | 8.66 | H |
| | 2472 | -35.67 | -13 | -22.67 | -74.04 | -43.04 | 1.14 | 10.66 | H |
| | 3304 | -34.62 | -13 | -21.62 | -74.78 | -43.17 | 1.32 | 12.03 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1648 | -41.08 | -13 | -28.08 | -74.03 | -46.67 | 0.92 | 8.66 | V |
| | 2472 | -35.81 | -13 | -22.81 | -74.33 | -43.18 | 1.14 | 10.66 | V |
| | 3304 | -34.10 | -13 | -21.10 | -74.73 | -42.65 | 1.32 | 12.03 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 1656 | -40.50 | -13 | -27.50 | -74.02 | -46.12 | 0.92 | 8.69 | H |
| | 2480 | -35.80 | -13 | -22.80 | -74.18 | -43.18 | 1.15 | 10.67 | H |
| | 3312 | -34.68 | -13 | -21.68 | -74.83 | -43.25 | 1.33 | 12.05 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1656 | -41.53 | -13 | -28.53 | -74.48 | -47.15 | 0.92 | 8.69 | V |
| | 2480 | -35.98 | -13 | -22.98 | -74.53 | -43.36 | 1.15 | 10.67 | V |
| | 3312 | -34.06 | -13 | -21.06 | -74.67 | -42.63 | 1.33 | 12.05 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 1664 | -40.51 | -13 | -27.51 | -74.04 | -46.16 | 0.93 | 8.72 | H |
| | 2488 | -35.88 | -13 | -22.88 | -74.28 | -43.27 | 1.15 | 10.68 | H |
| | 3320 | -34.41 | -13 | -21.41 | -74.54 | -43.00 | 1.33 | 12.07 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1664 | -41.10 | -13 | -28.10 | -74.04 | -46.75 | 0.93 | 8.72 | V |
| | 2488 | -35.90 | -13 | -22.90 | -74.49 | -43.29 | 1.15 | 10.68 | V |
| | 3320 | -33.85 | -13 | -20.85 | -74.44 | -42.44 | 1.33 | 12.07 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 2A-n12A

| EN-DC 2A-n12A / 15MHz / PI/2 BPSK | | | | | | | | | |
|-----------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1400 | -49.20 | -13.00 | -36.20 | -73.70 | -53.85 | 0.84 | 7.64 | H |
| | 2104 | -46.86 | -13.00 | -33.86 | -74.60 | -53.79 | 1.06 | 10.15 | H |
| | 2800 | -45.23 | -13.00 | -32.23 | -74.38 | -52.92 | 1.22 | 11.06 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1400 | -49.99 | -13.00 | -36.99 | -73.26 | -54.64 | 0.84 | 7.64 | V |
| | 2104 | -47.65 | -13.00 | -34.65 | -74.28 | -54.58 | 1.06 | 10.15 | V |
| | 2800 | -45.17 | -13.00 | -32.17 | -74.26 | -52.86 | 1.22 | 11.06 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 1400 | -49.28 | -13.00 | -36.28 | -73.78 | -53.93 | 0.84 | 7.64 | H |
| | 2104 | -46.16 | -13.00 | -33.16 | -73.90 | -53.09 | 1.06 | 10.15 | H |
| | 2808 | -45.19 | -13.00 | -32.19 | -74.38 | -52.89 | 1.22 | 11.07 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1400 | -50.64 | -13.00 | -37.64 | -73.91 | -55.29 | 0.84 | 7.64 | V |
| | 2104 | -47.79 | -13.00 | -34.79 | -74.42 | -54.72 | 1.06 | 10.15 | V |
| | 2808 | -45.31 | -13.00 | -32.31 | -74.45 | -53.01 | 1.22 | 11.07 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|--------|--------|--------|--------|------|-------|---|
| Highest | 1400 | -48.93 | -13.00 | -35.93 | -73.43 | -53.58 | 0.84 | 7.64 | H |
| | 2104 | -46.52 | -13.00 | -33.52 | -74.26 | -53.45 | 1.06 | 10.15 | H |
| | 2808 | -45.51 | -13.00 | -32.51 | -74.70 | -53.21 | 1.22 | 11.07 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1400 | -50.44 | -13.00 | -37.44 | -73.71 | -55.09 | 0.84 | 7.64 | V |
| | 2104 | -46.83 | -13.00 | -33.83 | -73.46 | -53.76 | 1.06 | 10.15 | V |
| | 2808 | -45.50 | -13.00 | -32.50 | -74.64 | -53.20 | 1.22 | 11.07 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 66A-n71A

| EN-DC 66A-n71A / 20MHz / PI/2 BPSK | | | | | | | | | |
|------------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1328 | -39.29 | -13 | -26.29 | -73.36 | -45.77 | 0.83 | 7.31 | H |
| | 1992 | -38.42 | -13 | -25.42 | -74.27 | -47.35 | 1.04 | 9.97 | H |
| | 2657 | -36.09 | -13 | -23.09 | -74.71 | -45.79 | 1.19 | 10.89 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1328 | -40.30 | -13 | -27.30 | -73.53 | -46.78 | 0.83 | 7.31 | V |
| | 1992 | -39.36 | -13 | -26.36 | -74.24 | -48.29 | 1.04 | 9.97 | V |
| | 2657 | -36.36 | -13 | -23.36 | -74.94 | -46.06 | 1.19 | 10.89 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 1343 | -39.36 | -13 | -26.36 | -73.52 | -45.91 | 0.83 | 7.38 | H |
| | 2015 | -38.49 | -13 | -25.49 | -74.68 | -47.47 | 1.04 | 10.02 | H |
| | 2687 | -36.29 | -13 | -23.29 | -75.02 | -46.02 | 1.19 | 10.92 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1343 | -40.25 | -13 | -27.25 | -73.49 | -46.80 | 0.83 | 7.38 | V |
| | 2015 | -39.28 | -13 | -26.28 | -74.48 | -48.26 | 1.04 | 10.02 | V |
| | 2687 | -35.80 | -13 | -22.80 | -74.49 | -45.53 | 1.19 | 10.92 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 1358 | -39.39 | -13 | -26.39 | -73.64 | -46.00 | 0.83 | 7.45 | H |
| | 2037 | -37.56 | -13 | -24.56 | -74.14 | -46.56 | 1.05 | 10.05 | H |
| | 2717 | -35.82 | -13 | -22.82 | -74.67 | -45.58 | 1.20 | 10.96 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1358 | -40.27 | -13 | -27.27 | -73.52 | -46.88 | 0.83 | 7.45 | V |
| | 2037 | -38.86 | -13 | -25.86 | -74.42 | -47.86 | 1.05 | 10.05 | V |
| | 2717 | -35.45 | -13 | -22.45 | -74.25 | -45.21 | 1.20 | 10.96 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC 2A-n71A

| EN-DC 2A-n71A / 20MHz / PI/2 BPSK | | | | | | | | | |
|-----------------------------------|-------------------|-------------|---------------|-------------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 1329 | -59.10 | -13 | -46.10 | -73.18 | -65.59 | 0.83 | 7.31 | H |
| | 1993 | -58.03 | -13 | -45.03 | -73.85 | -66.97 | 1.04 | 9.97 | H |
| | 2657 | -56.32 | -13 | -43.32 | -74.89 | -66.02 | 1.19 | 10.89 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1329 | -60.20 | -13 | -47.20 | -73.43 | -66.69 | 0.83 | 7.31 | V |
| | 1993 | -59.64 | -13 | -46.64 | -74.49 | -68.58 | 1.04 | 9.97 | V |
| | 2657 | -56.17 | -13 | -43.17 | -74.7 | -65.87 | 1.19 | 10.89 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| Middle | 1344 | -57.83 | -13 | -44.83 | -72 | -64.38 | 0.83 | 7.38 | H |
| | 2015 | -47.26 | -13 | -34.26 | -63.41 | -56.24 | 1.04 | 10.02 | H |
| | 2687 | -56.05 | -13 | -43.05 | -74.73 | -65.78 | 1.19 | 10.92 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1344 | -59.17 | -13 | -46.17 | -72.41 | -65.72 | 0.83 | 7.38 | V |
| | 2015 | -49.09 | -13 | -36.09 | -64.25 | -58.07 | 1.04 | 10.02 | V |
| | 2687 | -56.18 | -13 | -43.18 | -74.82 | -65.91 | 1.19 | 10.92 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |



| | | | | | | | | | |
|---------|------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 1359 | -58.75 | -13 | -45.75 | -73 | -65.37 | 0.83 | 7.45 | H |
| | 2038 | -55.34 | -13 | -42.34 | -71.89 | -64.34 | 1.05 | 10.05 | H |
| | 2717 | -55.50 | -13 | -42.50 | -74.3 | -65.26 | 1.20 | 10.96 | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | | | | | | | | | H |
| | 1359 | -60.25 | -13 | -47.25 | -73.5 | -66.87 | 0.83 | 7.45 | V |
| | 2038 | -55.92 | -13 | -42.92 | -71.45 | -64.92 | 1.05 | 10.05 | V |
| | 2717 | -55.52 | -13 | -42.52 | -74.27 | -65.28 | 1.20 | 10.96 | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————