



Appendix A. Volume Control Evaluation Results

<Evaluation results for KDB 285076 D05 2.a>



#1 LTE B30 EVS WB 24.4Kbps


SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	201.1
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	89.05
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	88.87
5.2 RCV Distortion and Noise - 250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	25.09
5.2 RCV Distortion and Noise - 315 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	25.55
5.2 RCV Distortion and Noise - 400 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	27.00
5.2 RCV Distortion and Noise - 500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	30.84
5.2 RCV Distortion and Noise - 630 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	34.21
5.2 RCV Distortion and Noise - 800 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	38.11
5.2 RCV Distortion and Noise - 1000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.19
5.2 RCV Distortion and Noise - 1250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	32.28
5.2 RCV Distortion and Noise - 1600 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.38
5.2 RCV Distortion and Noise - 2000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.16
5.2 RCV Distortion and Noise - 2500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.92
5.2 RCV Distortion and Noise - 3150 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	42.96
5.2 RCV Distortion and Noise - 4000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.00
5.2 RCV Distortion and Noise - 5000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	41.21
5.2 RCV Distortion and Noise - 250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	25.11
5.2 RCV Distortion and Noise - 315 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	25.55
5.2 RCV Distortion and Noise - 400 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	27.00
5.2 RCV Distortion and Noise - 500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	30.85
5.2 RCV Distortion and Noise - 630 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	34.20
5.2 RCV Distortion and Noise - 800 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	38.12
5.2 RCV Distortion and Noise - 1000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.28
5.2 RCV Distortion and Noise - 1250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	32.92
5.2 RCV Distortion and Noise - 1600 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.57
5.2 RCV Distortion and Noise - 2000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	42.87
5.2 RCV Distortion and Noise - 2500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.92
5.2 RCV Distortion and Noise - 3150 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.00
5.2 RCV Distortion and Noise - 4000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.01
5.2 RCV Distortion and Noise - 5000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	40.97
5.3 Frequency Response 8N DF	Ok	Min. dist. to tolerance scheme [dB], 576.7 Hz	3.17
5.3 Frequency Response 2N DF	Ok	Min. dist. to tolerance scheme [dB], 576.7 Hz	3.53



Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement

Cross correlation avg. FFT Size:131072 Overlap:0.0% Envelope | %




Delay (Cross): 201.1 ms

2024/2/14 下午 05:03 ACQUA 5.1.200



5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 89.05 dB[SPL], Act.: 29.57% Ok

Ok

2024/2/14 下午 05:25 ACQUA 5.1.200


Limits

	lower
Run 1	88.00 dB20uPa



5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 88.87 dB[SPL], Act.: 46.48% Ok

Ok

2024/2/14 下午 05:04 ACQUA 5.1.200


Limits

	lower
Run 1	76.00 dB20uPa



5.2 RCV Distortion and Noise - 250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.09 dB (5.57%) Ok

Ok

2024/2/14 下午 05:04 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 315 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.55 dB (5.28%) Ok

Ok

2024/2/14 下午 05:05 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 400 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 27.00 dB (4.47%) Ok

Ok

2024/2/14 下午 05:05 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 30.84 dB (2.87%) Ok

Ok

2024/2/14 下午 05:06 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 630 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 34.21 dB (1.95%) Ok

Ok

2024/2/14 下午 05:06 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 800 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 38.11 dB (1.24%) Ok

Ok

2024/2/14 下午 05:07 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 43.19 dB (0.69%) Ok

Ok

2024/2/14 下午 05:07 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 32.28 dB (2.43%) Ok

Ok

2024/2/14 下午 05:07 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 44.38 dB (0.60%) Ok

Ok

2024/2/14 下午 05:08 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 43.16 dB (0.69%) Ok

Ok

2024/2/14 下午 05:08 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 44.92 dB (0.57%) Ok

Ok

2024/2/14 下午 05:09 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 42.96 dB (0.71%) Ok

Ok

2024/2/14 下午 05:09 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 4000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 44.00 dB (0.63%) Ok

Ok

2024/2/14 下午 05:10 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 5000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 41.21 dB (0.87%) Ok

Ok

2024/2/14 下午 05:10 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 25.11 dB (5.56%) Ok

Ok

2024/2/14 下午 05:10 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 315 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 25.55 dB (5.28%) Ok

Ok

2024/2/14 下午 05:11 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 400 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 27.00 dB (4.47%) Ok

Ok

2024/2/14 下午 05:11 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 30.85 dB (2.87%) Ok

Ok

2024/2/14 下午 05:12 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 630 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 34.20 dB (1.95%) Ok

Ok

2024/2/14 下午 05:12 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 800 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 38.12 dB (1.24%) Ok

Ok

2024/2/14 下午 05:13 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 43.28 dB (0.69%) Ok

Ok

2024/2/14 下午 05:13 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 32.92 dB (2.26%) Ok

Ok

2024/2/14 下午 05:14 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 44.57 dB (0.59%) Ok

Ok

2024/2/14 下午 05:14 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 42.87 dB (0.72%) Ok

Ok

2024/2/14 下午 05:14 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 44.92 dB (0.57%) Ok

Ok

2024/2/14 下午 05:15 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 43.00 dB (0.71%) Ok

Ok

2024/2/14 下午 05:15 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 4000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 44.01 dB (0.63%) Ok

Ok

2024/2/14 下午 05:16 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 5000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 40.97 dB (0.89%) Ok

Ok

2024/2/14 下午 05:16 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.3 Frequency Response 8N DF

TIA-5050 (2018-01) \ Measurements \ Wideband



Absolute minimal distance

3.17 dB at 576.7 Hz Ok

Ok

2024/2/14 下午 05:16 ACQUA 5.1.200


Limits

	lower
Run 1	Fit into tolerance



5.3 Frequency Response 2N DF

TIA-5050 (2018-01) \ Measurements \ Wideband



Absolute minimal distance

3.53 dB at 576.7 Hz Ok

Ok

2024/2/14 下午 05:23 ACQUA 5.1.200

Limits

	lower
Run 1	Fit into tolerance




#2 NR n7 EVS WB 24.4Kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	198.7
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	88.37
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	88.46
5.2 RCV Distortion and Noise - 250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	25.39
5.2 RCV Distortion and Noise - 315 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	25.80
5.2 RCV Distortion and Noise - 400 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	27.25
5.2 RCV Distortion and Noise - 500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	30.88
5.2 RCV Distortion and Noise - 630 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	34.05
5.2 RCV Distortion and Noise - 800 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	37.99
5.2 RCV Distortion and Noise - 1000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	42.79
5.2 RCV Distortion and Noise - 1250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	32.80
5.2 RCV Distortion and Noise - 1600 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.46
5.2 RCV Distortion and Noise - 2000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.11
5.2 RCV Distortion and Noise - 2500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.49
5.2 RCV Distortion and Noise - 3150 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	42.54
5.2 RCV Distortion and Noise - 4000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.94
5.2 RCV Distortion and Noise - 5000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	41.13
5.2 RCV Distortion and Noise - 250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	23.64
5.2 RCV Distortion and Noise - 315 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	25.48
5.2 RCV Distortion and Noise - 400 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	26.39
5.2 RCV Distortion and Noise - 500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	30.49
5.2 RCV Distortion and Noise - 630 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	33.97
5.2 RCV Distortion and Noise - 800 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	37.80
5.2 RCV Distortion and Noise - 1000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.20
5.2 RCV Distortion and Noise - 1250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	32.40
5.2 RCV Distortion and Noise - 1600 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.60
5.2 RCV Distortion and Noise - 2000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	41.56
5.2 RCV Distortion and Noise - 2500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.93
5.2 RCV Distortion and Noise - 3150 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	43.71
5.2 RCV Distortion and Noise - 4000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.27
5.2 RCV Distortion and Noise - 5000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	41.10
5.3 Frequency Response 8N DF	Ok	Min. dist. to tolerance scheme [dB], 1747.8 Hz	2.32
5.3 Frequency Response 2N DF	Ok	Min. dist. to tolerance scheme [dB], 205.7 Hz	3.62



Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Delay (Cross): 198.7 ms

2024/2/13 上午 04:29 ACQUA 5.1.200



5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 88.37 dB[SPL], Act.: 50.74% Ok

Ok

2024/2/13 上午 04:06 ACQUA 5.1.200


Limits

	lower
Run 1	88.00 dB20uPa



5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 88.46 dB[SPL], Act.: 27.80% Ok

Ok

2024/2/13 上午 04:32 ACQUA 5.1.200


Limits

	lower
Run 1	76.00 dB20uPa



5.2 RCV Distortion and Noise - 250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.39 dB (5.38%) Ok

Ok

2024/2/13 上午 04:06 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 315 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.80 dB (5.13%) Ok

Ok

2024/2/13 上午 04:06 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 400 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 27.25 dB (4.34%) Ok

Ok

2024/2/13 上午 04:07 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 30.88 dB (2.86%) Ok

Ok

2024/2/13 上午 04:07 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 630 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 34.05 dB (1.98%) Ok

Ok

2024/2/13 上午 04:08 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 800 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 37.99 dB (1.26%) Ok

Ok

2024/2/13 上午 04:08 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 42.79 dB (0.73%) Ok

Ok

2024/2/13 上午 04:09 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 32.80 dB (2.29%) Ok

Ok

2024/2/13 上午 04:09 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 44.46 dB (0.60%) Ok

Ok

2024/2/13 上午 04:09 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 43.11 dB (0.70%) Ok

Ok

2024/2/13 上午 04:10 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 44.49 dB (0.60%) Ok

Ok

2024/2/13 上午 04:10 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 42.54 dB (0.75%) Ok

Ok

2024/2/13 上午 04:11 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 4000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 43.94 dB (0.64%) Ok

Ok

2024/2/13 上午 04:11 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 5000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 41.13 dB (0.88%) Ok

Ok

2024/2/13 上午 04:14 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 23.64 dB (6.57%) Ok

Ok

2024/2/13 上午 04:15 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 315 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 25.48 dB (5.32%) Ok

Ok

2024/2/13 上午 04:16 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 400 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 26.39 dB (4.79%) Ok

Ok

2024/2/13 上午 04:16 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 30.49 dB (2.99%) Ok

Ok

2024/2/13 上午 04:17 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 630 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 33.97 dB (2.00%) Ok

Ok

2024/2/13 上午 04:17 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 800 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 37.80 dB (1.29%) Ok

Ok

2024/2/13 上午 04:17 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 43.20 dB (0.69%) Ok

Ok

2024/2/13 上午 04:18 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 32.40 dB (2.40%) Ok

Ok

2024/2/13 上午 04:34 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 43.60 dB (0.66%) Ok

Ok

2024/2/13 上午 04:19 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 41.56 dB (0.84%) Ok

Ok

2024/2/13 上午 04:33 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 43.93 dB (0.64%) Ok

Ok

2024/2/13 上午 04:20 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 43.71 dB (0.65%) Ok

Ok

2024/2/13 上午 04:20 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 4000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 44.27 dB (0.61%) Ok

Ok

2024/2/13 上午 04:20 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 5000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 41.10 dB (0.88%) Ok

Ok

2024/2/13 上午 04:21 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.3 Frequency Response 8N DF

TIA-5050 (2018-01) \ Measurements \ Wideband



Absolute minimal distance

2.32 dB at 1747.8 Hz Ok

Ok

2024/2/13 上午 04:12 ACQUA 5.1.200


Limits

	lower
Run 1	Fit into tolerance



5.3 Frequency Response 2N DF

TIA-5050 (2018-01) \ Measurements \ Wideband



Absolute minimal distance

3.62 dB at 205.7 Hz Ok

Ok

2024/2/13 上午 04:34 ACQUA 5.1.200

Limits

	lower
Run 1	Fit into tolerance




#3 WiFi 6GHz EVS NB 24.4Kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	365.0
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	91.33
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	89.48
5.2 RCV Distortion and Noise - 400 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	25.63
5.2 RCV Distortion and Noise - 500 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	29.78
5.2 RCV Distortion and Noise - 630 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	31.99
5.2 RCV Distortion and Noise - 800 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	33.61
5.2 RCV Distortion and Noise - 1000 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	38.87
5.2 RCV Distortion and Noise - 1250 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	32.25
5.2 RCV Distortion and Noise - 1600 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	41.79
5.2 RCV Distortion and Noise - 2000 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	44.03
5.2 RCV Distortion and Noise - 2500 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	43.16
5.2 RCV Distortion and Noise - 3150 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.71
5.2 RCV Distortion and Noise - 400 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	24.43
5.2 RCV Distortion and Noise - 500 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	28.77
5.2 RCV Distortion and Noise - 630 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	31.13
5.2 RCV Distortion and Noise - 800 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	34.24
5.2 RCV Distortion and Noise - 1000 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.78
5.2 RCV Distortion and Noise - 1250 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	31.83
5.2 RCV Distortion and Noise - 1600 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	40.44
5.2 RCV Distortion and Noise - 2000 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	42.35
5.2 RCV Distortion and Noise - 2500 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	44.57
5.2 RCV Distortion and Noise - 3150 Hz NB	Ok	Distortion (Noise) [dB], 0.0 dB	42.05
5.3 Frequency Response 8N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 1747.8 Hz	0.33
5.3 Frequency Response 2N DF HANB	Ok	Min. dist. to tolerance scheme [dB], 1747.8 Hz	2.85



Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Delay (Cross): 365.0 ms

2024/2/20 上午 06:43 ACQUA 5.1.200



5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Speech Level RCV: 91.33 dB[SPL], Act.: 63.84% Ok

Ok

2024/2/20 上午 06:43 ACQUA 5.1.200


Limits

	lower
Run 1	88.00 dB20uPa



5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Speech Level RCV: 89.48 dB[SPL], Act.: 53.09% Ok

Ok

2024/2/20 上午 06:36 ACQUA 5.1.200


Limits

	lower
Run 1	76.00 dB20uPa



5.2 RCV Distortion and Noise - 400 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 25.63 dB (5.23%) Ok

Ok

2024/2/20 上午 06:27 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 500 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 29.78 dB (3.24%) Ok

Ok

2024/2/20 上午 06:27 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 630 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 31.99 dB (2.51%) Ok

Ok

2024/2/20 上午 06:28 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 800 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 33.61 dB (2.09%) Ok

Ok

2024/2/20 上午 06:28 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 38.87 dB (1.14%) Ok

Ok

2024/2/20 上午 06:29 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 32.25 dB (2.44%) Ok

Ok

2024/2/20 上午 06:29 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 41.79 dB (0.81%) Ok

Ok

2024/2/20 上午 06:29 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2000 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 44.03 dB (0.63%) Ok

Ok

2024/2/20 上午 06:30 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 43.16 dB (0.69%) Ok

Ok

2024/2/20 上午 06:30 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 8N change frequency range



Distortion (Noise) RCV (packed): 40.71 dB (0.92%) Ok

Ok

2024/2/20 上午 06:31 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 400 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 24.43 dB (6.00%) Ok

Ok

2024/2/20 上午 06:36 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 500 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 28.77 dB (3.64%) Ok

Ok

2024/2/20 上午 06:37 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 630 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 31.13 dB (2.78%) Ok

Ok

2024/2/20 上午 06:37 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 800 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 34.24 dB (1.94%) Ok

Ok

2024/2/20 上午 06:37 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1000 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 40.78 dB (0.91%) Ok

Ok

2024/2/20 上午 06:38 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1250 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 31.83 dB (2.56%) Ok

Ok

2024/2/20 上午 06:38 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 1600 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 40.44 dB (0.95%) Ok

Ok

2024/2/20 上午 06:44 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2000 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 42.35 dB (0.76%) Ok

Ok

2024/2/20 上午 06:44 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 2500 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 44.57 dB (0.59%) Ok

Ok

2024/2/20 上午 06:45 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.2 RCV Distortion and Noise - 3150 Hz NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ 5.2 Receive Distortion and Noise 2N change frequency range



Distortion (Noise) RCV (packed): 42.05 dB (0.79%) Ok

Ok

2024/2/20 上午 06:45 ACQUA 5.1.200


Limits

	lower
Run 1	20.00 dB



5.3 Frequency Response 8N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

1.78 dB at 1747.8 Hz Ok

Ok

2024/2/20 上午 06:31 ACQUA 5.1.200


Limits

	lower
Run 1	Fit into tolerance



5.3 Frequency Response 2N DF HANB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Absolute minimal distance

2.85 dB at 1747.8 Hz Ok

Ok

2024/2/20 上午 06:46 ACQUA 5.1.200

Limits

	lower
Run 1	Fit into tolerance



Appendix A. Volume Control Evaluation Results

<Evaluation results for KDB 285076 D05 2.b>




#4 GSM850 AMR WB 12.65kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	236.0
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	88.07
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	88.58



Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Delay (Cross): 236.0 ms

2024/2/14 上午 01:31 ACQUA 5.1.200



5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 88.07 dB[SPL], Act.: 55.09% Ok

Ok

2024/2/14 上午 01:31 ACQUA 5.1.200


Limits

	lower
Run 1	88.00 dB20uPa



5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 88.58 dB[SPL], Act.: 26.34% Ok

Ok

2024/2/14 上午 01:32 ACQUA 5.1.200

Limits

	lower
Run 1	76.00 dB20uPa




#5 WCDMA V AMR NB 12.2kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	199.0
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	88.05
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	90.45



Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Delay (Cross): 199.0 ms

2024/2/14 上午 02:37 ACQUA 5.1.200



5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Speech Level RCV: 88.05 dB[SPL], Act.: 56.41% Ok

Ok

2024/2/14 上午 02:37 ACQUA 5.1.200


Limits

	lower
Run 1	88.00 dB20uPa



5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Speech Level RCV: 90.45 dB[SPL], Act.: 16.32% Ok

Ok

2024/2/14 上午 02:38 ACQUA 5.1.200

Limits

	lower
Run 1	76.00 dB20uPa




#6 LTE Band 66 EVS WB 24.4kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay NB	Done	Delay (Cross) [ms]	198.6
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	88.00
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	88.08



Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Delay (Cross): 198.6 ms

2024/2/14 下午 05:32 ACQUA 5.1.200



5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 88.00 dB[SPL], Act.: 52.27% Ok

Ok

2024/2/14 下午 05:32 ACQUA 5.1.200


Limits

	lower
Run 1	88.00 dB20uPa



5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 88.08 dB[SPL], Act.: 55.81% Ok

Ok

2024/2/14 下午 05:32 ACQUA 5.1.200

Limits

	lower
Run 1	76.00 dB20uPa




#7 FR1 n26 AMR WB 6.60kbps

SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	242.3
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	89.08
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	87.00



Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Delay (Cross): 242.3 ms

2024/2/8 下午 03:33 ACQUA 5.1.200



5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 89.08 dB[SPL], Act.: 23.69% Ok

Ok

2024/2/8 下午 03:33 ACQUA 5.1.200


Limits

	lower
Run 1	88.00 dB20uPa



5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 87.00 dB[SPL], Act.: 38.71% Ok

Ok

2024/2/8 下午 03:33 ACQUA 5.1.200

Limits

	lower
Run 1	76.00 dB20uPa



#8 WiFi 6GHz AMR WB 23.85kbps


SMD	Status	Single Value Description	Single Value
Overall Receive Delay WB	Done	Delay (Cross) [ms]	221.9
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	89.24
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	88.02



Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement

Cross correlation avg. FFT Size:131072 Overlap:0.0% Envelope | %




Delay (Cross): 221.9 ms

2024/2/20 上午 07:21 ACQUA 5.1.200



5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 89.24 dB[SPL], Act.: 57.81% Ok

Ok

2024/2/20 上午 07:21 ACQUA 5.1.200


Limits

	lower
Run 1	88.00 dB20uPa



5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband



Speech Level RCV: 88.02 dB[SPL], Act.: 42.47% Ok

Ok

2024/2/20 上午 07:23 ACQUA 5.1.200

Limits

	lower
Run 1	76.00 dB20uPa