





DFT-s-OFDM Module B

NR Band n258A/ 50MHz / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




NR Band n258A/ 100MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






DFT-s-OFDM Module B


NR Band n258A/ 100MHz / 16QAM

Lowest Band Edge / Full RB



04:32:50 30.01.2024


Highest Band Edge / Full RB



18:48:24 30.01.2024


NR Band n258A/ 100MHz / 64QAM

Lowest Band Edge / Full RB



04:45:07 30.01.2024

Highest Band Edge / Full RB




18:46:53 30.01.2024



DFT-s-OFDM Module B

NR Band n258A/ 200MHz / QPSK


Middle Band Edge / Full RB



intentionally blank

NR Band n258A/ 200MHz / 16QAM

Middle Band Edge / Full RB




intentionally blank



DFT-s-OFDM Module B

NR Band n258A/ 200MHz / 64QAM

Middle Band Edge / Full RB




intentionally blank



CP-OFDM Module B


NR Band n258A/ 50MHz / QPSK

Lowest Band Edge / Full RB



03:50:23 30.01.2024


Highest Band Edge / Full RB



18:02:05 30.01.2024


NR Band n258A/ 100MHz / QPSK

Lowest Band Edge / Full RB



04:59:39 30.01.2024

Highest Band Edge / Full RB




18:52:08 30.01.2024



CP-OFDM Module B

NR Band n258A/ 200MHz / QPSK

Middle Band Edge / Full RB




intentionally blank



Spurious Emission

NR Band n258A (30MHz-1GHz)


Horizontal



Site : 03CH10-HY
 Condition : -13 EIRP_WO HORIZONTAL
 Project : 3N2326
 : n258a MB

Freq	Level	Over	Limit
MHz	dBm	dB	dBm
1	62.98	-56.46	-43.46

Vertical




Site : 03CH10-HY
 Condition : -13 EIRP_WO VERTICAL
 Project : 3N2326
 : n258a MB

Freq	Level	Over	Limit
MHz	dBm	dB	dBm
1	62.98	-59.15	-46.15



NR Band n258A (1GHz-18GHz)


Horizontal



Site : 03CH10-HY
 Condition : -13 EIRP_WO HORIZONTAL
 Project : 3N2326
 : n258a MB

Over	Limit
Freq	Level
MHz	dBm
1	8854.00
	-47.30
	-34.30
	-13.00

Vertical




Site : 03CH10-HY
 Condition : -13 EIRP_WO VERTICAL
 Project : 3N2326
 : n258a MB

Over	Limit
Freq	Level
MHz	dBm
1	8854.00
	-48.99
	-35.99
	-13.00



Spurious emission between 18GHz to 40GHz worst case plot is reported as following.


DFT-s-OFDM Module B



Remark: In band and out of band frequencies are omitted.




DFT-s-OFDM Module B



Remark: In band and out of band frequencies are omitted.




CP-OFDM Module B



Remark: In band and out of band frequencies are omitted.



CP-OFDM Module B




Remark: In band and out of band frequencies are omitted.



NR Band n258A

(40GHz-60GHz)




$$\text{Offset} = \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8$$
$$= 43 + 0.43 + 107 + 20\log(1) - 104.8 = 45.63(\text{dB})$$



NR Band n258A

(60GHz-90GHz)




09:32:07 PM 02/03/2024

$$\text{Offset} = \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8$$
$$= 46.9 + 0.43 + 107 + 20\log(1) - 104.8 = 49.53 \text{ (dB)}$$



NR Band n258A

(90GHz-100GHz)



$$\text{Offset} = \text{Antenna Factor (dB/m)} + \text{Cable Loss (dB)} + 107 + 20\log(D) - 104.8$$

$$= 47.92 + 0.43 + 107 + 20\log(0.5) - 104.8 = 44.53 \text{ (dB)}$$



Frequency Stability

Test Conditions		NR Band n258A / Middle Channel			Limit
Temperature (°C)	Voltage (Volt)	CW tone			Note 2.
		Frequency (GHz)	Deviation (kHz)	Deviation (ppm)	Result
50	Normal Voltage	24.349983	109.900	4.513	Pass
40	Normal Voltage	24.350012	80.900	3.322	
30	Normal Voltage	24.3500669	26.000	1.068	
20(Ref.)	Normal Voltage	24.3500929	0.000	0.000	
10	Normal Voltage	24.3501399	-47.000	1.930	
0	Normal Voltage	24.3501429	-50.000	2.053	
-10	Normal Voltage	24.3501319	-39.000	1.602	
-20	Normal Voltage	24.3501259	-33.000	1.355	
-30	Normal Voltage	24.3501079	-15.000	0.616	
20	Maximum Voltage	24.3500989	-6.000	0.246	
20	Normal Voltage	24.3501079	-15.000	0.616	
20	Battery End Point	24.3501039	-11.000	0.452	

Note:

1. Normal Voltage = 3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the operation band.



NR Band n258b Module A AGH+V

Occupied Bandwidth

Mode	DFT-s-OFDM Module A NR Band n258b : 99%OBW(MHz)								
BW	50MHz			100MHz			200MHz		
Mod.	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Lowest CH	46.00	46.02	45.93	91.23	91.03	91.06	190.67	190.41	190.85
Middle CH	46.04	45.95	45.94	91.10	90.89	91.13	190.04	189.61	189.72
Highest CH	45.84	45.94	45.80	91.05	90.90	91.01	190.34	189.96	190.47

Mode	DFT-s-OFDM Module A NR Band n258b : 99%OBW(MHz)					
BW	300MHz			400MHz		
Mod.	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Lowest CH	291.22	289.92	290.02	390.66	389.99	390.85
Middle CH	290.26	289.50	289.54	389.97	389.17	389.76
Highest CH	290.26	289.16	289.33	389.03	389.45	390.19

Mode	CP-OFDM Module A NR Band n258b : 99%OBW(MHz)		
BW	50MHz	100MHz	200MHz
Mod.	QPSK	QPSK	QPSK
Lowest CH	46.08	94.27	193.89
Middle CH	46.11	94.21	192.33
Highest CH	45.82	94.39	194.18


Mode	CP-OFDM Module A NR Band n258b : 99%OBW(MHz)	
BW	300MHz	400MHz
Mod.	QPSK	QPSK
Lowest CH	295.60	393.57
Middle CH	293.35	392.79
Highest CH	293.55	392.97




DFT-s-OFDM Module A

NR Band n258b


Lowest Channel / 50MHz / QPSK




Lowest Channel / 50MHz / 16QAM




Middle Channel / 50MHz / QPSK




Middle Channel / 50MHz / 16QAM



Highest Channel / 50MHz / QPSK



Highest Channel / 50MHz / 16QAM







DFT-s-OFDM Module A

NR Band n258b


Lowest Channel / 50MHz / 64QAM




Lowest Channel / 100MHz / QPSK




Middle Channel / 50MHz / 64QAM




Middle Channel / 100MHz / QPSK



Highest Channel / 50MHz / 64QAM



Highest Channel / 100MHz / QPSK







DFT-s-OFDM Module A

NR Band n258b


Lowest Channel / 100MHz / 16QAM




Lowest Channel / 100MHz / 64QAM




Middle Channel / 100MHz / 16QAM




Middle Channel / 100MHz / 64QAM



Highest Channel / 100MHz / 16QAM



Highest Channel / 100MHz / 64QAM







DFT-s-OFDM Module A

NR Band n258b


Lowest Channel / 200MHz / QPSK




Lowest Channel / 200MHz / 16QAM




Middle Channel / 200MHz / QPSK




Middle Channel / 200MHz / 16QAM



Highest Channel / 200MHz / QPSK



Highest Channel / 200MHz / 16QAM







DFT-s-OFDM Module A

NR Band n258b


Lowest Channel / 200MHz / 64QAM




Lowest Channel / 300MHz / QPSK




Middle Channel / 200MHz / 64QAM




Middle Channel / 300MHz / QPSK



Highest Channel / 200MHz / 64QAM



Highest Channel / 300MHz / QPSK







DFT-s-OFDM Module A

NR Band n258b

Lowest Channel / 300MHz / 16QAM




Lowest Channel / 300MHz / 64QAM




Middle Channel / 300MHz / 16QAM




Middle Channel / 300MHz / 64QAM



Highest Channel / 300MHz / 16QAM



Highest Channel / 300MHz / 64QAM







DFT-s-OFDM Module A

NR Band n258b


Lowest Channel / 400MHz / QPSK




Lowest Channel / 400MHz / 16QAM




Middle Channel / 400MHz / QPSK




Middle Channel / 400MHz / 16QAM



Highest Channel / 400MHz / QPSK



Highest Channel / 400MHz / 16QAM






DFT-s-OFDM Module A


NR Band n258b

Lowest Channel / 400MHz / 64QAM




intentionally blank

Middle Channel / 400MHz / 64QAM



intentionally blank

Highest Channel / 400MHz / 64QAM




intentionally blank




CP-OFDM Module A

NR Band n258b


Lowest Channel / 50MHz / QPSK




Lowest Channel / 100MHz / QPSK




Middle Channel / 50MHz / QPSK




Middle Channel / 100MHz / QPSK



Highest Channel / 50MHz / QPSK



Highest Channel / 100MHz / QPSK







CP-OFDM Module A

NR Band n258b


Lowest Channel / 200MHz / QPSK




Lowest Channel / 300MHz / QPSK




Middle Channel / 200MHz / QPSK




Middle Channel / 300MHz / QPSK



Highest Channel / 200MHz / QPSK



Highest Channel / 300MHz / QPSK






CP-OFDM Module A


NR Band n258b

Lowest Channel / 400MHz / QPSK




intentionally blank

Middle Channel / 400MHz / QPSK



intentionally blank

Highest Channel / 400MHz / QPSK



intentionally blank

Radiated Out of Band Emissions

Mode			DFT-s-OFDM Module A NR Band n258b : BE (dBm) 1 RB								
BW			50MHz			100MHz			200MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-6.08	-16.673	-9.62	-8.72	-10.06	-11	-15.44	-18.36	-19.19
	>10%OB	≤-13	-32.26	-32.638	-35.25	-36.65	-36.98	-37.78	-18.35	-23.37	-25.47
High CH	0~10%OB	≤-5	-5.86	-8.48	-10.74	-9.26	-11.9	-13.36	-15.88	-18.22	-20.58
	>10%OB	≤-13	-32.42	-34.51	-35.14	-32.09	-33.23	-35.5	-19.69	-23.76	-27.71
Result			Compliance								

Mode			DFT-s-OFDM Module A NR Band n258b : BE (dBm) 1 RB					
BW			300MHz			400MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-19.14	-21.73	-23.32	-20.91	-22.86	-25.59
	>10%OB	≤-13	-16.12	-20.33	-26.44	-20.36	-26.09	-31.37
High CH	0~10%OB	≤-5	-20.19	-20.98	-22.4	-20.83	-23.65	-24.87
	>10%OB	≤-13	-18.05	-20.22	-27.36	-19.48	-22.4	-29.92
Result			Compliance					

Mode			CP-OFDM Module A NR Band n258b : BE (dBm) 1 RB		
BW			50MHz	100MHz	200MHz
Limit (dBm)			QPSK	QPSK	QPSK
Low CH	0~10%OB	≤-5	-7.63	-9.25	-16.04
	>10%OB	≤-13	-33.83	-36.42	-16.64
High CH	0~10%OB	≤-5	-7.99	-10.28	-15.69
	>10%OB	≤-13	-32.9	-33.03	-16.37
Result			Compliance		

Mode			CP-OFDM Module A NR Band n258b : BE (dBm) 1 RB	
BW			300MHz	400MHz
Limit (dBm)			QPSK	QPSK
Low CH	0~10%OB	≤-5	-28.701	-15.29
	>10%OB	≤-13	-21.730	-16.77
High CH	0~10%OB	≤-5	-28.655	-13.6
	>10%OB	≤-13	-23.436	-13.51
Result			Compliance	



Mode			DFT-s-OFDM Module A NR Band n258b : BE (dBm) Full RB								
BW			50MHz			100MHz			200MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-15	-17.05	-20.61	-20.03	-21.94	-23.99	-25.9	-27.03	-29.71
	>10%OB	≤-13	-21.74	-25.82	-31.45	-24.69	-28.19	-33.04	-33.37	-35.33	-37.21
High CH	0~10%OB	≤-5	-15.14	-19.22	-20.1	-23.74	-26.93	-28.68	-31.29	-32.58	-34.16
	>10%OB	≤-13	-22.7	-26.27	-31.46	-26.36	-29.85	-34.76	-34.73	-36.36	-36.3
Result			Compliance								

Mode			DFT-s-OFDM Module A NR Band n258b : BE (dBm) Full RB					
BW			300MHz			400MHz		
Limit (dBm)			QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
Low CH	0~10%OB	≤-5	-27.52	-29.29	-32.16	-29.94	-31.09	-34.51
	>10%OB	≤-13	-31.29	-35.03	-37.7	-32.77	-36.18	-37.17
High CH	0~10%OB	≤-5	-32.51	-33.39	-35.68	-33.02	-34.75	-36.32
	>10%OB	≤-13	-31.72	-35.4	-36.54	-31.44	-34.39	-36.14
Result			Compliance					

Mode			CP-OFDM Module A NR Band n258b : BE (dBm) Full RB			
BW			50MHz	100MHz	200MHz	
Limit (dBm)			QPSK	QPSK	QPSK	
Low CH	0~10%OB	≤-5	-16.9	-21.64	-25.47	
	>10%OB	≤-13	-23.58	-25.52	-29.93	
High CH	0~10%OB	≤-5	-19.22	-21.23	-24.87	
	>10%OB	≤-13	-23.26	-26.92	-30.8	
Result			Compliance			

Mode			CP-OFDM Module A NR Band n258b : BE (dBm) Full RB			
BW			300MHz	400MHz		
Limit (dBm)			QPSK	QPSK		
Low CH	0~10%OB	≤-5	-26.67	-27.9		
	>10%OB	≤-13	-27.67	-29.45		
High CH	0~10%OB	≤-5	-26.13	-28.5		
	>10%OB	≤-13	-28.87	-30.67		
Result			Compliance			