





FR1 n77 / 80MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 80MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 90MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 90MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







Conducted Spurious Emission


FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel



Highest Channel





Frequency Stability

| Test Conditions | | FR1 n77 (BPSK) / Middle Channel | Limit |
|---------------------|-------------------|---------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 20MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0010 | PASS |
| 40 | Normal Voltage | 0.0033 | |
| 30 | Normal Voltage | 0.0025 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0028 | |
| 0 | Normal Voltage | 0.0004 | |
| -10 | Normal Voltage | 0.0011 | |
| -20 | Normal Voltage | 0.0015 | |
| -30 | Normal Voltage | 0.0000 | |
| 20 | Maximum Voltage | 0.0011 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Battery End Point | 0.0028 | |

Note:

1. Normal Voltage = 3.85 V. ; Battery End Point (BEP) = 3.60 V. ; Maximum Voltage = 4.45 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Remark: The SRS antenna has been verified RSE during the preliminary scan and the result is not worse than the primary and ASDIV antenna, so only primary and ASDIV antenna is reported.

<Primary Antenna>
<Ant. 6>

5G NR n77 (HPUE)

| 5G NR n77 (HPUE) / 40MHz / PI/2 BPSK | | | | | | | | | |
|--------------------------------------|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Margin (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 6905 | -43.69 | -13 | -30.69 | -72.1 | -51.88 | 1.84 | 12.18 | H |
| | 10357 | -36.21 | -13 | -23.21 | -71.02 | -42.68 | 2.26 | 10.89 | H |
| | 13809 | -29.99 | -13 | -16.99 | -72.87 | -37.76 | 2.64 | 12.55 | H |
| | 20713 | -65.18 | -13 | -52.18 | -77.58 | -77.72 | 3.22 | 17.91 | H |
| | 24165 | -61.31 | -13 | -48.31 | -77.98 | -73.88 | 3.78 | 18.50 | H |
| | 27618 | -58.25 | -13 | -45.25 | -77.77 | -71.70 | 3.95 | 19.55 | H |
| | 6905 | -42.66 | -13 | -29.66 | -71.56 | -50.85 | 1.84 | 12.18 | V |
| | 10357 | -37.42 | -13 | -24.42 | -71.44 | -43.89 | 2.26 | 10.89 | V |
| | 13809 | -30.86 | -13 | -17.86 | -72.72 | -38.63 | 2.64 | 12.55 | V |
| | 20713 | -65.66 | -13 | -52.66 | -77.82 | -78.20 | 3.22 | 17.91 | V |
| | 24165 | -61.89 | -13 | -48.89 | -78.2 | -74.46 | 3.78 | 18.50 | V |
| | 27618 | -58.54 | -13 | -45.54 | -77.74 | -71.99 | 3.95 | 19.55 | V |
| | | | | | | | | | |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Middle | 6965 | -43.30 | -13 | -30.30 | -71.78 | -51.25 | 1.84 | 11.94 | H |
| | 10447 | -34.42 | -13 | -21.42 | -69.33 | -40.85 | 2.25 | 10.83 | H |
| | 13929 | -30.40 | -13 | -17.40 | -72.8 | -38.05 | 2.66 | 12.46 | H |
| | 20893 | -64.56 | -13 | -51.56 | -76.97 | -77.02 | 3.23 | 17.84 | H |
| | 24375 | -61.03 | -13 | -48.03 | -78.07 | -73.74 | 3.76 | 18.63 | H |
| | 27858 | -57.77 | -13 | -44.77 | -77.24 | -71.30 | 3.96 | 19.64 | H |
| | 6965 | -42.98 | -13 | -29.98 | -71.69 | -50.93 | 1.84 | 11.94 | V |
| | 10447 | -36.09 | -13 | -23.09 | -70.36 | -42.52 | 2.25 | 10.83 | V |
| | 13929 | -31.45 | -13 | -18.45 | -73.11 | -39.10 | 2.66 | 12.46 | V |
| | 20893 | -64.90 | -13 | -51.90 | -77.03 | -77.36 | 3.23 | 17.84 | V |
| | 24375 | -61.87 | -13 | -48.87 | -78.59 | -74.58 | 3.76 | 18.63 | V |
| | 27858 | -58.13 | -13 | -45.13 | -77.23 | -71.66 | 3.96 | 19.64 | V |
| | | | | | | | | | V |
| Highest | 7025 | -42.94 | -13 | -29.94 | -71.55 | -50.69 | 1.84 | 11.74 | H |
| | 10537 | -36.19 | -13 | -23.19 | -71.24 | -42.57 | 2.25 | 10.78 | H |
| | 14049 | -30.69 | -13 | -17.69 | -72.78 | -38.25 | 2.67 | 12.37 | H |
| | 21073 | -64.78 | -13 | -51.78 | -77.42 | -77.26 | 3.26 | 17.89 | H |
| | 24585 | -60.43 | -13 | -47.43 | -77.7 | -73.19 | 3.74 | 18.65 | H |
| | 28098 | -57.89 | -13 | -44.89 | -77.31 | -71.41 | 3.97 | 19.64 | H |
| | | | | | | | | | H |
| | 7025 | -42.64 | -13 | -29.64 | -71.37 | -50.39 | 1.84 | 11.74 | V |
| | 10537 | -37.74 | -13 | -24.74 | -72.28 | -44.12 | 2.25 | 10.78 | V |
| | 14049 | -30.46 | -13 | -17.46 | -72.09 | -38.02 | 2.67 | 12.37 | V |
| | 21073 | -65.17 | -13 | -52.17 | -77.51 | -77.65 | 3.26 | 17.89 | V |
| | 24585 | -60.70 | -13 | -47.70 | -77.66 | -73.46 | 3.74 | 18.65 | V |
| | 28098 | -57.83 | -13 | -44.83 | -76.88 | -71.35 | 3.97 | 19.64 | V |
| | | | | | | | | V | |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 2 + Ant. 6>

EN-DC 66A-n77A

| EN-DC 66A-n77A / 10+40MHz / PI/2 BPSK | | | | | | | | | |
|---------------------------------------|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Margin (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 6904 | -42.84 | -13 | -29.84 | -71.25 | -51.03 | 1.84 | 12.18 | H |
| | 10356 | -35.79 | -13 | -22.79 | -70.59 | -42.26 | 2.26 | 10.89 | H |
| | 13809 | -29.55 | -13 | -16.55 | -72.43 | -37.32 | 2.64 | 12.55 | H |
| | 20713 | -64.05 | -13 | -51.05 | -76.45 | -76.59 | 3.22 | 17.91 | H |
| | 24165 | -60.74 | -13 | -47.74 | -77.41 | -73.31 | 3.78 | 18.50 | H |
| | 27618 | -58.12 | -13 | -45.12 | -77.64 | -71.57 | 3.95 | 19.55 | H |
| | | | | | | | | | H |
| | 6904 | -42.58 | -13 | -29.58 | -71.48 | -50.77 | 1.84 | 12.18 | V |
| | 10356 | -36.95 | -13 | -23.95 | -70.96 | -43.42 | 2.26 | 10.89 | V |
| | 13809 | -30.58 | -13 | -17.58 | -72.44 | -38.35 | 2.64 | 12.55 | V |
| | 20713 | -64.61 | -13 | -51.61 | -76.77 | -77.15 | 3.22 | 17.91 | V |
| | 24165 | -60.75 | -13 | -47.75 | -77.06 | -73.32 | 3.78 | 18.50 | V |
| | 27618 | -57.84 | -13 | -44.84 | -77.04 | -71.29 | 3.95 | 19.55 | V |
| | | | | | | | | | V |
| Middle | 6964 | -42.76 | -13 | -29.76 | -71.24 | -50.71 | 1.84 | 11.94 | H |
| | 10446 | -36.21 | -13 | -23.21 | -71.12 | -42.64 | 2.25 | 10.83 | H |
| | 13929 | -29.63 | -13 | -16.63 | -72.03 | -37.28 | 2.66 | 12.46 | H |
| | 20893 | -63.82 | -13 | -50.82 | -76.23 | -76.28 | 3.23 | 17.84 | H |
| | 24375 | -60.51 | -13 | -47.51 | -77.55 | -73.22 | 3.76 | 18.63 | H |
| | 27858 | -57.93 | -13 | -44.93 | -77.3 | -71.46 | 3.96 | 19.64 | H |
| | | | | | | | | | H |
| | 6964 | -42.88 | -13 | -29.88 | -71.6 | -50.83 | 1.84 | 11.94 | V |
| | 10446 | -36.92 | -13 | -23.92 | -71.19 | -43.35 | 2.25 | 10.83 | V |
| | 13929 | -30.95 | -13 | -17.95 | -72.61 | -38.60 | 2.66 | 12.46 | V |
| | 20893 | -63.80 | -13 | -50.80 | -75.93 | -76.26 | 3.23 | 17.84 | V |
| | 24375 | -60.82 | -13 | -47.82 | -77.54 | -73.53 | 3.76 | 18.63 | V |
| | 27858 | -57.80 | -13 | -44.80 | -76.9 | -71.33 | 3.96 | 19.64 | V |
| | | | | | | | | | V |
| | | | | | | | | V | |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 7024 | -42.89 | -13 | -29.89 | -71.5 | -50.64 | 1.84 | 11.74 | H |
| | 10536 | -37.01 | -13 | -24.01 | -72.06 | -43.39 | 2.25 | 10.78 | H |
| | 14049 | -29.94 | -13 | -16.94 | -72.03 | -37.50 | 2.67 | 12.37 | H |
| | 21073 | -64.09 | -13 | -51.09 | -76.73 | -76.57 | 3.26 | 17.89 | H |
| | 24585 | -59.80 | -13 | -46.80 | -77.07 | -72.56 | 3.74 | 18.65 | H |
| | 28098 | -57.51 | -13 | -44.51 | -76.96 | -71.03 | 3.97 | 19.64 | H |
| | | | | | | | | | H |
| | 7024 | -42.62 | -13 | -29.62 | -71.35 | -50.37 | 1.84 | 11.74 | V |
| | 10536 | -37.43 | -13 | -24.43 | -71.96 | -43.81 | 2.25 | 10.78 | V |
| | 14049 | -30.80 | -13 | -17.80 | -72.43 | -38.36 | 2.67 | 12.37 | V |
| | 21073 | -64.62 | -13 | -51.62 | -76.96 | -77.10 | 3.26 | 17.89 | V |
| | 24585 | -60.41 | -13 | -47.41 | -77.37 | -73.17 | 3.74 | 18.65 | V |
| | 28098 | -57.71 | -13 | -44.71 | -76.76 | -71.23 | 3.97 | 19.64 | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<ASDIV Antenna>

<Ant. 2>

5G NR n77 (HPUE)

| 5G NR n77 (HPUE) / 40MHz / PI/2 BPSK | | | | | | | | | |
|--------------------------------------|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Margin (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 6905 | -43.48 | -13 | -30.48 | -71.89 | -51.67 | 1.84 | 12.18 | H |
| | 10357 | -36.77 | -13 | -23.77 | -71.58 | -43.24 | 2.26 | 10.89 | H |
| | 13809 | -29.90 | -13 | -16.90 | -72.78 | -37.67 | 2.64 | 12.55 | H |
| | 20713 | -65.39 | -13 | -52.39 | -77.79 | -77.93 | 3.22 | 17.91 | H |
| | 24165 | -61.50 | -13 | -48.50 | -78.17 | -74.07 | 3.78 | 18.50 | H |
| | 27618 | -58.09 | -13 | -45.09 | -77.61 | -71.54 | 3.95 | 19.55 | H |
| | | | | | | | | | H |
| | 6905 | -43.00 | -13 | -30.00 | -71.9 | -51.19 | 1.84 | 12.18 | V |
| | 10357 | -37.71 | -13 | -24.71 | -71.73 | -44.18 | 2.26 | 10.89 | V |
| | 13809 | -31.11 | -13 | -18.11 | -72.97 | -38.88 | 2.64 | 12.55 | V |
| | 20713 | -65.76 | -13 | -52.76 | -77.92 | -78.30 | 3.22 | 17.91 | V |
| | 24165 | -61.69 | -13 | -48.69 | -78 | -74.26 | 3.78 | 18.50 | V |
| | 27618 | -58.63 | -13 | -45.63 | -77.83 | -72.08 | 3.95 | 19.55 | V |
| | | | | | | | | | V |
| Middle | 6965 | -43.41 | -13 | -30.41 | -71.89 | -51.36 | 1.84 | 11.94 | H |
| | 10447 | -36.59 | -13 | -23.59 | -71.5 | -43.02 | 2.25 | 10.83 | H |
| | 13929 | -30.64 | -13 | -17.64 | -73.04 | -38.29 | 2.66 | 12.46 | H |
| | 20893 | -64.78 | -13 | -51.78 | -77.19 | -77.24 | 3.23 | 17.84 | H |
| | 24375 | -61.34 | -13 | -48.34 | -78.38 | -74.05 | 3.76 | 18.63 | H |
| | 27858 | -58.02 | -13 | -45.02 | -77.49 | -71.55 | 3.96 | 19.64 | H |
| | | | | | | | | | H |
| | 6965 | -43.12 | -13 | -30.12 | -71.83 | -51.07 | 1.84 | 11.94 | V |
| | 10447 | -37.45 | -13 | -24.45 | -71.72 | -43.88 | 2.25 | 10.83 | V |
| | 13929 | -31.05 | -13 | -18.05 | -72.71 | -38.70 | 2.66 | 12.46 | V |
| | 20893 | -64.37 | -13 | -51.37 | -76.5 | -76.83 | 3.23 | 17.84 | V |
| | 24375 | -61.16 | -13 | -48.16 | -77.88 | -73.87 | 3.76 | 18.63 | V |
| | 27858 | -58.19 | -13 | -45.19 | -77.29 | -71.72 | 3.96 | 19.64 | V |
| | | | | | | | | | V |
| | | | | | | | | V | |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 7025 | -42.93 | -13 | -29.93 | -71.54 | -50.68 | 1.84 | 11.74 | H |
| | 10537 | -37.29 | -13 | -24.29 | -72.34 | -43.67 | 2.25 | 10.78 | H |
| | 14049 | -30.61 | -13 | -17.61 | -72.7 | -38.17 | 2.67 | 12.37 | H |
| | 21073 | -65.12 | -13 | -52.12 | -77.76 | -77.60 | 3.26 | 17.89 | H |
| | 24585 | -61.30 | -13 | -48.30 | -78.57 | -74.06 | 3.74 | 18.65 | H |
| | 28098 | -57.48 | -13 | -44.48 | -76.93 | -71.00 | 3.97 | 19.64 | H |
| | | | | | | | | | H |
| | 7025 | -42.75 | -13 | -29.75 | -71.48 | -50.50 | 1.84 | 11.74 | V |
| | 10537 | -37.90 | -13 | -24.90 | -72.44 | -44.28 | 2.25 | 10.78 | V |
| | 14049 | -31.04 | -13 | -18.04 | -72.67 | -38.60 | 2.67 | 12.37 | V |
| | 21073 | -65.47 | -13 | -52.47 | -77.81 | -77.95 | 3.26 | 17.89 | V |
| | 24585 | -61.57 | -13 | -48.57 | -78.53 | -74.33 | 3.74 | 18.65 | V |
| | 28098 | -58.26 | -13 | -45.26 | -77.31 | -71.78 | 3.97 | 19.64 | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 0 + Ant. 2>

EN-DC 66A-n77A

| EN-DC 66A-n78A / 10+40MHz / PI/2 BPSK | | | | | | | | | |
|---------------------------------------|-------------------|--------------|---------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Margin (dB) | SPA Reading (dBm) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Lowest | 6904 | -44.03 | -13 | -31.03 | -72.44 | -52.22 | 1.84 | 12.18 | H |
| | 10356 | -37.23 | -13 | -24.23 | -72.03 | -43.70 | 2.26 | 10.89 | H |
| | 13809 | -30.61 | -13 | -17.61 | -73.49 | -38.38 | 2.64 | 12.55 | H |
| | 20713 | -64.33 | -13 | -51.33 | -76.73 | -76.87 | 3.22 | 17.91 | H |
| | 24165 | -60.50 | -13 | -47.50 | -77.17 | -73.07 | 3.78 | 18.50 | H |
| | 27618 | -57.99 | -13 | -44.99 | -77.51 | -71.44 | 3.95 | 19.55 | H |
| | | | | | | | | | H |
| | 6904 | -43.23 | -13 | -30.23 | -72.13 | -51.42 | 1.84 | 12.18 | V |
| | 10356 | -37.66 | -13 | -24.66 | -71.67 | -44.13 | 2.26 | 10.89 | V |
| | 13809 | -31.53 | -13 | -18.53 | -73.39 | -39.30 | 2.64 | 12.55 | V |
| | 20713 | -64.68 | -13 | -51.68 | -76.84 | -77.22 | 3.22 | 17.91 | V |
| | 24165 | -60.82 | -13 | -47.82 | -77.13 | -73.39 | 3.78 | 18.50 | V |
| | 27618 | -57.50 | -13 | -44.50 | -76.7 | -70.95 | 3.95 | 19.55 | V |
| | | | | | | | | | V |
| Middle | 6964 | -43.27 | -13 | -30.27 | -71.75 | -51.22 | 1.84 | 11.94 | H |
| | 10446 | -37.39 | -13 | -24.39 | -72.3 | -43.82 | 2.25 | 10.83 | H |
| | 13929 | -31.66 | -13 | -18.66 | -74.06 | -39.31 | 2.66 | 12.46 | H |
| | 20893 | -63.37 | -13 | -50.37 | -75.78 | -75.83 | 3.23 | 17.84 | H |
| | 24375 | -60.00 | -13 | -47.00 | -77.04 | -72.71 | 3.76 | 18.63 | H |
| | 27858 | -57.67 | -13 | -44.67 | -77.14 | -71.20 | 3.96 | 19.64 | H |
| | | | | | | | | | H |
| | 6964 | -43.41 | -13 | -30.41 | -72.13 | -51.36 | 1.84 | 11.94 | V |
| | 10446 | -37.64 | -13 | -24.64 | -71.91 | -44.07 | 2.25 | 10.83 | V |
| | 13929 | -31.66 | -13 | -18.66 | -73.32 | -39.31 | 2.66 | 12.46 | V |
| | 20893 | -64.38 | -13 | -51.38 | -76.51 | -76.84 | 3.23 | 17.84 | V |
| | 24375 | -61.02 | -13 | -48.02 | -77.74 | -73.73 | 3.76 | 18.63 | V |
| | 27858 | -57.48 | -13 | -44.48 | -76.58 | -71.01 | 3.96 | 19.64 | V |
| | | | | | | | | | V |
| | | | | | | | | V | |



| | | | | | | | | | |
|---------|-------|--------|-----|--------|--------|--------|------|-------|---|
| Highest | 7024 | -43.22 | -13 | -30.22 | -71.83 | -50.97 | 1.84 | 11.74 | H |
| | 10536 | -37.34 | -13 | -24.34 | -72.39 | -43.72 | 2.25 | 10.78 | H |
| | 14052 | -30.75 | -13 | -17.75 | -72.84 | -38.30 | 2.66 | 12.37 | H |
| | 21073 | -63.84 | -13 | -50.84 | -76.48 | -76.32 | 3.26 | 17.89 | H |
| | 24585 | -59.52 | -13 | -46.52 | -76.79 | -72.28 | 3.74 | 18.65 | H |
| | 28098 | -57.24 | -13 | -44.24 | -76.69 | -70.76 | 3.97 | 19.64 | H |
| | | | | | | | | | H |
| | 7024 | -43.28 | -13 | -30.28 | -72.01 | -51.03 | 1.84 | 11.74 | V |
| | 10536 | -37.80 | -13 | -24.80 | -72.33 | -44.18 | 2.25 | 10.78 | V |
| | 14052 | -31.25 | -13 | -18.25 | -72.88 | -38.80 | 2.66 | 12.37 | V |
| | 21073 | -64.55 | -13 | -51.55 | -76.89 | -77.03 | 3.26 | 17.89 | V |
| | 24585 | -60.66 | -13 | -47.66 | -77.62 | -73.42 | 3.74 | 18.65 | V |
| | 28098 | -57.48 | -13 | -44.48 | -76.53 | -71.00 | 3.97 | 19.64 | V |
| | | | | | | | | | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————