





LTE Band 71 / 5MHz / 256QAM

Lowest Band Edge / 1RB




Date: 2.AUG.2023 04:24:56

Highest Band Edge / 1 RB




Date: 2.AUG.2023 04:27:39

Lowest Band Edge / Full RB



Date: 2.AUG.2023 04:25:56

Highest Band Edge / Full RB




Date: 2.AUG.2023 04:28:39




LTE Band 71 / 10MHz / QPSK

Lowest Band Edge / Full RB



Date: 2.AUG.2023 03:46:49


Highest Band Edge / Full RB



Date: 2.AUG.2023 03:50:45


LTE Band 71 / 10MHz / 16QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 03:47:49

Highest Band Edge / Full RB




Date: 2.AUG.2023 03:51:44




LTE Band 71 / 10MHz / 64QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 03:52:45


Highest Band Edge / Full RB



Date: 2.AUG.2023 03:54:27


LTE Band 71 / 10MHz / 256QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 04:29:45

Highest Band Edge / Full RB




Date: 2.AUG.2023 04:31:27




LTE Band 71 / 15MHz / QPSK

Lowest Band Edge / Full RB



Date: 2.AUG.2023 03:55:32


Highest Band Edge / Full RB



Date: 2.AUG.2023 03:59:26


LTE Band 71 / 15MHz / 16QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 03:56:32

Highest Band Edge / Full RB




Date: 2.AUG.2023 04:00:26




LTE Band 71 / 15MHz / 64QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 04:01:26


Highest Band Edge / Full RB



Date: 2.AUG.2023 04:03:09


LTE Band 71 / 15MHz / 256QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 04:32:32

Highest Band Edge / Full RB




Date: 2.AUG.2023 04:34:18




LTE Band 71 / 20MHz / QPSK

Lowest Band Edge / Full RB



Date: 2.AUG.2023 04:04:14


Highest Band Edge / Full RB



Date: 2.AUG.2023 04:09:09


LTE Band 71 / 20MHz / 16QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 04:05:14

Highest Band Edge / Full RB




Date: 2.AUG.2023 04:08:09




LTE Band 71 / 20MHz / 64QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 04:10:09


Highest Band Edge / Full RB



Date: 2.AUG.2023 04:11:51


LTE Band 71 / 20MHz / 256QAM

Lowest Band Edge / Full RB



Date: 2.AUG.2023 04:35:23

Highest Band Edge / Full RB



Date: 2.AUG.2023 04:37:06





Conducted Spurious Emission

LTE Band 71 / 5MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 2.AUG.2023 03:32:50

Date: 2.AUG.2023 03:35:53

Highest Channel / QPSK





Date: 2.AUG.2023 03:41:02




LTE Band 71 / 10MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Highest Channel / QPSK






LTE Band 71 / 15MHz

Lowest Channel / QPSK




Date: 2.AUG.2023 04:18:08

Middle Channel / QPSK



Date: 2.AUG.2023 04:19:16

Highest Channel / QPSK





Date: 2.AUG.2023 04:20:24




LTE Band 71 / 20MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK





Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0198	PASS
40	Normal Voltage	0.0032	
30	Normal Voltage	0.0134	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0141	
0	Normal Voltage	0.0131	
-10	Normal Voltage	0.0219	
-20	Normal Voltage	0.0128	
-30	Normal Voltage	0.0041	
20	Maximum Voltage	0.0078	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0266	

Note:

- 1. Normal Voltage = 3.87 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.48 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test



B1. Summary of each worse mode

Part	Mode	Ch	Freq (MHz)	Level (dBm)	Detector	Ant Factor (dB/m)	Amp\Cbl (dB)	Filter (dB)	EIRP CF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	PoI	Ant
22	1	L	2474.000	-34.27	RMS	26.84	-23.39	0.35	-95.23	57.16	-13.00	-21.27	V	Tx0Rx0
22	2	H	2519.000	-58.39	RMS	26.99	-23.33	0.36	-95.23	32.82	-13.00	-45.39	H	Tx1Rx1
22	3	H	2516.000	-41.52	RMS	26.96	-23.34	0.36	-95.23	49.73	-13.00	-28.52	H	Tx0Rx0
22	4	L	3334.000	-62.97	RMS	28.30	-22.45	0.31	-95.23	26.10	-13.00	-49.97	H	Tx1Rx1
24	1	L	5552.000	-46.47	RMS	33.00	-20.60	0.73	-95.23	35.63	-13.00	-33.47	V	Tx0Rx0
24	2	M	5627.000	-53.69	RMS	33.16	-20.63	0.74	-95.23	28.27	-13.00	-40.69	H	Tx1Rx1
27	1	L	5132.000	-50.20	RMS	32.60	-20.21	0.40	-95.23	32.24	-13.00	-37.20	H	Tx0Rx0
27	2	M	5222.000	-51.72	RMS	32.60	-20.29	0.42	-95.23	30.78	-13.00	-38.72	H	Tx1Rx1
27	3	L	5158.000	-48.80	RMS	32.60	-20.23	0.39	-95.23	33.67	-13.00	-35.80	H	Tx0Rx0
27	4	H	7078.000	-54.14	RMS	36.44	-20.53	0.46	-95.23	24.72	-13.00	-41.14	H	Tx1Rx1
27	5	H	1565.000	-66.84	RMS	24.40	-24.57	0.57	-95.23	27.99	-42.15	-24.69	H	Tx0Rx0
27	6	H	1565.000	-67.44	RMS	24.40	-24.57	0.57	-95.23	27.39	-42.15	-25.29	V	Tx1Rx1
27	7	H	3533.000	-52.85	RMS	29.16	-22.32	0.40	-95.23	35.14	-13.00	-39.85	H	Tx0Rx0
27	8	L	2099.000	-50.56	RMS	26.39	-23.84	0.42	-95.23	41.70	-13.00	-37.56	V	Tx1Rx1
27	9	M	2021.000	-57.39	RMS	26.30	-23.94	0.42	-95.23	35.06	-13.00	-44.39	V	Tx0Rx0
27	10	H	2066.000	-47.09	RMS	26.26	-23.89	0.42	-95.23	45.35	-13.00	-34.09	V	Tx1Rx1
27	11	M	10122.000	-54.29	RMS	37.24	-20.47	0.43	-95.23	23.74	-25.00	-29.29	H	Tx0Rx0
27	12	M	7592.000	-43.85	RMS	36.78	-20.32	0.36	-95.23	34.56	-25.00	-18.85	V	Tx1Rx1
27	13	L	4993.000	-52.00	RMS	32.70	-20.10	0.41	-95.23	30.22	-25.00	-27.00	V	Tx0Rx0
27	14	H	8042.000	-35.72	RMS	36.62	-20.47	0.38	-95.23	42.98	-25.00	-10.72	H	Tx1Rx1
27	15	H	10694.000	-53.13	RMS	37.50	-20.49	0.50	-95.23	24.59	-25.00	-28.13	H	Tx0Rx0
27	16	H	8021.000	-52.14	RMS	36.66	-20.43	0.38	-95.23	26.48	-25.00	-27.14	V	Tx1Rx1
90	1	L	5700.000	-53.41	RMS	33.60	-20.66	0.39	-95.23	28.49	-13.00	-40.41	H	Tx0Rx0
90	2	L	2443.000	-56.69	RMS	26.90	-23.43	0.35	-95.23	34.72	-13.00	-43.69	V	Tx1Rx1
90	3	M	4087.000	-49.24	RMS	30.53	-21.26	0.31	-95.23	36.41	-13.00	-35.75	V	Tx0Rx0
90	4	M	2452.000	-58.52	RMS	26.90	-23.42	0.35	-95.23	32.88	-13.00	-43.19	V	Tx1Rx1
90	5	H	1587.000	-65.87	RMS	24.47	-24.54	0.55	-95.23	28.88	-42.15	-23.72	V	Tx0Rx0
90	6	M	1577.000	-66.72	RMS	24.40	-24.55	0.56	-95.23	28.10	-42.15	-24.57	V	Tx1Rx1




Tx0Rx0

Part 22 Mode 1


LTE B5 10M Ch20450 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 2 10M Ch18650 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol	
				Factor	1						dB
				dB/m	dB	dB	dBuV	dBm	dB		
1	3701.00	-59.36	RMS	29.81	-22.07	0.85	-95.23	27.28	-13.00	-46.36	Horizontal
2	5552.00	-48.57	RMS	33.00	-20.60	0.73	-95.23	33.53	-13.00	-35.57	Horizontal
3	7402.00	-55.09	RMS	36.90	-20.33	0.42	-95.23	23.15	-13.00	-42.09	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 2 10M Ch18650 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol	
				Factor	1						dB
				dB/m	dB	dB	dBuV	dBm	dB		
1	3701.00	-60.47	RMS	29.81	-22.07	0.85	-95.23	26.17	-13.00	-47.47	Vertical
2	5552.00	-46.47	RMS	33.00	-20.60	0.73	-95.23	35.63	-13.00	-33.47	Vertical
3	7402.00	-55.47	RMS	36.90	-20.33	0.42	-95.23	22.77	-13.00	-42.47	Vertical




Tx0Rx0

Part 22 Mode 1
LTE B5 10M Ch20525 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	1664.00	-55.89	RMS	24.66	-24.42	0.55	-95.23	38.55	-13.00	-42.89	Horizontal
2	2496.00	-59.39	RMS	26.90	-23.37	0.35	-95.23	31.96	-13.00	-46.39	Horizontal
3	3328.00	-63.53	RMS	28.30	-22.45	0.31	-95.23	25.54	-13.00	-50.53	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	1664.00	-62.38	RMS	24.66	-24.42	0.55	-95.23	32.06	-13.00	-49.38	Vertical
2	2496.00	-63.00	RMS	26.90	-23.37	0.35	-95.23	28.35	-13.00	-50.00	Vertical
3	3328.00	-63.19	RMS	28.30	-22.45	0.31	-95.23	25.88	-13.00	-50.19	Vertical




Tx0Rx0

Part 22 Mode 1
LTE B5 10M Ch20600 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 5 10M Ch20600 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1679.00	-61.09	RMS	24.69	-24.40	0.55	-95.23	33.30	-13.00	-48.09	Horizontal
			2519.00	-59.18	RMS	26.99	-23.33	0.36	-95.23	32.03	-13.00	-46.18	Horizontal
			3358.00	-62.96	RMS	28.33	-22.44	0.31	-95.23	26.07	-13.00	-49.96	Horizontal



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 5 10M Ch20600 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1679.00	-61.18	RMS	24.69	-24.40	0.55	-95.23	33.21	-13.00	-48.18	Vertical
			2519.00	-61.06	RMS	26.99	-23.33	0.36	-95.23	30.15	-13.00	-48.06	Vertical
			3358.00	-62.98	RMS	28.33	-22.44	0.31	-95.23	26.05	-13.00	-49.98	Vertical




Tx0Rx0

Part 22 Mode 3


LTE B5B 10M Ch20450 1RB49 QPSK+10M Ch20549 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch20450 1RB49 QPSK
 : LTE Band 5 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1667.00	-64.03	RMS	24.63	-24.42	0.55	-95.23	30.44	-13.00	-51.03	Horizontal
2	2500.00	-43.27	RMS	26.90	-23.36	0.35	-95.23	48.06	-13.00	-30.27	Horizontal
3	3334.00	-63.35	RMS	28.30	-22.45	0.31	-95.23	25.72	-13.00	-50.35	Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch20450 1RB49 QPSK
 : LTE Band 5 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1667.00	-63.62	RMS	24.63	-24.42	0.55	-95.23	30.85	-13.00	-50.62	Vertical
2	2500.00	-43.20	RMS	26.90	-23.36	0.35	-95.23	48.13	-13.00	-30.20	Vertical
3	3334.00	-63.30	RMS	28.30	-22.45	0.31	-95.23	25.77	-13.00	-50.30	Vertical




Tx0Rx0

Part 22 Mode 3


LTE B5B 10M Ch20476 1RB49 QPSK+10M Ch20575 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch20476 1RB49 QPSK
 : LTE Band 5 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1672.00	-64.38	RMS	24.62	-24.41	0.55	-95.23	30.09	-13.00	-51.38	Horizontal
2 2508.00	-43.98	RMS	26.90	-23.35	0.36	-95.23	47.34	-13.00	-30.98	Horizontal
3 3344.00	-63.14	RMS	28.30	-22.44	0.31	-95.23	25.92	-13.00	-50.14	Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch20476 1RB49 QPSK
 : LTE Band 5 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1672.00	-65.68	RMS	24.62	-24.41	0.55	-95.23	28.79	-13.00	-52.68	Vertical
2 2508.00	-45.49	RMS	26.90	-23.35	0.36	-95.23	45.83	-13.00	-32.49	Vertical
3 3344.00	-63.46	RMS	28.30	-22.44	0.31	-95.23	25.60	-13.00	-50.46	Vertical




Tx0Rx0

Part 22 Mode 3


LTE B5B 10M Ch20501 1RB49 QPSK+10M Ch20600 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch20501 1RB49 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	1677.00	-62.32	RMS	24.67	-24.40	0.55	-95.23	32.09	-13.00	-49.32	Horizontal
2	2516.00	-41.52	RMS	26.96	-23.34	0.36	-95.23	49.73	-13.00	-28.52	Horizontal
3	3354.00	-63.30	RMS	28.32	-22.44	0.31	-95.23	25.74	-13.00	-50.30	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch20501 1RB49 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	1677.00	-63.04	RMS	24.67	-24.40	0.55	-95.23	31.37	-13.00	-50.04	Vertical
2	2516.00	-44.03	RMS	26.96	-23.34	0.36	-95.23	47.22	-13.00	-31.03	Vertical
3	3354.00	-63.25	RMS	28.32	-22.44	0.31	-95.23	25.79	-13.00	-50.25	Vertical




Tx1Rx1

Part 22 Mode 2
LTE B5 10M Ch20450 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 5 10M Ch20450 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	1649.00	-67.89	RMS	24.69	-24.44	0.54	-95.23	26.55	-13.00	-54.89	Horizontal
2	2474.00	-59.07	RMS	26.84	-23.39	0.35	-95.23	32.36	-13.00	-46.07	Horizontal
3	3298.00	-63.01	RMS	28.29	-22.46	0.32	-95.23	26.07	-13.00	-50.01	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 5 10M Ch20450 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	1649.00	-67.85	RMS	24.69	-24.44	0.54	-95.23	26.59	-13.00	-54.85	Vertical
2	2474.00	-65.15	RMS	26.84	-23.39	0.35	-95.23	26.28	-13.00	-52.15	Vertical
3	3298.00	-62.94	RMS	28.29	-22.46	0.32	-95.23	26.14	-13.00	-49.94	Vertical




Tx1Rx1

Part 22 Mode 2
LTE B5 10M Ch20525 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-67.19	RMS	24.66	-24.42	0.55	-95.23	27.25	-13.00	-54.19	Horizontal
2	2496.00	-60.38	RMS	26.90	-23.37	0.35	-95.23	30.97	-13.00	-47.38	Horizontal
3	3328.00	-63.30	RMS	28.30	-22.45	0.31	-95.23	25.77	-13.00	-50.30	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-65.93	RMS	24.66	-24.42	0.55	-95.23	28.51	-13.00	-52.93	Vertical
2	2496.00	-64.57	RMS	26.90	-23.37	0.35	-95.23	26.78	-13.00	-51.57	Vertical
3	3328.00	-63.34	RMS	28.30	-22.45	0.31	-95.23	25.73	-13.00	-50.34	Vertical




Tx1Rx1

Part 22 Mode 2
LTE B5 10M Ch20600 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 5 10M Ch20600 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	1679.00	-66.85	RMS	24.69	-24.40	0.55 -95.23	27.54	-13.00	-53.85	Horizontal
2	2519.00	-58.39	RMS	26.99	-23.33	0.36 -95.23	32.82	-13.00	-45.39	Horizontal
3	3358.00	-62.39	RMS	28.33	-22.44	0.31 -95.23	26.64	-13.00	-49.39	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 5 10M Ch20600 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	1679.00	-66.50	RMS	24.69	-24.40	0.55 -95.23	27.89	-13.00	-53.50	Vertical
2	2519.00	-62.33	RMS	26.99	-23.33	0.36 -95.23	28.88	-13.00	-49.33	Vertical
3	3358.00	-63.25	RMS	28.33	-22.44	0.31 -95.23	25.78	-13.00	-50.25	Vertical




Tx1Rx1

Part 22 Mode 4
LTE B5B 10M Ch20450 1RB49 QPSK+10M Ch20549 1RB0 QPSK
L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch20450 1RB49 QPSK
 : LTE Band 5 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1667.00	-67.03	RMS	24.63	-24.42	0.55	-95.23	27.44	-13.00	-54.03	Horizontal
2	2500.00	-64.66	RMS	26.90	-23.36	0.35	-95.23	26.67	-13.00	-51.66	Horizontal
3	3334.00	-62.97	RMS	28.30	-22.45	0.31	-95.23	26.10	-13.00	-49.97	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch20450 1RB49 QPSK
 : LTE Band 5 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1667.00	-67.31	RMS	24.63	-24.42	0.55	-95.23	27.16	-13.00	-54.31	Vertical
2	2500.00	-64.66	RMS	26.90	-23.36	0.35	-95.23	26.67	-13.00	-51.66	Vertical
3	3334.00	-63.28	RMS	28.30	-22.45	0.31	-95.23	25.79	-13.00	-50.28	Vertical




Tx1Rx1

Part 22 Mode 4
LTE B5B 10M Ch20476 1RB49 QPSK+10M Ch20575 1RB0 QPSK
M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch20476 1RB49 QPSK
 : LTE Band 5 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1672.00	-67.13	RMS	24.62	-24.41	0.55	-95.23	27.34	-13.00	-54.13	Horizontal
2	2508.00	-64.75	RMS	26.90	-23.35	0.36	-95.23	26.57	-13.00	-51.75	Horizontal
3	3344.00	-63.34	RMS	28.30	-22.44	0.31	-95.23	25.72	-13.00	-50.34	Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch20476 1RB49 QPSK
 : LTE Band 5 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1672.00	-66.80	RMS	24.62	-24.41	0.55	-95.23	27.67	-13.00	-53.80	Vertical
2	2508.00	-65.05	RMS	26.90	-23.35	0.36	-95.23	26.27	-13.00	-52.05	Vertical
3	3344.00	-62.99	RMS	28.30	-22.44	0.31	-95.23	26.07	-13.00	-49.99	Vertical




Tx1Rx1

Part 22 Mode 4


LTE B5B 10M Ch20501 1RB49 QPSK+10M Ch20600 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch20501 1RB49 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1677.00	-66.52	RMS	24.67	-24.40	0.55	-95.23	27.89	-13.00	-53.52	Horizontal
2	2516.00	-63.90	RMS	26.96	-23.34	0.36	-95.23	27.35	-13.00	-50.90	Horizontal
3	3354.00	-63.29	RMS	28.32	-22.44	0.31	-95.23	25.75	-13.00	-50.29	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch20501 1RB49 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1677.00	-66.82	RMS	24.67	-24.40	0.55	-95.23	27.59	-13.00	-53.82	Vertical
2	2516.00	-64.21	RMS	26.96	-23.34	0.36	-95.23	27.04	-13.00	-51.21	Vertical
3	3354.00	-63.48	RMS	28.32	-22.44	0.31	-95.23	25.56	-13.00	-50.48	Vertical




Tx0Rx0

Part 24 Mode 1
LTE B2 10M Ch18650 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 2 10M Ch18650 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						dB
1	3701.00	-59.36	RMS	29.81	-22.07	0.85	-95.23	27.28	-13.00	-46.36	Horizontal
2	5552.00	-48.57	RMS	33.00	-20.60	0.73	-95.23	33.53	-13.00	-35.57	Horizontal
3	7402.00	-55.09	RMS	36.90	-20.33	0.42	-95.23	23.15	-13.00	-42.09	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 2 10M Ch18650 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						dB
1	3701.00	-60.47	RMS	29.81	-22.07	0.85	-95.23	26.17	-13.00	-47.47	Vertical
2	5552.00	-46.47	RMS	33.00	-20.60	0.73	-95.23	35.63	-13.00	-33.47	Vertical
3	7402.00	-55.47	RMS	36.90	-20.33	0.42	-95.23	22.77	-13.00	-42.47	Vertical




Tx0Rx0

Part 24 Mode 1
LTE B2 10M Ch18900 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 2 10M Ch18900 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3751.00	-59.80	RMS	30.20	-21.99	0.84	-95.23	26.38	-13.00	-46.80	Horizontal
2	5627.00	-58.21	RMS	33.16	-20.63	0.74	-95.23	23.75	-13.00	-45.21	Horizontal
3	7502.00	-55.24	RMS	36.80	-20.29	0.39	-95.23	23.09	-13.00	-42.24	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 2 10M Ch18900 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3751.00	-59.92	RMS	30.20	-21.99	0.84	-95.23	26.26	-13.00	-46.92	Vertical
2	5627.00	-56.02	RMS	33.16	-20.63	0.74	-95.23	25.94	-13.00	-43.02	Vertical
3	7502.00	-55.10	RMS	36.80	-20.29	0.39	-95.23	23.23	-13.00	-42.10	Vertical




Tx0Rx0

Part 24 Mode 1
LTE B2 10M Ch19150 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 2 10M Ch19150 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			3801.00	-58.03	RMS	30.41	-21.90	0.83	-95.23	27.86	-13.00	-45.03	Horizontal
			5702.00	-54.00	RMS	33.61	-20.66	0.69	-95.23	27.59	-13.00	-41.00	Horizontal
			7602.00	-55.09	RMS	36.80	-20.32	0.36	-95.23	23.30	-13.00	-42.09	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 2 10M Ch19150 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			3801.00	-60.02	RMS	30.41	-21.90	0.83	-95.23	25.87	-13.00	-47.02	Vertical
			5702.00	-53.93	RMS	33.61	-20.66	0.69	-95.23	27.66	-13.00	-40.93	Vertical
			7602.00	-55.34	RMS	36.80	-20.32	0.36	-95.23	23.05	-13.00	-42.34	Vertical




Tx1Rx1

Part 24 Mode 2
LTE B2 10M Ch18650 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 2 10M Ch18650 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol	
				Factor	1				dB	dB
1	3701.00	-61.06	RMS	29.81	-22.07	0.85	-95.23	25.58	-13.00	-48.06 Horizontal
2	5552.00	-56.82	RMS	33.00	-20.60	0.73	-95.23	25.28	-13.00	-43.82 Horizontal
3	7402.00	-55.34	RMS	36.90	-20.33	0.42	-95.23	22.90	-13.00	-42.34 Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 2 10M Ch18650 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol	
				Factor	1				dB	dB
1	3701.00	-60.98	RMS	29.81	-22.07	0.85	-95.23	25.66	-13.00	-47.98 Vertical
2	5552.00	-58.65	RMS	33.00	-20.60	0.73	-95.23	23.45	-13.00	-45.65 Vertical
3	7402.00	-55.37	RMS	36.90	-20.33	0.42	-95.23	22.87	-13.00	-42.37 Vertical




Tx1Rx1

Part 24 Mode 2
LTE B2 10M Ch18900 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 2 10M Ch18900 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	3751.00	-59.91	RMS	30.20	-21.99	0.84	-95.23	26.27	-13.00	-46.91	Horizontal
2	5627.00	-53.69	RMS	33.16	-20.63	0.74	-95.23	28.27	-13.00	-40.69	Horizontal
3	7502.00	-55.61	RMS	36.80	-20.29	0.39	-95.23	22.72	-13.00	-42.61	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 2 10M Ch18900 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	3751.00	-59.90	RMS	30.20	-21.99	0.84	-95.23	26.28	-13.00	-46.90	Vertical
2	5627.00	-54.91	RMS	33.16	-20.63	0.74	-95.23	27.05	-13.00	-41.91	Vertical
3	7502.00	-55.32	RMS	36.80	-20.29	0.39	-95.23	23.01	-13.00	-42.32	Vertical




Tx1Rx1

Part 24 Mode 2
LTE B2 10M Ch19150 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 2 10M Ch19150 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
1	3801.00	-60.10	RMS	30.41	-21.90	0.83	-95.23	25.79	-13.00	-47.10	Horizontal
2	5702.00	-53.91	RMS	33.61	-20.66	0.69	-95.23	27.68	-13.00	-40.91	Horizontal
3	7602.00	-55.31	RMS	36.80	-20.32	0.36	-95.23	23.08	-13.00	-42.31	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 2 10M Ch19150 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
1	3801.00	-59.71	RMS	30.41	-21.90	0.83	-95.23	26.18	-13.00	-46.71	Vertical
2	5702.00	-56.07	RMS	33.61	-20.66	0.69	-95.23	25.52	-13.00	-43.07	Vertical
3	7602.00	-55.23	RMS	36.80	-20.32	0.36	-95.23	23.16	-13.00	-42.23	Vertical




Tx0Rx0

Part 27 Mode 1
LTE B66 10M Ch132022 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 66 10M Ch132022 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	3421.00	-62.93	RMS	28.58	-22.41	1.08	-95.23	25.05	-13.00	-49.93	Horizontal
2	5132.00	-50.20	RMS	32.60	-20.21	0.40	-95.23	32.24	-13.00	-37.20	Horizontal
3	6842.00	-56.27	RMS	36.22	-20.55	0.44	-95.23	22.85	-13.00	-43.27	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 66 10M Ch132022 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	3421.00	-63.13	RMS	28.58	-22.41	1.08	-95.23	24.85	-13.00	-50.13	Vertical
2	5132.00	-52.51	RMS	32.60	-20.21	0.40	-95.23	29.93	-13.00	-39.51	Vertical
3	6842.00	-56.30	RMS	36.22	-20.55	0.44	-95.23	22.82	-13.00	-43.30	Vertical




Tx0Rx0

Part 27 Mode 1
LTE B66 10M Ch132322 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 66 10M Ch132322 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV	dBm	dB		
1	3481.00	-62.81	RMS	28.82	-22.38	1.01	-95.23	24.97	-13.00	-49.81	Horizontal
2	5222.00	-52.36	RMS	32.60	-20.29	0.42	-95.23	30.14	-13.00	-39.36	Horizontal
3	6962.00	-55.87	RMS	36.42	-20.57	0.45	-95.23	23.06	-13.00	-42.87	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 66 10M Ch132322 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV	dBm	dB		
1	3481.00	-62.01	RMS	28.82	-22.38	1.01	-95.23	25.77	-13.00	-49.01	Vertical
2	5222.00	-54.82	RMS	32.60	-20.29	0.42	-95.23	27.68	-13.00	-41.82	Vertical
3	6962.00	-55.89	RMS	36.42	-20.57	0.45	-95.23	23.04	-13.00	-42.89	Vertical




Tx0Rx0

Part 27 Mode 1
LTE B66 10M Ch132622 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3541.00	-62.22	RMS	29.23	-22.31	0.94	-95.23	25.15	-13.00	-49.22	Horizontal
2	5312.00	-52.98	RMS	32.48	-20.39	0.54	-95.23	29.62	-13.00	-39.98	Horizontal
3	7082.00	-55.60	RMS	36.44	-20.53	0.46	-95.23	23.26	-13.00	-42.60	Horizontal



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3541.00	-62.13	RMS	29.23	-22.31	0.94	-95.23	25.24	-13.00	-49.13	Vertical
2	5312.00	-56.06	RMS	32.48	-20.39	0.54	-95.23	26.54	-13.00	-43.06	Vertical
3	7082.00	-55.56	RMS	36.44	-20.53	0.46	-95.23	23.30	-13.00	-42.56	Vertical




Tx0Rx0

Part 27 Mode 3


LTE B66B 10M Ch132022 1RB49 QPSK+10M Ch132121 1RB0

L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	l					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3439.00	-61.89	RMS	28.66	-22.40	1.06	-95.23	26.02	-13.00	-48.89	Horizontal	
2 5158.00	-48.80	RMS	32.60	-20.23	0.39	-95.23	33.67	-13.00	-35.80	Horizontal	
3 6878.00	-55.72	RMS	36.26	-20.56	0.44	-95.23	23.37	-13.00	-42.72	Horizontal	



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	l					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3439.00	-62.29	RMS	28.66	-22.40	1.06	-95.23	25.62	-13.00	-49.29	Vertical	
2 5158.00	-52.31	RMS	32.60	-20.23	0.39	-95.23	30.16	-13.00	-39.31	Vertical	
3 6878.00	-55.52	RMS	36.26	-20.56	0.44	-95.23	23.57	-13.00	-42.52	Vertical	




Tx0Rx0

Part 27 Mode 3


LTE B66B 10M Ch132373 1RB49 QPSK+10M Ch132472 1RB0

M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	3509.00	-62.09	RMS	28.97	-22.35	0.98	-95.23	25.54	-13.00	-49.09 Horizontal
2	5264.00	-52.52	RMS	32.57	-20.34	0.47	-95.23	30.01	-13.00	-39.52 Horizontal
3	7018.00	-54.63	RMS	36.50	-20.57	0.46	-95.23	24.21	-13.00	-41.63 Horizontal



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	3509.00	-61.97	RMS	28.97	-22.35	0.98	-95.23	25.66	-13.00	-48.97 Vertical
2	5264.00	-54.21	RMS	32.57	-20.34	0.47	-95.23	28.32	-13.00	-41.21 Vertical
3	7018.00	-54.88	RMS	36.50	-20.57	0.46	-95.23	23.96	-13.00	-41.88 Vertical




Tx0Rx0

Part 27 Mode 3


LTE B66B 10M Ch132523 1RB49 QPSK+10M Ch132622 1RB0

H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 66 10M Ch132523 1RB49 QPSK
 : LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1					g	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3539.00	-61.55	RMS	29.21	-22.32	0.94	-95.23	25.85	-13.00	-48.55	Horizontal	
2	5309.00	-52.27	RMS	32.48	-20.39	0.53	-95.23	30.34	-13.00	-39.27	Horizontal	
3	7078.00	-54.30	RMS	36.44	-20.53	0.46	-95.23	24.56	-13.00	-41.30	Horizontal	




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 66 10M Ch132523 1RB49 QPSK
 : LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1					g	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3539.00	-61.38	RMS	29.21	-22.32	0.94	-95.23	26.02	-13.00	-48.38	Vertical	
2	5309.00	-54.22	RMS	32.48	-20.39	0.53	-95.23	28.39	-13.00	-41.22	Vertical	
3	7078.00	-54.77	RMS	36.44	-20.53	0.46	-95.23	24.09	-13.00	-41.77	Vertical	




Tx0Rx0

Part 27 Mode 5
LTE B13 5M Ch23205 1RB0 QPSK
L



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 13 5M Ch23205 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			1555.00	-67.52	RMS	24.35	-24.59	0.58	-95.23	27.37	-13.00	-54.52	Horizontal
			2332.00	-64.76	RMS	27.08	-23.56	0.37	-95.23	26.58	-13.00	-51.76	Horizontal
			3109.00	-63.21	RMS	28.08	-22.52	0.30	-95.23	26.16	-13.00	-50.21	Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 13 5M Ch23205 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			1555.00	-67.44	RMS	24.35	-24.59	0.58	-95.23	27.45	-13.00	-54.44	Vertical
			2332.00	-65.12	RMS	27.08	-23.56	0.37	-95.23	26.22	-13.00	-52.12	Vertical
			3109.00	-63.14	RMS	28.08	-22.52	0.30	-95.23	26.23	-13.00	-50.14	Vertical



Tx0Rx0


Part 27 Mode 5
LTE B13 5M Ch23230 1RB0 QPSK

M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 13 5M Ch23230 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						dB
1	1560.00	-67.57	RMS	24.40	-24.58	0.58	-95.23	27.26	-42.15	-25.42	Horizontal
2	2340.00	-64.71	RMS	27.00	-23.55	0.37	-95.23	26.70	-13.00	-51.71	Horizontal
3	3119.00	-63.28	RMS	28.06	-22.52	0.30	-95.23	26.11	-13.00	-50.28	Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 13 5M Ch23230 1RB0 QPSK


1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						dB
1	1560.00	-67.24	RMS	24.40	-24.58	0.58	-95.23	27.59	-42.15	-25.09	Vertical
2	2340.00	-64.63	RMS	27.00	-23.55	0.37	-95.23	26.78	-13.00	-51.63	Vertical
3	3119.00	-63.27	RMS	28.06	-22.52	0.30	-95.23	26.12	-13.00	-50.27	Vertical



Tx0Rx0


Part 27 Mode 5
LTE B13 5M Ch23255 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 13 5M Ch23255 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	1565.00	-66.84	RMS	24.40	-24.57	0.57 -95.23	27.99	-42.15	-24.69	Horizontal
2	2347.00	-65.01	RMS	27.00	-23.54	0.37 -95.23	26.39	-13.00	-52.01	Horizontal
3	3129.00	-63.07	RMS	28.04	-22.52	0.30 -95.23	26.34	-13.00	-50.07	Horizontal




Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 13 5M Ch23255 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	1565.00	-67.35	RMS	24.40	-24.57	0.57 -95.23	27.48	-42.15	-25.20	Vertical
2	2347.00	-65.12	RMS	27.00	-23.54	0.37 -95.23	26.28	-13.00	-52.12	Vertical
3	3129.00	-63.07	RMS	28.04	-22.52	0.30 -95.23	26.34	-13.00	-50.07	Vertical




Tx0Rx0

Part 27 Mode 5
LTE B13 10M Ch23230 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 13 10M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1555.00	-67.42	RMS	24.35	-24.59	0.58	-95.23	27.47	-13.00	-54.42	Horizontal
			2333.00	-65.12	RMS	27.07	-23.56	0.37	-95.23	26.23	-13.00	-52.12	Horizontal
			3110.00	-63.22	RMS	28.08	-22.52	0.30	-95.23	26.15	-13.00	-50.22	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 13 10M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1555.00	-67.67	RMS	24.35	-24.59	0.58	-95.23	27.22	-13.00	-54.67	Vertical
			2333.00	-65.02	RMS	27.07	-23.56	0.37	-95.23	26.33	-13.00	-52.02	Vertical
			3110.00	-63.15	RMS	28.08	-22.52	0.30	-95.23	26.22	-13.00	-50.15	Vertical




Tx0Rx0

Part 27 Mode 7
LTE B12 10M Ch23060 1RB0 QPSK
L



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 12 10M Ch23060 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1399.00	-66.24	RMS	24.59	-24.85	0.72	-95.23	28.53	-13.00	-53.24	Horizontal
2	2099.00	-65.65	RMS	26.39	-23.84	0.42	-95.23	26.61	-13.00	-52.65	Horizontal
3	2798.00	-63.64	RMS	28.00	-22.88	0.34	-95.23	26.13	-13.00	-50.64	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 12 10M Ch23060 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1399.00	-66.86	RMS	24.59	-24.85	0.72	-95.23	27.91	-13.00	-53.86	Vertical
2	2099.00	-65.32	RMS	26.39	-23.84	0.42	-95.23	26.94	-13.00	-52.32	Vertical
3	2798.00	-63.65	RMS	28.00	-22.88	0.34	-95.23	26.12	-13.00	-50.65	Vertical




Tx0Rx0

Part 27 Mode 7
LTE B12 10M Ch23095 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 12 10M Ch23095 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1406.00	-66.51 RMS	24.66	-24.84	0.71	-95.23	28.19	-13.00	-53.51	Horizontal	
2	2109.00	-65.73 RMS	26.40	-23.83	0.41	-95.23	26.52	-13.00	-52.73	Horizontal	
3	2812.00	-63.29 RMS	28.08	-22.85	0.34	-95.23	26.37	-13.00	-50.29	Horizontal	
4	3515.00	-62.33 RMS	29.02	-22.35	0.39	-95.23	25.84	-13.00	-49.33	Horizontal	




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 12 10M Ch23095 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1406.00	-66.07 RMS	24.66	-24.84	0.71	-95.23	28.63	-13.00	-53.07	Vertical	
2	2109.00	-62.84 RMS	26.40	-23.83	0.41	-95.23	29.41	-13.00	-49.84	Vertical	
3	2812.00	-63.40 RMS	28.08	-22.85	0.34	-95.23	26.26	-13.00	-50.40	Vertical	
4	3515.00	-58.67 RMS	29.02	-22.35	0.39	-95.23	29.50	-13.00	-45.67	Vertical	




Tx0Rx0

Part 27 Mode 7
LTE B12 10M Ch23130 1RB0 QPSK
H



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 12 10M Ch23130 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1413.00	-66.31	RMS	24.73	-24.82	0.71	-95.23	28.30	-13.00	-53.31	Horizontal
2	2120.00	-62.87	RMS	26.40	-23.82	0.41	-95.23	29.37	-13.00	-49.87	Horizontal
3	2826.00	-59.36	RMS	28.06	-22.83	0.33	-95.23	30.31	-13.00	-46.36	Horizontal
4	3533.00	-52.85	RMS	29.16	-22.32	0.40	-95.23	35.14	-13.00	-39.85	Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 12 10M Ch23130 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1413.00	-66.35	RMS	24.73	-24.82	0.71	-95.23	28.26	-13.00	-53.35	Vertical
2	2120.00	-65.81	RMS	26.40	-23.82	0.41	-95.23	26.43	-13.00	-52.81	Vertical
3	2826.00	-63.24	RMS	28.06	-22.83	0.33	-95.23	26.43	-13.00	-50.24	Vertical
4	3533.00	-62.66	RMS	29.16	-22.32	0.40	-95.23	25.33	-13.00	-49.66	Vertical




Tx0Rx0

Part 27 Mode 9


LTE B71 10M Ch133172 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 71 10M Ch133172 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dB	
1	1327.00	-63.50	RMS	24.40	-24.99	0.85	-95.23	31.47	-13.00	-50.50	Horizontal
2	1991.00	-64.82	RMS	26.21	-23.98	0.43	-95.23	27.75	-13.00	-51.82	Horizontal
3	2654.00	-64.18	RMS	27.20	-23.11	0.35	-95.23	26.61	-13.00	-51.18	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 71 10M Ch133172 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dB	
1	1327.00	-61.75	RMS	24.40	-24.99	0.85	-95.23	33.22	-13.00	-48.75	Vertical
2	1991.00	-59.05	RMS	26.21	-23.98	0.43	-95.23	33.52	-13.00	-46.05	Vertical
3	2654.00	-64.65	RMS	27.20	-23.11	0.35	-95.23	26.14	-13.00	-51.65	Vertical




Tx0Rx0

Part 27 Mode 9
LTE B71 10M Ch133272 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 71 10M Ch133272 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1347.00	-63.81	RMS	24.30	-24.95	0.81	-95.23	31.26	-13.00	-50.81	Horizontal	
2	2021.00	-61.92	RMS	26.30	-23.94	0.42	-95.23	30.53	-13.00	-48.92	Horizontal	
3	2694.00	-64.23	RMS	27.44	-23.05	0.35	-95.23	26.26	-13.00	-51.23	Horizontal	




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 71 10M Ch133272 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1347.00	-60.48	RMS	24.30	-24.95	0.81	-95.23	34.59	-13.00	-47.48	Vertical	
2	2021.00	-57.39	RMS	26.30	-23.94	0.42	-95.23	35.06	-13.00	-44.39	Vertical	
3	2694.00	-64.14	RMS	27.44	-23.05	0.35	-95.23	26.35	-13.00	-51.14	Vertical	




Tx0Rx0

Part 27 Mode 9
LTE B71 10M Ch133422 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 71 10M Ch133422 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1					g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1377.00	-64.36	RMS	24.40	-24.89	0.76	-95.23	30.60	-13.00	-51.36	Horizontal	
2	2066.00	-65.68	RMS	26.26	-23.89	0.42	-95.23	26.76	-13.00	-52.68	Horizontal	
3	2754.00	-63.83	RMS	27.84	-22.95	0.34	-95.23	26.17	-13.00	-50.83	Horizontal	




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 71 10M Ch133422 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1					g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1377.00	-60.25	RMS	24.40	-24.89	0.76	-95.23	34.71	-13.00	-47.25	Vertical	
2	2066.00	-58.21	RMS	26.26	-23.89	0.42	-95.23	34.23	-13.00	-45.21	Vertical	
3	2754.00	-63.73	RMS	27.84	-22.95	0.34	-95.23	26.27	-13.00	-50.73	Vertical	




Tx0Rx0

Part 27 Mode 11
LTE B7 10M Ch20800 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 7 10M Ch20800 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
				Factor	1				g	dB
1	5001.00	-57.89	RMS	32.70	-20.10	0.41	-95.23	24.33	-25.00	-32.89 Horizontal
2	7502.00	-55.36	RMS	36.80	-20.29	0.39	-95.23	22.97	-25.00	-30.36 Horizontal
3	10002.00	-54.86	RMS	37.30	-20.42	0.41	-95.23	23.08	-25.00	-29.86 Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 7 10M Ch20800 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
				Factor	1				g	dB
1	5001.00	-57.93	RMS	32.70	-20.10	0.41	-95.23	24.29	-25.00	-32.93 Vertical
2	7502.00	-55.43	RMS	36.80	-20.29	0.39	-95.23	22.90	-25.00	-30.43 Vertical
3	10002.00	-54.85	RMS	37.30	-20.42	0.41	-95.23	23.09	-25.00	-29.85 Vertical




Tx0Rx0

Part 27 Mode 11
LTE B7 10M Ch21100 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 7 10M Ch21100 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter			EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1	dB					
1	5061.00	-57.95	RMS	32.60	-20.15	0.40	-95.23	24.43	-25.00	-32.95	Horizontal
2	7592.00	-55.38	RMS	36.78	-20.32	0.36	-95.23	23.03	-25.00	-30.38	Horizontal
3	10122.00	-54.29	RMS	37.24	-20.47	0.43	-95.23	23.74	-25.00	-29.29	Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 7 10M Ch21100 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter			EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1	dB					
1	5061.00	-57.86	RMS	32.60	-20.15	0.40	-95.23	24.52	-25.00	-32.86	Vertical
2	7592.00	-55.38	RMS	36.78	-20.32	0.36	-95.23	23.03	-25.00	-30.38	Vertical
3	10122.00	-54.53	RMS	37.24	-20.47	0.43	-95.23	23.50	-25.00	-29.53	Vertical




Tx0Rx0

Part 27 Mode 11
LTE B7 10M Ch21400 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 7 10M Ch21400 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1				dB	dB
1	5121.00	-57.94	RMS	32.60	-20.20	0.40	-95.23	24.49	-25.00	-32.94 Horizontal
2	7682.00	-54.88	RMS	36.64	-20.14	0.38	-95.23	23.47	-25.00	-29.88 Horizontal
3	10242.00	-54.57	RMS	37.23	-20.52	0.44	-95.23	23.51	-25.00	-29.57 Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 7 10M Ch21400 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1				dB	dB
1	5121.00	-57.93	RMS	32.60	-20.20	0.40	-95.23	24.50	-25.00	-32.93 Vertical
2	7682.00	-55.27	RMS	36.64	-20.14	0.38	-95.23	23.08	-25.00	-30.27 Vertical
3	10242.00	-54.45	RMS	37.23	-20.52	0.44	-95.23	23.63	-25.00	-29.45 Vertical




Tx0Rx0

Part 27 Mode 13
LTE B41 10M Ch39700 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 41 10M Ch39700 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	4993.00	-55.61	RMS	32.70	-20.10	0.41	-95.23	26.61	-25.00	-30.61	Horizontal
2	7490.00	-55.44	RMS	36.82	-20.29	0.39	-95.23	22.87	-25.00	-30.44	Horizontal
3	9986.00	-54.66	RMS	37.30	-20.42	0.41	-95.23	23.28	-25.00	-29.66	Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 41 10M Ch39700 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	4993.00	-52.00	RMS	32.70	-20.10	0.41	-95.23	30.22	-25.00	-27.00	Vertical
2	7490.00	-55.32	RMS	36.82	-20.29	0.39	-95.23	22.99	-25.00	-30.32	Vertical
3	9986.00	-54.69	RMS	37.30	-20.42	0.41	-95.23	23.25	-25.00	-29.69	Vertical




Tx0Rx0

Part 27 Mode 13
LTE B41 10M Ch40620 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 41 10M Ch40620 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dB
1	2	3	5177.00	-57.47	RMS	32.60	-20.25	0.39	-95.23	25.02	-25.00	-32.47	Horizontal
2	2	3	7766.00	-54.91	RMS	36.60	-19.94	0.40	-95.23	23.26	-25.00	-29.91	Horizontal
3	2	3	10354.00	-54.46	RMS	37.39	-20.57	0.46	-95.23	23.49	-25.00	-29.46	Horizontal




Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 41 10M Ch40620 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dB
1	2	3	5177.00	-58.29	RMS	32.60	-20.25	0.39	-95.23	24.20	-25.00	-33.29	Vertical
2	2	3	7766.00	-55.10	RMS	36.60	-19.94	0.40	-95.23	23.07	-25.00	-30.10	Vertical
3	2	3	10354.00	-54.44	RMS	37.39	-20.57	0.46	-95.23	23.51	-25.00	-29.44	Vertical




Tx0Rx0

Part 27 Mode 13
LTE B41 10M Ch41540 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 41 10M Ch41540 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin dB	Pol	
				Factor	1						
1	5361.00	-59.49	RMS	32.40	-20.44	0.60	-95.23	23.18	-25.00	-34.49	Horizontal
2	8042.00	-54.98	RMS	36.62	-20.47	0.38	-95.23	23.72	-25.00	-29.98	Horizontal
3	10722.00	-53.91	RMS	37.50	-20.47	0.50	-95.23	23.79	-25.00	-28.91	Horizontal



Site : 03CH21-HY
Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 41 10M Ch41540 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin dB	Pol	
				Factor	1						
1	5361.00	-59.40	RMS	32.40	-20.44	0.60	-95.23	23.27	-25.00	-34.40	Vertical
2	8042.00	-55.18	RMS	36.62	-20.47	0.38	-95.23	23.52	-25.00	-30.18	Vertical
3	10722.00	-53.89	RMS	37.50	-20.47	0.50	-95.23	23.81	-25.00	-28.89	Vertical




Tx0Rx0

Part 27 Mode 15


LTE B41 20M Ch39750 1RB99 QPSK+20M Ch39948 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 41 20M Ch39750 1RB99 QPSK
 : LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 5039.00	-56.65	RMS	32.62	-20.13	0.41	-95.23	25.68	-25.00	-31.65 Horizontal
2 7558.00	-54.52	RMS	36.72	-20.31	0.37	-95.23	23.93	-25.00	-29.52 Horizontal
3 10078.00	-53.89	RMS	37.24	-20.45	0.42	-95.23	24.13	-25.00	-28.89 Horizontal




Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 41 20M Ch39750 1RB99 QPSK
 : LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 5039.00	-56.87	RMS	32.62	-20.13	0.41	-95.23	25.46	-25.00	-31.87 Vertical
2 7558.00	-54.62	RMS	36.72	-20.31	0.37	-95.23	23.83	-25.00	-29.62 Vertical
3 10078.00	-53.72	RMS	37.24	-20.45	0.42	-95.23	24.30	-25.00	-28.72 Vertical




Tx0Rx0

Part 27 Mode 15
LTE B41 20M Ch40521 1RB99 QPSK+20M Ch40719 1RB0 QPSK
M



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 41 20M Ch40521 1RB99 QPSK
 : LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 5193.00	-57.42	RMS	32.60	-20.26	0.39	-95.23	25.08	-25.00	-32.42 Horizontal
2 7790.00	-54.19	RMS	36.60	-19.89	0.41	-95.23	23.92	-25.00	-29.19 Horizontal
3 10386.00	-53.71	RMS	37.33	-20.58	0.46	-95.23	24.31	-25.00	-28.71 Horizontal



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 41 20M Ch40521 1RB99 QPSK
 : LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 5193.00	-57.82	RMS	32.60	-20.26	0.39	-95.23	24.68	-25.00	-32.82 Vertical
2 7790.00	-54.11	RMS	36.60	-19.89	0.41	-95.23	24.00	-25.00	-29.11 Vertical
3 10386.00	-53.89	RMS	37.33	-20.58	0.46	-95.23	24.13	-25.00	-28.89 Vertical




Tx0Rx0

Part 27 Mode 15


LTE B41 20M Ch41292 1RB99 QPSK+20M Ch41490 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5347.00	-58.49	RMS	32.41	-20.43	0.58	-95.23	24.18	-25.00	-33.49	Horizontal
2 8021.00	-54.34	RMS	36.66	-20.43	0.38	-95.23	24.28	-25.00	-29.34	Horizontal
3 10694.00	-53.13	RMS	37.50	-20.49	0.50	-95.23	24.59	-25.00	-28.13	Horizontal




Site : 03CH21-HY
 Condition: -25 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5347.00	-58.49	RMS	32.41	-20.43	0.58	-95.23	24.18	-25.00	-33.49	Vertical
2 8021.00	-54.42	RMS	36.66	-20.43	0.38	-95.23	24.20	-25.00	-29.42	Vertical
3 10694.00	-53.23	RMS	37.50	-20.49	0.50	-95.23	24.49	-25.00	-28.23	Vertical




Tx1Rx1

Part 27 Mode 2
LTE B66 10M Ch132022 1RB0 QPSK
L



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 66 10M Ch132022 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
			MHz	dBm		Factor	1					dB	dB
1	3421.00	-62.90	RMS	28.58	-22.41	1.08	-95.23	25.08	-13.00	-49.90	Horizontal		
2	5132.00	-54.75	RMS	32.60	-20.21	0.40	-95.23	27.69	-13.00	-41.75	Horizontal		
3	6842.00	-56.20	RMS	36.22	-20.55	0.44	-95.23	22.92	-13.00	-43.20	Horizontal		




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 66 10M Ch132022 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin Pol	
			MHz	dBm		Factor	1					dB	dB
1	3421.00	-63.20	RMS	28.58	-22.41	1.08	-95.23	24.78	-13.00	-50.20	Vertical		
2	5132.00	-56.29	RMS	32.60	-20.21	0.40	-95.23	26.15	-13.00	-43.29	Vertical		
3	6842.00	-56.23	RMS	36.22	-20.55	0.44	-95.23	22.89	-13.00	-43.23	Vertical		




Tx1Rx1

Part 27 Mode 2
LTE B66 10M Ch132322 1RB0 QPSK
M



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3481.00	-62.82	RMS	28.82	-22.38	1.01	-95.23	24.96	-13.00	-49.82	Horizontal
2	5222.00	-51.72	RMS	32.60	-20.29	0.42	-95.23	30.78	-13.00	-38.72	Horizontal
3	6962.00	-56.20	RMS	36.42	-20.57	0.45	-95.23	22.73	-13.00	-43.20	Horizontal




Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 66 10M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3481.00	-62.89	RMS	28.82	-22.38	1.01	-95.23	24.89	-13.00	-49.89	Vertical
2	5222.00	-57.20	RMS	32.60	-20.29	0.42	-95.23	25.30	-13.00	-44.20	Vertical
3	6962.00	-56.07	RMS	36.42	-20.57	0.45	-95.23	22.86	-13.00	-43.07	Vertical




Tx1Rx1

Part 27 Mode 2
LTE B66 10M Ch132622 1RB0 QPSK
H



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3541.00	-62.32	RMS	29.23	-22.31	0.94	-95.23	25.05	-13.00	-49.32	Horizontal
2	5312.00	-59.51	RMS	32.48	-20.39	0.54	-95.23	23.09	-13.00	-46.51	Horizontal
3	7082.00	-55.68	RMS	36.44	-20.53	0.46	-95.23	23.18	-13.00	-42.68	Horizontal



Site : 03CH21-HY
Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3541.00	-62.44	RMS	29.23	-22.31	0.94	-95.23	24.93	-13.00	-49.44	Vertical
2	5312.00	-59.30	RMS	32.48	-20.39	0.54	-95.23	23.30	-13.00	-46.30	Vertical
3	7082.00	-55.60	RMS	36.44	-20.53	0.46	-95.23	23.26	-13.00	-42.60	Vertical




Tx1Rx1

Part 27 Mode 4


LTE B66B 10M Ch132022 1RB49 QPSK+10M Ch132121 1RB0

L



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	l					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3439.00	-62.25	RMS	28.66	-22.40	1.06	-95.23	25.66	-13.00	-49.25	Horizontal	
2 5158.00	-56.32	RMS	32.60	-20.23	0.39	-95.23	26.15	-13.00	-43.32	Horizontal	
3 6878.00	-55.06	RMS	36.26	-20.56	0.44	-95.23	24.03	-13.00	-42.06	Horizontal	




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	l					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3439.00	-62.20	RMS	28.66	-22.40	1.06	-95.23	25.71	-13.00	-49.20	Vertical	
2 5158.00	-56.47	RMS	32.60	-20.23	0.39	-95.23	26.00	-13.00	-43.47	Vertical	
3 6878.00	-55.30	RMS	36.26	-20.56	0.44	-95.23	23.79	-13.00	-42.30	Vertical	




Tx1Rx1

Part 27 Mode 4
LTE B66B 10M Ch132373 1RB49 QPSK+10M Ch132472 1RB0
M



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1					g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3509.00	-61.71	RMS	28.97	-22.35	0.98	-95.23	25.92	-13.00	-48.71	Horizontal	
2	5264.00	-58.09	RMS	32.57	-20.34	0.47	-95.23	24.44	-13.00	-45.09	Horizontal	
3	7018.00	-54.81	RMS	36.50	-20.57	0.46	-95.23	24.03	-13.00	-41.81	Horizontal	




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1					g	dBm	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3509.00	-61.80	RMS	28.97	-22.35	0.98	-95.23	25.83	-13.00	-48.80	Vertical	
2	5264.00	-58.07	RMS	32.57	-20.34	0.47	-95.23	24.46	-13.00	-45.07	Vertical	
3	7018.00	-54.95	RMS	36.50	-20.57	0.46	-95.23	23.89	-13.00	-41.95	Vertical	




Tx1Rx1

Part 27 Mode 4
LTE B66B 10M Ch132523 1RB49 QPSK+10M Ch132622 1RB0
H



Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 66 10M Ch132523 1RB49 QPSK
 : LTE Band 66 10M Ch132622 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
1	3539.00	-60.41	RMS	29.21	-22.32	0.94	-95.23	26.99	-13.00	-47.41	Horizontal
2	5309.00	-58.49	RMS	32.48	-20.39	0.53	-95.23	24.12	-13.00	-45.49	Horizontal
3	7078.00	-54.14	RMS	36.44	-20.53	0.46	-95.23	24.72	-13.00	-41.14	Horizontal




Site : 03CH21-HY
 Condition: -13 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 66 10M Ch132523 1RB49 QPSK
 : LTE Band 66 10M Ch132622 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
1	3539.00	-61.53	RMS	29.21	-22.32	0.94	-95.23	25.87	-13.00	-48.53	Vertical
2	5309.00	-57.86	RMS	32.48	-20.39	0.53	-95.23	24.75	-13.00	-44.86	Vertical
3	7078.00	-54.19	RMS	36.44	-20.53	0.46	-95.23	24.67	-13.00	-41.19	Vertical




Tx1Rx1

Part 27 Mode 6
LTE B13 5M Ch23205 1RB0 QPSK
L



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 13 5M Ch23205 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1555.00	-67.70	RMS	24.35	-24.59	0.58	-95.23	27.19	-13.00	-54.70	Horizontal
			2332.00	-59.38	RMS	27.08	-23.56	0.37	-95.23	31.96	-13.00	-46.38	Horizontal
			3109.00	-63.21	RMS	28.08	-22.52	0.30	-95.23	26.16	-13.00	-50.21	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 13 5M Ch23205 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			1555.00	-67.55	RMS	24.35	-24.59	0.58	-95.23	27.34	-13.00	-54.55	Vertical
			2332.00	-59.50	RMS	27.08	-23.56	0.37	-95.23	31.84	-13.00	-46.50	Vertical
			3109.00	-63.29	RMS	28.08	-22.52	0.30	-95.23	26.08	-13.00	-50.29	Vertical




Tx1Rx1

Part 27 Mode 6
LTE B13 5M Ch23230 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 13 5M Ch23230 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter			EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1	dB					
				dB/m	dB	dB	dB	dBuV		dB	
1	1560.00	-67.49	RMS	24.40	-24.58	0.58	-95.23	27.34	-42.15	-25.34	Horizontal
2	2340.00	-59.00	RMS	27.00	-23.55	0.37	-95.23	32.41	-13.00	-46.00	Horizontal
3	3119.00	-63.23	RMS	28.06	-22.52	0.30	-95.23	26.16	-13.00	-50.23	Horizontal




Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 13 5M Ch23230 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter			EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1	dB					
				dB/m	dB	dB	dB	dBuV		dB	
1	1560.00	-67.46	RMS	24.40	-24.58	0.58	-95.23	27.37	-42.15	-25.31	Vertical
2	2340.00	-59.04	RMS	27.00	-23.55	0.37	-95.23	32.37	-13.00	-46.04	Vertical
3	3119.00	-63.16	RMS	28.06	-22.52	0.30	-95.23	26.23	-13.00	-50.16	Vertical




Tx1Rx1

Part 27 Mode 6
 LTE B13 5M Ch23255 1RB0 QPSK
 H



Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 13 5M Ch23255 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV		dB		
1	1565.00	-67.47	RMS	24.40	-24.57	0.57	-95.23	27.36	-42.15	-25.32	Horizontal
2	2347.00	-60.81	RMS	27.00	-23.54	0.37	-95.23	30.59	-13.00	-47.81	Horizontal
3	3129.00	-63.09	RMS	28.04	-22.52	0.30	-95.23	26.32	-13.00	-50.09	Horizontal




Site : 03CH21-HY
 Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 13 5M Ch23255 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV		dB		
1	1565.00	-67.44	RMS	24.40	-24.57	0.57	-95.23	27.39	-42.15	-25.29	Vertical
2	2347.00	-59.34	RMS	27.00	-23.54	0.37	-95.23	32.06	-13.00	-46.34	Vertical
3	3129.00	-63.19	RMS	28.04	-22.52	0.30	-95.23	26.22	-13.00	-50.19	Vertical




Tx1Rx1

Part 27 Mode 6
LTE B13 10M Ch23230 1RB0 QPSK
M



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Horizontal
: LTE Band 13 10M Ch23230 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol		
				Factor	1				dB	dB	dB
1	1555.00	-67.52	RMS	24.35	-24.59	0.58	-95.23	27.37	-13.00	-54.52	Horizontal
2	2333.00	-60.44	RMS	27.07	-23.56	0.37	-95.23	30.91	-13.00	-47.44	Horizontal
3	3110.00	-63.19	RMS	28.08	-22.52	0.30	-95.23	26.18	-13.00	-50.19	Horizontal



Site : 03CH21-HY
Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_230712 Vertical
: LTE Band 13 10M Ch23230 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol		
				Factor	1				dB	dB	dB
1	1555.00	-67.53	RMS	24.35	-24.59	0.58	-95.23	27.36	-13.00	-54.53	Vertical
2	2333.00	-58.75	RMS	27.07	-23.56	0.37	-95.23	32.60	-13.00	-45.75	Vertical
3	3110.00	-63.12	RMS	28.08	-22.52	0.30	-95.23	26.25	-13.00	-50.12	Vertical