





FR1 n77 / 20MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 20MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 25MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 25MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 25MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 25MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 30MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 30MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 30MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 30MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 40MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 40MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n77 / 40MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 40MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n77 / 50MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 50MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB








FR1 n77 / 50MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 50MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 60MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 60MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 60MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 60MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 70MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 70MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n77 / 70MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 70MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







FR1 n77 / 80MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 80MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 90MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB









FR1 n77 / 90MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







# Conducted Spurious Emission

FR1 n77 / 10MHz / CP OFDM / QPSK / 1RB1


## Lowest Channel



## Middle Channel



## Highest Channel





### Frequency Stability

Test Conditions		FR1 n77 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0023	PASS
40	Normal Voltage	0.0004	
30	Normal Voltage	0.0000	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0024	
0	Normal Voltage	0.0017	
-10	Normal Voltage	0.0028	
-20	Normal Voltage	0.0020	
-30	Normal Voltage	0.0041	
20	Maximum Voltage	0.0012	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0017	

**Note:**

1. Normal Voltage = 3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



## **Appendix B. Test Results of Radiated Test**

**Remark:** The SRS antenna has been verified RSE during the preliminary scan and the result is not worse than the primary and ASDIV antenna, so only primary and ASDIV antenna is reported.



<Primary Antenna>  
<Ant. 6>

**5G NR n77 HPUE**

5G NR n77 (HPUE) / 20MHz / PI/2 BPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Margin ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	6902	-56.48	-13	-43.48	-84	-65.87	1.62	11.00	H
	10353	-45.08	-13	-32.08	-73.06	-54.49	2.09	11.50	H
	13805	-51.50	-13	-38.50	-82.14	-61.50	2.39	12.38	H
	20707	-64.02	-13	-51.02	-69.51	-79.55	2.97	18.50	H
	24159	-63.32	-13	-50.32	-73.99	-78.71	3.17	18.56	H
	27610	-61.93	-13	-48.93	-74.41	-78.16	3.48	19.71	H
									H
	6902	-54.64	-13	-41.64	-82.77	-64.03	1.62	11.00	V
	10353	-49.17	-13	-36.17	-76.5	-58.58	2.09	11.50	V
	13805	-51.38	-13	-38.38	-82.03	-61.38	2.39	12.38	V
	20707	-61.75	-13	-48.75	-67.2	-77.28	2.97	18.50	V
	24159	-63.74	-13	-50.74	-74.13	-79.13	3.17	18.56	V
	27610	-61.72	-13	-48.72	-73.98	-77.95	3.48	19.71	V
									V
Middle	6982	-55.73	-13	-42.73	-83.26	-65.26	1.64	11.16	H
	10473	-42.68	-13	-29.68	-70.53	-52.07	2.11	11.50	H
	13965	-51.49	-13	-38.49	-82.19	-61.60	2.36	12.48	H
	20947	-63.84	-13	-50.84	-69.58	-79.33	3.01	18.50	H
	24438	-62.74	-13	-49.74	-74.05	-78.21	3.20	18.68	H
	27930	-61.70	-13	-48.70	-74.15	-77.68	3.47	19.46	H
									H
	6982	-55.81	-13	-42.81	-83.84	-65.34	1.64	11.16	V
	10473	-47.01	-13	-34.01	-74.28	-56.40	2.11	11.50	V
	13965	-51.35	-13	-38.35	-82.17	-61.46	2.36	12.48	V
	20947	-64.62	-13	-51.62	-70.26	-80.11	3.01	18.50	V
	24438	-63.24	-13	-50.24	-74.37	-78.71	3.20	18.68	V
	27930	-62.33	-13	-49.33	-74.47	-78.31	3.47	19.46	V



Highest	7062	-56.08	-13	-43.08	-83.52	-65.38	1.66	10.95	H
	10593	-47.75	-13	-34.75	-75.66	-57.24	2.13	11.61	H
	14125	-51.68	-13	-38.68	-82.26	-61.90	2.39	12.60	H
	21187	-63.96	-13	-50.96	-70.24	-79.48	3.01	18.54	H
	24718	-62.47	-13	-49.47	-73.86	-77.72	3.27	18.53	H
	28250	-61.59	-13	-48.59	-74.24	-77.49	3.51	19.40	H
									H
	7062	-55.80	-13	-42.80	-83.67	-65.10	1.66	10.95	V
	10593	-43.55	-13	-30.55	-70.91	-53.04	2.13	11.61	V
	14125	-51.34	-13	-38.34	-82.11	-61.56	2.39	12.60	V
	21187	-64.34	-13	-51.34	-70.56	-79.86	3.01	18.54	V
	24718	-63.13	-13	-50.13	-74.31	-78.38	3.27	18.53	V
	28250	-62.27	-13	-49.27	-74.67	-78.17	3.51	19.40	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





MIMO <Ant. 6+1>

5G NR n77 PC1.5

5G NR n77 PC1.5 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Margin ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	6903	-56.50	-13	-43.50	-84	-65.89	1.62	11.01	H
	10354	-55.44	-13	-42.44	-83.42	-64.85	2.09	11.50	H
	13805	-51.49	-13	-38.49	-82.13	-61.49	2.39	12.38	H
	20707	-64.59	-13	-51.59	-70.08	-80.12	2.97	18.50	H
	24159	-63.29	-13	-50.29	-73.96	-78.68	3.17	18.56	H
	27610	-62.02	-13	-49.02	-74.5	-78.25	3.48	19.71	H
									H
	6903	-54.46	-13	-41.46	-82.58	-63.85	1.62	11.01	V
	10354	-51.16	-13	-38.16	-78.49	-60.57	2.09	11.50	V
	13805	-51.34	-13	-38.34	-81.99	-61.34	2.39	12.38	V
	20707	-64.24	-13	-51.24	-69.69	-79.77	2.97	18.50	V
	24159	-63.46	-13	-50.46	-73.85	-78.85	3.17	18.56	V
	27610	-62.35	-13	-49.35	-74.61	-78.58	3.48	19.71	V
									V
Middle	6983	-56.24	-13	-43.24	-83.77	-65.77	1.64	11.17	H
	10474	-52.69	-13	-39.69	-80.53	-62.08	2.11	11.50	H
	13965	-51.00	-13	-38.00	-81.7	-61.11	2.36	12.48	H
	20947	-64.50	-13	-51.50	-70.24	-79.99	3.01	18.50	H
	24438	-63.17	-13	-50.17	-74.48	-78.64	3.20	18.68	H
	27930	-62.11	-13	-49.11	-74.56	-78.09	3.47	19.46	H
									H
	6983	-53.72	-13	-40.72	-81.76	-63.25	1.64	11.17	V
	10474	-47.87	-13	-34.87	-75.13	-57.26	2.11	11.50	V
	13965	-51.19	-13	-38.19	-82.01	-61.30	2.36	12.48	V
	20947	-64.54	-13	-51.54	-70.18	-80.03	3.01	18.50	V
	24438	-63.29	-13	-50.29	-74.42	-78.76	3.20	18.68	V
	27930	-62.25	-13	-49.25	-74.39	-78.23	3.47	19.46	V
									V



Highest	7063	-56.22	-13	-43.22	-83.66	-65.51	1.66	10.95	H
	10594	-55.37	-13	-42.37	-83.29	-64.86	2.13	11.61	H
	14125	-51.47	-13	-38.47	-82.05	-61.69	2.39	12.60	H
	21187	-64.53	-13	-51.53	-70.81	-80.05	3.01	18.54	H
	24718	-63.12	-13	-50.12	-74.51	-78.37	3.27	18.53	H
	28250	-61.91	-13	-48.91	-74.56	-77.81	3.51	19.40	H
									H
	7063	-54.25	-13	-41.25	-82.12	-63.54	1.66	10.95	V
	10594	-49.69	-13	-36.69	-77.06	-59.18	2.13	11.61	V
	14125	-50.94	-13	-37.94	-81.71	-61.16	2.39	12.60	V
	21187	-63.82	-13	-50.82	-70.04	-79.34	3.01	18.54	V
	24718	-62.72	-13	-49.72	-73.9	-77.97	3.27	18.53	V
	28250	-61.95	-13	-48.95	-74.35	-77.85	3.51	19.40	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<ASDIV Antenna>  
<Ant. 7>

### SA NR n77 HPUE

SA NR n77 / 20MHz / PI/2 BPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Margin ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	6903	-56.18	-13	-43.18	-83.68	-65.57	1.62	11.01	H
	10354	-55.25	-13	-42.25	-83.23	-64.66	2.09	11.50	H
	13805	-51.18	-13	-38.18	-81.82	-61.18	2.39	12.38	H
	20707	-64.31	-13	-51.31	-69.8	-79.84	2.97	18.50	H
	24159	-63.38	-13	-50.38	-74.05	-78.77	3.17	18.56	H
	27610	-61.87	-13	-48.87	-74.35	-78.10	3.48	19.71	H
									H
	6903	-55.75	-13	-42.75	-83.87	-65.14	1.62	11.01	V
	10354	-55.98	-13	-42.98	-83.31	-65.39	2.09	11.50	V
	13805	-50.10	-13	-37.10	-80.75	-60.10	2.39	12.38	V
	20707	-64.11	-13	-51.11	-69.56	-79.64	2.97	18.50	V
	24159	-63.62	-13	-50.62	-74.01	-79.01	3.17	18.56	V
	27610	-62.03	-13	-49.03	-74.29	-78.26	3.48	19.71	V
									V
Middle	6983	-55.99	-13	-42.99	-83.52	-65.52	1.64	11.17	H
	10474	-45.20	-13	-32.20	-73.04	-54.59	2.11	11.50	H
	13965	-51.35	-13	-38.35	-82.05	-61.46	2.36	12.48	H
	20947	-64.36	-13	-51.36	-70.1	-79.85	3.01	18.50	H
	24438	-62.70	-13	-49.70	-74.01	-78.17	3.20	18.68	H
	27930	-61.80	-13	-48.80	-74.25	-77.78	3.47	19.46	H
									H
	6983	-55.62	-13	-42.62	-83.66	-65.15	1.64	11.17	V
	10474	-40.72	-13	-27.72	-67.98	-50.11	2.11	11.50	V
	13965	-50.65	-13	-37.65	-81.47	-60.76	2.36	12.48	V
	20947	-64.47	-13	-51.47	-70.11	-79.96	3.01	18.50	V
	24438	-63.32	-13	-50.32	-74.45	-78.79	3.20	18.68	V
	27930	-62.30	-13	-49.30	-74.44	-78.28	3.47	19.46	V
									V



Highest	7063	-56.07	-13	-43.07	-83.51	-65.36	1.66	10.95	H
	10594	-40.58	-13	-27.58	-68.5	-50.07	2.13	11.61	H
	14125	-51.16	-13	-38.16	-81.74	-61.38	2.39	12.60	H
	21187	-64.17	-13	-51.17	-70.45	-79.69	3.01	18.54	H
	24718	-62.84	-13	-49.84	-74.23	-78.09	3.27	18.53	H
	28250	-61.78	-13	-48.78	-74.43	-77.68	3.51	19.40	H
									H
	7063	-55.57	-13	-42.57	-83.44	-64.86	1.66	10.95	V
	10594	-40.28	-13	-27.28	-67.65	-49.77	2.13	11.61	V
	14125	-50.88	-13	-37.88	-81.65	-61.10	2.39	12.60	V
	21187	-64.54	-13	-51.54	-70.76	-80.06	3.01	18.54	V
	24718	-62.44	-13	-49.44	-73.62	-77.69	3.27	18.53	V
	28250	-62.04	-13	-49.04	-74.44	-77.94	3.51	19.40	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



MIMO <Ant. 7+5>

5G NR n77 PC1.5

5G NR n77 PC1.5 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Margin ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	6903	-56.41	-13	-43.41	-83.91	-65.80	1.62	11.01	H
	10354	-53.21	-13	-40.21	-81.19	-62.62	2.09	11.50	H
	13805	-51.41	-13	-38.41	-82.05	-61.41	2.39	12.38	H
	20707	-64.29	-13	-51.29	-69.78	-79.82	2.97	18.50	H
	24159	-63.49	-13	-50.49	-74.16	-78.88	3.17	18.56	H
	27610	-62.34	-13	-49.34	-74.82	-78.57	3.48	19.71	H
									H
	6903	-54.91	-13	-41.91	-83.03	-64.30	1.62	11.01	V
	10354	-49.16	-13	-36.16	-76.49	-58.57	2.09	11.50	V
	13805	-51.13	-13	-38.13	-81.78	-61.13	2.39	12.38	V
	20707	-64.63	-13	-51.63	-70.08	-80.16	2.97	18.50	V
	24159	-63.63	-13	-50.63	-74.02	-79.02	3.17	18.56	V
	27610	-62.52	-13	-49.52	-74.78	-78.75	3.48	19.71	V
									V
Middle	6983	-55.87	-13	-42.87	-83.4	-65.40	1.64	11.17	H
	10474	-55.91	-13	-42.91	-83.75	-65.30	2.11	11.50	H
	13965	-51.56	-13	-38.56	-82.26	-61.67	2.36	12.48	H
	20947	-64.38	-13	-51.38	-70.12	-79.87	3.01	18.50	H
	24438	-63.42	-13	-50.42	-74.73	-78.89	3.20	18.68	H
	27930	-61.86	-13	-48.86	-74.31	-77.84	3.47	19.46	H
									H
	6983	-55.89	-13	-42.89	-83.93	-65.42	1.64	11.17	V
	10474	-48.89	-13	-35.89	-76.15	-58.28	2.11	11.50	V
	13965	-51.04	-13	-38.04	-81.86	-61.15	2.36	12.48	V
	20947	-64.41	-13	-51.41	-70.05	-79.90	3.01	18.50	V
	24438	-63.64	-13	-50.64	-74.77	-79.11	3.20	18.68	V
	27930	-62.24	-13	-49.24	-74.38	-78.22	3.47	19.46	V
									V



Highest	7063	-56.36	-13	-43.36	-83.8	-65.65	1.66	10.95	H
	10594	-52.30	-13	-39.30	-80.22	-61.79	2.13	11.61	H
	14125	-51.45	-13	-38.45	-82.03	-61.67	2.39	12.60	H
	21187	-64.32	-13	-51.32	-70.6	-79.84	3.01	18.54	H
	24718	-63.14	-13	-50.14	-74.53	-78.39	3.27	18.53	H
	28250	-62.11	-13	-49.11	-74.76	-78.01	3.51	19.40	H
									H
	7063	-55.29	-13	-42.29	-83.16	-64.58	1.66	10.95	V
	10594	-48.16	-13	-35.16	-75.53	-57.65	2.13	11.61	V
	14125	-51.00	-13	-38.00	-81.77	-61.22	2.39	12.60	V
	21187	-63.99	-13	-50.99	-70.21	-79.51	3.01	18.54	V
	24718	-62.88	-13	-49.88	-74.06	-78.13	3.27	18.53	V
	28250	-62.81	-13	-49.81	-75.2	-78.70	3.51	19.40	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



**EN-DC 7A-n77A HPUE**

EN-DC 7A-n77A HPUE / 10MHz+20MHz / QPSK+BPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Margin ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	6983	-56.44	-13	-43.44	-83.97	-65.97	1.64	11.17	H
	10474	-46.86	-13	-33.86	-74.7	-56.25	2.11	11.50	H
	13965	-51.34	-13	-38.34	-82.04	-61.45	2.36	12.48	H
	20948	-64.73	-13	-51.73	-70.47	-80.22	3.01	18.50	H
	24439	-63.44	-13	-50.44	-74.75	-78.91	3.20	18.68	H
	27930	-61.94	-13	-48.94	-74.39	-77.92	3.47	19.46	H
									H
	6983	-55.20	-13	-42.20	-83.24	-64.73	1.64	11.17	V
	10474	-41.43	-13	-28.43	-68.69	-50.82	2.11	11.50	V
	13965	-51.23	-13	-38.23	-82.05	-61.34	2.36	12.48	V
	20948	-64.50	-13	-51.50	-70.14	-79.99	3.01	18.50	V
	24439	-63.72	-13	-50.72	-74.85	-79.19	3.20	18.68	V
	27930	-62.70	-13	-49.70	-74.84	-78.68	3.47	19.46	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

————THE END————