





Test Mode :	802.11g	Test Channel :	06
--------------------	---------	-----------------------	----


100kHz PSD reference Level	Middle Channel Plot
-----------------------------------	----------------------------



Spurious Emission 30MHz~1GHz




Spurious Emission 1GHz~26.5GHz






Test Mode :	802.11g	Test Channel :	11
-------------	---------	----------------	----






Test Mode :	802.11g	Test Channel :	12
-------------	---------	----------------	----






Test Mode :	802.11g	Test Channel :	13
-------------	---------	----------------	----






Test Mode :	802.11be EHT20	Test Channel :	01
-------------	----------------	----------------	----






Test Mode : 802.11be EHT20	Test Channel : 06
-----------------------------------	--------------------------






Test Mode :	802.11be EHT20	Test Channel :	11
-------------	----------------	----------------	----






Test Mode :	802.11be EHT20	Test Channel :	12
--------------------	----------------	-----------------------	----





Test Mode :	802.11be EHT20	Test Channel :	13
-------------	----------------	----------------	----






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	19.2~23.3°C
		Relative Humidity :	49.5~53.6%

EUT Information

Report NO : 3N2325
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	29.74	56.00	26.26	L1	OFF	19.9
0.150000	48.62	---	66.00	17.38	L1	OFF	19.9
0.156750	---	29.28	55.63	26.35	L1	OFF	19.9
0.156750	48.20	---	65.63	17.43	L1	OFF	19.9
0.179250	---	24.39	54.52	30.13	L1	OFF	19.9
0.179250	42.44	---	64.52	22.08	L1	OFF	19.9
0.213270	---	19.93	53.08	33.15	L1	OFF	19.9
0.213270	35.64	---	63.08	27.44	L1	OFF	19.9
0.649500	---	22.59	46.00	23.41	L1	OFF	19.9
0.649500	26.58	---	56.00	29.42	L1	OFF	19.9
2.792130	---	22.14	46.00	23.86	L1	OFF	20.0
2.792130	25.95	---	56.00	30.05	L1	OFF	20.0

EUT Information

Report NO : 3N2325
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	30.15	56.00	25.85	N	OFF	19.9
0.150000	48.75	---	66.00	17.25	N	OFF	19.9
0.186000	---	25.79	54.21	28.42	N	OFF	19.9
0.186000	41.15	---	64.21	23.06	N	OFF	19.9
0.226770	---	21.84	52.57	30.73	N	OFF	19.9
0.226770	35.59	---	62.57	26.98	N	OFF	19.9
0.441690	---	20.64	47.03	26.39	N	OFF	19.9
0.441690	25.75	---	57.03	31.28	N	OFF	19.9
0.555000	---	19.94	46.00	26.06	N	OFF	19.9
0.555000	25.68	---	56.00	30.32	N	OFF	19.9
0.681810	---	21.27	46.00	24.73	N	OFF	19.9
0.681810	26.70	---	56.00	29.30	N	OFF	19.9
2.766570	---	22.54	46.00	23.46	N	OFF	20.0
2.766570	26.27	---	56.00	29.73	N	OFF	20.0



Appendix C. Radiated Spurious Emission

Test Engineer :	Daniel Lee, Quentin Liu and Bigshow Wang	Temperature :	22.1~22.6°C
		Relative Humidity :	55~57%

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
3		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2387.348	52.04	-21.96	74	45.92	27.37	15.52	36.77	100	306	P	H	
		2386.006	44.58	-9.42	54	38.46	27.37	15.52	36.77	100	306	A	H	
	*	2412	107.37	-	-	101.14	27.45	15.55	36.77	100	306	P	H	
	*	2412	104.27	-	-	98.04	27.45	15.55	36.77	100	306	A	H	
													H	
														H
			2389.788	56.36	-17.64	74	50.22	27.38	15.53	36.77	100	277	P	V
			2385.884	45.77	-8.23	54	39.65	27.37	15.52	36.77	100	277	A	V
	*		2412	108.56	-	-	102.33	27.45	15.55	36.77	100	277	P	V
	*		2412	105.49	-	-	99.26	27.45	15.55	36.77	100	277	A	V
														V
														V
802.11b CH 06 2437MHz		2359.686	50.6	-23.4	74	44.57	27.32	15.49	36.78	100	335	P	H	
		2388.204	41.32	-12.68	54	35.19	27.38	15.52	36.77	100	335	A	H	
	*	2437	105.68	-	-	99.32	27.55	15.58	36.77	100	335	P	H	
	*	2437	102.64	-	-	96.28	27.55	15.58	36.77	100	335	A	H	
			2484.645	50.63	-23.37	74	44.02	27.74	15.64	36.77	100	335	P	H
			2484.728	40.37	-13.63	54	33.76	27.74	15.64	36.77	100	335	A	H
			2387.616	53.79	-20.21	74	47.66	27.38	15.52	36.77	100	244	P	V
			2388.204	42.67	-11.33	54	36.54	27.38	15.52	36.77	100	244	A	V
	*		2437	109.23	-	-	102.87	27.55	15.58	36.77	100	244	P	V
	*		2437	106.18	-	-	99.82	27.55	15.58	36.77	100	244	A	V
			2487.633	57.61	-16.39	74	50.99	27.75	15.64	36.77	100	244	P	V
			2484.894	41.97	-12.03	54	35.36	27.74	15.64	36.77	100	244	A	V



802.11b CH 11 2462MHz	*	2462	106.4	-	-	99.91	27.65	15.61	36.77	254	219	P	H
	*	2462	103.38	-	-	96.89	27.65	15.61	36.77	254	219	A	H
		2488.168	54.78	-19.22	74	48.16	27.75	15.64	36.77	254	219	P	H
		2486.486	42.57	-11.43	54	35.95	27.75	15.64	36.77	254	219	A	H
													H
													H
	*	2462	109.23	-	-	102.74	27.65	15.61	36.77	100	245	P	V
	*	2462	106.22	-	-	99.73	27.65	15.61	36.77	100	245	A	V
		2487.82	58.82	-15.18	74	52.2	27.75	15.64	36.77	100	245	P	V
		2484.978	43.91	-10.09	54	37.3	27.74	15.64	36.77	100	245	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz	*	2467	107.36	-	-	100.84	27.67	15.62	36.77	361	313	P	H
	*	2467	104.48	-	-	97.96	27.67	15.62	36.77	361	313	A	H
		2484.153	55.71	-18.29	74	49.1	27.74	15.64	36.77	361	313	P	H
		2483.517	49.72	-4.28	54	43.12	27.73	15.64	36.77	361	313	A	H
													H
													H
	*	2467	109.85	-	-	103.33	27.67	15.62	36.77	100	244	P	V
	*	2467	106.78	-	-	100.26	27.67	15.62	36.77	100	244	A	V
		2483.994	65.29	-8.71	74	58.68	27.74	15.64	36.77	100	244	P	V
		2483.517	51.24	-2.76	54	44.64	27.73	15.64	36.77	100	244	A	V
													V
													V
802.11b CH 13 2472MHz	*	2472	103.75	-	-	97.21	27.69	15.62	36.77	308	220	P	H
	*	2472	100.7	-	-	94.16	27.69	15.62	36.77	308	220	A	H
		2485.552	56.29	-17.71	74	49.68	27.74	15.64	36.77	308	220	P	H
		2484.88	49.45	-4.55	54	42.84	27.74	15.64	36.77	308	220	A	H
													H
													H
	*	2472	107.81	-	-	101.27	27.69	15.62	36.77	100	247	P	V
	*	2472	104.65	-	-	98.11	27.69	15.62	36.77	100	247	A	V
		2486.944	59.29	-14.71	74	52.67	27.75	15.64	36.77	100	247	P	V
		2484.928	51.99	-2.01	54	45.38	27.74	15.64	36.77	100	247	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	39.15	-34.85	74	56.16	32.24	8.51	57.76	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	39.54	-34.46	74	56.55	32.24	8.51	57.76	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	39.17	-34.83	74	55.84	32.54	8.56	57.77	-	-	P	H
		7311	45.09	-28.91	74	56.67	36.73	10.34	58.65	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	40.64	-33.36	74	57.31	32.54	8.56	57.77	-	-	P
		7311	45.82	-28.18	74	57.4	36.73	10.34	58.65	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	40.06	-33.94	74	56.42	32.82	8.6	57.78	-	-	P	H
		7386	43.6	-30.4	74	55.65	36.28	10.38	58.71	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	40.02	-33.98	74	56.38	32.82	8.6	57.78	-	-	P
		7386	43.48	-30.52	74	55.53	36.28	10.38	58.71	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11b CH 12 2467MHz		4934	39.98	-34.02	74	56.29	32.87	8.61	57.79	-	-	P	H	
		7401	44.76	-29.24	74	56.89	36.2	10.39	58.72	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4934	39.62	-34.38	74	55.93	32.87	8.61	57.79	-	-	P	V
			7401	43.78	-30.22	74	55.91	36.2	10.39	58.72	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 3	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 13 2472MHz		4944	39.73	-34.27	74	55.98	32.92	8.62	57.79	-	-	P	H
		7416	44.21	-29.79	74	56.35	36.17	10.42	58.73	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4944	39.77	-34.23	74	56.02	32.92	8.62	57.79	-	-	P
		7416	44.85	-29.15	74	56.99	36.17	10.42	58.73	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2387.348	51.38	-22.62	74	45.26	27.37	15.52	36.77	397	220	P	H	
		2386.982	40.71	-13.29	54	34.59	27.37	15.52	36.77	397	220	A	H	
	*	2412	107.4	-	-	101.17	27.45	15.55	36.77	397	220	P	H	
	*	2412	104.11	-	-	97.88	27.45	15.55	36.77	397	220	A	H	
													H	
														H
			2336.352	50.52	-23.48	74	44.58	27.27	15.45	36.78	250	289	P	V
			2386.738	41.39	-12.61	54	35.27	27.37	15.52	36.77	250	289	A	V
	*		2412	108.39	-	-	102.16	27.45	15.55	36.77	250	289	P	V
	*		2412	105.27	-	-	99.04	27.45	15.55	36.77	250	289	A	V
														V
														V
802.11b CH 06 2437MHz		2387.91	50.52	-23.48	74	44.39	27.38	15.52	36.77	100	286	P	H	
		2388.939	40.34	-13.66	54	34.2	27.38	15.53	36.77	100	286	A	H	
	*	2437	109.07	-	-	102.71	27.55	15.58	36.77	100	286	P	H	
	*	2437	105.98	-	-	99.62	27.55	15.58	36.77	100	286	A	H	
			2488.38	51.55	-22.45	74	44.93	27.75	15.64	36.77	100	286	P	H
			2487.882	41.81	-12.19	54	35.19	27.75	15.64	36.77	100	286	A	H
			2386.293	49.98	-24.02	74	43.86	27.37	15.52	36.77	311	280	P	V
			2388.939	39.26	-14.74	54	33.12	27.38	15.53	36.77	311	280	A	V
	*		2437	102.92	-	-	96.56	27.55	15.58	36.77	311	280	P	V
	*		2437	99.84	-	-	93.48	27.55	15.58	36.77	311	280	A	V
			2488.629	50.81	-23.19	74	44.19	27.75	15.64	36.77	311	280	P	V
			2487.965	40.1	-13.9	54	33.48	27.75	15.64	36.77	311	280	A	V



802.11b CH 11 2462MHz	*	2462	107.77	-	-	101.28	27.65	15.61	36.77	400	321	P	H
	*	2462	104.67	-	-	98.18	27.65	15.61	36.77	400	321	A	H
		2484.514	53.24	-20.76	74	46.63	27.74	15.64	36.77	400	321	P	H
		2483.934	41.15	-12.85	54	34.54	27.74	15.64	36.77	400	321	A	H
													H
													H
	*	2462	103.88	-	-	97.39	27.65	15.61	36.77	400	301	P	V
	*	2462	100.95	-	-	94.46	27.65	15.61	36.77	400	301	A	V
		2488.052	51.75	-22.25	74	45.13	27.75	15.64	36.77	400	301	P	V
		2484.108	40.19	-13.81	54	33.58	27.74	15.64	36.77	400	301	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz	*	2467	108.42	-	-	101.9	27.67	15.62	36.77	100	334	P	H
	*	2467	105.13	-	-	98.61	27.67	15.62	36.77	100	334	A	H
		2483.517	56.41	-17.59	74	49.81	27.73	15.64	36.77	100	334	P	H
		2485.69	46.68	-7.32	54	40.07	27.74	15.64	36.77	100	334	A	H
													H
													H
	*	2467	105.59	-	-	99.07	27.67	15.62	36.77	400	246	P	V
	*	2467	102.5	-	-	95.98	27.67	15.62	36.77	400	246	A	V
		2485.584	53.43	-20.57	74	46.82	27.74	15.64	36.77	400	246	P	V
		2485.796	44.34	-9.66	54	37.73	27.74	15.64	36.77	400	246	A	V
													V
													V
802.11b CH 13 2472MHz	*	2472	108.21	-	-	101.67	27.69	15.62	36.77	100	325	P	H
	*	2472	104.87	-	-	98.33	27.69	15.62	36.77	100	325	A	H
		2483.824	58.4	-15.6	74	51.79	27.74	15.64	36.77	100	325	P	H
		2485.792	51.54	-2.46	54	44.93	27.74	15.64	36.77	100	325	A	H
													H
													H
	*	2472	104.45	-	-	97.91	27.69	15.62	36.77	354	247	P	V
	*	2472	101.3	-	-	94.76	27.69	15.62	36.77	354	247	A	V
		2485.696	55.28	-18.72	74	48.67	27.74	15.64	36.77	354	247	P	V
		2484.784	48.06	-5.94	54	41.45	27.74	15.64	36.77	354	247	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	39.64	-34.36	74	56.65	32.24	8.51	57.76	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	38.98	-35.02	74	55.99	32.24	8.51	57.76	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	38.7	-35.3	74	55.37	32.54	8.56	57.77	-	-	P	H
		7311	44.6	-29.4	74	56.18	36.73	10.34	58.65	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	39	-35	74	55.67	32.54	8.56	57.77	-	-	P
		7311	46.75	-27.25	74	58.33	36.73	10.34	58.65	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	40.58	-33.42	74	56.94	32.82	8.6	57.78	-	-	P	H
		7386	44.61	-29.39	74	56.66	36.28	10.38	58.71	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	40.64	-33.36	74	57	32.82	8.6	57.78	-	-	P
		7386	43.94	-30.06	74	55.99	36.28	10.38	58.71	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz		4934	39.22	-34.78	74	55.53	32.87	8.61	57.79	-	-	P	H
		7401	44.24	-29.76	74	56.37	36.2	10.39	58.72	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4934	39.35	-34.65	74	55.66	32.87	8.61	57.79	-	-	P
		7401	46.18	-27.82	74	58.31	36.2	10.39	58.72	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 4	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 13 2472MHz		4944	39.64	-34.36	74	55.89	32.92	8.62	57.79	-	-	P	H
		7416	43.5	-30.5	74	55.64	36.17	10.42	58.73	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4944	39.69	-34.31	74	55.94	32.92	8.62	57.79	-	-	P
		7416	44.43	-29.57	74	56.57	36.17	10.42	58.73	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11g CH 01 2412MHz		2389.788	69.33	-4.67	74	63.19	27.38	15.53	36.77	100	317	P	H	
		2389.91	51.83	-2.17	54	45.69	27.38	15.53	36.77	100	317	A	H	
	*	2412	113.68	-	-	107.45	27.45	15.55	36.77	100	317	P	H	
	*	2412	106.16	-	-	99.93	27.45	15.55	36.77	100	317	A	H	
													H	
														H
			2389.178	61.05	-12.95	74	54.91	27.38	15.53	36.77	100	224	P	V
			2388.446	44.54	-9.46	54	38.41	27.38	15.52	36.77	100	224	A	V
	*		2412	109.23	-	-	103	27.45	15.55	36.77	100	224	P	V
	*		2412	102.08	-	-	95.85	27.45	15.55	36.77	100	224	A	V
														V
													V	
802.11g CH 02 2417MHz		2390	66.77	-7.23	74	60.34	27.38	5.61	36.48	100	264	P	H	
		2389.91	51.49	-2.51	54	45.06	27.38	5.61	36.48	100	264	A	H	
	*	2417	114.37	-	-	107.82	27.47	5.64	36.48	100	264	P	H	
	*	2417	107.05	-	-	100.5	27.47	5.64	36.48	100	264	A	H	
													H	
													H	
			2387.958	62.01	-11.99	74	55.59	27.38	5.6	36.48	380	300	P	V
			2390	47.62	-6.38	54	41.19	27.38	5.61	36.48	380	300	A	V
	*		2417	111.5	-	-	104.95	27.47	5.64	36.48	380	300	P	V
	*		2417	104.31	-	-	97.76	27.47	5.64	36.48	380	300	A	V
														V
														V



802.11g CH 06 2437MHz		2389.38	54.85	-19.15	74	48.71	27.38	15.53	36.77	100	216	P	H
		2389.968	40.54	-13.46	54	34.4	27.38	15.53	36.77	100	216	A	H
	*	2437	113.56	-	-	107.2	27.55	15.58	36.77	100	216	P	H
	*	2437	106.34	-	-	99.98	27.55	15.58	36.77	100	216	A	H
		2483.981	54.13	-19.87	74	47.52	27.74	15.64	36.77	100	216	P	H
		2483.649	40.36	-13.64	54	33.76	27.73	15.64	36.77	100	216	A	H
		2389.086	54.52	-19.48	74	48.38	27.38	15.53	36.77	100	281	P	V
		2389.968	41.09	-12.91	54	34.95	27.38	15.53	36.77	100	281	A	V
	*	2437	114.53	-	-	108.17	27.55	15.58	36.77	100	281	P	V
	*	2437	107.08	-	-	100.72	27.55	15.58	36.77	100	281	A	V
		2485.89	54.67	-19.33	74	48.06	27.74	15.64	36.77	100	281	P	V
		2483.981	40.89	-13.11	54	34.28	27.74	15.64	36.77	100	281	A	V
802.11g CH 10 2457MHz	*	2457	113.44	-	-	106.67	27.63	15.61	36.47	100	265	P	H
	*	2457	106.53	-	-	99.76	27.63	15.61	36.47	100	265	A	H
		2483.62	71.06	-2.94	74	64.15	27.73	15.64	36.46	100	265	P	H
		2483.5	51.35	-2.65	54	44.44	27.73	15.64	36.46	100	265	A	H
													H
													H
	*	2457	111.89	-	-	105.12	27.63	15.61	36.47	400	303	P	V
	*	2457	104.56	-	-	97.79	27.63	15.61	36.47	400	303	A	V
		2483.746	70.13	-3.87	74	63.22	27.73	15.64	36.46	400	303	P	V
		2483.5	50.5	-3.5	54	43.59	27.73	15.64	36.46	400	303	A	V
												V	
												V	



802.11g CH 11 2462MHz	*	2462	109.79	-	-	103.3	27.65	15.61	36.77	400	319	P	H
	*	2462	101.88	-	-	95.39	27.65	15.61	36.77	400	319	A	H
		2483.528	68.95	-5.05	74	62.35	27.73	15.64	36.77	400	319	P	H
		2483.528	50.58	-3.42	54	43.98	27.73	15.64	36.77	400	319	A	H
													H
													H
	*	2462	111.7	-	-	105.21	27.65	15.61	36.77	100	265	P	V
	*	2462	104.12	-	-	97.63	27.65	15.61	36.77	100	265	A	V
		2483.528	69.28	-4.72	74	62.68	27.73	15.64	36.77	100	265	P	V
		2483.528	51.07	-2.93	54	44.47	27.73	15.64	36.77	100	265	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 12 2467MHz	*	2467	109	-	-	102.48	27.67	15.62	36.77	100	221	P	H	
	*	2467	100.25	-	-	93.73	27.67	15.62	36.77	100	221	A	H	
		2483.623	65.44	-8.56	74	58.84	27.73	15.64	36.77	100	221	P	H	
		2485.637	47.07	-6.93	54	40.46	27.74	15.64	36.77	100	221	A	H	
													H	
														H
	*	2467	107.95	-	-	101.43	27.67	15.62	36.77	140	252	P	V	
	*	2467	102.05	-	-	95.53	27.67	15.62	36.77	140	252	A	V	
		2483.888	69.6	-4.4	74	62.99	27.74	15.64	36.77	140	252	P	V	
		2483.57	51.42	-2.58	54	44.82	27.73	15.64	36.77	140	252	A	V	
														V
														V
802.11g CH 13 2472MHz	*	2472	102.25	-	-	95.71	27.69	15.62	36.77	100	217	P	H	
	*	2472	94.65	-	-	88.11	27.69	15.62	36.77	100	217	A	H	
		2483.5	64.13	-9.87	74	57.53	27.73	15.64	36.77	100	217	P	H	
		2483.5	50.18	-3.82	54	43.58	27.73	15.64	36.77	100	217	A	H	
														H
														H
	*	2472	103.79	-	-	97.25	27.69	15.62	36.77	100	262	P	V	
	*	2472	96.52	-	-	89.98	27.69	15.62	36.77	100	262	A	V	
		2483.5	66.27	-7.73	74	59.67	27.73	15.64	36.77	100	262	P	V	
		2483.5	52.24	-1.76	54	45.64	27.73	15.64	36.77	100	262	A	V	
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	39.93	-34.07	74	56.94	32.24	8.51	57.76	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	39.11	-34.89	74	56.12	32.24	8.51	57.76	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 02 2417MHz		4834	37.87	-36.13	74	56.22	32.3	8.52	59.17	-	-	P	H	
		7251	43.67	-30.33	74	56.48	36.65	10.31	59.77	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4834	37.98	-36.02	74	56.33	32.3	8.52	59.17	-	-	P	V
			7251	42.95	-31.05	74	55.76	36.65	10.31	59.77	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	41.06	-32.94	74	57.73	32.54	8.56	57.77	-	-	P	H
		7311	49.94	-24.06	74	61.52	36.73	10.34	58.65	400	129	P	H
		7311	38.25	-15.75	54	49.83	36.73	10.34	58.65	400	129	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	39.57	-34.43	74	56.24	32.54	8.56	57.77	-	-	P
		7311	52.51	-21.49	74	64.09	36.73	10.34	58.65	293	16	P	V
		7311	40.98	-13.02	54	52.56	36.73	10.34	58.65	293	16	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 10 2457MHz		4914	38.31	-35.69	74	56.15	32.77	8.59	59.2	-	-	P	H	
		7371	41.88	-32.12	74	55.03	36.37	10.38	59.9	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4914	38.87	-35.13	74	56.71	32.77	8.59	59.2	-	-	P	V
			7371	43.04	-30.96	74	56.19	36.37	10.38	59.9	-	-	P	V
														V
														V
														V
														V
														V
														V
														V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



WiFi Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 11 2462MHz		4924	40.77	-33.23	74	57.13	32.82	8.6	57.78	-	-	P	H	
		7386	45.23	-28.77	74	57.28	36.28	10.38	58.71	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4924	39.98	-34.02	74	56.34	32.82	8.6	57.78	-	-	P	V
			7386	50.79	-23.21	74	62.84	36.28	10.38	58.71	260	14	P	V
			7386	38.56	-15.44	54	50.61	36.28	10.38	58.71	260	14	A	V
														V
														V
														V
														V
														V
														V
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 12 2467MHz		4934	39.24	-34.76	74	55.55	32.87	8.61	57.79	-	-	P	H
		7401	44.73	-29.27	74	56.86	36.2	10.39	58.72	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4934	39.75	-34.25	74	56.06	32.87	8.61	57.79	-	-	P
		7401	44.76	-29.24	74	56.89	36.2	10.39	58.72	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 13 2472MHz		4944	39.82	-34.18	74	56.07	32.92	8.62	57.79	-	-	P	H
		7416	44.24	-29.76	74	56.38	36.17	10.42	58.73	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4944	39.86	-34.14	74	56.11	32.92	8.62	57.79	-	-	P
		7416	44.39	-29.61	74	56.53	36.17	10.42	58.73	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Full CH 01 2412MHz		2389.91	67.76	-6.24	74	61.62	27.38	15.53	36.77	310	213	P	H	
		2390	52.31	-1.69	54	46.17	27.38	15.53	36.77	310	213	A	H	
	*	2412	113.43	-	-	107.2	27.45	15.55	36.77	310	213	P	H	
	*	2412	104.09	-	-	97.86	27.45	15.55	36.77	310	213	A	H	
													H	
														H
			2389.91	68.45	-5.55	74	62.31	27.38	15.53	36.77	157	250	P	V
			2390	52.08	-1.92	54	45.94	27.38	15.53	36.77	157	250	A	V
		*	2412	111.35	-	-	105.12	27.45	15.55	36.77	157	250	P	V
		*	2412	103.65	-	-	97.42	27.45	15.55	36.77	157	250	A	V
													V	
													V	
802.11be EHT20 Full CH 02 2417MHz		2390	67.86	-6.14	74	61.43	27.38	15.53	36.48	100	220	P	H	
		2389.422	50.1	-3.9	54	43.67	27.38	15.53	36.48	100	220	A	H	
		*	2417	113.21	-	-	106.66	27.47	15.56	36.48	100	220	P	H
		*	2417	103.95	-	-	97.4	27.47	15.56	36.48	100	220	A	H
														H
														H
			2389.91	60.53	-13.47	74	54.1	27.38	15.53	36.48	400	308	P	V
			2389.422	45.36	-8.64	54	38.93	27.38	15.53	36.48	400	308	A	V
		*	2417	107.34	-	-	100.79	27.47	15.56	36.48	400	308	P	V
		*	2417	97.7	-	-	91.15	27.47	15.56	36.48	400	308	A	V
													V	
													V	



802.11be EHT20 Full CH 06 2437MHz		2387.616	55.59	-18.41	74	49.46	27.38	15.52	36.77	297	222	P	H
		2389.821	41.28	-12.72	54	35.14	27.38	15.53	36.77	297	222	A	H
	*	2437	112.73	-	-	106.37	27.55	15.58	36.77	297	222	P	H
	*	2437	104.55	-	-	98.19	27.55	15.58	36.77	297	222	A	H
		2485.807	56.85	-17.15	74	50.24	27.74	15.64	36.77	297	222	P	H
		2483.649	41.1	-12.9	54	34.5	27.73	15.64	36.77	297	222	A	H
		2389.233	58.79	-15.21	74	52.65	27.38	15.53	36.77	150	268	P	V
		2389.968	42.26	-11.74	54	36.12	27.38	15.53	36.77	150	268	A	V
	*	2437	114.13	-	-	107.77	27.55	15.58	36.77	150	268	P	V
	*	2437	105.48	-	-	99.12	27.55	15.58	36.77	150	268	A	V
		2484.728	58.01	-15.99	74	51.4	27.74	15.64	36.77	150	268	P	V
		2483.732	41	-13	54	34.4	27.73	15.64	36.77	150	268	A	V
802.11be EHT20 Full CH 10 2457MHz	*	2457	113.87	-	-	107.1	27.63	15.61	36.47	100	214	P	H
	*	2457	104.77	-	-	98	27.63	15.61	36.47	100	214	A	H
		2484.25	71.55	-2.45	74	64.63	27.74	15.64	36.46	100	214	P	H
		2483.5	51.89	-2.11	54	44.98	27.73	15.64	36.46	100	214	A	H
													H
													H
	*	2457	109.56	-	-	102.79	27.63	15.61	36.47	400	283	P	V
	*	2457	100.25	-	-	93.48	27.63	15.61	36.47	400	283	A	V
		2483.872	69.87	-4.13	74	62.95	27.74	15.64	36.46	400	283	P	V
		2483.5	50.91	-3.09	54	44	27.73	15.64	36.46	400	283	A	V
												V	
												V	



802.11be EHT20 Full CH 11 2462MHz	*	2462	111.57	-	-	105.08	27.65	15.61	36.77	323	216	P	H
	*	2462	102.66	-	-	96.17	27.65	15.61	36.77	323	216	A	H
		2483.702	71.24	-2.76	74	64.64	27.73	15.64	36.77	323	216	P	H
		2483.586	51.64	-2.36	54	45.04	27.73	15.64	36.77	323	216	A	H
													H
													H
	*	2462	111.57	-	-	105.08	27.65	15.61	36.77	100	250	P	V
	*	2462	101.72	-	-	95.23	27.65	15.61	36.77	100	250	A	V
		2483.934	67.83	-6.17	74	61.22	27.74	15.64	36.77	100	250	P	V
		2483.528	49.2	-4.8	54	42.6	27.73	15.64	36.77	100	250	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 12 2467MHz	*	2467	108.25	-	-	101.73	27.67	15.62	36.77	300	222	P	H
	*	2467	99.05	-	-	92.53	27.67	15.62	36.77	300	222	A	H
		2483.517	71.57	-2.43	74	64.97	27.73	15.64	36.77	300	222	P	H
		2483.729	51.19	-2.81	54	44.59	27.73	15.64	36.77	300	222	A	H
													H
													H
	*	2467	108.84	-	-	102.32	27.67	15.62	36.77	100	247	P	V
	*	2467	99.74	-	-	93.22	27.67	15.62	36.77	100	247	A	V
		2483.57	71.17	-2.83	74	64.57	27.73	15.64	36.77	100	247	P	V
		2483.517	50.7	-3.3	54	44.1	27.73	15.64	36.77	100	247	A	V
												V	
												V	
802.11be EHT20 Full CH 13 2472MHz	*	2472	104.45	-	-	97.91	27.69	15.62	36.77	294	221	P	H
	*	2472	96.37	-	-	89.83	27.69	15.62	36.77	294	221	A	H
		2483.5	70.25	-3.75	74	63.65	27.73	15.64	36.77	294	221	P	H
		2483.5	52.12	-1.88	54	45.52	27.73	15.64	36.77	294	221	A	H
													H
													H
	*	2472	106.32	-	-	99.78	27.69	15.62	36.77	100	246	P	V
	*	2472	96.67	-	-	90.13	27.69	15.62	36.77	100	246	A	V
		2483.536	70.15	-3.85	74	63.55	27.73	15.64	36.77	100	246	P	V
		2483.5	51.51	-2.49	54	44.91	27.73	15.64	36.77	100	246	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11 be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full		4824	38.8	-35.2	74	55.81	32.24	8.51	57.76	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
CH 01 2412MHz		4824	38.83	-35.17	74	55.84	32.24	8.51	57.76	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Full CH 02 2417MHz		4834	38.15	-35.85	74	56.5	32.3	8.52	59.17	-	-	P	H	
		7251	44.23	-29.77	74	57.04	36.65	10.31	59.77	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4834	38.11	-35.89	74	56.46	32.3	8.52	59.17	-	-	P	V
			7251	43.45	-30.55	74	56.26	36.65	10.31	59.77	-	-	P	V
														V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WiFi Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Full CH 06 2437MHz		4874	40.18	-33.82	74	56.85	32.54	8.56	57.77	-	-	P	H	
		7311	45.37	-28.63	74	56.95	36.73	10.34	58.65	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4874	39.77	-34.23	74	56.44	32.54	8.56	57.77	-	-	P	V
			7311	44.79	-29.21	74	56.37	36.73	10.34	58.65	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 10 2457MHz		4914	38.61	-35.39	74	56.45	32.77	8.59	59.2	-	-	P	H
		7371	42.5	-31.5	74	55.65	36.37	10.38	59.9	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4914	39.12	-34.88	74	56.96	32.77	8.59	59.2	-	-	P
		7371	43.12	-30.88	74	56.27	36.37	10.38	59.9	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



802.11be EHT20 Full CH 11 2462MHz		4924	39.88	-34.12	74	56.24	32.82	8.6	57.78	-	-	P	H
		7386	44.42	-29.58	74	56.47	36.28	10.38	58.71	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	39.85	-34.15	74	56.21	32.82	8.6	57.78	-	-	P	V
		7386	44.95	-29.05	74	57	36.28	10.38	58.71	-	-	P	V
													V
													V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 12 2467MHz		4934	39.18	-34.82	74	55.49	32.87	8.61	57.79	-	-	P	H
		7401	44.4	-29.6	74	56.53	36.2	10.39	58.72	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4934	39.53	-34.47	74	55.84	32.87	8.61	57.79	-	-	P
		7401	44.27	-29.73	74	56.4	36.2	10.39	58.72	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 3+4	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Full CH 13 2472MHz		4944	39.6	-34.4	74	55.85	32.92	8.62	57.79	-	-	P	H	
		7416	44.08	-29.92	74	56.22	36.17	10.42	58.73	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
	Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11be EHT20 Partial 26 (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Partial 26/0 CH 01 2412MHz		2389.178	68.14	-5.86	74	62	27.38	15.53	36.77	100	335	P	H	
		2389.91	49.8	-4.2	54	43.66	27.38	15.53	36.77	100	335	A	H	
	*	2412	117.24	-	-	111.01	27.45	15.55	36.77	100	335	P	H	
	*	2412	109.9	-	-	103.67	27.45	15.55	36.77	100	335	A	H	
													H	
														H
			2389.91	68.98	-5.02	74	62.84	27.38	15.53	36.77	100	287	P	V
			2389.422	49.01	-4.99	54	42.87	27.38	15.53	36.77	100	287	A	V
		*	2412	117.88	-	-	111.65	27.45	15.55	36.77	100	287	P	V
		*	2412	110.18	-	-	103.95	27.45	15.55	36.77	100	287	A	V
													V	
													V	
802.11be EHT20 Partial 26/8 CH 11 2462MHz	*	2462	117.43	-	-	110.94	27.65	15.61	36.77	300	233	P	H	
	*	2462	108.01	-	-	101.52	27.65	15.61	36.77	300	233	A	H	
		2484.862	66.71	-7.29	74	60.1	27.74	15.64	36.77	300	233	P	H	
		2483.934	47.36	-6.64	54	40.75	27.74	15.64	36.77	300	233	A	H	
													H	
													H	
		*	2462	118.19	-	-	111.7	27.65	15.61	36.77	100	246	P	V
		*	2462	109.94	-	-	103.45	27.65	15.61	36.77	100	246	A	V
			2484.224	71.01	-2.99	74	64.4	27.74	15.64	36.77	100	246	P	V
			2484.398	49.64	-4.36	54	43.03	27.74	15.64	36.77	100	246	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 26/8 CH 12 2467MHz	*	2467	114.02	-	-	107.5	27.67	15.62	36.77	400	316	P	H
	*	2467	105.79	-	-	99.27	27.67	15.62	36.77	400	316	A	H
		2484.398	70.74	-3.26	74	64.13	27.74	15.64	36.77	400	316	P	H
		2483.586	48.74	-5.26	54	42.14	27.73	15.64	36.77	400	316	A	H
													H
													H
	*	2467	116.14	-	-	109.62	27.67	15.62	36.77	100	264	P	V
	*	2467	107.04	-	-	100.52	27.67	15.62	36.77	100	264	A	V
		2484.572	71.69	-2.31	74	65.08	27.74	15.64	36.77	100	264	P	V
		2483.644	48.72	-5.28	54	42.12	27.73	15.64	36.77	100	264	A	V
												V	
												V	
802.11be EHT20 Partial 26/8 CH 13 2472MHz	*	2472	101.14	-	-	94.6	27.69	15.62	36.77	100	220	P	H
	*	2472	92.21	-	-	85.67	27.69	15.62	36.77	100	220	A	H
		2483.632	68.81	-5.19	74	62.21	27.73	15.64	36.77	100	220	P	H
		2483.5	51.39	-2.61	54	44.79	27.73	15.64	36.77	100	220	A	H
													H
													H
	*	2472	100.61	-	-	94.07	27.69	15.62	36.77	338	257	P	V
	*	2472	90.64	-	-	84.1	27.69	15.62	36.77	338	257	A	V
		2483.5	66.55	-7.45	74	59.95	27.73	15.64	36.77	338	257	P	V
		2483.5	48.11	-5.89	54	41.51	27.73	15.64	36.77	338	257	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11be EHT20 Partial 52 (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Partial 52/37 CH 01 2412MHz		2387.958	69.42	-4.58	74	63.29	27.38	15.52	36.77	100	336	P	H	
		2389.544	50.87	-3.13	54	44.73	27.38	15.53	36.77	100	336	A	H	
	*	2412	117.15	-	-	110.92	27.45	15.55	36.77	100	336	P	H	
	*	2412	109.2	-	-	102.97	27.45	15.55	36.77	100	336	A	H	
													H	
														H
			2387.714	69.67	-4.33	74	63.54	27.38	15.52	36.77	100	257	P	V
			2387.714	51.27	-2.73	54	45.14	27.38	15.52	36.77	100	257	A	V
	*		2412	118.09	-	-	111.86	27.45	15.55	36.77	100	257	P	V
	*		2412	110.38	-	-	104.15	27.45	15.55	36.77	100	257	A	V
													V	
													V	
802.11be EHT20 Partial 52/40 CH 11 2462MHz	*	2462	114.65	-	-	108.16	27.65	15.61	36.77	321	242	P	H	
	*	2462	105.25	-	-	98.76	27.65	15.61	36.77	321	242	A	H	
		2483.528	69.98	-4.02	74	63.38	27.73	15.64	36.77	321	242	P	H	
		2485.674	48.63	-5.37	54	42.02	27.74	15.64	36.77	321	242	A	H	
														H
														H
	*		2462	116.75	-	-	110.26	27.65	15.61	36.77	100	248	P	V
	*		2462	107.35	-	-	100.86	27.65	15.61	36.77	100	248	A	V
			2486.37	71.34	-2.66	74	64.72	27.75	15.64	36.77	100	248	P	V
			2483.528	49.7	-4.3	54	43.1	27.73	15.64	36.77	100	248	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Partial 52/40 CH 12 2467MHz	*	2467	113.64	-	-	107.12	27.67	15.62	36.77	400	324	P	H	
	*	2467	103.54	-	-	97.02	27.67	15.62	36.77	400	324	A	H	
		2483.934	71.97	-2.03	74	65.36	27.74	15.64	36.77	400	324	P	H	
		2483.586	49.53	-4.47	54	42.93	27.73	15.64	36.77	400	324	A	H	
													H	
														H
	*	2467	114.94	-	-	108.42	27.67	15.62	36.77	100	281	P	V	
	*	2467	105.37	-	-	98.85	27.67	15.62	36.77	100	281	A	V	
		2483.992	70.56	-3.44	74	63.95	27.74	15.64	36.77	100	281	P	V	
		2483.528	51.31	-2.69	54	44.71	27.73	15.64	36.77	100	281	A	V	
													V	
													V	
802.11be EHT20 Partial 52/40 CH 13 2472MHz	*	2472	103.93	-	-	97.39	27.69	15.62	36.77	286	227	P	H	
	*	2472	93.18	-	-	86.64	27.69	15.62	36.77	286	227	A	H	
		2483.536	68.8	-5.2	74	62.2	27.73	15.64	36.77	286	227	P	H	
		2483.5	51.48	-2.52	54	44.88	27.73	15.64	36.77	286	227	A	H	
													H	
														H
	*	2472	101.19	-	-	94.65	27.69	15.62	36.77	100	284	P	V	
	*	2472	93.31	-	-	86.77	27.69	15.62	36.77	100	284	A	V	
		2483.5	68.18	-5.82	74	61.58	27.73	15.64	36.77	100	284	P	V	
		2483.5	50.75	-3.25	54	44.15	27.73	15.64	36.77	100	284	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11be EHT20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Partial 106/53 CH 01 2412MHz		2389.788	68.16	-5.84	74	62.02	27.38	15.53	36.77	100	337	P	H	
		2389.544	51.45	-2.55	54	45.31	27.38	15.53	36.77	100	337	A	H	
	*	2412	114.44	-	-	108.21	27.45	15.55	36.77	100	337	P	H	
	*	2412	106.72	-	-	100.49	27.45	15.55	36.77	100	337	A	H	
													H	
													H	
			2390	67.74	-6.26	74	61.6	27.38	15.53	36.77	181	254	P	V
			2389.788	50.01	-3.99	54	43.87	27.38	15.53	36.77	181	254	A	V
	*		2412	116.27	-	-	110.04	27.45	15.55	36.77	181	254	P	V
	*		2412	107.31	-	-	101.08	27.45	15.55	36.77	181	254	A	V
													V	
													V	
802.11be EHT20 Partial 106/54 CH 11 2462MHz	*	2462	112.8	-	-	106.31	27.65	15.61	36.77	100	222	P	H	
	*	2462	103.42	-	-	96.93	27.65	15.61	36.77	100	222	A	H	
		2484.862	67.39	-6.61	74	60.78	27.74	15.64	36.77	100	222	P	H	
		2484.34	47.07	-6.93	54	40.46	27.74	15.64	36.77	100	222	A	H	
													H	
													H	
	*	2462	114.83	-	-	108.34	27.65	15.61	36.77	100	245	P	V	
	*	2462	105.8	-	-	99.31	27.65	15.61	36.77	100	245	A	V	
			2484.34	71.02	-2.98	74	64.41	27.74	15.64	36.77	100	245	P	V
			2483.528	50.47	-3.53	54	43.87	27.73	15.64	36.77	100	245	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 106/54 CH 12 2467MHz	*	2467	109.72	-	-	103.2	27.67	15.62	36.77	300	217	P	H
	*	2467	100.63	-	-	94.11	27.67	15.62	36.77	300	217	A	H
		2483.876	66.99	-7.01	74	60.38	27.74	15.64	36.77	300	217	P	H
		2483.528	48.56	-5.44	54	41.96	27.73	15.64	36.77	300	217	A	H
													H
													H
	*	2467	111.98	-	-	105.46	27.67	15.62	36.77	100	257	P	V
	*	2467	103.61	-	-	97.09	27.67	15.62	36.77	100	257	A	V
		2483.586	69.34	-4.66	74	62.74	27.73	15.64	36.77	100	257	P	V
		2483.528	50.79	-3.21	54	44.19	27.73	15.64	36.77	100	257	A	V
												V	
												V	
802.11be EHT20 Partial 106/54 CH 13 2472MHz	*	2472	102.74	-	-	96.2	27.69	15.62	36.77	291	231	P	H
	*	2472	93.82	-	-	87.28	27.69	15.62	36.77	291	231	A	H
		2483.5	69.2	-4.8	74	62.6	27.73	15.64	36.77	291	231	P	H
		2483.5	52	-2	54	45.4	27.73	15.64	36.77	291	231	A	H
													H
													H
	*	2472	102.44	-	-	95.9	27.69	15.62	36.77	236	285	P	V
	*	2472	93.31	-	-	86.77	27.69	15.62	36.77	236	285	A	V
		2483.632	67.64	-6.36	74	61.04	27.73	15.64	36.77	236	285	P	V
		2483.5	50.81	-3.19	54	44.21	27.73	15.64	36.77	236	285	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission above 18GHz

2.4GHz WIFI 802.11g (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11g SHF		39884	49.33	-24.67	74	60.94	44.66	-0.23	56.04	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			39753.5	48.24	-25.76	74	60.11	44.58	-0.25	56.2	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Emission below 1GHz

2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		31.26	25.6	-14.4	40	33.02	24.17	0.73	32.32	-	-	P	H	
		99.48	29.71	-13.79	43.5	44.99	15.78	1.31	32.37	-	-	P	H	
		159.06	23.75	-19.75	43.5	37.99	16.46	1.67	32.37	-	-	P	H	
		176.7	23.2	-20.3	43.5	38.6	15.18	1.79	32.37	-	-	P	H	
		500.8	26.01	-19.99	46	32.12	23.58	2.69	32.38	-	-	P	H	
		859.2	30.44	-15.56	46	30.4	28.29	3.5	31.75	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30	26.2	-13.8	40	33.23	24.64	0.72	32.39	-	-	P	V
			65.46	24.31	-15.69	40	43.54	12.12	1.07	32.42	-	-	P	V
			97.14	25.97	-17.53	43.5	41.5	15.59	1.3	32.42	-	-	P	V
			178.14	26.72	-16.78	43.5	42.23	15.08	1.81	32.4	-	-	P	V
			761.6	29.66	-16.34	46	30.9	27.63	3.31	32.18	-	-	P	V
			872.8	30.98	-15.02	46	30.78	28.32	3.53	31.65	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H
2412MHz													

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots





Test Engineer :	Daniel Lee, Quentin Liu and Bigshow Wang	Temperature :	22.1~22.6°C
		Relative Humidity :	55~57%

Note symbol





-L	Low channel location
-R	High channel location







2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
3	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Peak. The plot shows a signal level rising from approximately 50 dBuV/m at 2380 MHz to a peak of about 110 dBuV/m at 2412 MHz. A red vertical line marks the peak at 2412 MHz. The x-axis ranges from 2310 to 2432 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a sharp peak at 2412 MHz with a level of approximately 110 dBuV/m. A red horizontal line is drawn at 80.0 dBuV/m, labeled 'PEAK_74'. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Average. The plot shows a signal level rising from approximately 50 dBuV/m at 2380 MHz to a peak of about 110 dBuV/m at 2412 MHz. A red vertical line marks the peak at 2412 MHz. The x-axis ranges from 2310 to 2432 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Average. The plot shows a sharp peak at 2412 MHz with a level of approximately 110 dBuV/m. A red horizontal line is drawn at 60.0 dBuV/m, labeled 'AVG_54'. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
3	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
3	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
3	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	Left blank
Avg.	 <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
3	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
3	Vertical	Fundamental
Peak	<p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	Left blank
Avg.	<p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.0100KHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
3	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2442 to 2500 MHz. A red line indicates the peak level at approximately 135 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the peak level at approximately 135 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2442 to 2500 MHz. A red line indicates the average level at approximately 55 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the average level at approximately 55 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
3	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a broad signal between 2442 and 2483.5 MHz with a peak at 2462 MHz. A red line indicates the peak level at approximately 130 dBuV/m. The x-axis ranges from 2442 to 2500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a sharp peak at 2462 MHz. A red line indicates the peak level at approximately 110 dBuV/m. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Avg. The plot shows a broad signal between 2442 and 2483.5 MHz with an average level at 2462 MHz. A red line indicates the average level at approximately 55 dBuV/m. The x-axis ranges from 2442 to 2500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Avg. The plot shows a sharp peak at 2462 MHz. A red line indicates the average level at approximately 55 dBuV/m. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
3	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2467 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2447 to 2500 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_BE_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2467 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2447 to 2500 MHz. A red vertical line marks the average level at 2467 MHz, labeled 'AVG_BE_54'.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the average level at 2467 MHz, labeled 'AVG_54'.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
3	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
3	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Peak. The plot shows a signal centered around 2472 MHz with a peak level of approximately 130 dBuV/m. A red horizontal line indicates the peak level at approximately 74 dBuV/m. The x-axis ranges from 2452 to 2497 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a sharp peak at 2472 MHz with a level of approximately 130 dBuV/m. A red horizontal line indicates the peak level at approximately 74 dBuV/m. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Average. The plot shows a signal centered around 2472 MHz with an average level of approximately 100 dBuV/m. A red horizontal line indicates the average level at approximately 54 dBuV/m. The x-axis ranges from 2452 to 2497 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Average. The plot shows a sharp peak at 2472 MHz with an average level of approximately 100 dBuV/m. A red horizontal line indicates the average level at approximately 54 dBuV/m. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
3	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
3	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
3	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
<p>17.7G ~18G Avg</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
3	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
3	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
<p>17.7G ~18G Avg</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
3	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
3	Horizontal	Vertical
14.47G ~14.5G Avg.	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
17.7G ~18G Avg	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
3	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
3	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
<p>17.7G ~18G Avg</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
3	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
3	Horizontal	Vertical
14.47G ~14.5G Avg.	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
17.7G ~18G Avg	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
4	Horizontal	Fundamental
Peak	<p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
4	Horizontal	Fundamental
Peak	<p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	<p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	Left blank
Avg.	 <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
4	Horizontal	Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing a peak at 2462 MHz. The peak level is approximately 105 dBm/1m. The plot includes a red vertical line indicating the peak position and a red horizontal line labeled 'PEAK_BE_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing a sharp peak at 2462 MHz. The peak level is approximately 105 dBm/1m. The plot includes a red vertical line indicating the peak position and a red horizontal line labeled 'PEAK_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing the average spectrum. The peak level is approximately 105 dBm/1m. The plot includes a red vertical line indicating the peak position and a red horizontal line labeled 'AVG_BE_54'.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing the average spectrum. The peak level is approximately 105 dBm/1m. The plot includes a red vertical line indicating the peak position and a red horizontal line labeled 'AVG_54'.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
4	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2467 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2447 to 2500 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_BE_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2467 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2447 to 2500 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'AVG_BE_54'.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'AVG_54'.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
4	Vertical	Fundamental
Peak	 <p>Date: 2024-01-11</p> <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2024-01-11</p> <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2024-01-11</p> <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Date: 2024-01-11</p> <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
4	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2472 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2452 to 2500 MHz. A red horizontal line indicates the peak level at approximately 75 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2472 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the peak level at approximately 75 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2452 to 2500 MHz. A red horizontal line indicates the average level at approximately 55 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the average level at approximately 55 dBuV/m.</p> <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

Table with 3 columns: WIFI (2.4GHz 2400~2483.5MHz Harmonic @ 3m), ANT (802.11b CH01 2412MHz), and 4 (Horizontal/Vertical). It contains two spectral plots: Horizontal and Vertical, showing Level (dBuV/m) vs Frequency (MHz) with Peak and Avg markers.

Peak
Avg.



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
4	Horizontal	Vertical
14.47G ~14.5G Avg.	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
17.7G ~18G Avg	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
4	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
4	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
<p>17.7G ~18G Avg</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
4	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
4	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
<p>17.7G ~18G Avg</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
4	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
4	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
<p>17.7G ~18G Avg</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	 <p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
4	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL</p>







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
4	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>
<p>17.7G ~18G Avg</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition : AV6_54 3m 91200_02294_230630 VERTICAL</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	<p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	<p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH02 2417MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH02 2417MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH10 2457MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH10 2457MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2467 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2447 to 2500 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_BE_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2467 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2447 to 2500 MHz. A red vertical line marks the average level at 2467 MHz, labeled 'AVG_BE_54'.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the average level at 2467 MHz, labeled 'AVG_54'.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz





WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	<p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH20 2417MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH20 2417MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak	<p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	<p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH06 2437MHz - R	
3+4	Vertical	Fundamental
<p>Peak</p>		<p>Left blank</p>
<p>Avg.</p>		<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH10 2457MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH10 2457MHz	
3+4	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a signal level rising from ~70 dBuV/m at 2437 MHz to a peak of ~110 dBuV/m between 2450 and 2470 MHz, then falling to ~50 dBuV/m at 2500 MHz. A red vertical line marks the peak at 2457 MHz, labeled 'PEAK_BE_74'.</p> <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a flat noise floor at ~40 dBuV/m from 1000 to 2450 MHz, followed by a sharp peak at 2457 MHz reaching ~110 dBuV/m, then returning to the noise floor. A red vertical line marks the peak at 2457 MHz, labeled 'PEAK_74'.</p> <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Average. The plot shows a signal level rising from ~60 dBuV/m at 2437 MHz to a peak of ~90 dBuV/m between 2450 and 2470 MHz, then falling to ~40 dBuV/m at 2500 MHz. A red vertical line marks the peak at 2457 MHz, labeled 'AVG_BE_54'.</p> <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Average. The plot shows a flat noise floor at ~40 dBuV/m from 1000 to 2450 MHz, followed by a sharp peak at 2457 MHz reaching ~90 dBuV/m, then returning to the noise floor. A red vertical line marks the peak at 2457 MHz, labeled 'AVG_54'.</p> <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 HORIZONTAL :RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a signal level rising from approximately 70 dBuV/m at 2442 MHz to a peak of about 110 dBuV/m between 2450 MHz and 2470 MHz, then falling to about 50 dBuV/m at 2500 MHz. A red vertical line marks the peak at approximately 2483.5 MHz, labeled 'PEAK_BE_74'.</p> <p>Site Condition : 03CH15-HY : PEAK_BE_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a flat baseline at approximately 50 dBuV/m from 1000 MHz to 2400 MHz, followed by a sharp peak at 2462 MHz reaching about 110 dBuV/m, and then returning to the baseline. A red vertical line marks the peak at 2462 MHz, labeled 'PEAK_74'.</p> <p>Site Condition : 03CH15-HY : PEAK_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Average. The plot shows a signal level rising from approximately 50 dBuV/m at 2442 MHz to an average level of about 90 dBuV/m between 2450 MHz and 2470 MHz, then falling to about 40 dBuV/m at 2500 MHz. A red vertical line marks the average level at approximately 2483.5 MHz, labeled 'AVG_BE_54'.</p> <p>Site Condition : 03CH15-HY : AVG_BE_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Average. The plot shows a flat baseline at approximately 40 dBuV/m from 1000 MHz to 2400 MHz, followed by a sharp peak at 2462 MHz reaching about 100 dBuV/m, and then returning to the baseline. A red vertical line marks the average level at 2462 MHz, labeled 'AVG_54'.</p> <p>Site Condition : 03CH15-HY : AVG_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH12 2467MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Level (dBμV/m) vs Frequency (MHz) plot showing a peak at 2467 MHz. The y-axis ranges from 10.0 to 140.0 dBμV/m, and the x-axis ranges from 2447 to 2500 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_BE_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBμV/m) vs Frequency (MHz) plot showing a sharp peak at 2467 MHz. The y-axis ranges from 0 to 140 dBμV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'PEAK_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBμV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBμV/m, and the x-axis ranges from 2447 to 2500 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'AVG_BE_54'.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBμV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 0 to 140 dBμV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2467 MHz, labeled 'AVG_54'.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH12 2467MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH13 2472MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Date: 2024-01-20</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2024-01-20</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2024-01-20</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.000kHz SWT:Auto</p>	 <p>Date: 2024-01-20</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000kHz VBW:0.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH13 2472MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz





WIFI 802.11be EHT20 Partial 26 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Partial 26/0 CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Level (dBV/m) vs Frequency (MHz) plot showing a peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBV/m, and the x-axis ranges from 2310 to 2432 MHz. A red vertical line marks the peak frequency.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBV/m) vs Frequency (MHz) plot showing a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBV/m, and the x-axis ranges from 1900 to 3000 MHz. A red horizontal line is labeled 'PEAK_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBV/m) vs Frequency (MHz) plot showing the average signal. The y-axis ranges from 10.0 to 140.0 dBV/m, and the x-axis ranges from 2310 to 2432 MHz. A red vertical line marks the peak frequency.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.680KHz SWT:Auto</p>	 <p>Level (dBV/m) vs Frequency (MHz) plot showing the average signal. The y-axis ranges from 10.0 to 140.0 dBV/m, and the x-axis ranges from 1900 to 3000 MHz. A red horizontal line is labeled 'AVG_54'.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.680KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Partial 26/0 CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 <p>Site : 03CH15-HY Condition : -PEAK_BE_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -PEAK_74 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH15-HY Condition : -AVG_BE_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.680KHz SWT:Auto</p>	 <p>Site : 03CH15-HY Condition : -AVG_54 3m 91200_02294_230630 VERTICAL :RBW:1000.000KHz VBW:0.680KHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11be EHT20 Partial 26/8 CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 <p>Level (dBµV/m) vs Frequency (MHz) plot showing a peak at approximately 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBµV/m, and the x-axis ranges from 2442 to 2500 MHz. A red vertical line marks the peak at 2462 MHz, with a label 'PEAK_BE_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_BE_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBµV/m) vs Frequency (MHz) plot showing a sharp peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBµV/m, and the x-axis ranges from 2400 to 2500 MHz. A red vertical line marks the peak at 2462 MHz, with a label 'PEAK_74'.</p> <p>Site : 03CH15-HY Condition : PEAK_74 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBµV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBµV/m, and the x-axis ranges from 2442 to 2500 MHz. A red vertical line marks the peak at 2462 MHz, with a label 'AVG_BE_54'.</p> <p>Site : 03CH15-HY Condition : AVG_BE_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.680KHz SWT:Auto</p>	 <p>Level (dBµV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBµV/m, and the x-axis ranges from 2400 to 2500 MHz. A red vertical line marks the peak at 2462 MHz, with a label 'AVG_54'.</p> <p>Site : 03CH15-HY Condition : AVG_54 3m 91200_02294_230630 HORIZONTAL : RBW:1000.000KHz VBW:0.680KHz SWT:Auto</p>