





FR1 n48 / 40MHz / CP OFDM / 16QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 16QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM


Highest Channel

1RB0

1RBmax



Full RB






Adjacent Channel Leakage Ratio (ACLR)

FR1 n48 / 10MHz / CP OFDM / QPSK


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / QPSK


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / QPSK


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 16QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 16QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 16QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 64QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 64QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 64QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 256QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 256QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 10MHz / CP OFDM / 256QAM


Highest Channel

1RB0

1RBmax



Full RB






FR1 n48 / 15MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n48 / 15MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n48 / 15MHz / CP OFDM / 256QAM

Highest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / QPSK

Highest Channel


Full RB





FR1 n48 / 20MHz / CP OFDM / 16QAM

Lowest Channel

Full RB








FR1 n48 / 20MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n48 / 20MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n48 / 20MHz / CP OFDM / 256QAM

Highest Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n48 / 30MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / QPSK

Highest Channel


Full RB





FR1 n48 / 30MHz / CP OFDM / 16QAM

Lowest Channel

Full RB








FR1 n48 / 30MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n48 / 30MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n48 / 30MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n48 / 30MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n48 / 30MHz / CP OFDM / 256QAM

Highest Channel

Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / QPSK

Highest Channel


1RB0



1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 16QAM


Lowest Channel

1RB0

1RBmax



Full RB






FR1 n48 / 40MHz / CP OFDM / 16QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 16QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 64QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM

Lowest Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n48 / 40MHz / CP OFDM / 256QAM


Highest Channel

1RB0

1RBmax



Full RB







Conducted Spurious Emission

FR1 n48 / 10MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel






FR1 n48 / 15MHz / CP OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel



Highest Channel







FR1 n48 / 20MHz / CP OFDM / QPSK / 1RB1

Lowest Channel


Middle Channel



09:48:35 AM 03/08/2024

09:50:03 AM 03/08/2024

Highest Channel





09:51:31 AM 03/08/2024




FR1 n48 / 30MHz / CP OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel



Highest Channel







FR1 n48 / 40MHz / CP OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel



Highest Channel





Frequency Stability

Test Conditions		FR1 n48 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0008	PASS
40	Normal Voltage	0.0003	
30	Normal Voltage	0.0045	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0015	
0	Normal Voltage	0.0007	
-10	Normal Voltage	0.0034	
-20	Normal Voltage	0.0028	
-30	Normal Voltage	0.0026	
20	Maximum Voltage	0.0041	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0007	

Note:

- 1. Normal Voltage = 3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode


Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 96	NR SA n48	M	10849	-43.59	RMS	37.50	-21.65	0.44	-95.23	35.35	-40.00	-3.59	V	Tx0
2	Part 96	NR SA n48	M	10849	-43.03	RMS	37.50	-21.65	0.44	-95.23	35.91	-40.00	-3.03	V	Tx1
3	Part 96	NR SA n48 PC3	H	11044	-46.31	RMS	37.98	-21.61	0.44	-95.23	32.11	-40.00	-6.31	H	6+1
4	Part 96	NR SA n48 PC3	H	11048	-45.55	RMS	37.99	-21.61	0.44	-95.23	32.86	-40.00	-5.55	H	7+5
5	Part 96	EN-DC B5+n48	M	10849	-45.90	RMS	37.50	-21.65	0.44	-95.23	33.04	-40.00	-5.90	H	Tx1



Tx0


Part 96 Mode 1
NR SA n48 20M Ch637334 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Horizontal
: SA n48 20M Ch637334 1RB1 BPSK

1	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
				dB/m	dB	dB	dB	dBuV			
1	7103.00	-54.26	RMS	36.41	-21.43	1.19	-95.23	0.00	-40.00	-14.26	Horizontal
2	10654.00	-51.49	RMS	37.50	-21.68	0.44	-95.23	27.48	-40.00	-11.49	Horizontal
3	14205.00	-49.86	RMS	41.00	-22.35	0.41	-95.23	26.31	-40.00	-9.86	Horizontal
4	21308.00	-63.79	RMS	38.18	-34.85	-9.54	-95.23	37.65	-40.00	-23.79	Horizontal



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Vertical
: SA n48 20M Ch637334 1RB1 BPSK


1	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
				dB/m	dB	dB	dB	dBuV			
1	7103.00	-54.40	RMS	36.41	-21.43	1.19	-95.23	24.66	-40.00	-14.40	Vertical
2	10654.00	-44.27	RMS	37.50	-21.68	0.44	-95.23	34.70	-40.00	-4.27	Vertical
3	14205.00	-49.99	RMS	41.00	-22.35	0.41	-95.23	26.18	-40.00	-9.99	Vertical
4	21308.00	-64.61	RMS	38.18	-34.85	-9.54	-95.23	36.83	-40.00	-24.61	Vertical



Tx0


Part 96 Mode 1
NR SA n48 20M Ch641666 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Horizontal
: SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7233.00	-54.13	RMS	36.87	-21.34	1.13	-95.23	24.44	-40.00	-14.13	Horizontal
2 10849.00	-48.43	RMS	37.50	-21.65	0.44	-95.23	30.51	-40.00	-8.43	Horizontal
3 14465.00	-49.79	RMS	41.16	-22.73	0.42	-95.23	26.59	-40.00	-9.79	Horizontal
4 21698.00	-62.25	RMS	38.30	-34.22	-9.54	-95.23	38.44	-40.00	-22.25	Horizontal



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Vertical
: SA n48 20M Ch641666 1RB1 BPSK


Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7233.00	-52.94	RMS	36.87	-21.34	1.13	-95.23	25.63	-40.00	-12.94	Vertical
2 10849.00	-43.59	RMS	37.50	-21.65	0.44	-95.23	35.35	-40.00	-3.59	Vertical
3 14465.00	-50.03	RMS	41.16	-22.73	0.42	-95.23	26.35	-40.00	-10.03	Vertical
4 21698.00	-63.05	RMS	38.30	-34.22	-9.54	-95.23	37.64	-40.00	-23.05	Vertical



Tx0


Part 96 Mode 1
NR SA n48 20M Ch646000 1RB1 BPSK

H



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Horizontal
: SA n48 20M Ch646000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7363.00	-54.00	RMS	36.97	-21.28	1.05	-95.23	24.49	-40.00	-14.00	Horizontal
2 11044.00	-51.63	RMS	37.98	-21.61	0.44	-95.23	26.79	-40.00	-11.63	Horizontal
3 14725.00	-49.09	RMS	41.65	-23.00	0.42	-95.23	27.07	-40.00	-9.09	Horizontal
4 22088.00	-62.68	RMS	38.25	-33.81	-9.54	-95.23	37.65	-40.00	-22.68	Horizontal



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Vertical
: SA n48 20M Ch646000 1RB1 BPSK


Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7363.00	-52.07	RMS	36.97	-21.28	1.05	-95.23	26.42	-40.00	-12.07	Vertical
2 11044.00	-45.22	RMS	37.98	-21.61	0.44	-95.23	33.20	-40.00	-5.22	Vertical
3 14725.00	-49.19	RMS	41.65	-23.00	0.42	-95.23	26.97	-40.00	-9.19	Vertical
4 22088.00	-63.76	RMS	38.25	-33.81	-9.54	-95.23	36.57	-40.00	-23.76	Vertical



Tx1


Part 96 Mode 2
NR SA n48 20M Ch637334 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Horizontal
: SA n48 20M Ch637334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7103.00	-54.72	RMS	36.41	-21.43	1.19	-95.23	0.00	-40.00	-14.72	Horizontal
2	10654.00	-48.41	RMS	37.50	-21.68	0.44	-95.23	30.56	-40.00	-8.41	Horizontal
3	14205.00	-49.98	RMS	41.00	-22.35	0.41	-95.23	26.19	-40.00	-9.98	Horizontal
4	21308.00	-64.42	RMS	38.18	-34.85	-9.54	-95.23	37.02	-40.00	-24.42	Horizontal



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Vertical
: SA n48 20M Ch637334 1RB1 BPSK


	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7103.00	-54.65	RMS	36.41	-21.43	1.19	-95.23	24.41	-40.00	-14.65	Vertical
2	10654.00	-45.37	RMS	37.50	-21.68	0.44	-95.23	33.60	-40.00	-5.37	Vertical
3	14205.00	-49.99	RMS	41.00	-22.35	0.41	-95.23	26.18	-40.00	-9.99	Vertical
4	21308.00	-63.84	RMS	38.18	-34.85	-9.54	-95.23	37.60	-40.00	-23.84	Vertical



Tx1


Part 96 Mode 2
NR SA n48 20M Ch641666 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Horizontal
: SA n48 20M Ch641666 1RB1 BPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	7233.00	-53.97	RMS	36.87	-21.34	1.13	-95.23	24.60	-40.00	-13.97	Horizontal
2	10849.00	-51.87	RMS	37.50	-21.65	0.44	-95.23	27.07	-40.00	-11.87	Horizontal
3	14465.00	-49.73	RMS	41.16	-22.73	0.42	-95.23	26.65	-40.00	-9.73	Horizontal
4	21696.00	-62.36	RMS	38.29	-34.23	-9.54	-95.23	38.35	-40.00	-22.36	Horizontal



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Vertical
: SA n48 20M Ch641666 1RB1 BPSK


No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	7233.00	-53.96	RMS	36.87	-21.34	1.13	-95.23	24.61	-40.00	-13.96	Vertical
2	10849.00	-43.03	RMS	37.50	-21.65	0.44	-95.23	35.91	-40.00	-3.03	Vertical
3	14465.00	-49.42	RMS	41.16	-22.73	0.42	-95.23	26.96	-40.00	-9.42	Vertical
4	21696.00	-64.44	RMS	38.29	-34.23	-9.54	-95.23	36.27	-40.00	-24.44	Vertical



Tx1


Part 96 Mode 2
NR SA n48 20M Ch646000 1RB1 BPSK

H



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Horizontal
: SA n48 20M Ch646000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7363.00	-54.20	RMS	36.97	-21.28	1.05	-95.23	24.29	-40.00	-14.20	Horizontal
2 11048.00	-48.28	RMS	37.99	-21.61	0.44	-95.23	30.13	-40.00	-8.28	Horizontal
3 14725.00	-49.49	RMS	41.65	-23.00	0.42	-95.23	26.67	-40.00	-9.49	Horizontal
4 22088.00	-61.88	RMS	38.25	-33.81	-9.54	-95.23	38.45	-40.00	-21.88	Horizontal



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Vertical
: SA n48 20M Ch646000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7363.00	-53.79	RMS	36.97	-21.28	1.05	-95.23	24.70	-40.00	-13.79	Vertical
2 11044.00	-43.23	RMS	37.98	-21.61	0.44	-95.23	35.19	-40.00	-3.23	Vertical
3 14725.00	-49.60	RMS	41.65	-23.00	0.42	-95.23	26.56	-40.00	-9.60	Vertical
4 22088.00	-63.76	RMS	38.25	-33.81	-9.54	-95.23	36.57	-40.00	-23.76	Vertical




6+1

Part 96 Mode 3


NR SA n48 PC3 20M Ch637334 1RB1 BPSK

L



Site : 03CH21-HY
 Condition: -40 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n48 20M Ch637334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7103.00	-55.59	RMS	36.41	-21.43	1.19	-95.23	23.47	-40.00	-15.59	Horizontal
2	10654.00	-55.18	RMS	37.50	-21.68	0.44	-95.23	23.79	-40.00	-15.18	Horizontal
3	14205.00	-50.43	RMS	41.00	-22.35	0.41	-95.23	25.74	-40.00	-10.43	Horizontal
4	21308.00	-61.79	RMS	38.18	-34.85	-9.54	-95.23	39.65	-40.00	-21.79	Horizontal




Site : 03CH21-HY
 Condition: -40 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n48 20M Ch637334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7103.00	-55.33	RMS	36.41	-21.43	1.19	-95.23	23.73	-40.00	-15.33	Vertical
2	10654.00	-55.44	RMS	37.50	-21.68	0.44	-95.23	23.53	-40.00	-15.44	Vertical
3	14205.00	-50.62	RMS	41.00	-22.35	0.41	-95.23	25.55	-40.00	-10.62	Vertical
4	21308.00	-62.61	RMS	38.18	-34.85	-9.54	-95.23	38.83	-40.00	-22.61	Vertical




6+1

Part 96 Mode 3
NR SA n48 PC3 20M Ch641666 1RB1 BPSK
M



Site : 03CH21-HY
 Condition: -40 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7233.00	-55.10	RMS	36.87	-21.34	1.13	-95.23	23.47	-40.00	-15.10	Horizontal
2 10849.00	-53.51	RMS	37.50	-21.65	0.44	-95.23	25.43	-40.00	-13.51	Horizontal
3 14465.00	-50.91	RMS	41.16	-22.73	0.42	-95.23	25.47	-40.00	-10.91	Horizontal
4 21698.00	-61.25	RMS	38.30	-34.22	-9.54	-95.23	39.44	-40.00	-21.25	Horizontal




Site : 03CH21-HY
 Condition: -40 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7233.00	-55.17	RMS	36.87	-21.34	1.13	-95.23	23.40	-40.00	-15.17	Vertical
2 10849.00	-51.70	RMS	37.50	-21.65	0.44	-95.23	27.24	-40.00	-11.70	Vertical
3 14465.00	-50.73	RMS	41.16	-22.73	0.42	-95.23	25.65	-40.00	-10.73	Vertical
4 21698.00	-61.05	RMS	38.30	-34.22	-9.54	-95.23	39.64	-40.00	-21.05	Vertical




6+1

Part 96 Mode 3
NR SA n48 PC3 20M Ch646000 1RB1 BPSK
H



Site : 03CH21-HY
 Condition: -40 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : SA n48 20M Ch646000 1RB1 BPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
				Factor	1						
1	7363.00	-55.20	RMS	36.97	-21.28	1.05	-95.23	23.29	-40.00	-15.20	Horizontal
2	11044.00	-46.31	RMS	37.98	-21.61	0.44	-95.23	32.11	-40.00	-6.31	Horizontal
3	14725.00	-50.40	RMS	41.65	-23.00	0.42	-95.23	25.76	-40.00	-10.40	Horizontal
4	22088.00	-64.70	RMS	38.25	-33.81	-9.54	-95.23	35.63	-40.00	-24.70	Horizontal



Site : 03CH21-HY
 Condition: -40 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : SA n48 20M Ch646000 1RB1 BPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
				Factor	1						
1	7363.00	-53.54	RMS	36.97	-21.28	1.05	-95.23	24.95	-40.00	-13.54	Vertical
2	11044.00	-52.35	RMS	37.98	-21.61	0.44	-95.23	26.07	-40.00	-12.35	Vertical
3	14725.00	-50.32	RMS	41.65	-23.00	0.42	-95.23	25.84	-40.00	-10.32	Vertical
4	22088.00	-63.74	RMS	38.25	-33.81	-9.54	-95.23	36.59	-40.00	-23.74	Vertical




7+5

Part 96 Mode 4


NR SA n48 PC3 20M Ch637334 1RB1 BPSK

L



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_230710 Horizontal
 : SA n48 20M Ch637334 1RB1 BPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	7103.00	-54.94	RMS	36.41	-21.43	1.19	-95.23	24.12	-40.00	-14.94	Horizontal
2	10654.00	-55.17	RMS	37.50	-21.68	0.44	-95.23	23.80	-40.00	-15.17	Horizontal
3	14205.00	-50.50	RMS	41.00	-22.35	0.41	-95.23	25.67	-40.00	-10.50	Horizontal
4	21308.00	-63.41	RMS	38.18	-34.85	-9.54	-95.23	38.03	-40.00	-23.41	Horizontal



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_230710 Vertical
 : SA n48 20M Ch637334 1RB1 BPSK


No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	7103.00	-55.43	RMS	36.41	-21.43	1.19	-95.23	23.63	-40.00	-15.43	Vertical
2	10654.00	-55.17	RMS	37.50	-21.68	0.44	-95.23	23.80	-40.00	-15.17	Vertical
3	14205.00	-50.21	RMS	41.00	-22.35	0.41	-95.23	25.96	-40.00	-10.21	Vertical
4	21308.00	-62.84	RMS	38.18	-34.85	-9.54	-95.23	38.60	-40.00	-22.84	Vertical



7+5


Part 96 Mode 4
NR SA n48 PC3 20M Ch641666 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Horizontal
: SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7233.00	-54.79	RMS	36.87	-21.34	1.13	-95.23	23.78	-40.00	-14.79	Horizontal
2 10849.00	-47.83	RMS	37.50	-21.65	0.44	-95.23	31.11	-40.00	-7.83	Horizontal
3 14465.00	-50.44	RMS	41.16	-22.73	0.42	-95.23	25.94	-40.00	-10.44	Horizontal
4 21698.00	-63.35	RMS	38.30	-34.22	-9.54	-95.23	37.34	-40.00	-23.35	Horizontal



Site : 03CH21-HY
Condition: -40 1m BBHA9170_1223_230710 Vertical
: SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7233.00	-54.88	RMS	36.87	-21.34	1.13	-95.23	23.69	-40.00	-14.88	Vertical
2 10849.00	-50.25	RMS	37.50	-21.65	0.44	-95.23	28.69	-40.00	-10.25	Vertical
3 14465.00	-50.65	RMS	41.16	-22.73	0.42	-95.23	25.73	-40.00	-10.65	Vertical
4 21698.00	-63.45	RMS	38.30	-34.22	-9.54	-95.23	37.24	-40.00	-23.45	Vertical




7+5

Part 96 Mode 4


NR SA n48 PC3 20M Ch646000 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_230710 Horizontal
 : SA n48 20M Ch646000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7363.00	-54.78	RMS	36.97	-21.28	1.05	-95.23	23.71	-40.00	-14.78	Horizontal
2 11048.00	-45.55	RMS	37.99	-21.61	0.44	-95.23	32.86	-40.00	-5.55	Horizontal
3 14725.00	-50.04	RMS	41.65	-23.00	0.42	-95.23	26.12	-40.00	-10.04	Horizontal
4 22088.00	-62.87	RMS	38.25	-33.81	-9.54	-95.23	37.46	-40.00	-22.87	Horizontal



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_230710 Vertical
 : SA n48 20M Ch646000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7363.00	-54.95	RMS	36.97	-21.28	1.05	-95.23	23.54	-40.00	-14.95	Vertical
2 11044.00	-53.62	RMS	37.98	-21.61	0.44	-95.23	24.80	-40.00	-13.62	Vertical
3 14725.00	-50.18	RMS	41.65	-23.00	0.42	-95.23	25.98	-40.00	-10.18	Vertical
4 22088.00	-60.74	RMS	38.25	-33.81	-9.54	-95.23	39.59	-40.00	-20.74	Vertical




Tx1

Part 96 Mode 5


EN-DC B5+n48 10M + 20M Ch20525 1RB0 QPSK + Ch641666 1RB1 BPSK

M



Site : 03CH21-HY
 Condition: -40 3m DRH18-E_LE2C03A18EN_230712 Horizontal
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit		Margin	Pol
			Factor	1			g	dBm		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 7233.00	-54.86	RMS	36.87	-21.34	1.13	-95.23	23.71	-40.00	-14.86	Horizontal
2 10849.00	-45.90	RMS	37.50	-21.65	0.44	-95.23	33.04	-40.00	-5.90	Horizontal
3 14465.00	-50.87	RMS	41.16	-22.73	0.42	-95.23	25.51	-40.00	-10.87	Horizontal



Site : 03CH21-HY
 Condition: -40 3m DRH18-E_LE2C03A18EN_230712 Vertical
 : LTE Band 5 10M Ch20525 1RB0 QPSK
 : SA n48 20M Ch641666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit		Margin	Pol
			Factor	1			g	dBm		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 7233.00	-54.83	RMS	36.87	-21.34	1.13	-95.23	23.74	-40.00	-14.83	Vertical
2 10849.00	-50.26	RMS	37.50	-21.65	0.44	-95.23	28.68	-40.00	-10.26	Vertical
3 14465.00	-50.54	RMS	41.16	-22.73	0.42	-95.23	25.84	-40.00	-10.54	Vertical




Tx1

Part 96 Mode 1


NR SA n48 20M Ch646000 1RB1 BPSK

H



Site : 03CH21-HY
 Condition: -40 3m LF_63303&001_231015 Horizontal
 : SA n48 20M Ch646000 1RB1 BPSK
 : #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3690.00	-42.99	RMS	29.80	-23.23		0.56	-95.23	45.11	-40.00	-2.99	Horizontal



Site : 03CH21-HY
 Condition: -40 3m LF_63303&001_231015 Vertical
 : SA n48 20M Ch646000 1RB1 BPSK
 : #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3690.00	-37.18	RMS	29.80	-23.23		0.56	-95.23	50.92	-40.00	2.82	Vertical

Remark: #1 is fundamental signal which can be ignored.

————THE END————