




Tx0

Part 27M Mode 24


NR SA n41 PC1.5 20M Ch518598 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -25 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n41 20M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5169.00	-59.77	RMS	32.60	-21.74	0.39	-95.23	24.21	-25.00	-34.77	Horizontal
2 7753.00	-55.65	RMS	36.60	-21.35	0.40	-95.23	23.93	-25.00	-30.65	Horizontal
3 10337.00	-55.26	RMS	37.35	-21.61	0.45	-95.23	23.78	-25.00	-30.26	Horizontal
4 18090.00	-66.11	RMS	37.60	-39.78	-9.54	-95.23	40.84	-25.00	-41.11	Horizontal



Site : 03CH21-HY  
 Condition: -25 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n41 20M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5169.00	-59.49	RMS	32.60	-21.74	0.39	-95.23	24.49	-25.00	-34.49	Vertical
2 7753.00	-56.21	RMS	36.60	-21.35	0.40	-95.23	23.37	-25.00	-31.21	Vertical
3 10337.00	-55.64	RMS	37.35	-21.61	0.45	-95.23	23.40	-25.00	-30.64	Vertical
4 18090.00	-65.61	RMS	37.60	-39.78	-9.54	-95.23	41.34	-25.00	-40.61	Vertical




Tx0

Part 27M Mode 24


NR SA n41 PC1.5 20M Ch535998 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -25 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n41 20M Ch535998 1RB1 BPSK

1	2	3	4	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				MHz	dBm		Factor	1						
				5343.00	-60.75	RMS	32.41	-21.78	0.58	-95.23	23.27	-25.00	-35.75	Horizontal
				8014.00	-56.17	RMS	36.67	-21.57	0.38	-95.23	23.58	-25.00	-31.17	Horizontal
				10685.00	-55.07	RMS	37.50	-21.68	0.50	-95.23	23.84	-25.00	-30.07	Horizontal
				18699.00	-65.22	RMS	37.81	-39.11	-9.54	-95.23	40.85	-25.00	-40.22	Horizontal



Site : 03CH21-HY  
 Condition: -25 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n41 20M Ch535998 1RB1 BPSK

1	2	3	4	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				MHz	dBm		Factor	1						
				5343.00	-60.18	RMS	32.41	-21.78	0.58	-95.23	23.84	-25.00	-35.18	Vertical
				8014.00	-56.08	RMS	36.67	-21.57	0.38	-95.23	23.67	-25.00	-31.08	Vertical
				10685.00	-54.75	RMS	37.50	-21.68	0.50	-95.23	24.16	-25.00	-29.75	Vertical
				18699.00	-65.32	RMS	37.81	-39.11	-9.54	-95.23	40.75	-25.00	-40.32	Vertical




Tx0

Part 27Q Mode 26


NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch630668 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
							Factor	1						
				6903.00	-49.52	RMS	36.31	-21.50	1.25	-95.23	29.65	-13.00	-36.52	Horizontal
				10354.00	-39.55	RMS	37.39	-21.62	0.50	-95.23	39.41	-13.00	-26.55	Horizontal
				13805.00	-50.65	RMS	40.32	-21.94	0.46	-95.23	25.74	-13.00	-37.65	Horizontal
				20708.00	-57.29	RMS	38.03	-35.91	-9.54	-95.23	45.36	-13.00	-44.29	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch630668 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
							Factor	1						
				6903.00	-54.22	RMS	36.31	-21.50	1.25	-95.23	24.95	-13.00	-41.22	Vertical
				10354.00	-39.98	RMS	37.39	-21.62	0.50	-95.23	38.98	-13.00	-26.98	Vertical
				13805.00	-50.27	RMS	40.32	-21.94	0.46	-95.23	26.12	-13.00	-37.27	Vertical
				20708.00	-55.86	RMS	38.03	-35.91	-9.54	-95.23	46.79	-13.00	-42.86	Vertical




Tx0

Part 27Q Mode 26


NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
							Factor	1						
				6983.00	-49.23	RMS	36.47	-21.51	1.22	-95.23	29.82	-13.00	-36.23	Horizontal
				10474.00	-37.32	RMS	37.10	-21.69	0.51	-95.23	41.99	-13.00	-24.32	Horizontal
				13965.00	-50.24	RMS	40.76	-22.02	0.45	-95.23	25.80	-13.00	-37.24	Horizontal
				20948.00	-54.82	RMS	37.71	-35.62	-9.54	-95.23	47.86	-13.00	-41.82	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
							Factor	1						
				6983.00	-53.87	RMS	36.47	-21.51	1.22	-95.23	25.18	-13.00	-40.87	Vertical
				10474.00	-41.24	RMS	37.10	-21.69	0.51	-95.23	38.07	-13.00	-28.24	Vertical
				13965.00	-50.44	RMS	40.76	-22.02	0.45	-95.23	25.60	-13.00	-37.44	Vertical
				20948.00	-57.00	RMS	37.71	-35.62	-9.54	-95.23	45.68	-13.00	-44.00	Vertical




Tx0

Part 27Q Mode 26


NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch636000 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g	dBm		
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB	
7063.00	-49.47	RMS		36.47	-21.46	1.14	-95.23	29.61	-13.00	-36.47	Horizontal
10594.00	-39.13	RMS		37.39	-21.69	0.51	-95.23	39.89	-13.00	-26.13	Horizontal
14125.00	-50.33	RMS		40.95	-22.23	0.46	-95.23	25.72	-13.00	-37.33	Horizontal
21188.00	-52.77	RMS		38.55	-35.13	-9.54	-95.23	48.58	-13.00	-39.77	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch636000 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g	dBm		
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB	
7063.00	-52.82	RMS		36.47	-21.46	1.14	-95.23	26.26	-13.00	-39.82	Vertical
10594.00	-39.79	RMS		37.39	-21.69	0.51	-95.23	39.23	-13.00	-26.79	Vertical
14125.00	-50.30	RMS		40.95	-22.23	0.46	-95.23	25.75	-13.00	-37.30	Vertical
21188.00	-53.95	RMS		38.55	-35.13	-9.54	-95.23	47.40	-13.00	-40.95	Vertical




Tx0

Part 27Q Mode 30


EN-DC B7+n77 10M + 20M Ch21100 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : LTE B7 10M Ch21100 1RB0 QPSK  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Ant		Amp\Cb		Filter	EIRPCF	Readin		Limit	Margin	Pol
				Factor	1	1	dB			g	dBm			
MHz	dBm	Detector		dB/m	dB	dB	dB	dB	dBuV	dBm	dB			
6983.00	-55.42	RMS		36.47	-21.51	1.35	-95.23	0.00	-13.00	-42.42	Horizontal			
10474.00	-50.91	RMS		37.10	-21.69	0.57	-95.23	28.34	-13.00	-37.91	Horizontal			
13965.00	-50.41	RMS		40.76	-22.02	0.45	-95.23	25.63	-13.00	-37.41	Horizontal			
20948.00	-63.26	RMS		37.71	-35.62	-9.54	-95.23	39.42	-13.00	-50.26	Horizontal			



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : LTE B7 10M Ch21100 1RB0 QPSK  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Ant		Amp\Cb		Filter	EIRPCF	Readin		Limit	Margin	Pol
				Factor	1	1	dB			g	dBm			
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB				
6983.00	-52.28	RMS		36.47	-21.51	1.35	-95.23	26.64	-13.00	-39.28	Vertical			
10474.00	-45.09	RMS		37.10	-21.69	0.57	-95.23	34.16	-13.00	-32.09	Vertical			
13965.00	-50.69	RMS		40.76	-22.02	0.45	-95.23	25.35	-13.00	-37.69	Vertical			
20948.00	-61.22	RMS		37.71	-35.62	-9.54	-95.23	41.46	-13.00	-48.22	Vertical			




Tx1

Part 27Q Mode 27


NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch630668 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
							Factor	1						
				6903.00	-52.14	RMS	36.31	-21.50	1.25	-95.23	0.00	-13.00	-39.14	Horizontal
				10354.00	-54.56	RMS	37.39	-21.62	0.50	-95.23	24.40	-13.00	-41.56	Horizontal
				13805.00	-50.50	RMS	40.32	-21.94	0.46	-95.23	25.89	-13.00	-37.50	Horizontal
				20708.00	-63.20	RMS	38.03	-35.91	-9.54	-95.23	39.45	-13.00	-50.20	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch630668 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
							Factor	1						
				6903.00	-52.12	RMS	36.31	-21.50	1.25	-95.23	27.05	-13.00	-39.12	Vertical
				10354.00	-54.69	RMS	37.39	-21.62	0.50	-95.23	24.27	-13.00	-41.69	Vertical
				13805.00	-50.48	RMS	40.32	-21.94	0.46	-95.23	25.91	-13.00	-37.48	Vertical
				20708.00	-62.90	RMS	38.03	-35.91	-9.54	-95.23	39.75	-13.00	-49.90	Vertical




Tx1

Part 27Q Mode 27


NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g			
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB	
6983.00	-48.55	RMS		36.47	-21.51	1.22	-95.23	30.50	-13.00	-35.55	Horizontal
10474.00	-43.83	RMS		37.10	-21.69	0.51	-95.23	35.48	-13.00	-30.83	Horizontal
13965.00	-50.30	RMS		40.76	-22.02	0.45	-95.23	25.74	-13.00	-37.30	Horizontal
20948.00	-61.63	RMS		37.71	-35.62	-9.54	-95.23	41.05	-13.00	-48.63	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g			
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB	
6983.00	-51.18	RMS		36.47	-21.51	1.22	-95.23	27.87	-13.00	-38.18	Vertical
10474.00	-52.66	RMS		37.10	-21.69	0.51	-95.23	26.65	-13.00	-39.66	Vertical
13965.00	-50.12	RMS		40.76	-22.02	0.45	-95.23	25.92	-13.00	-37.12	Vertical
20948.00	-58.82	RMS		37.71	-35.62	-9.54	-95.23	43.86	-13.00	-45.82	Vertical






Tx1

Part 27Q Mode 27


NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch636000 1RB1 BPSK

1	2	3	4	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				MHz	dBm		Factor	dB			dB	dB		
				7063.00	-49.09	RMS	36.47	-21.46	1.14	-95.23	29.99	-13.00	-36.09	Horizontal
				10594.00	-53.12	RMS	37.39	-21.69	0.51	-95.23	25.90	-13.00	-40.12	Horizontal
				14125.00	-49.88	RMS	40.95	-22.23	0.46	-95.23	26.17	-13.00	-36.88	Horizontal
				21188.00	-62.00	RMS	38.55	-35.13	-9.54	-95.23	39.35	-13.00	-49.00	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch636000 1RB1 BPSK

1	2	3	4	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				MHz	dBm		Factor	dB			dB	dB		
				7063.00	-53.50	RMS	36.47	-21.46	1.14	-95.23	25.58	-13.00	-40.50	Vertical
				10594.00	-54.70	RMS	37.39	-21.69	0.51	-95.23	24.32	-13.00	-41.70	Vertical
				14125.00	-50.15	RMS	40.95	-22.23	0.46	-95.23	25.90	-13.00	-37.15	Vertical
				21188.00	-59.71	RMS	38.55	-35.13	-9.54	-95.23	41.64	-13.00	-46.71	Vertical




Ant. 6

Part 27Q Mode 28


NR SA n77 PC1.5 20M Ch630668 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch630668 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
							Factor	1						
				6903.00	-53.58	RMS	36.31	-21.50	1.43	-95.23	0.00	-13.00	-40.58	Horizontal
				10354.00	-47.27	RMS	37.39	-21.62	0.57	-95.23	31.62	-13.00	-34.27	Horizontal
				13805.00	-50.64	RMS	40.32	-21.94	0.45	-95.23	25.76	-13.00	-37.64	Horizontal
				20708.00	-64.72	RMS	38.03	-35.91	-9.54	-95.23	37.93	-13.00	-51.72	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch630668 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
							Factor	1						
				6903.00	-53.90	RMS	36.31	-21.50	1.43	-95.23	25.09	-13.00	-40.90	Vertical
				10354.00	-48.13	RMS	37.39	-21.62	0.57	-95.23	30.76	-13.00	-35.13	Vertical
				13805.00	-50.29	RMS	40.32	-21.94	0.45	-95.23	26.11	-13.00	-37.29	Vertical
				20708.00	-65.11	RMS	38.03	-35.91	-9.54	-95.23	37.54	-13.00	-52.11	Vertical




Ant. 6

Part 27Q Mode 28


NR SA n77 PC1.5 20M Ch633334 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g			
Freq	Level	Detector									
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
6983.00	-53.09	RMS		36.47	-21.51	1.35	-95.23	25.83	-13.00	-40.09	Horizontal
10474.00	-47.65	RMS		37.10	-21.69	0.57	-95.23	31.60	-13.00	-34.65	Horizontal
13965.00	-50.38	RMS		40.76	-22.02	0.45	-95.23	25.66	-13.00	-37.38	Horizontal
20948.00	-64.90	RMS		37.71	-35.62	-9.54	-95.23	37.78	-13.00	-51.90	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g			
Freq	Level	Detector									
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
6983.00	-53.79	RMS		36.47	-21.51	1.35	-95.23	25.13	-13.00	-40.79	Vertical
10474.00	-44.65	RMS		37.10	-21.69	0.57	-95.23	34.60	-13.00	-31.65	Vertical
13965.00	-50.45	RMS		40.76	-22.02	0.45	-95.23	25.59	-13.00	-37.45	Vertical
20948.00	-65.47	RMS		37.71	-35.62	-9.54	-95.23	37.21	-13.00	-52.47	Vertical




Ant. 6

Part 27Q Mode 28


NR SA n77 PC1.5 20M Ch636000 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch636000 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g	dBm		
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB	
7063.00	-52.51	RMS		36.47	-21.46	1.25	-95.23	26.46	-13.00	-39.51	Horizontal
10594.00	-49.22	RMS		37.39	-21.69	0.56	-95.23	29.75	-13.00	-36.22	Horizontal
14125.00	-49.91	RMS		40.95	-22.23	0.46	-95.23	26.14	-13.00	-36.91	Horizontal
21188.00	-64.43	RMS		38.55	-35.13	-9.54	-95.23	36.92	-13.00	-51.43	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch636000 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g	dBm		
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB	
7063.00	-51.29	RMS		36.47	-21.46	1.25	-95.23	27.68	-13.00	-38.29	Vertical
10594.00	-48.78	RMS		37.39	-21.69	0.56	-95.23	30.19	-13.00	-35.78	Vertical
14125.00	-50.05	RMS		40.95	-22.23	0.46	-95.23	26.00	-13.00	-37.05	Vertical
21188.00	-64.08	RMS		38.55	-35.13	-9.54	-95.23	37.27	-13.00	-51.08	Vertical




Ant. 7

Part 27Q Mode 29


NR SA n77 PC1.5 20M Ch630668 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch630668 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
							Factor	1						
				6903.00	-52.60	RMS	36.31	-21.50	1.43	-95.23	0.00	-13.00	-39.60	Horizontal
				10354.00	-50.91	RMS	37.39	-21.62	0.57	-95.23	27.98	-13.00	-37.91	Horizontal
				13805.00	-50.46	RMS	40.32	-21.94	0.45	-95.23	25.94	-13.00	-37.46	Horizontal
				20708.00	-64.81	RMS	38.03	-35.91	-9.54	-95.23	37.84	-13.00	-51.81	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch630668 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
							Factor	1						
				6903.00	-53.67	RMS	36.31	-21.50	1.43	-95.23	25.32	-13.00	-40.67	Vertical
				10354.00	-55.04	RMS	37.39	-21.62	0.57	-95.23	23.85	-13.00	-42.04	Vertical
				13805.00	-50.59	RMS	40.32	-21.94	0.45	-95.23	25.81	-13.00	-37.59	Vertical
				20708.00	-65.21	RMS	38.03	-35.91	-9.54	-95.23	37.44	-13.00	-52.21	Vertical




Ant. 7

Part 27Q Mode 29


NR SA n77 PC1.5 20M Ch633334 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
							Factor	1						
				6983.00	-52.73	RMS	36.47	-21.51	1.35	-95.23	26.19	-13.00	-39.73	Horizontal
				10474.00	-49.93	RMS	37.10	-21.69	0.57	-95.23	29.32	-13.00	-36.93	Horizontal
				13965.00	-50.27	RMS	40.76	-22.02	0.45	-95.23	25.77	-13.00	-37.27	Horizontal
				20948.00	-64.97	RMS	37.71	-35.62	-9.54	-95.23	37.71	-13.00	-51.97	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch633334 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
							Factor	1						
				6983.00	-53.87	RMS	36.47	-21.51	1.35	-95.23	25.05	-13.00	-40.87	Vertical
				10474.00	-50.03	RMS	37.10	-21.69	0.57	-95.23	29.22	-13.00	-37.03	Vertical
				13965.00	-50.13	RMS	40.76	-22.02	0.45	-95.23	25.91	-13.00	-37.13	Vertical
				20948.00	-65.56	RMS	37.71	-35.62	-9.54	-95.23	37.12	-13.00	-52.56	Vertical




Ant. 7

Part 27Q Mode 29


NR SA n77 PC1.5 20M Ch636000 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch636000 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g	dBm		
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB	
7063.00	-51.29	RMS		36.47	-21.46	1.25	-95.23	27.68	-13.00	-38.29	Horizontal
10594.00	-49.70	RMS		37.39	-21.69	0.56	-95.23	29.27	-13.00	-36.70	Horizontal
14125.00	-50.45	RMS		40.95	-22.23	0.46	-95.23	25.60	-13.00	-37.45	Horizontal
21188.00	-64.12	RMS		38.55	-35.13	-9.54	-95.23	37.23	-13.00	-51.12	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch636000 1RB1 BPSK

1	2	3	4	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	1			g	dBm		
MHz	dBm	Detector		dB/m	dB	dB	dB	dBuV	dBm	dB	
7063.00	-52.76	RMS		36.47	-21.46	1.25	-95.23	26.21	-13.00	-39.76	Vertical
10594.00	-48.95	RMS		37.39	-21.69	0.56	-95.23	30.02	-13.00	-35.95	Vertical
14125.00	-50.26	RMS		40.95	-22.23	0.46	-95.23	25.79	-13.00	-37.26	Vertical
21188.00	-64.20	RMS		38.55	-35.13	-9.54	-95.23	37.15	-13.00	-51.20	Vertical




Tx0

Part 270 Mode 31


NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1 7403.00	-48.69	RMS	36.90	-21.26	1.03	-95.23	0.00	-13.00	-35.69	Horizontal
2 11104.00	-39.74	RMS	38.11	-21.61	0.44	-95.23	38.55	-13.00	-26.74	Horizontal
3 14805.00	-49.78	RMS	41.60	-23.08	0.42	-95.23	26.51	-13.00	-36.78	Horizontal
4 18506.00	-58.54	RMS	38.11	-39.29	-9.54	-95.23	47.41	-13.00	-45.54	Horizontal
5 22208.00	-59.78	RMS	38.47	-33.63	-9.54	-95.23	40.15	-13.00	-46.78	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1 7403.00	-51.35	RMS	36.90	-21.26	1.03	-95.23	27.21	-13.00	-38.35	Vertical
2 11104.00	-42.59	RMS	38.11	-21.61	0.44	-95.23	35.70	-13.00	-29.59	Vertical
3 14805.00	-49.79	RMS	41.60	-23.08	0.42	-95.23	26.50	-13.00	-36.79	Vertical
4 18506.00	-60.77	RMS	38.11	-39.29	-9.54	-95.23	45.18	-13.00	-47.77	Vertical
5 22208.00	-62.74	RMS	38.47	-33.63	-9.54	-95.23	37.19	-13.00	-49.74	Vertical






Tx0

Part 270 Mode 31


NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch656000 1RB1 BPSK

1	2	3	4	5						
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
7663.00	-46.38	RMS	36.67	-21.29	0.80	-95.23	32.67	-13.00	-33.38	Horizontal
11494.00	-42.10	RMS	38.70	-21.55	0.44	-95.23	35.54	-13.00	-29.10	Horizontal
15325.00	-50.06	RMS	40.90	-23.17	0.43	-95.23	27.01	-13.00	-37.06	Horizontal
19156.00	-61.38	RMS	38.44	-38.56	-9.54	-95.23	43.51	-13.00	-48.38	Horizontal
22988.00	-59.01	RMS	38.72	-32.72	-9.54	-95.23	39.76	-13.00	-46.01	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch656000 1RB1 BPSK

1	2	3	4	5						
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
7663.00	-45.18	RMS	36.67	-21.29	0.80	-95.23	33.87	-13.00	-32.18	Vertical
11494.00	-39.57	RMS	38.70	-21.55	0.44	-95.23	38.07	-13.00	-26.57	Vertical
15325.00	-50.12	RMS	40.90	-23.17	0.43	-95.23	26.95	-13.00	-37.12	Vertical
19156.00	-56.03	RMS	38.44	-38.56	-9.54	-95.23	48.86	-13.00	-43.03	Vertical
22988.00	-63.31	RMS	38.72	-32.72	-9.54	-95.23	35.46	-13.00	-50.31	Vertical




Tx0

Part 270 Mode 31


NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7923.00	-52.45	RMS	36.60	-21.50	0.84	-95.23	26.84	-13.00	-39.45	Horizontal
2 11884.00	-43.45	RMS	38.53	-21.78	0.43	-95.23	34.60	-13.00	-30.45	Horizontal
3 15845.00	-50.81	RMS	40.71	-23.40	0.44	-95.23	26.67	-13.00	-37.81	Horizontal
4 19806.00	-57.85	RMS	37.75	-37.47	-9.54	-95.23	46.63	-13.00	-44.85	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7923.00	-48.35	RMS	36.60	-21.50	0.84	-95.23	30.94	-13.00	-35.35	Vertical
2 11884.00	-46.25	RMS	38.53	-21.78	0.43	-95.23	31.80	-13.00	-33.25	Vertical
3 15845.00	-51.08	RMS	40.71	-23.40	0.44	-95.23	26.40	-13.00	-38.08	Vertical
4 19806.00	-56.47	RMS	37.75	-37.47	-9.54	-95.23	48.02	-13.00	-43.47	Vertical




Tx0

Part 270 Mode 35


EN-DC B7+n77 10M + 20M Ch21100 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : LTE B7 10M Ch21100 1RB0 QPSK  
 : SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-52.87	RMS	36.67	-21.29	0.80	-95.23	0.00	-13.00	-39.87	Horizontal	
2	11494.00	-47.64	RMS	38.70	-21.55	0.44	-95.23	30.00	-13.00	-34.64	Horizontal	
3	15325.00	-51.06	RMS	40.90	-23.17	0.43	-95.23	26.01	-13.00	-38.06	Horizontal	



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : LTE B7 10M Ch21100 1RB0 QPSK  
 : SA n77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7663.00	-50.09	RMS	36.67	-21.29	0.80	-95.23	28.96	-13.00	-37.09	Vertical	
2	11494.00	-40.39	RMS	38.70	-21.55	0.44	-95.23	37.25	-13.00	-27.39	Vertical	
3	15325.00	-50.59	RMS	40.90	-23.17	0.43	-95.23	26.48	-13.00	-37.59	Vertical	




Tx1

Part 270 Mode 32


NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1 7403.00	-54.30	RMS	36.90	-21.26	1.03	-95.23	24.26	-13.00	-41.30	Horizontal
2 11104.00	-53.46	RMS	38.11	-21.61	0.44	-95.23	24.83	-13.00	-40.46	Horizontal
3 14805.00	-49.72	RMS	41.60	-23.08	0.42	-95.23	26.57	-13.00	-36.72	Horizontal
4 18506.00	-60.41	RMS	38.11	-39.29	-9.54	-95.23	45.54	-13.00	-47.41	Horizontal
5 22208.00	-57.42	RMS	38.47	-33.63	-9.54	-95.23	42.51	-13.00	-44.42	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1 7403.00	-53.94	RMS	36.90	-21.26	1.03	-95.23	24.62	-13.00	-40.94	Vertical
2 11104.00	-53.65	RMS	38.11	-21.61	0.44	-95.23	24.64	-13.00	-40.65	Vertical
3 14805.00	-49.82	RMS	41.60	-23.08	0.42	-95.23	26.47	-13.00	-36.82	Vertical
4 18506.00	-56.10	RMS	38.11	-39.29	-9.54	-95.23	49.85	-13.00	-43.10	Vertical
5 22208.00	-61.60	RMS	38.47	-33.63	-9.54	-95.23	38.33	-13.00	-48.60	Vertical




Tx1

Part 270 Mode 32


NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch656000 1RB1 BPSK

1	2	3	4	5						
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7663.00	-54.01	RMS	36.67	-21.29	0.80	-95.23	25.04	-13.00	-41.01	Horizontal
11494.00	-53.02	RMS	38.70	-21.55	0.44	-95.23	24.62	-13.00	-40.02	Horizontal
15325.00	-50.14	RMS	40.90	-23.17	0.43	-95.23	26.93	-13.00	-37.14	Horizontal
19156.00	-55.87	RMS	38.44	-38.56	-9.54	-95.23	49.02	-13.00	-42.87	Horizontal
22988.00	-60.48	RMS	38.72	-32.72	-9.54	-95.23	38.29	-13.00	-47.48	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch656000 1RB1 BPSK

1	2	3	4	5						
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7663.00	-53.07	RMS	36.67	-21.29	0.80	-95.23	25.98	-13.00	-40.07	Vertical
11494.00	-52.85	RMS	38.70	-21.55	0.44	-95.23	24.79	-13.00	-39.85	Vertical
15325.00	-50.27	RMS	40.90	-23.17	0.43	-95.23	26.80	-13.00	-37.27	Vertical
19156.00	-56.38	RMS	38.44	-38.56	-9.54	-95.23	48.51	-13.00	-43.38	Vertical
22988.00	-61.20	RMS	38.72	-32.72	-9.54	-95.23	37.57	-13.00	-48.20	Vertical




Tx1

Part 270 Mode 32


NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch664666 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
							Factor	1						
				7923.00	-54.74	RMS	36.60	-21.50	0.84	-95.23	24.55	-13.00	-41.74	Horizontal
				11884.00	-52.84	RMS	38.53	-21.78	0.43	-95.23	25.21	-13.00	-39.84	Horizontal
				15845.00	-50.77	RMS	40.71	-23.40	0.44	-95.23	26.71	-13.00	-37.77	Horizontal
				19806.00	-53.22	RMS	37.75	-37.47	-9.54	-95.23	51.27	-13.00	-40.22	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch664666 1RB1 BPSK

1	2	3	4	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin	Pol
							Factor	1						
				7923.00	-50.74	RMS	36.60	-21.50	0.84	-95.23	28.55	-13.00	-37.74	Vertical
				11884.00	-53.16	RMS	38.53	-21.78	0.43	-95.23	24.89	-13.00	-40.16	Vertical
				15845.00	-50.98	RMS	40.71	-23.40	0.44	-95.23	26.50	-13.00	-37.98	Vertical
				19806.00	-54.32	RMS	37.75	-37.47	-9.54	-95.23	50.17	-13.00	-41.32	Vertical




Ant. 6

Part 270 Mode 33


NR SA n77 PC1.5 20M Ch647334 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7403.00	-52.41	RMS	36.90	-21.26	1.03	-95.23	0.00	-13.00	-39.41	Horizontal
2 11104.00	-46.07	RMS	38.11	-21.61	0.44	-95.23	32.22	-13.00	-33.07	Horizontal
3 14805.00	-49.97	RMS	41.60	-23.08	0.42	-95.23	26.32	-13.00	-36.97	Horizontal
4 18506.00	-65.09	RMS	38.11	-39.29	-9.54	-95.23	40.86	-13.00	-52.09	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7403.00	-50.63	RMS	36.90	-21.26	1.03	-95.23	27.93	-13.00	-37.63	Vertical
2 11104.00	-45.68	RMS	38.11	-21.61	0.44	-95.23	32.61	-13.00	-32.68	Vertical
3 14805.00	-50.03	RMS	41.60	-23.08	0.42	-95.23	26.26	-13.00	-37.03	Vertical
4 18506.00	-65.33	RMS	38.11	-39.29	-9.54	-95.23	40.62	-13.00	-52.33	Vertical




Ant. 6

Part 270 Mode 33


NR SA n77 PC1.5 20M Ch656000 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7663.00	-49.37	RMS	36.67	-21.29	0.80	-95.23	29.68	-13.00	-36.37	Horizontal
2 11494.00	-37.92	RMS	38.70	-21.55	0.44	-95.23	39.72	-13.00	-24.92	Horizontal
3 15325.00	-50.46	RMS	40.90	-23.17	0.43	-95.23	26.61	-13.00	-37.46	Horizontal
4 19156.00	-64.39	RMS	38.44	-38.56	-9.54	-95.23	40.50	-13.00	-51.39	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7663.00	-47.12	RMS	36.67	-21.29	0.80	-95.23	31.93	-13.00	-34.12	Vertical
2 11494.00	-40.11	RMS	38.70	-21.55	0.44	-95.23	37.53	-13.00	-27.11	Vertical
3 15325.00	-50.44	RMS	40.90	-23.17	0.43	-95.23	26.63	-13.00	-37.44	Vertical
4 19156.00	-64.48	RMS	38.44	-38.56	-9.54	-95.23	40.41	-13.00	-51.48	Vertical






Ant. 6

Part 270 Mode 33


NR SA n77 PC1.5 20M Ch664666 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7923.00	-46.57	RMS	36.60	-21.50	0.84	-95.23	32.72	-13.00	-33.57	Horizontal
2 11884.00	-35.44	RMS	38.53	-21.78	0.43	-95.23	42.61	-13.00	-22.44	Horizontal
3 15845.00	-51.16	RMS	40.71	-23.40	0.44	-95.23	26.32	-13.00	-38.16	Horizontal
4 19806.00	-65.44	RMS	37.75	-37.47	-9.54	-95.23	39.05	-13.00	-52.44	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7923.00	-40.86	RMS	36.60	-21.50	0.84	-95.23	38.43	-13.00	-27.86	Vertical
2 11884.00	-29.29	RMS	38.53	-21.78	0.43	-95.23	48.76	-13.00	-16.29	Vertical
3 15845.00	-51.08	RMS	40.71	-23.40	0.44	-95.23	26.40	-13.00	-38.08	Vertical
4 19806.00	-65.40	RMS	37.75	-37.47	-9.54	-95.23	39.09	-13.00	-52.40	Vertical




Ant. 7

Part 270 Mode 34


NR SA n77 PC1.5 20M Ch647334 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7403.00	-53.32	RMS	36.90	-21.26	1.03	-95.23	0.00	-13.00	-40.32	Horizontal
2 11104.00	-48.71	RMS	38.11	-21.61	0.44	-95.23	29.58	-13.00	-35.71	Horizontal
3 14805.00	-50.33	RMS	41.60	-23.08	0.42	-95.23	25.96	-13.00	-37.33	Horizontal
4 18506.00	-65.01	RMS	38.11	-39.29	-9.54	-95.23	40.94	-13.00	-52.01	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7403.00	-51.68	RMS	36.90	-21.26	1.03	-95.23	26.88	-13.00	-38.68	Vertical
2 11104.00	-44.67	RMS	38.11	-21.61	0.44	-95.23	33.62	-13.00	-31.67	Vertical
3 14805.00	-50.18	RMS	41.60	-23.08	0.42	-95.23	26.11	-13.00	-37.18	Vertical
4 18506.00	-65.27	RMS	38.11	-39.29	-9.54	-95.23	40.68	-13.00	-52.27	Vertical




Ant. 7

Part 270 Mode 34


NR SA n77 PC1.5 20M Ch656000 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7663.00	-47.50	RMS	36.67	-21.29	0.80	-95.23	31.55	-13.00	-34.50	Horizontal
2 11494.00	-36.80	RMS	38.70	-21.55	0.44	-95.23	40.84	-13.00	-23.80	Horizontal
3 15325.00	-50.69	RMS	40.90	-23.17	0.43	-95.23	26.38	-13.00	-37.69	Horizontal
4 19156.00	-64.86	RMS	38.44	-38.56	-9.54	-95.23	40.03	-13.00	-51.86	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7663.00	-45.27	RMS	36.67	-21.29	0.80	-95.23	33.78	-13.00	-32.27	Vertical
2 11494.00	-37.57	RMS	38.70	-21.55	0.44	-95.23	40.07	-13.00	-24.57	Vertical
3 15325.00	-50.02	RMS	40.90	-23.17	0.43	-95.23	27.05	-13.00	-37.02	Vertical
4 19156.00	-64.89	RMS	38.44	-38.56	-9.54	-95.23	40.00	-13.00	-51.89	Vertical




Ant. 7

Part 270 Mode 34


NR SA n77 PC1.5 20M Ch664666 1RB1 BPSK

H



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : SA n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 7923.00	-43.93	RMS	36.60	-21.50	0.84	-95.23	35.36	-13.00	-30.93	Horizontal	
2 11884.00	-35.19	RMS	38.53	-21.78	0.43	-95.23	42.86	-13.00	-22.19	Horizontal	
3 15845.00	-51.22	RMS	40.71	-23.40	0.44	-95.23	26.26	-13.00	-38.22	Horizontal	
4 19806.00	-63.65	RMS	37.75	-37.47	-9.54	-95.23	40.84	-13.00	-50.65	Horizontal	




Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : SA n77 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 7923.00	-41.53	RMS	36.60	-21.50	0.84	-95.23	37.76	-13.00	-28.53	Vertical	
2 11884.00	-32.65	RMS	38.53	-21.78	0.43	-95.23	45.40	-13.00	-19.65	Vertical	
3 15845.00	-50.92	RMS	40.71	-23.40	0.44	-95.23	26.56	-13.00	-37.92	Vertical	
4 19806.00	-64.27	RMS	37.75	-37.47	-9.54	-95.23	40.22	-13.00	-51.27	Vertical	




Tx0

**Part 90S Mode 1**  
**NR SA n26 5M Ch163300 1RB1 BPSK**  
**L**



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-64.94	RMS	24.60	-25.21	0.64	-95.23	30.26	-13.00	-51.94	Horizontal	
2	2444.00	-45.70	RMS	26.90	-24.17	0.36	-95.23	46.44	-13.00	-32.70	Horizontal	
3	3258.00	-64.85	RMS	28.13	-23.27	0.35	-95.23	25.17	-13.00	-51.85	Horizontal	




Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-67.34	RMS	24.60	-25.21	0.64	-95.23	27.86	-13.00	-54.34	Vertical	
2	2444.00	-58.73	RMS	26.90	-24.17	0.36	-95.23	33.41	-13.00	-45.73	Vertical	
3	3258.00	-65.06	RMS	28.13	-23.27	0.35	-95.23	24.96	-13.00	-52.06	Vertical	




Tx0

**Part 90S Mode 1**  
**NR SA n26 5M Ch163800 1RB1 BPSK**  
**M**



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : NR SA n26 5M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-66.38 RMS	24.60	-25.21	0.64	-95.23	28.82	-13.00	-53.38	Horizontal	
2	2451.00	-66.22 RMS	26.90	-24.16	0.35	-95.23	25.92	-13.00	-53.22	Horizontal	
3	3268.00	-64.86 RMS	28.17	-23.26	0.35	-95.23	25.11	-13.00	-51.86	Horizontal	




Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : NR SA n26 5M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-68.95 RMS	24.60	-25.21	0.64	-95.23	26.25	-13.00	-55.95	Vertical	
2	2451.00	-61.39 RMS	26.90	-24.16	0.35	-95.23	30.75	-13.00	-48.39	Vertical	
3	3268.00	-64.92 RMS	28.17	-23.26	0.35	-95.23	25.05	-13.00	-51.92	Vertical	




Tx0

**Part 90S Mode 1**  
**NR SA n26 5M Ch164300 1RB1 BPSK**  
**H**



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1639.00	-67.92	RMS	24.60	-25.20		0.64	-95.23	27.27	-13.00	-54.92	Horizontal
2	2459.00	-65.82	RMS	26.90	-24.15		0.35	-95.23	26.31	-13.00	-52.82	Horizontal
3	3278.00	-64.43	RMS	28.21	-23.26		0.35	-95.23	25.50	-13.00	-51.43	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1639.00	-68.37	RMS	24.60	-25.20		0.64	-95.23	26.82	-13.00	-55.37	Vertical
2	2459.00	-61.86	RMS	26.90	-24.15		0.35	-95.23	30.27	-13.00	-48.86	Vertical
3	3278.00	-64.61	RMS	28.21	-23.26		0.35	-95.23	25.32	-13.00	-51.61	Vertical




Tx0

Part 90S Mode 3


NR SA n26 15M Ch164800 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : NR SA n26 15M Ch164800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-66.20 RMS	24.60	-25.20	0.64	-95.23	28.99	-13.00	-53.20	Horizontal
2	2453.00	-66.06 RMS	26.90	-24.16	0.35	-95.23	26.08	-13.00	-53.06	Horizontal
3	4088.00	-62.36 RMS	30.52	-22.90	0.32	-95.23	24.93	-13.00	-49.36	Horizontal
4	5723.00	-51.30 RMS	33.69	-21.78	0.21	-95.23	31.81	-13.00	-38.30	Horizontal



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : NR SA n26 15M Ch164800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1635.00	-68.86 RMS	24.60	-25.20	0.64	-95.23	26.33	-13.00	-55.86	Vertical
2	2453.00	-64.77 RMS	26.90	-24.16	0.35	-95.23	27.37	-13.00	-51.77	Vertical
3	4088.00	-58.67 RMS	30.52	-22.90	0.32	-95.23	28.62	-13.00	-45.67	Vertical
4	5723.00	-59.03 RMS	33.69	-21.78	0.21	-95.23	24.08	-13.00	-46.03	Vertical






Tx1

Part 90S Mode 2


NR SA n26 5M Ch163300 1RB1 BPSK

L



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : NR SA n26 5M Ch163300 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 1629.00	-67.80	RMS	24.60	-25.21	0.64	-95.23	27.40	-13.00	-54.80	Horizontal	
2 2444.00	-50.27	RMS	26.90	-24.17	0.36	-95.23	41.87	-13.00	-37.27	Horizontal	
3 3258.00	-64.11	RMS	28.13	-23.27	0.35	-95.23	25.91	-13.00	-51.11	Horizontal	




Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : NR SA n26 5M Ch163300 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 1629.00	-69.03	RMS	24.60	-25.21	0.64	-95.23	26.17	-13.00	-56.03	Vertical	
2 2444.00	-62.00	RMS	26.90	-24.17	0.36	-95.23	30.14	-13.00	-49.00	Vertical	
3 3258.00	-64.37	RMS	28.13	-23.27	0.35	-95.23	25.65	-13.00	-51.37	Vertical	




Tx1

**Part 90S Mode 2**  
**NR SA n26 5M Ch163800 1RB1 BPSK**  
**M**



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1634.00	-62.13	RMS	24.60	-25.21	0.64	-95.23	33.07	-13.00	-49.13	Horizontal	
2	2451.00	-35.63	RMS	26.90	-24.16	0.35	-95.23	56.51	-13.00	-22.63	Horizontal	
3	3268.00	-64.48	RMS	28.17	-23.26	0.35	-95.23	25.49	-13.00	-51.48	Horizontal	




Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1634.00	-69.11	RMS	24.60	-25.21	0.64	-95.23	26.09	-13.00	-56.11	Vertical	
2	2451.00	-66.02	RMS	26.90	-24.16	0.35	-95.23	26.12	-13.00	-53.02	Vertical	
3	3268.00	-64.68	RMS	28.17	-23.26	0.35	-95.23	25.29	-13.00	-51.68	Vertical	




Tx1

**Part 90S Mode 2**  
**NR SA n26 5M Ch164300 1RB1 BPSK**  
**H**



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : NR SA n26 5M Ch164300 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1 2459.00	-64.68	RMS	26.90	-24.15	0.35	-95.23	27.45	-13.00	-51.68	Horizontal	
2 4098.00	-50.85	RMS	30.50	-22.89	0.32	-95.23	36.45	-13.00	-37.85	Horizontal	
3 5737.00	-50.12	RMS	33.75	-21.78	0.21	-95.23	32.93	-13.00	-37.12	Horizontal	




Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : NR SA n26 5M Ch164300 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1 2459.00	-62.90	RMS	26.90	-24.15	0.35	-95.23	29.23	-13.00	-49.90	Vertical	
2 4098.00	-62.16	RMS	30.50	-22.89	0.32	-95.23	25.14	-13.00	-49.16	Vertical	
3 5737.00	-59.50	RMS	33.75	-21.78	0.21	-95.23	23.55	-13.00	-46.50	Vertical	




Tx1

**Part 90S Mode 4**  
**NR SA n26 15M Ch164800 1RB1 BPSK**  
**M**



Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Horizontal  
 : NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin Limit		Margin	Pol
				Factor	1		dB	dB	dBuV	dBm		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-67.02	RMS	24.60	-25.20	0.64	-95.23	28.17	-13.00	-54.02	Horizontal	
2	2453.00	-62.78	RMS	26.90	-24.16	0.35	-95.23	29.36	-13.00	-49.78	Horizontal	
3	4088.00	-50.99	RMS	30.52	-22.90	0.32	-95.23	36.30	-13.00	-37.99	Horizontal	
4	5723.00	-50.25	RMS	33.69	-21.78	0.21	-95.23	32.86	-13.00	-37.25	Horizontal	




Site : 03CH21-HY  
 Condition: -13 3m DRH18-E\_LE2C03A18EN\_230712 Vertical  
 : NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin Limit		Margin	Pol
				Factor	1		dB	dB	dBuV	dBm		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-68.98	RMS	24.60	-25.20	0.64	-95.23	26.21	-13.00	-55.98	Vertical	
2	2453.00	-60.86	RMS	26.90	-24.16	0.35	-95.23	31.28	-13.00	-47.86	Vertical	
3	4088.00	-62.36	RMS	30.52	-22.90	0.32	-95.23	24.93	-13.00	-49.36	Vertical	
4	5723.00	-59.47	RMS	33.69	-21.78	0.21	-95.23	23.64	-13.00	-46.47	Vertical	



Tx1



**Remark:** The signal between #1 and #2 is fundamental signal which can be ignored.




Tx1

Part 27D Mode 11


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH21-HY  
 Condition: -40 3m LF\_63303&001\_231015 Horizontal  
 : NR n30 5M Ch462000 1RB1 BPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter			EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	dB/m	dB					
1	2310.00	-34.64	RMS	27.00	-24.33	0.46	-95.23	57.46-500.00	465.36	Horizontal	



Site : 03CH21-HY  
 Condition: -40 3m LF\_63303&001\_231015 Vertical  
 : NR n30 5M Ch462000 1RB1 BPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter			EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	dB/m	dB					
1	2310.00	-39.43	RMS	27.00	-24.33	0.46	-95.23	52.67	-40.00	0.57	Vertical

Remark: #1 is fundamental signal which can be ignored.

—————THE END—————