



Conducted Spurious Emission

FR1 n14 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel



11:02:54 AM 12/28/2023

Middle Channel



11:04:16 AM 12/28/2023

Highest Channel



11:01:33 AM 12/28/2023



Frequency Stability

Test Conditions		FR1 n14 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0025	PASS
40	Normal Voltage	0.0018	
30	Normal Voltage	0.0004	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0013	
0	Normal Voltage	0.0021	
-10	Normal Voltage	0.0010	
-20	Normal Voltage	0.0013	
-30	Normal Voltage	0.0002	
20	Maximum Voltage	0.0028	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0001	

Note:

- 1. Normal Voltage = 3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



FR1 n25

Peak-to-Average Ratio



Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.68	5.76	6.44	6.64	PASS
Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.62				PASS



FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB



PI/2 BPSK

QPSK




16QAM

64QAM



256QAM





26dB Bandwidth


Mode	FR1 n25 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.39		9.97		14.80		19.45	
BW	25MHz		30MHz		40MHz			
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK			
Middle CH	25.41		33.37		43.68			

Mode	FR1 n25 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.49	5.39	10.59	10.44	15.52	15.43	21.36	21.47
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.46	5.39	10.49	10.44	15.52	15.46	21.33	21.30
BW	25MHz		30MHz		40MHz			
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM		
Middle CH	26.16	26.22	33.15	33.64	43.63	43.41		
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM		
Middle CH	26.23	26.19	33.82	33.13	43.64	43.00		




FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 25MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 30MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 40MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM





Occupied Bandwidth


Mode	FR1 n25 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.52		9.04		13.52		18.04	
BW	25MHz		30MHz		40MHz			
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK			
Middle CH	23.02		29.09		39.13			

Mode	FR1 n25 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.52	4.51	9.34	9.36	14.19	14.19	19.08	19.10
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.51	4.51	9.37	9.38	14.20	14.20	19.11	19.10
BW	25MHz		30MHz		40MHz			
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM		
Middle CH	23.84	23.82	28.98	28.97	38.89	38.95		
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM		
Middle CH	23.90	23.80	28.98	28.91	38.86	38.84		




FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM






FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 25MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 30MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM






FR1 n25 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n25 / 40MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM






Conducted Band Edge

FR1 n25 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / DFT-S OFDM / 16QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / DFT-S OFDM / 64QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / DFT-S OFDM / 256QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n25 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



FR1 n25 / 10MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 10MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



FR1 n25 / 10MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n25 / 10MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge





FR1 n25 / 15MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



FR1 n25 / 15MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB





FR1 n25 / 15MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



FR1 n25 / 15MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 15MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge





FR1 n25 / 20MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 20MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n25 / 20MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n25 / 20MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n25 / 20MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 20MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge






FR1 n25 / 25MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n25 / 25MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 25MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 25MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n25 / 25MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 25MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge



Highest Band Edge







FR1 n25 / 30MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n25 / 30MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 30MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 30MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 30MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 30MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n25 / 40MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n25 / 40MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 40MHz / DFT-s-OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n25 / 40MHz / DFT-s-OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






FR1 n25 / 40MHz / DFT-s-OFDM / 256QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n25 / 40MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







Conducted Spurious Emission

FR1 n25 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel





Frequency Stability

Test Conditions		FR1 n25 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0001	PASS
40	Normal Voltage	0.0017	
30	Normal Voltage	0.0010	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0025	
0	Normal Voltage	0.0035	
-10	Normal Voltage	0.0019	
-20	Normal Voltage	0.0011	
-30	Normal Voltage	0.0000	
20	Maximum Voltage	0.0004	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0024	

Note:

- 1. Normal Voltage = 3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



FR1 n26_Part22H

Peak-to-Average Ratio

Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.36	5.52	6.26	6.40	PASS
Mode	FR1 n26 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.32				PASS



FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK

QPSK



16QAM

64QAM



256QAM





26dB Bandwidth


Mode	FR1 n26 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.27		10.03		14.62		19.52	

Mode	FR1 n26 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.49	5.38	10.50	10.46	15.52	15.82	21.22	21.32
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.50	5.31	10.44	10.44	15.41	15.43	21.28	21.46




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM





Occupied Bandwidth

Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.52		9.01		13.46		17.99	

Mode	FR1 n26 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.53	4.52	9.38	9.34	14.14	14.15	19.02	19.00
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.55	4.51	9.37	9.39	14.15	14.14	19.01	19.06




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n26 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM







Conducted Band Edge

FR1 n26 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / QPSK


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n26 / 5MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





04:40:49 PM 12/27/2023

04:45:42 PM 12/27/2023

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



04:40:25 PM 12/27/2023

04:45:18 PM 12/27/2023