





LTE Band 71 / 5MHz / 256QAM

Lowest Band Edge / 1RB




Date: 13 JAN 2024 11:03:33

Highest Band Edge / 1 RB



Date: 13 JAN 2024 11:36:29

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:38:41

Highest Band Edge / Full RB




Date: 13 JAN 2024 11:37:37




LTE Band 71 / 10MHz / QPSK

Lowest Band Edge / Full RB



Date: 13 JAN 2024 10:48:33


Highest Band Edge / Full RB



Date: 13 JAN 2024 10:52:36


LTE Band 71 / 10MHz / 16QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 10:49:40

Highest Band Edge / Full RB




Date: 13 JAN 2024 10:55:46




LTE Band 71 / 10MHz / 64QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 10:54:53


Highest Band Edge / Full RB



Date: 13 JAN 2024 10:56:41


LTE Band 71 / 10MHz / 256QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:38:49

Highest Band Edge / Full RB




Date: 13 JAN 2024 11:40:37




LTE Band 71 / 15MHz / QPSK

Lowest Band Edge / Full RB



Date: 13 JAN 2024 10:59:48


Highest Band Edge / Full RB



Date: 13 JAN 2024 11:03:54


LTE Band 71 / 15MHz / 16QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:00:55

Highest Band Edge / Full RB




Date: 13 JAN 2024 11:03:01



LTE Band 71 / 15MHz / 64QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:06:09


Highest Band Edge / Full RB



Date: 13 JAN 2024 11:07:57


LTE Band 71 / 15MHz / 256QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:41:49

Highest Band Edge / Full RB




Date: 13 JAN 2024 11:43:37




LTE Band 71 / 20MHz / QPSK

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:11:03


Highest Band Edge / Full RB



Date: 13 JAN 2024 11:16:17

LTE Band 71 / 20MHz / 16QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:12:11

Highest Band Edge / Full RB




Date: 13 JAN 2024 11:13:09



LTE Band 71 / 20MHz / 64QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:17:24


Highest Band Edge / Full RB



Date: 13 JAN 2024 11:19:12


LTE Band 71 / 20MHz / 256QAM

Lowest Band Edge / Full RB



Date: 13 JAN 2024 11:46:50

Highest Band Edge / Full RB



Date: 13 JAN 2024 11:46:35




Conducted Spurious Emission

LTE Band 71 / 5MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 13.JAN.2024 10:31:22

Date: 13.JAN.2024 10:34:29

Highest Channel / QPSK




Date: 13.JAN.2024 10:40:15




LTE Band 71 / 10MHz

Lowest Channel / QPSK




Date: 13.JAN.2024 11:22:01

Middle Channel / QPSK



Date: 13.JAN.2024 11:23:17

Highest Channel / QPSK





Date: 13.JAN.2024 11:24:33



LTE Band 71 / 15MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 13.JAN.2024 11:25:55

Date: 13.JAN.2024 11:27:11

Highest Channel / QPSK




Date: 13.JAN.2024 11:28:27




LTE Band 71 / 20MHz

Lowest Channel / QPSK




Date: 13.JAN.2024 11:28:49

Middle Channel / QPSK



Date: 13.JAN.2024 11:31:05

Highest Channel / QPSK



Date: 13.JAN.2024 11:32:21



Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0015	PASS
40	Normal Voltage	0.0032	
30	Normal Voltage	0.0016	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0115	
0	Normal Voltage	0.0116	
-10	Normal Voltage	0.0123	
-20	Normal Voltage	0.0141	
-30	Normal Voltage	0.0131	
20	Maximum Voltage	0.0025	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0113	

Note:

- 1. Normal Voltage = 3.89 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.4 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
5	Part 22H	LTE B26	M	2496	-49.72	RMS	32.26	-25.82	0.27	-95.23	38.80	-13.00	-36.72	V	ANT0
6	Part 22H	LTE B26	M	3326	-57.66	RMS	32.85	-23.42	0.14	-95.23	28.00	-13.00	-44.66	V	ANT1
7	Part 22H	LTE CA 5B	H	2520	-52.21	RMS	32.50	-25.78	0.23	-95.23	36.07	-13.00	-39.21	H	ANT0
8	Part 22H	LTE CA 5B	H	3360	-57.20	RMS	32.94	-23.18	0.15	-95.23	28.12	-13.00	-44.20	V	ANT1
5	Part 24E	LTE B2	H	7600	-53.68	RMS	35.90	-19.37	0.35	-95.23	24.67	-13.00	-40.68	V	ANT2
6	Part 24E	LTE B2	H	7600	-53.86	RMS	35.90	-19.37	0.35	-95.23	24.49	-13.00	-40.86	V	ANT0
1	Part 27N	LTE B71	M	2032	-46.72	RMS	31.76	-26.78	0.26	-95.23	43.27	-13.00	-33.72	H	ANT0
2	Part 27N	LTE B71	M	2702	-59.94	RMS	32.46	-25.49	0.20	-95.23	28.12	-13.00	-46.94	H	ANT1
1	Part 27H	LTE B12	M	2112	-47.67	RMS	31.82	-26.63	0.23	-95.23	42.14	-13.00	-34.67	H	ANT0
2	Part 27H	LTE B12	H	2824	-60.06	RMS	32.40	-25.29	0.26	-95.23	27.80	-13.00	-47.06	V	ANT1
1	Part 27F	LTE B13	M	1559	-64.78	RMS	27.69	-27.92	0.33	-95.23	30.35	-42.15	-22.63	V	ANT0
2	Part 27F	LTE B13	M	1560	-62.73	RMS	27.70	-27.92	0.33	-95.23	32.39	-42.15	-20.58	V	ANT0
3	Part 27F	LTE B13	H	1564	-65.48	RMS	27.70	-27.91	0.33	-95.23	29.63	-42.15	-23.33	H	ANT1
4	Part 27F	LTE B13	M	1560	-65.17	RMS	27.70	-27.92	0.33	-95.23	29.95	-42.15	-23.02	H	ANT1
1	Part 27D	LTE B30	H	9240	-52.49	RMS	36.18	-18.14	0.24	-95.23	24.46	-40.00	-12.49	H	ANT2
2	Part 27D	LTE B30	M	9220	-52.12	RMS	36.14	-18.17	0.18	-95.23	24.96	-40.00	-12.12	H	ANT2
3	Part 27D	LTE B30	H	9240	-52.24	RMS	36.18	-18.14	0.24	-95.23	24.71	-40.00	-12.24	V	ANT0
4	Part 27D	LTE B30	M	9220	-52.45	RMS	36.14	-18.17	0.18	-95.23	24.63	-40.00	-12.45	H	ANT0
1	Part 27M	LTE B7	H	10240	-49.77	RMS	37.22	-16.85	0.27	-95.23	24.82	-25.00	-24.77	V	ANT2
2	Part 27M	LTE B7	H	10240	-49.80	RMS	37.22	-16.85	0.27	-95.23	24.79	-25.00	-24.80	V	ANT0
3	Part 27M	LTE CA B7C	M	10140	-49.83	RMS	37.16	-16.98	0.27	-95.23	24.95	-25.00	-24.83	H	ANT2
4	Part 27M	LTE CA B7C	H	10200	-49.92	RMS	37.30	-16.90	0.27	-95.23	24.64	-25.00	-24.92	H	ANT0
5	Part 27M	LTE B41	H	10720	-49.49	RMS	37.54	-16.31	0.27	-95.23	24.24	-25.00	-24.49	V	ANT2
6	Part 27M	LTE B41	H	10720	-49.53	RMS	37.54	-16.31	0.27	-95.23	24.20	-25.00	-24.53	H	ANT0




Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
7	Part 27M	LTE CA B41C	H	10680	-48.81	RMS	37.54	-16.35	0.27	-95.23	24.96	-25.00	-23.81	V	ANT2
8	Part 27M	LTE CA B41C	H	10680	-48.62	RMS	37.54	-16.35	0.27	-95.23	25.15	-25.00	-23.62	H	ANT0
3	Part 27L	LTE B4	L	6840	-54.27	RMS	35.72	-20.11	0.65	-95.23	24.70	-13.00	-41.27	V	ANT2
4	Part 27L	LTE B4	M	5190	-51.99	RMS	34.46	-21.80	0.33	-95.23	30.25	-13.00	-38.99	V	ANT0
5	Part 27L	LTE CA B66B	L	6880	-54.37	RMS	35.70	-20.12	0.52	-95.23	24.76	-13.00	-41.37	H	ANT2
6	Part 27L	LTE CA B66B	L	6880	-54.35	RMS	35.70	-20.12	0.52	-95.23	24.78	-13.00	-41.35	V	ANT0
1	Part 90R	LTE B14	M	1584	-64.64	RMS	27.78	-27.85	0.32	-95.23	30.34	-42.15	-22.49	H	ANT0
2	Part 90R	LTE B14	M	1576	-64.97	RMS	27.70	-27.88	0.32	-95.23	30.12	-42.15	-22.82	H	ANT0
3	Part 90R	LTE B14	L	1576	-65.07	RMS	27.70	-27.88	0.32	-95.23	30.02	-42.15	-22.92	V	ANT1
4	Part 90R	LTE B14	M	1584	-64.26	RMS	27.78	-27.85	0.32	-95.23	30.72	-42.15	-22.11	V	ANT1
1	Part 90S	LTE B26	L	3256	-58.11	RMS	32.71	-23.91	0.14	-95.23	28.18	-13.00	-45.11	V	ANT0
2	Part 90S	LTE B26	L	3256	-57.24	RMS	32.71	-23.91	0.14	-95.23	29.05	-13.00	-44.24	H	ANT1
3	Part 90S	LTE B26	M	3266	-57.99	RMS	32.73	-23.84	0.14	-95.23	28.21	-13.00	-44.99	V	ANT0
4	Part 90S	LTE B26	M	3266	-58.09	RMS	32.73	-23.84	0.14	-95.23	28.11	-13.00	-45.09	V	ANT1




ANT0

Part 22H Mode 5
 LTE B26 10M Ch26840 1RB0 QPSK
 L



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 26 15M Ch26840 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
						Factor	1	dB	dB				
			1648.00	-64.41	RMS	28.68	-27.70	0.31	-95.23	29.53	-13.00	-51.41	Horizontal
			2480.00	-52.38	RMS	32.10	-25.85	0.29	-95.23	36.31	-13.00	-39.38	Horizontal
			3296.00	-58.64	RMS	32.79	-23.63	0.14	-95.23	27.29	-13.00	-45.64	Horizontal




Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 26 15M Ch26840 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
						Factor	1	dB	dB				
			1648.00	-64.04	RMS	28.68	-27.70	0.31	-95.23	29.90	-13.00	-51.04	Vertical
			2480.00	-49.73	RMS	32.10	-25.85	0.29	-95.23	38.96	-13.00	-36.73	Vertical
			3296.00	-58.47	RMS	32.79	-23.63	0.14	-95.23	27.46	-13.00	-45.47	Vertical




ANT0

Part 22H Mode 5
LTE B26 10M Ch26915 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 10M Ch26915 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1664.00	-64.28	RMS	28.70	-27.66	0.31	-95.23	29.60	-13.00	-51.28	Horizontal
			2496.00	-52.06	RMS	32.26	-25.82	0.27	-95.23	36.46	-13.00	-39.06	Horizontal
			3328.00	-58.24	RMS	32.86	-23.41	0.14	-95.23	27.40	-13.00	-45.24	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 10M Ch26915 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1664.00	-64.40	RMS	28.70	-27.66	0.31	-95.23	29.48	-13.00	-51.40	Vertical
			2496.00	-49.72	RMS	32.26	-25.82	0.27	-95.23	38.80	-13.00	-36.72	Vertical
			3328.00	-57.94	RMS	32.86	-23.41	0.14	-95.23	27.70	-13.00	-44.94	Vertical




ANT0

Part 22H Mode 5
LTE B26 10M Ch26990 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 10M Ch26990 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
						Factor	1	dB	dB				
			1680.00	-63.97	RMS	28.70	-27.63	0.31	-95.23	29.88	-13.00	-50.97	Horizontal
			2520.00	-57.24	RMS	32.50	-25.78	0.23	-95.23	31.04	-13.00	-44.24	Horizontal
			3352.00	-58.12	RMS	32.91	-23.24	0.15	-95.23	27.29	-13.00	-45.12	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 10M Ch26990 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
						Factor	1	dB	dB				
			1680.00	-64.41	RMS	28.70	-27.63	0.31	-95.23	29.44	-13.00	-51.41	Vertical
			2520.00	-56.39	RMS	32.50	-25.78	0.23	-95.23	31.89	-13.00	-43.39	Vertical
			3352.00	-58.29	RMS	32.91	-23.24	0.15	-95.23	27.12	-13.00	-45.29	Vertical




ANT0

Part 22H Mode 7


LTE CA 5B 10M + 10M Ch20450 1RB49 QPSK + Ch20549 1RB0 QPSK

L



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 5 10M Ch20450 1RB49 QPSK
 : LTE Band 5 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1668.00	-63.67	RMS	28.70	-27.65	0.31	-95.23	30.20	-13.00	-50.67	Horizontal
2 2504.00	-53.63	RMS	32.34	-25.81	0.25	-95.23	34.82	-13.00	-40.63	Horizontal
3 3336.00	-57.74	RMS	32.87	-23.35	0.14	-95.23	27.83	-13.00	-44.74	Horizontal




Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 5 10M Ch20450 1RB49 QPSK
 : LTE Band 5 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1668.00	-63.07	RMS	28.70	-27.65	0.31	-95.23	30.80	-13.00	-50.07	Vertical
2 2504.00	-55.08	RMS	32.34	-25.81	0.25	-95.23	33.37	-13.00	-42.08	Vertical
3 3336.00	-57.63	RMS	32.87	-23.35	0.14	-95.23	27.94	-13.00	-44.63	Vertical




ANT0

Part 22H Mode 7
LTE CA 5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 5 10M Ch20476 1RB49 QPSK
: LTE Band 5 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 1672.00	-63.71	RMS	28.70	-27.64	0.31	-95.23	30.15	-13.00	-50.71	Horizontal	
2 2512.00	-52.33	RMS	32.42	-25.79	0.24	-95.23	36.03	-13.00	-39.33	Horizontal	
3 3344.00	-57.88	RMS	32.89	-23.30	0.14	-95.23	27.62	-13.00	-44.88	Horizontal	




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 5 10M Ch20476 1RB49 QPSK
: LTE Band 5 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 1672.00	-63.49	RMS	28.70	-27.64	0.31	-95.23	30.37	-13.00	-50.49	Vertical	
2 2512.00	-52.27	RMS	32.42	-25.79	0.24	-95.23	36.09	-13.00	-39.27	Vertical	
3 3344.00	-57.78	RMS	32.89	-23.30	0.14	-95.23	27.72	-13.00	-44.78	Vertical	




ANT0

Part 22H Mode 7
LTE CA 5B 10M + 10M Ch20501 1RB49 QPSK + Ch20600 1RB0 QPSK
H



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 5 10M Ch20501 1RB49 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1680.00	-63.48 RMS	28.70	-27.63	0.31	-95.23	30.37	-13.00	-50.48	Horizontal
2	2520.00	-52.21 RMS	32.50	-25.78	0.23	-95.23	36.07	-13.00	-39.21	Horizontal
3	3360.00	-57.55 RMS	32.94	-23.18	0.15	-95.23	27.77	-13.00	-44.55	Horizontal




Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 5 10M Ch20501 1RB49 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1680.00	-63.71 RMS	28.70	-27.63	0.31	-95.23	30.14	-13.00	-50.71	Vertical
2	2520.00	-52.87 RMS	32.50	-25.78	0.23	-95.23	35.41	-13.00	-39.87	Vertical
3	3360.00	-57.53 RMS	32.94	-23.18	0.15	-95.23	27.79	-13.00	-44.53	Vertical




ANT1

Part 22H Mode 6
LTE B26 10M Ch26840 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 10M Ch26840 1RB0 QPSK

1	2	3	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF		Reading	Limit	Margin		Pol
			MHz	dBm		Factor	1		dB	dB			dB	dBm	
1	1648.00	-64.04	RMS	28.68	-27.70	0.31	-95.23	29.90	-13.00	-51.04	Horizontal				
2	2472.00	-59.83	RMS	32.10	-25.87	0.30	-95.23	28.87	-13.00	-46.83	Horizontal				
3	3296.00	-58.04	RMS	32.79	-23.63	0.14	-95.23	27.89	-13.00	-45.04	Horizontal				




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 10M Ch26840 1RB0 QPSK

1	2	3	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF		Reading	Limit	Margin		Pol
			MHz	dBm		Factor	1		dB	dB			dB	dBm	
1	1648.00	-63.91	RMS	28.68	-27.70	0.31	-95.23	30.03	-13.00	-50.91	Vertical				
2	2472.00	-59.97	RMS	32.10	-25.87	0.30	-95.23	28.73	-13.00	-46.97	Vertical				
3	3296.00	-58.47	RMS	32.79	-23.63	0.14	-95.23	27.46	-13.00	-45.47	Vertical				




ANT1

Part 22H Mode 6
LTE B26 10M Ch26915 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 10M Ch26915 1RB0 QPSK

1	2	3	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
			MHz	dBm		Factor	1		dB	dB				
1	2	3	1663.00	-63.76	RMS	28.70	-27.67	0.31	-95.23	30.13	-13.00	-50.76	Horizontal	
2	2	3	2495.00	-59.83	RMS	32.25	-25.82	0.27	-95.23	28.70	-13.00	-46.83	Horizontal	
3	2	3	3326.00	-57.89	RMS	32.85	-23.42	0.14	-95.23	27.77	-13.00	-44.89	Horizontal	




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 10M Ch26915 1RB0 QPSK

1	2	3	Freq		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
			MHz	dBm		Factor	1		dB	dB				
1	2	3	1663.00	-64.20	RMS	28.70	-27.67	0.31	-95.23	29.69	-13.00	-51.20	Vertical	
2	2	3	2495.00	-60.29	RMS	32.25	-25.82	0.27	-95.23	28.24	-13.00	-47.29	Vertical	
3	2	3	3326.00	-57.66	RMS	32.85	-23.42	0.14	-95.23	28.00	-13.00	-44.66	Vertical	




ANT1

Part 22H Mode 6
LTE B26 10M Ch26990 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 26 10M Ch26990 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit		Margin	Pol
						Factor	1	dB	dB	dBuV	dBm	dB			
			1678.00	-64.18	RMS	28.70	-27.63	0.31	-95.23	29.67	-13.00	-51.18	Horizontal		
			2517.00	-60.07	RMS	32.47	-25.78	0.24	-95.23	28.23	-13.00	-47.07	Horizontal		
			3356.00	-58.22	RMS	32.92	-23.21	0.15	-95.23	27.15	-13.00	-45.22	Horizontal		



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 26 10M Ch26990 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit		Margin	Pol
						Factor	1	dB	dB	dBuV	dBm	dB			
			1678.00	-63.68	RMS	28.70	-27.63	0.31	-95.23	30.17	-13.00	-50.68	Vertical		
			2517.00	-59.95	RMS	32.47	-25.78	0.24	-95.23	28.35	-13.00	-46.95	Vertical		
			3356.00	-58.20	RMS	32.92	-23.21	0.15	-95.23	27.17	-13.00	-45.20	Vertical		




ANT1

Part 22H Mode 8


LTE CA 5B 10M + 10M Ch20450 1RB49 QPSK + Ch20549 1RB0 QPSK

L



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 5 10M Ch20450 1RB49 QPSK
 : LTE Band 5 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1672.00	-63.47	RMS	28.70	-27.64	0.31	-95.23	30.39	-13.00	-50.47	Horizontal
2 2504.00	-59.74	RMS	32.34	-25.81	0.25	-95.23	28.71	-13.00	-46.74	Horizontal
3 3336.00	-57.81	RMS	32.87	-23.35	0.14	-95.23	27.76	-13.00	-44.81	Horizontal



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 5 10M Ch20450 1RB49 QPSK
 : LTE Band 5 10M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1672.00	-63.61	RMS	28.70	-27.64	0.31	-95.23	30.25	-13.00	-50.61	Vertical
2 2504.00	-59.48	RMS	32.34	-25.81	0.25	-95.23	28.97	-13.00	-46.48	Vertical
3 3336.00	-57.60	RMS	32.87	-23.35	0.14	-95.23	27.97	-13.00	-44.60	Vertical




ANT1

Part 22H Mode 8


LTE CA 5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 5 10M Ch20476 1RB49 QPSK
 : LTE Band 5 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1672.00	-63.77	RMS	28.70	-27.64	0.31	-95.23	30.09	-13.00	-50.77	Horizontal
2 2512.00	-58.68	RMS	32.42	-25.79	0.24	-95.23	29.68	-13.00	-45.68	Horizontal
3 3344.00	-57.70	RMS	32.89	-23.30	0.14	-95.23	27.80	-13.00	-44.70	Horizontal




Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 5 10M Ch20476 1RB49 QPSK
 : LTE Band 5 10M Ch20575 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1672.00	-63.81	RMS	28.70	-27.64	0.31	-95.23	30.05	-13.00	-50.81	Vertical
2 2512.00	-58.47	RMS	32.42	-25.79	0.24	-95.23	29.89	-13.00	-45.47	Vertical
3 3344.00	-57.66	RMS	32.89	-23.30	0.14	-95.23	27.84	-13.00	-44.66	Vertical




ANT1

Part 22H Mode 8
LTE CA 5B 10M + 10M Ch20501 1RB49 QPSK + Ch20600 1RB0 QPSK
H



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 5 10M Ch20501 1RB49 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1680.00	-63.61	RMS	28.70	-27.63	0.31	-95.23	30.24	-13.00	-50.61	Horizontal
2 2520.00	-59.54	RMS	32.50	-25.78	0.23	-95.23	28.74	-13.00	-46.54	Horizontal
3 3360.00	-57.65	RMS	32.94	-23.18	0.15	-95.23	27.67	-13.00	-44.65	Horizontal




Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 5 10M Ch20501 1RB49 QPSK
 : LTE Band 5 10M Ch20600 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1680.00	-63.43	RMS	28.70	-27.63	0.31	-95.23	30.42	-13.00	-50.43	Vertical
2 2520.00	-59.66	RMS	32.50	-25.78	0.23	-95.23	28.62	-13.00	-46.66	Vertical
3 3360.00	-57.20	RMS	32.94	-23.18	0.15	-95.23	28.12	-13.00	-44.20	Vertical




ANT2

Part 24E Mode 5
LTE B2 10M Ch18650 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 2 10M Ch18650 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 2 10M Ch18650 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




ANT2

Part 24E Mode 5
LTE B2 10M Ch18900 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 2 10M Ch18900 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	3750.00	-58.07	RMS	33.20	-22.80	0.67	-95.23	26.09	-13.00	-45.07	Horizontal	
2	2	3	5625.00	-56.66	RMS	34.85	-21.43	0.50	-95.23	24.65	-13.00	-43.66	Horizontal	
3	2	3	7500.00	-54.33	RMS	35.50	-19.51	0.33	-95.23	24.59	-13.00	-41.33	Horizontal	




Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 2 10M Ch18900 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	3750.00	-57.94	RMS	33.20	-22.80	0.67	-95.23	26.22	-13.00	-44.94	Vertical	
2	2	3	5625.00	-56.44	RMS	34.85	-21.43	0.50	-95.23	24.87	-13.00	-43.44	Vertical	
3	2	3	7500.00	-54.74	RMS	35.50	-19.51	0.33	-95.23	24.18	-13.00	-41.74	Vertical	




ANT2

Part 24E Mode 5
LTE B2 10M Ch19150 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 2 10M Ch19150 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						dB
1	2	3	3800.00	-57.55	RMS	33.40	-22.98	0.68	-95.23	26.58	-13.00	-44.55	Horizontal
2	3	1	5700.00	-56.29	RMS	35.20	-21.43	0.39	-95.23	24.78	-13.00	-43.29	Horizontal
3	1	2	7600.00	-53.82	RMS	35.90	-19.37	0.35	-95.23	24.53	-13.00	-40.82	Horizontal




Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 2 10M Ch19150 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						dB
1	2	3	3800.00	-57.82	RMS	33.40	-22.98	0.68	-95.23	26.31	-13.00	-44.82	Vertical
2	3	1	5700.00	-56.24	RMS	35.20	-21.43	0.39	-95.23	24.83	-13.00	-43.24	Vertical
3	1	2	7600.00	-53.68	RMS	35.90	-19.37	0.35	-95.23	24.67	-13.00	-40.68	Vertical




ANT0

Part 24E Mode 6
 LTE B2 10M Ch18650 1RB0 QPSK
 L



Site : 03CH07-HY
 Condition: -13 1m SHF-EHF_9170991 Horizontal
 Mode : LTE Band 2 10M Ch18650 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit g	Margin Pol	
			MHz	dBm		dB/m	dB		dB	dB				dBuV	dBm
1	3705.00	-58.09	RMS	33.11	-22.63	0.67	-95.23	25.99	-13.00	-45.09	Horizontal				
2	5550.00	-56.95	RMS	34.70	-21.51	0.51	-95.23	24.58	-13.00	-43.95	Horizontal				
3	7395.00	-54.39	RMS	35.71	-19.68	0.32	-95.23	24.49	-13.00	-41.39	Horizontal				



Site : 03CH07-HY
 Condition: -13 1m SHF-EHF_9170991 Vertical
 Mode : LTE Band 2 10M Ch18650 1RB0 QPSK


1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit g	Margin Pol	
			MHz	dBm		dB/m	dB		dB	dB				dBuV	dBm
1	3705.00	-57.68	RMS	33.11	-22.63	0.67	-95.23	26.40	-13.00	-44.68	Vertical				
2	5550.00	-57.00	RMS	34.70	-21.51	0.51	-95.23	24.53	-13.00	-44.00	Vertical				
3	7395.00	-54.44	RMS	35.71	-19.68	0.32	-95.23	24.44	-13.00	-41.44	Vertical				



ANT0


Part 24E Mode 6
LTE B2 10M Ch18900 1RB0 QPSK

M



Site : 03CH07-HY
 Condition: -13 1m SHF-EHF_9170991 Horizontal
 Mode : LTE Band 2 10M Ch18900 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	3750.00	-57.13	RMS	33.20	-22.80	0.67	-95.23	27.03	-13.00	-44.13	Horizontal	
2	2	3	5625.00	-56.82	RMS	34.85	-21.43	0.50	-95.23	24.49	-13.00	-43.82	Horizontal	
3	2	3	7500.00	-54.45	RMS	35.50	-19.51	0.33	-95.23	24.47	-13.00	-41.45	Horizontal	




Site : 03CH07-HY
 Condition: -13 1m SHF-EHF_9170991 Vertical
 Mode : LTE Band 2 10M Ch18900 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	3750.00	-56.48	RMS	33.20	-22.80	0.67	-95.23	27.68	-13.00	-43.48	Vertical	
2	2	3	5625.00	-55.60	RMS	34.85	-21.43	0.50	-95.23	25.71	-13.00	-42.60	Vertical	
3	2	3	7500.00	-54.08	RMS	35.50	-19.51	0.33	-95.23	24.84	-13.00	-41.08	Vertical	




ANT0

Part 24E Mode 6
LTE B2 10M Ch19150 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 2 10M Ch19150 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3800.00	-57.81	RMS	33.40	-22.98	0.68	-95.23	26.32	-13.00	-44.81	Horizontal
2	5700.00	-56.54	RMS	35.20	-21.43	0.39	-95.23	24.53	-13.00	-43.54	Horizontal
3	7600.00	-53.91	RMS	35.90	-19.37	0.35	-95.23	24.44	-13.00	-40.91	Horizontal




Site : 03CH07-HY
Condition: -13 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 2 10M Ch19150 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3800.00	-57.71	RMS	33.40	-22.98	0.68	-95.23	26.42	-13.00	-44.71	Vertical
2	5700.00	-56.49	RMS	35.20	-21.43	0.39	-95.23	24.58	-13.00	-43.49	Vertical
3	7600.00	-53.86	RMS	35.90	-19.37	0.35	-95.23	24.49	-13.00	-40.86	Vertical




ANT0

Part 27N Mode 1
LTE B71 10M Ch133172 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 71 10M Ch133172 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1328.00	-58.45	RMS	29.20	-28.75	0.48	-95.23	35.85	-13.00	-45.45	Horizontal
2	1992.00	-48.53	RMS	31.98	-26.86	0.27	-95.23	41.31	-13.00	-35.53	Horizontal
3	2648.00	-60.53	RMS	32.70	-25.56	0.16	-95.23	27.40	-13.00	-47.53	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 71 10M Ch133172 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1328.00	-60.06	RMS	29.20	-28.75	0.48	-95.23	34.24	-13.00	-47.06	Vertical
2	1992.00	-50.18	RMS	31.98	-26.86	0.27	-95.23	39.66	-13.00	-37.18	Vertical
3	2648.00	-60.48	RMS	32.70	-25.56	0.16	-95.23	27.45	-13.00	-47.48	Vertical




ANT0

Part 27N Mode 1
LTE B71 10M Ch133297 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 71 10M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1352.00	-55.25	RMS	29.00	-28.65	0.46	-95.23	39.17	-13.00	-42.25	Horizontal
2	2032.00	-46.72	RMS	31.76	-26.78	0.26	-95.23	43.27	-13.00	-33.72	Horizontal
3	2704.00	-60.27	RMS	32.42	-25.49	0.20	-95.23	27.83	-13.00	-47.27	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 71 10M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1352.00	-56.84	RMS	29.00	-28.65	0.46	-95.23	37.58	-13.00	-43.84	Vertical
2	2032.00	-48.41	RMS	31.76	-26.78	0.26	-95.23	41.58	-13.00	-35.41	Vertical
3	2704.00	-59.92	RMS	32.42	-25.49	0.20	-95.23	28.18	-13.00	-46.92	Vertical




ANT1

Part 27N Mode 2


LTE B71 10M Ch133172 1RB0 QPSK

L



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 71 10M Ch133172 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit dBm	Margin dB	Pol
						Factor	1	dB	dB	dBuV	dBm			
			1326.00	-63.55	RMS	29.20	-28.76	0.48	-95.23	30.76	-13.00	-50.55	Horizontal	
			1989.00	-60.96	RMS	32.00	-26.87	0.27	-95.23	28.87	-13.00	-47.96	Horizontal	
			2652.00	-60.30	RMS	32.70	-25.56	0.16	-95.23	27.63	-13.00	-47.30	Horizontal	



Site : 03CH07-HY
 Condition: -13 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 71 10M Ch133172 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit dBm	Margin dB	Pol
						Factor	1	dB	dB	dBuV	dBm			
			1326.00	-63.43	RMS	29.20	-28.76	0.48	-95.23	30.88	-13.00	-50.43	Vertical	
			1989.00	-61.21	RMS	32.00	-26.87	0.27	-95.23	28.62	-13.00	-48.21	Vertical	
			2652.00	-60.42	RMS	32.70	-25.56	0.16	-95.23	27.51	-13.00	-47.42	Vertical	



ANT1


Part 27N Mode 2
LTE B71 10M Ch133272 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 71 10M Ch133272 1RB0 QPSK

Table with 11 columns: Freq, Level, Detector, Ant Factor, Amp, Cb, Filter, EIRPCF, Reading, Limit, Margin, Pol. It contains 3 rows of data for different frequency points.




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 71 10M Ch133272 1RB0 QPSK

Table with 11 columns: Freq, Level, Detector, Ant Factor, Amp, Cb, Filter, EIRPCF, Reading, Limit, Margin, Pol. It contains 3 rows of data for different frequency points.




ANT1

Part 27N Mode 2
LTE B71 10M Ch133422 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 71 10M Ch133422 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1376.00	-63.89	RMS	29.10	-28.56	0.44	-95.23	30.36	-13.00	-50.89	Horizontal
2	2064.00	-61.79	RMS	31.50	-26.72	0.24	-95.23	28.42	-13.00	-48.79	Horizontal
3	2752.00	-60.34	RMS	32.22	-25.42	0.23	-95.23	27.86	-13.00	-47.34	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 71 10M Ch133422 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1376.00	-63.91	RMS	29.10	-28.56	0.44	-95.23	30.34	-13.00	-50.91	Vertical
2	2064.00	-61.72	RMS	31.50	-26.72	0.24	-95.23	28.49	-13.00	-48.72	Vertical
3	2752.00	-60.45	RMS	32.22	-25.42	0.23	-95.23	27.75	-13.00	-47.45	Vertical




ANT0

Part 27H Mode 1


LTE B12 10M Ch23060 1RB0 QPSK

L



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 12 10M Ch23060 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1400.00	-57.85	RMS	28.60	-28.46	0.42	-95.23	36.82	-13.00	-44.85	Horizontal
			2104.00	-59.58	RMS	31.80	-26.65	0.23	-95.23	30.27	-13.00	-46.58	Horizontal
			2792.00	-60.63	RMS	32.32	-25.36	0.25	-95.23	27.39	-13.00	-47.63	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 12 10M Ch23060 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1400.00	-60.34	RMS	28.60	-28.46	0.42	-95.23	34.33	-13.00	-47.34	Vertical
			2104.00	-54.38	RMS	31.80	-26.65	0.23	-95.23	35.47	-13.00	-41.38	Vertical
			2792.00	-60.57	RMS	32.32	-25.36	0.25	-95.23	27.45	-13.00	-47.57	Vertical




ANT0

Part 27H Mode 1
 LTE B12 10M Ch23095 1RB0 QPSK
 M



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 12 10M Ch23095 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit dBm	Margin dB	Pol
						Factor	1	dB	dB	dBuV	dBm			
			1408.00	-56.78	RMS	28.52	-28.43	0.42	-95.23	37.94	-13.00	-43.78	Horizontal	
			2112.00	-47.67	RMS	31.82	-26.63	0.23	-95.23	42.14	-13.00	-34.67	Horizontal	
			2808.00	-60.29	RMS	32.40	-25.33	0.26	-95.23	27.61	-13.00	-47.29	Horizontal	



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 12 10M Ch23095 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit dBm	Margin dB	Pol
						Factor	1	dB	dB	dBuV	dBm			
			1408.00	-60.99	RMS	28.52	-28.43	0.42	-95.23	33.73	-13.00	-47.99	Vertical	
			2112.00	-58.91	RMS	31.82	-26.63	0.23	-95.23	30.90	-13.00	-45.91	Vertical	
			2808.00	-60.26	RMS	32.40	-25.33	0.26	-95.23	27.64	-13.00	-47.26	Vertical	




ANT0

Part 27H Mode 1


LTE B12 10M Ch23130 1RB0 QPSK

H



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 12 10M Ch23130 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1416.00	-58.31	RMS	28.50	-28.40	0.41	-95.23	36.41	-13.00	-45.31	Horizontal
2	2120.00	-56.70	RMS	31.90	-26.62	0.22	-95.23	33.03	-13.00	-43.70	Horizontal
3	2824.00	-60.36	RMS	32.40	-25.29	0.26	-95.23	27.50	-13.00	-47.36	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 12 10M Ch23130 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1416.00	-62.88	RMS	28.50	-28.40	0.41	-95.23	31.84	-13.00	-49.88	Vertical
2	2120.00	-56.32	RMS	31.90	-26.62	0.22	-95.23	33.41	-13.00	-43.32	Vertical
3	2824.00	-60.56	RMS	32.40	-25.29	0.26	-95.23	27.30	-13.00	-47.56	Vertical




ANT1

Part 27H Mode 2
LTE B12 10M Ch23060 1RB0 QPSK
L



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 12 10M Ch23060 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dBm
			1398.00	-64.10	RMS	28.66	-28.47	0.42	-95.23	30.52	-13.00	-51.10	Horizontal
			2097.00	-62.19	RMS	31.74	-26.66	0.23	-95.23	27.73	-13.00	-49.19	Horizontal
			2796.00	-60.74	RMS	32.36	-25.36	0.26	-95.23	27.23	-13.00	-47.74	Horizontal




Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 12 10M Ch23060 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dBm
			1400.00	-64.17	RMS	28.60	-28.46	0.42	-95.23	30.50	-13.00	-51.17	Vertical
			2097.00	-62.03	RMS	31.74	-26.66	0.23	-95.23	27.89	-13.00	-49.03	Vertical
			2796.00	-60.48	RMS	32.36	-25.36	0.26	-95.23	27.49	-13.00	-47.48	Vertical




ANT1

Part 27H Mode 2
 LTE B12 10M Ch23095 1RB0 QPSK
 M



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 12 10M Ch23095 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
						Factor	1						dB
			1406.00	-64.30	RMS	28.54	-28.44	0.42	-95.23	30.41	-13.00	-51.30	Horizontal
			2109.00	-62.01	RMS	31.80	-26.64	0.23	-95.23	27.83	-13.00	-49.01	Horizontal
			2812.00	-60.28	RMS	32.40	-25.32	0.26	-95.23	27.61	-13.00	-47.28	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 12 10M Ch23095 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
						Factor	1						dB
			1406.00	-64.55	RMS	28.54	-28.44	0.42	-95.23	30.16	-13.00	-51.55	Vertical
			2109.00	-61.91	RMS	31.80	-26.64	0.23	-95.23	27.93	-13.00	-48.91	Vertical
			2812.00	-60.15	RMS	32.40	-25.32	0.26	-95.23	27.74	-13.00	-47.15	Vertical




ANT1

Part 27H Mode 2
 LTE B12 10M Ch23130 1RB0 QPSK
 H



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 12 10M Ch23130 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1412.00	-64.64	RMS	28.50	-28.41	0.41	-95.23	30.09	-13.00	-51.64	Horizontal
			2118.00	-61.85	RMS	31.88	-26.62	0.22	-95.23	27.90	-13.00	-48.85	Horizontal
			2824.00	-60.39	RMS	32.40	-25.29	0.26	-95.23	27.47	-13.00	-47.39	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 12 10M Ch23130 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1412.00	-64.61	RMS	28.50	-28.41	0.41	-95.23	30.12	-13.00	-51.61	Vertical
			2118.00	-61.66	RMS	31.88	-26.62	0.22	-95.23	28.09	-13.00	-48.66	Vertical
			2824.00	-60.06	RMS	32.40	-25.29	0.26	-95.23	27.80	-13.00	-47.06	Vertical




ANT0

Part 27F Mode 1
LTE B13 5M Ch23205 1RB0 QPSK
L



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 13 5M Ch23205 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1554.00	-65.40	RMS	27.64	-27.94	0.34	-95.23	29.79	-13.00	-52.40	Horizontal
			2336.00	-56.85	RMS	32.10	-26.15	0.33	-95.23	32.10	-13.00	-43.85	Horizontal
			3108.00	-59.67	RMS	32.67	-24.54	0.19	-95.23	27.25	-13.00	-46.67	Horizontal




Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 13 5M Ch23205 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1554.00	-65.49	RMS	27.64	-27.94	0.34	-95.23	29.70	-13.00	-52.49	Vertical
			2336.00	-57.30	RMS	32.10	-26.15	0.33	-95.23	31.65	-13.00	-44.30	Vertical
			3108.00	-59.60	RMS	32.67	-24.54	0.19	-95.23	27.31	-13.00	-46.60	Vertical




ANT0

Part 27F Mode 1
 LTE B13 5M Ch23230 1RB0 QPSK
 M



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 13 5M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1559.00	-65.33	RMS	27.69	-27.92	0.33	-95.23	29.80	-42.15	-23.18	Horizontal
			2344.00	-57.54	RMS	32.10	-26.13	0.33	-95.23	31.39	-13.00	-44.54	Horizontal
			3118.00	-59.26	RMS	32.63	-24.52	0.18	-95.23	27.68	-13.00	-46.26	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 13 5M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1559.00	-64.78	RMS	27.69	-27.92	0.33	-95.23	30.35	-42.15	-22.63	Vertical
			2344.00	-58.10	RMS	32.10	-26.13	0.33	-95.23	30.83	-13.00	-45.10	Vertical
			3118.00	-59.46	RMS	32.63	-24.52	0.18	-95.23	27.48	-13.00	-46.46	Vertical




ANT0

Part 27F Mode 1
LTE B13 5M Ch23255 1RB0 QPSK
H



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 13 5M Ch23255 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1564.00	-65.61	RMS	27.70	-27.91	0.33	-95.23	29.50	-42.15	-23.46	Horizontal
			2352.00	-57.29	RMS	32.08	-26.11	0.34	-95.23	31.63	-13.00	-44.29	Horizontal
			3128.00	-59.45	RMS	32.59	-24.49	0.17	-95.23	27.51	-13.00	-46.45	Horizontal




Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 13 5M Ch23255 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1564.00	-65.16	RMS	27.70	-27.91	0.33	-95.23	29.95	-42.15	-23.01	Vertical
			2352.00	-57.85	RMS	32.08	-26.11	0.34	-95.23	31.07	-13.00	-44.85	Vertical
			3128.00	-59.56	RMS	32.59	-24.49	0.17	-95.23	27.40	-13.00	-46.56	Vertical




ANT0

Part 27F Mode 2
LTE B13 10M Ch23230 1RB0 QPSK
M



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 13 10M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1560.00	-63.93	RMS	27.70	-27.92	0.33	-95.23	31.19	-42.15	-21.78	Horizontal
			2336.00	-59.36	RMS	32.10	-26.15	0.33	-95.23	29.59	-13.00	-46.36	Horizontal
			3108.00	-59.50	RMS	32.67	-24.54	0.19	-95.23	27.41	-13.00	-46.50	Horizontal




Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 13 10M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1560.00	-62.73	RMS	27.70	-27.92	0.33	-95.23	32.39	-42.15	-20.58	Vertical
			2336.00	-58.94	RMS	32.10	-26.15	0.33	-95.23	30.01	-13.00	-45.94	Vertical
			3108.00	-59.55	RMS	32.67	-24.54	0.19	-95.23	27.36	-13.00	-46.55	Vertical




ANT1

Part 27F Mode 3
LTE B13 5M Ch23205 1RB0 QPSK
L



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 13 5M Ch23205 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1554.00	-65.76	RMS	27.64	-27.94	0.34	-95.23	29.43	-13.00	-52.76	Horizontal
			2336.00	-60.92	RMS	32.10	-26.15	0.33	-95.23	28.03	-13.00	-47.92	Horizontal
			3108.00	-59.69	RMS	32.67	-24.54	0.19	-95.23	27.22	-13.00	-46.69	Horizontal




Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 13 5M Ch23205 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1554.00	-65.84	RMS	27.64	-27.94	0.34	-95.23	29.35	-13.00	-52.84	Vertical
			2336.00	-60.77	RMS	32.10	-26.15	0.33	-95.23	28.18	-13.00	-47.77	Vertical
			3108.00	-59.64	RMS	32.67	-24.54	0.19	-95.23	27.27	-13.00	-46.64	Vertical




ANT1

Part 27F Mode 3
LTE B13 5M Ch23230 1RB0 QPSK
M



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 13 5M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1559.00	-65.61	RMS	27.69	-27.92	0.33	-95.23	29.52	-42.15	-23.46	Horizontal
			2344.00	-61.17	RMS	32.10	-26.13	0.33	-95.23	27.76	-13.00	-48.17	Horizontal
			3118.00	-59.40	RMS	32.63	-24.52	0.18	-95.23	27.54	-13.00	-46.40	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 13 5M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1559.00	-65.53	RMS	27.69	-27.92	0.33	-95.23	29.60	-42.15	-23.38	Vertical
			2344.00	-60.32	RMS	32.10	-26.13	0.33	-95.23	28.61	-13.00	-47.32	Vertical
			3118.00	-59.66	RMS	32.63	-24.52	0.18	-95.23	27.28	-13.00	-46.66	Vertical




ANT1

Part 27F Mode 3
 LTE B13 5M Ch23255 1RB0 QPSK
 H



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 13 5M Ch23255 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1564.00	-65.48	RMS	27.70	-27.91	0.33	-95.23	29.63	-42.15	-23.33	Horizontal
			2352.00	-60.58	RMS	32.08	-26.11	0.34	-95.23	28.34	-13.00	-47.58	Horizontal
			3128.00	-59.95	RMS	32.59	-24.49	0.17	-95.23	27.01	-13.00	-46.95	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 13 5M Ch23255 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1564.00	-65.55	RMS	27.70	-27.91	0.33	-95.23	29.56	-42.15	-23.40	Vertical
			2352.00	-60.66	RMS	32.08	-26.11	0.34	-95.23	28.26	-13.00	-47.66	Vertical
			3128.00	-59.69	RMS	32.59	-24.49	0.17	-95.23	27.27	-13.00	-46.69	Vertical




ANT1

Part 27F Mode 4
 LTE B13 10M Ch23230 1RB0 QPSK
 M



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 13 10M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1560.00	-65.17	RMS	27.70	-27.92	0.33	-95.23	29.95	-42.15	-23.02	Horizontal
			2336.00	-60.85	RMS	32.10	-26.15	0.33	-95.23	28.10	-13.00	-47.85	Horizontal
			3108.00	-59.42	RMS	32.67	-24.54	0.19	-95.23	27.49	-13.00	-46.42	Horizontal



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 13 10M Ch23230 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1560.00	-65.52	RMS	27.70	-27.92	0.33	-95.23	29.60	-42.15	-23.37	Vertical
			2336.00	-60.97	RMS	32.10	-26.15	0.33	-95.23	27.98	-13.00	-47.97	Vertical
			3108.00	-59.65	RMS	32.67	-24.54	0.19	-95.23	27.26	-13.00	-46.65	Vertical



ANT2


Part 27D Mode 1
LTE B30 5M Ch27685 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 30 5M Ch27685 1RB0 QPSK

Table with 12 columns: Freq, Level, Detector, Ant Factor, Amp, Cb, Filter, EIRPCF, Reading, Limit, Margin, Pol. It contains 3 rows of data for different frequencies.



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 30 5M Ch27685 1RB0 QPSK


Table with 12 columns: Freq, Level, Detector, Ant Factor, Amp, Cb, Filter, EIRPCF, Reading, Limit, Margin, Pol. It contains 3 rows of data for different frequencies.



ANT2


Part 27D Mode 1
LTE B30 5M Ch27710 1RB0 QPSK

M



Site : 03CH07-HY
 Condition: -40 1m SHF-EHF_9170991 Horizontal
 Mode : LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	4615.00	-57.45	RMS	34.24	-22.52	0.30	-95.23	25.76	-40.00	-17.45	Horizontal
2	6923.00	-55.32	RMS	35.75	-20.13	0.39	-95.23	23.90	-40.00	-15.32	Horizontal
3	9230.00	-52.93	RMS	36.16	-18.16	0.21	-95.23	24.09	-40.00	-12.93	Horizontal



Site : 03CH07-HY
 Condition: -40 1m SHF-EHF_9170991 Vertical
 Mode : LTE Band 30 5M Ch27710 1RB0 QPSK


	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	4615.00	-57.66	RMS	34.24	-22.52	0.30	-95.23	25.55	-40.00	-17.66	Vertical
2	6923.00	-55.23	RMS	35.75	-20.13	0.39	-95.23	23.99	-40.00	-15.23	Vertical
3	9230.00	-53.02	RMS	36.16	-18.16	0.21	-95.23	24.00	-40.00	-13.02	Vertical



ANT2


Part 27D Mode 1
LTE B30 5M Ch27735 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 30 5M Ch27735 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	4620.00	-57.33	RMS	34.22	-22.51	0.31	-95.23	25.87	-40.00	-17.33	Horizontal	
2	3	1	6930.00	-55.07	RMS	35.76	-20.14	0.36	-95.23	24.18	-40.00	-15.07	Horizontal	
3	1	2	9240.00	-52.49	RMS	36.18	-18.14	0.24	-95.23	24.46	-40.00	-12.49	Horizontal	



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 30 5M Ch27735 1RB0 QPSK


1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	4620.00	-57.69	RMS	34.22	-22.51	0.31	-95.23	25.51	-40.00	-17.69	Vertical	
2	3	1	6930.00	-54.95	RMS	35.76	-20.14	0.36	-95.23	24.30	-40.00	-14.95	Vertical	
3	1	2	9240.00	-52.53	RMS	36.18	-18.14	0.24	-95.23	24.42	-40.00	-12.53	Vertical	



ANT2


Part 27D Mode 2
LTE B30 10M Ch27710 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	4610.00	-57.65	RMS	34.26	-22.53	0.29	-95.23	0.00	-40.00	-17.65 Horizontal
2	6915.00	-54.92	RMS	35.73	-20.13	0.41	-95.23	24.30	-40.00	-14.92 Horizontal
3	9220.00	-52.12	RMS	36.14	-18.17	0.18	-95.23	24.96	-40.00	-12.12 Horizontal




Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	4610.00	-57.70	RMS	34.26	-22.53	0.29	-95.23	25.51	-40.00	-17.70 Vertical
2	6915.00	-55.02	RMS	35.73	-20.13	0.41	-95.23	24.20	-40.00	-15.02 Vertical
3	9220.00	-52.66	RMS	36.14	-18.17	0.18	-95.23	24.42	-40.00	-12.66 Vertical




ANT0

Part 27D Mode 3
LTE B30 5M Ch27685 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV		dB		
1	4610.00	-57.70	RMS	34.26	-22.53	0.29	-95.23	25.51	-40.00	-17.70	Horizontal
2	6915.00	-55.39	RMS	35.73	-20.13	0.41	-95.23	23.83	-40.00	-15.39	Horizontal
3	9220.00	-52.41	RMS	36.14	-18.17	0.18	-95.23	24.67	-40.00	-12.41	Horizontal




Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV		dB		
1	4610.00	-57.26	RMS	34.26	-22.53	0.29	-95.23	25.95	-40.00	-17.26	Vertical
2	6915.00	-55.25	RMS	35.73	-20.13	0.41	-95.23	23.97	-40.00	-15.25	Vertical
3	9220.00	-52.47	RMS	36.14	-18.17	0.18	-95.23	24.61	-40.00	-12.47	Vertical




ANT0

Part 27D Mode 3
LTE B30 5M Ch27710 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	4615.00	-57.51	RMS	34.24	-22.52	0.30	-95.23	25.70	-40.00	-17.51 Horizontal
2	6923.00	-54.68	RMS	35.75	-20.13	0.39	-95.23	24.54	-40.00	-14.68 Horizontal
3	9230.00	-52.55	RMS	36.16	-18.16	0.21	-95.23	24.47	-40.00	-12.55 Horizontal




Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	4615.00	-57.49	RMS	34.24	-22.52	0.30	-95.23	25.72	-40.00	-17.49 Vertical
2	6923.00	-55.12	RMS	35.75	-20.13	0.39	-95.23	24.10	-40.00	-15.12 Vertical
3	9230.00	-52.43	RMS	36.16	-18.16	0.21	-95.23	24.59	-40.00	-12.43 Vertical




ANT0

Part 27D Mode 3
LTE B30 5M Ch27735 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 30 5M Ch27735 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						dB
			4620.00	-57.69	RMS	34.22	-22.51	0.31	-95.23	25.51	-40.00	-17.69	Horizontal
			6930.00	-55.07	RMS	35.76	-20.14	0.36	-95.23	24.18	-40.00	-15.07	Horizontal
			9240.00	-52.28	RMS	36.18	-18.14	0.24	-95.23	24.67	-40.00	-12.28	Horizontal



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 30 5M Ch27735 1RB0 QPSK


1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						dB
			4620.00	-57.67	RMS	34.22	-22.51	0.31	-95.23	25.53	-40.00	-17.67	Vertical
			6930.00	-55.03	RMS	35.76	-20.14	0.36	-95.23	24.22	-40.00	-15.03	Vertical
			9240.00	-52.24	RMS	36.18	-18.14	0.24	-95.23	24.71	-40.00	-12.24	Vertical



ANT0


Part 27D Mode 4
LTE B30 10M Ch27710 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Horizontal
Mode : LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	4610.00	-57.72	RMS	34.26	-22.53	0.29	-95.23	25.49	-40.00	-17.72 Horizontal
2	6915.00	-55.29	RMS	35.73	-20.13	0.41	-95.23	23.93	-40.00	-15.29 Horizontal
3	9220.00	-52.45	RMS	36.14	-18.17	0.18	-95.23	24.63	-40.00	-12.45 Horizontal




Site : 03CH07-HY
Condition: -40 1m SHF-EHF_9170991 Vertical
Mode : LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	4610.00	-57.88	RMS	34.26	-22.53	0.29	-95.23	25.33	-40.00	-17.88 Vertical
2	6915.00	-55.14	RMS	35.73	-20.13	0.41	-95.23	24.08	-40.00	-15.14 Vertical
3	9220.00	-52.65	RMS	36.14	-18.17	0.18	-95.23	24.43	-40.00	-12.65 Vertical




ANT2

Part 27M Mode 1
 LTE B7 10M Ch20800 1RB0 QPSK
 L



Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Horizontal
 Mode : LTE Band 7 10M Ch20800 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	5000.00	-56.58 RMS	34.40	-22.06	0.74	-95.23	25.57	-25.00	-31.58 Horizontal
2	7500.00	-54.76 RMS	35.50	-19.51	0.33	-95.23	24.16	-25.00	-29.76 Horizontal
3	10000.00	-50.84 RMS	36.90	-17.16	0.27	-95.23	24.38	-25.00	-25.84 Horizontal




Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Vertical
 Mode : LTE Band 7 10M Ch20800 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	5000.00	-56.84 RMS	34.40	-22.06	0.74	-95.23	25.31	-25.00	-31.84 Vertical
2	7500.00	-54.07 RMS	35.50	-19.51	0.33	-95.23	24.85	-25.00	-29.07 Vertical
3	10000.00	-50.95 RMS	36.90	-17.16	0.27	-95.23	24.27	-25.00	-25.95 Vertical




ANT2

Part 27M Mode 1
LTE B7 10M Ch21100 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 7 10M Ch21100 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
						Factor	1						
			5060.00	-57.04	RMS	34.00	-21.98	0.61	-95.23	25.56	-25.00	-32.04	Horizontal
			7590.00	-53.45	RMS	35.86	-19.39	0.35	-95.23	24.96	-25.00	-28.45	Horizontal
			10120.00	-50.23	RMS	37.08	-17.00	0.27	-95.23	24.65	-25.00	-25.23	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 7 10M Ch21100 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
						Factor	1						
			5060.00	-56.97	RMS	34.00	-21.98	0.61	-95.23	25.63	-25.00	-31.97	Vertical
			7590.00	-54.04	RMS	35.86	-19.39	0.35	-95.23	24.37	-25.00	-29.04	Vertical
			10120.00	-50.26	RMS	37.08	-17.00	0.27	-95.23	24.62	-25.00	-25.26	Vertical




ANT2

Part 27M Mode 1
LTE B7 10M Ch21400 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 7 10M Ch21400 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 5120.00	-56.73	RMS	34.12	-21.90	0.48	-95.23	25.80	-25.00	-31.73 Horizontal
2 7680.00	-53.70	RMS	35.90	-19.47	0.35	-95.23	24.75	-25.00	-28.70 Horizontal
3 10240.00	-50.10	RMS	37.22	-16.85	0.27	-95.23	24.49	-25.00	-25.10 Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 7 10M Ch21400 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 5120.00	-56.53	RMS	34.12	-21.90	0.48	-95.23	26.00	-25.00	-31.53 Vertical
2 7680.00	-53.84	RMS	35.90	-19.47	0.35	-95.23	24.61	-25.00	-28.84 Vertical
3 10240.00	-49.77	RMS	37.22	-16.85	0.27	-95.23	24.82	-25.00	-24.77 Vertical




ANT2

Part 27M Mode 3
LTE CA B7C Ch20850 + Ch21048
L



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 7 20M Ch20850 1RB99 QPSK
: LTE Band 7 20M Ch21048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5040.00	-56.35 RMS	34.08	-22.01	0.65	-95.23	26.16	-25.00	-31.35	Horizontal
2	7560.00	-53.69 RMS	35.74	-19.43	0.34	-95.23	24.89	-25.00	-28.69	Horizontal
3	10080.00	-50.71 RMS	36.96	-17.06	0.27	-95.23	24.35	-25.00	-25.71	Horizontal



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 7 20M Ch20850 1RB99 QPSK
: LTE Band 7 20M Ch21048 1RB0 QPSK


Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5040.00	-56.48 RMS	34.08	-22.01	0.65	-95.23	26.03	-25.00	-31.48	Vertical
2	7560.00	-53.40 RMS	35.74	-19.43	0.34	-95.23	25.18	-25.00	-28.40	Vertical
3	10080.00	-50.95 RMS	36.96	-17.06	0.27	-95.23	24.11	-25.00	-25.95	Vertical



ANT2


Part 27M Mode 3
LTE CA B7C Ch21001 + Ch21199

M



Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Horizontal
 Mode : LTE Band 7 20M Ch21001 1RB99 QPSK
 : LTE Band 7 20M Ch21199 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5070.00	-56.62 RMS	34.00	-21.96	0.59	-95.23	25.98	-25.00	-31.62	Horizontal
2	7605.00	-53.53 RMS	35.90	-19.38	0.35	-95.23	24.83	-25.00	-28.53	Horizontal
3	10140.00	-49.83 RMS	37.16	-16.98	0.27	-95.23	24.95	-25.00	-24.83	Horizontal




Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Vertical
 Mode : LTE Band 7 20M Ch21001 1RB99 QPSK
 : LTE Band 7 20M Ch21199 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5070.00	-56.67 RMS	34.00	-21.96	0.59	-95.23	25.93	-25.00	-31.67	Vertical
2	7605.00	-53.63 RMS	35.90	-19.38	0.35	-95.23	24.73	-25.00	-28.63	Vertical
3	10140.00	-50.19 RMS	37.16	-16.98	0.27	-95.23	24.59	-25.00	-25.19	Vertical




ANT2






ANT2

Part 27M Mode 5
LTE B41 10M Ch39740 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 10M Ch39740 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5000.00	-57.56	RMS	34.40	-22.06	0.74	-95.23	24.59	-25.00	-32.56	Horizontal
			7500.00	-54.86	RMS	35.50	-19.51	0.33	-95.23	24.06	-25.00	-29.86	Horizontal
			10000.00	-51.25	RMS	36.90	-17.16	0.27	-95.23	23.97	-25.00	-26.25	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 10M Ch39740 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5000.00	-57.51	RMS	34.40	-22.06	0.74	-95.23	24.64	-25.00	-32.51	Vertical
			7500.00	-55.16	RMS	35.50	-19.51	0.33	-95.23	23.76	-25.00	-30.16	Vertical
			10000.00	-50.80	RMS	36.90	-17.16	0.27	-95.23	24.42	-25.00	-25.80	Vertical




ANT2

Part 27M Mode 5
LTE B41 10M Ch40620 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 10M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5176.00	-56.86	RMS	34.40	-21.82	0.36	-95.23	25.43	-25.00	-31.86	Horizontal
2 7770.00	-54.59	RMS	35.96	-19.59	0.34	-95.23	23.93	-25.00	-29.59	Horizontal
3 10352.00	-50.47	RMS	37.50	-16.70	0.27	-95.23	23.69	-25.00	-25.47	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 10M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5176.00	-57.34	RMS	34.40	-21.82	0.36	-95.23	24.95	-25.00	-32.34	Vertical
2 7770.00	-53.22	RMS	35.96	-19.59	0.34	-95.23	25.30	-25.00	-28.22	Vertical
3 10352.00	-50.61	RMS	37.50	-16.70	0.27	-95.23	23.55	-25.00	-25.61	Vertical




ANT2

Part 27M Mode 5
LTE B41 10M Ch41540 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 10M Ch41540 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5360.00	-57.54	RMS	34.78	-21.75	0.41	-95.23	24.25	-25.00	-32.54	Horizontal
			8055.00	-53.91	RMS	35.91	-19.30	0.37	-95.23	24.34	-25.00	-28.91	Horizontal
			10720.00	-49.57	RMS	37.54	-16.31	0.27	-95.23	24.16	-25.00	-24.57	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 10M Ch41540 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5360.00	-57.71	RMS	34.78	-21.75	0.41	-95.23	24.08	-25.00	-32.71	Vertical
			8055.00	-52.20	RMS	35.91	-19.30	0.37	-95.23	26.05	-25.00	-27.20	Vertical
			10720.00	-49.49	RMS	37.54	-16.31	0.27	-95.23	24.24	-25.00	-24.49	Vertical




ANT2

Part 27M Mode 7
L
LTE CA B41C Ch39750 + Ch39948



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 20M Ch39750 1RB99 QPSK
: LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5032.00	-56.53 RMS	34.14	-22.02	0.67	-95.23	25.91	-25.00	-31.53	Horizontal
2	7548.00	-54.20 RMS	35.69	-19.45	0.34	-95.23	24.45	-25.00	-29.20	Horizontal
3	10064.00	-50.73 RMS	36.93	-17.08	0.27	-95.23	24.38	-25.00	-25.73	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 20M Ch39750 1RB99 QPSK
: LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5032.00	-56.58 RMS	34.14	-22.02	0.67	-95.23	25.86	-25.00	-31.58	Vertical
2	7548.00	-53.86 RMS	35.69	-19.45	0.34	-95.23	24.79	-25.00	-28.86	Vertical
3	10064.00	-50.97 RMS	36.93	-17.08	0.27	-95.23	24.14	-25.00	-25.97	Vertical




ANT2

Part 27M Mode 7
LTE CA B41C Ch40521 + Ch40719
M



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 20M Ch40521 1RB99 QPSK
: LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5186.00	-56.36 RMS	34.44	-21.81	0.34	-95.23	25.90	-25.00	-31.36	Horizontal
2	7782.00	-53.69 RMS	35.94	-19.60	0.34	-95.23	24.86	-25.00	-28.69	Horizontal
3	10372.00	-49.90 RMS	37.46	-16.67	0.27	-95.23	24.27	-25.00	-24.90	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 20M Ch40521 1RB99 QPSK
: LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5186.00	-56.34 RMS	34.44	-21.81	0.34	-95.23	25.92	-25.00	-31.34	Vertical
2	7782.00	-53.82 RMS	35.94	-19.60	0.34	-95.23	24.73	-25.00	-28.82	Vertical
3	10372.00	-50.01 RMS	37.46	-16.67	0.27	-95.23	24.16	-25.00	-25.01	Vertical




ANT2

Part 27M Mode 7
LTE CA B41C Ch41292 + Ch41490
H



Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Horizontal
 Mode : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5340.00	-56.74	RMS	34.76	-21.76	0.40	-95.23	25.09	-25.00	-31.74	Horizontal
2 8010.00	-53.64	RMS	35.82	-19.32	0.34	-95.23	24.75	-25.00	-28.64	Horizontal
3 10680.00	-48.84	RMS	37.54	-16.35	0.27	-95.23	24.93	-25.00	-23.84	Horizontal




Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Vertical
 Mode : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5340.00	-56.50	RMS	34.76	-21.76	0.40	-95.23	25.33	-25.00	-31.50	Vertical
2 8010.00	-53.39	RMS	35.82	-19.32	0.34	-95.23	25.00	-25.00	-28.39	Vertical
3 10680.00	-48.81	RMS	37.54	-16.35	0.27	-95.23	24.96	-25.00	-23.81	Vertical




ANT0

Part 27M Mode 2
LTE B7 10M Ch20800 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 7 10M Ch20800 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5000.00	-56.96	RMS	34.40	-22.06	0.74	-95.23	25.19	-25.00	-31.96	Horizontal
2 7500.00	-54.27	RMS	35.50	-19.51	0.33	-95.23	24.65	-25.00	-29.27	Horizontal
3 10000.00	-50.87	RMS	36.90	-17.16	0.27	-95.23	24.35	-25.00	-25.87	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 7 10M Ch20800 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5000.00	-56.52	RMS	34.40	-22.06	0.74	-95.23	25.63	-25.00	-31.52	Vertical
2 7500.00	-54.55	RMS	35.50	-19.51	0.33	-95.23	24.37	-25.00	-29.55	Vertical
3 10000.00	-51.03	RMS	36.90	-17.16	0.27	-95.23	24.19	-25.00	-26.03	Vertical




ANT0

Part 27M Mode 2
LTE B7 10M Ch21100 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 7 10M Ch21100 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	5060.00	-57.01	RMS	34.00	-21.98	0.61	-95.23	25.59	-25.00	-32.01	Horizontal	
2	2	3	7590.00	-53.88	RMS	35.86	-19.39	0.35	-95.23	24.53	-25.00	-28.88	Horizontal	
3	2	3	10120.00	-50.38	RMS	37.08	-17.00	0.27	-95.23	24.50	-25.00	-25.38	Horizontal	



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 7 10M Ch21100 1RB0 QPSK


1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	5060.00	-56.98	RMS	34.00	-21.98	0.61	-95.23	25.62	-25.00	-31.98	Vertical	
2	2	3	7590.00	-53.83	RMS	35.86	-19.39	0.35	-95.23	24.58	-25.00	-28.83	Vertical	
3	2	3	10120.00	-50.28	RMS	37.08	-17.00	0.27	-95.23	24.60	-25.00	-25.28	Vertical	



ANT0


Part 27M Mode 2
LTE B7 10M Ch21400 1RB0 QPSK

H



Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Horizontal
 Mode : LTE Band 7 10M Ch21400 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	5120.00	-56.87	RMS	34.12	-21.90	0.48	-95.23	25.66	-25.00	-31.87	Horizontal	
2	2	3	7680.00	-53.63	RMS	35.90	-19.47	0.35	-95.23	24.82	-25.00	-28.63	Horizontal	
3	2	3	10240.00	-50.02	RMS	37.22	-16.85	0.27	-95.23	24.57	-25.00	-25.02	Horizontal	




Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Vertical
 Mode : LTE Band 7 10M Ch21400 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		dB/m	dB							
1	2	3	5120.00	-56.51	RMS	34.12	-21.90	0.48	-95.23	26.02	-25.00	-31.51	Vertical	
2	2	3	7680.00	-53.80	RMS	35.90	-19.47	0.35	-95.23	24.65	-25.00	-28.80	Vertical	
3	2	3	10240.00	-49.80	RMS	37.22	-16.85	0.27	-95.23	24.79	-25.00	-24.80	Vertical	




ANT0

Part 27M Mode 4
LTE CA B7C Ch20850 + Ch21048
L



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 7 20M Ch20850 1RB99 QPSK
: LTE Band 7 20M Ch21048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5040.00	-56.09	RMS	34.08	-22.01	0.65	-95.23	26.42	-25.00	-31.09	Horizontal
2 7560.00	-54.06	RMS	35.74	-19.43	0.34	-95.23	24.52	-25.00	-29.06	Horizontal
3 10080.00	-50.74	RMS	36.96	-17.06	0.27	-95.23	24.32	-25.00	-25.74	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 7 20M Ch20850 1RB99 QPSK
: LTE Band 7 20M Ch21048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5040.00	-56.73	RMS	34.08	-22.01	0.65	-95.23	25.78	-25.00	-31.73	Vertical
2 7560.00	-53.85	RMS	35.74	-19.43	0.34	-95.23	24.73	-25.00	-28.85	Vertical
3 10080.00	-50.34	RMS	36.96	-17.06	0.27	-95.23	24.72	-25.00	-25.34	Vertical




ANT0

Part 27M Mode 4
LTE CA B7C Ch21001 + Ch21199
M



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 7 20M Ch21001 1RB99 QPSK
: LTE Band 7 20M Ch21199 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5070.00	-56.77 RMS	34.00	-21.96	0.59	-95.23	25.83	-25.00	-31.77	Horizontal
2	7605.00	-53.65 RMS	35.90	-19.38	0.35	-95.23	24.71	-25.00	-28.65	Horizontal
3	10140.00	-50.20 RMS	37.16	-16.98	0.27	-95.23	24.58	-25.00	-25.20	Horizontal



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 7 20M Ch21001 1RB99 QPSK
: LTE Band 7 20M Ch21199 1RB0 QPSK


Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5070.00	-56.71 RMS	34.00	-21.96	0.59	-95.23	25.89	-25.00	-31.71	Vertical
2	7605.00	-53.57 RMS	35.90	-19.38	0.35	-95.23	24.79	-25.00	-28.57	Vertical
3	10140.00	-50.07 RMS	37.16	-16.98	0.27	-95.23	24.71	-25.00	-25.07	Vertical



ANT0


Part 27M Mode 4
LTE CA B7C Ch21152 + Ch21350

H



Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Horizontal
 Mode : LTE Band 7 20M Ch21152 1RB99 QPSK
 : LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5100.00	-56.47 RMS	34.00	-21.92	0.52	-95.23	26.16	-25.00	-31.47	Horizontal
2	7650.00	-53.43 RMS	35.90	-19.44	0.35	-95.23	24.99	-25.00	-28.43	Horizontal
3	10200.00	-49.92 RMS	37.30	-16.90	0.27	-95.23	24.64	-25.00	-24.92	Horizontal




Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Vertical
 Mode : LTE Band 7 20M Ch21152 1RB99 QPSK
 : LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5100.00	-56.91 RMS	34.00	-21.92	0.52	-95.23	25.72	-25.00	-31.91	Vertical
2	7650.00	-53.93 RMS	35.90	-19.44	0.35	-95.23	24.49	-25.00	-28.93	Vertical
3	10200.00	-50.00 RMS	37.30	-16.90	0.27	-95.23	24.56	-25.00	-25.00	Vertical




ANT0

Part 27M Mode 6
LTE B41 10M Ch39740 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 10M Ch39740 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit	Margin Pol	
			MHz	dBm		dB/m	dB		dB	dB				dBuV	dBm
1	5000.00	-57.54	RMS	34.40	-22.06	0.74	-95.23	24.61	-25.00	-32.54	Horizontal				
2	7500.00	-54.96	RMS	35.50	-19.51	0.33	-95.23	23.96	-25.00	-29.96	Horizontal				
3	10000.00	-51.12	RMS	36.90	-17.16	0.27	-95.23	24.10	-25.00	-26.12	Horizontal				



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 10M Ch39740 1RB0 QPSK


1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit	Margin Pol	
			MHz	dBm		dB/m	dB		dB	dB				dBuV	dBm
1	5000.00	-57.46	RMS	34.40	-22.06	0.74	-95.23	24.69	-25.00	-32.46	Vertical				
2	7500.00	-54.92	RMS	35.50	-19.51	0.33	-95.23	24.00	-25.00	-29.92	Vertical				
3	10000.00	-51.26	RMS	36.90	-17.16	0.27	-95.23	23.96	-25.00	-26.26	Vertical				



ANT0


Part 27M Mode 6
LTE B41 10M Ch40620 1RB0 QPSK

M



Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Horizontal
 Mode : LTE Band 41 10M Ch40620 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5176.00	-57.19	RMS	34.40	-21.82	0.36	-95.23	25.10	-25.00	-32.19	Horizontal
			7770.00	-54.29	RMS	35.96	-19.59	0.34	-95.23	24.23	-25.00	-29.29	Horizontal
			10352.00	-50.50	RMS	37.50	-16.70	0.27	-95.23	23.66	-25.00	-25.50	Horizontal




Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Vertical
 Mode : LTE Band 41 10M Ch40620 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5176.00	-57.12	RMS	34.40	-21.82	0.36	-95.23	25.17	-25.00	-32.12	Vertical
			7770.00	-54.23	RMS	35.96	-19.59	0.34	-95.23	24.29	-25.00	-29.23	Vertical
			10352.00	-50.28	RMS	37.50	-16.70	0.27	-95.23	23.88	-25.00	-25.28	Vertical




ANT0

Part 27M Mode 6
LTE B41 10M Ch41540 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 10M Ch41540 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5360.00	-57.78	RMS	34.78	-21.75	0.41	-95.23	24.01	-25.00	-32.78	Horizontal
2 8040.00	-53.94	RMS	35.88	-19.31	0.36	-95.23	24.36	-25.00	-28.94	Horizontal
3 10720.00	-49.53	RMS	37.54	-16.31	0.27	-95.23	24.20	-25.00	-24.53	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 10M Ch41540 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5360.00	-57.53	RMS	34.78	-21.75	0.41	-95.23	24.26	-25.00	-32.53	Vertical
2 8040.00	-53.78	RMS	35.88	-19.31	0.36	-95.23	24.52	-25.00	-28.78	Vertical
3 10720.00	-49.61	RMS	37.54	-16.31	0.27	-95.23	24.12	-25.00	-24.61	Vertical




ANT0

Part 27M Mode 8
LTE CA B41C Ch39750 + Ch39948
L



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 20M Ch39750 1RB99 QPSK
: LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5032.00	-56.19 RMS	34.14	-22.02	0.67	-95.23	26.25	-25.00	-31.19	Horizontal
2	7548.00	-53.84 RMS	35.69	-19.45	0.34	-95.23	24.81	-25.00	-28.84	Horizontal
3	10064.00	-50.48 RMS	36.93	-17.08	0.27	-95.23	24.63	-25.00	-25.48	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 20M Ch39750 1RB99 QPSK
: LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5032.00	-56.48 RMS	34.14	-22.02	0.67	-95.23	25.96	-25.00	-31.48	Vertical
2	7548.00	-54.01 RMS	35.69	-19.45	0.34	-95.23	24.64	-25.00	-29.01	Vertical
3	10064.00	-50.85 RMS	36.93	-17.08	0.27	-95.23	24.26	-25.00	-25.85	Vertical




ANT0

Part 27M Mode 8
LTE CA B41C Ch40521 + Ch40719
M



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 20M Ch40521 1RB99 QPSK
: LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5186.00	-56.18	RMS	34.44	-21.81	0.34	-95.23	26.08	-25.00	-31.18	Horizontal
2	7779.00	-53.76	RMS	35.94	-19.60	0.34	-95.23	24.79	-25.00	-28.76	Horizontal
3	10372.00	-49.97	RMS	37.46	-16.67	0.27	-95.23	24.20	-25.00	-24.97	Horizontal




Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 20M Ch40521 1RB99 QPSK
: LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5186.00	-56.12	RMS	34.44	-21.81	0.34	-95.23	26.14	-25.00	-31.12	Vertical
2	7779.00	-53.57	RMS	35.94	-19.60	0.34	-95.23	24.98	-25.00	-28.57	Vertical
3	10372.00	-49.46	RMS	37.46	-16.67	0.27	-95.23	24.71	-25.00	-24.46	Vertical




ANT0

Part 27M Mode 8
LTE CA B41C Ch41292 + Ch41490
H



Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Horizontal
 Mode : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	5340.00	-56.68	RMS	34.76	-21.76	0.40	-95.23	25.15	-25.00	-31.68	Horizontal
2	8010.00	-53.28	RMS	35.82	-19.32	0.34	-95.23	25.11	-25.00	-28.28	Horizontal
3	10680.00	-48.62	RMS	37.54	-16.35	0.27	-95.23	25.15	-25.00	-23.62	Horizontal




Site : 03CH07-HY
 Condition: -25 1m SHF-EHF_9170251 Vertical
 Mode : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	5340.00	-56.62	RMS	34.76	-21.76	0.40	-95.23	25.21	-25.00	-31.62	Vertical
2	8010.00	-53.58	RMS	35.82	-19.32	0.34	-95.23	24.81	-25.00	-28.58	Vertical
3	10680.00	-49.09	RMS	37.54	-16.35	0.27	-95.23	24.68	-25.00	-24.09	Vertical




ANT2

Part 27L Mode 3
LTE B4 10M Ch20000 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 10M Ch20000 1RB0 QPSK

Table with 12 columns: Freq, Level, Detector, Ant Amp\Factor, Cb Filter 1, Filter, EIRPCF, Reading, Limit, Margin, Pol. It contains 3 rows of data for different frequency points.




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 10M Ch20000 1RB0 QPSK

Table with 12 columns: Freq, Level, Detector, Ant Amp\Factor, Cb Filter 1, Filter, EIRPCF, Reading, Limit, Margin, Pol. It contains 3 rows of data for different frequency points.




ANT2

Part 27L Mode 3
LTE B4 10M Ch20175 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 10M Ch20175 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						
						dB/m	dB	dB	dBuV	dBm	dB		
1	2	3	3450.00	-57.86	RMS	33.10	-22.74	0.78	-95.23	26.23	-13.00	-44.86	Horizontal
			5190.00	-56.43	RMS	34.46	-21.80	0.33	-95.23	25.81	-13.00	-43.43	Horizontal
			6915.00	-55.15	RMS	35.73	-20.13	0.41	-95.23	24.07	-13.00	-42.15	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 10M Ch20175 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						
						dB/m	dB	dB	dBuV	dBm	dB		
1	2	3	3450.00	-58.12	RMS	33.10	-22.74	0.78	-95.23	25.97	-13.00	-45.12	Vertical
			5190.00	-57.25	RMS	34.46	-21.80	0.33	-95.23	24.99	-13.00	-44.25	Vertical
			6915.00	-55.02	RMS	35.73	-20.13	0.41	-95.23	24.20	-13.00	-42.02	Vertical




ANT2

Part 27L Mode 3
LTE B4 10M Ch20350 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 10M Ch20350 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dBuV
			3495.00	-58.00	RMS	32.83	-22.58	0.74	-95.23	26.24	-13.00	-45.00	Horizontal
			5235.00	-57.15	RMS	34.64	-21.78	0.33	-95.23	24.89	-13.00	-44.15	Horizontal
			6975.00	-55.57	RMS	35.75	-20.15	0.22	-95.23	23.84	-13.00	-42.57	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 10M Ch20350 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dBuV
			3495.00	-57.71	RMS	32.83	-22.58	0.74	-95.23	26.53	-13.00	-44.71	Vertical
			5235.00	-57.12	RMS	34.64	-21.78	0.33	-95.23	24.92	-13.00	-44.12	Vertical
			6975.00	-54.90	RMS	35.75	-20.15	0.22	-95.23	24.51	-13.00	-41.90	Vertical




ANT2

Part 27L Mode 5
LTE CA B66B 10M + 10M Ch132022 1RB49 QPSK + Ch132121 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 66 10M Ch132022 1RB49 QPSK
: LTE Band 66 10M Ch132121 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3435.00	-57.79	RMS	33.10	-22.79	0.79	-95.23	26.34	-13.00	-44.79	Horizontal
2 5160.00	-56.87	RMS	34.34	-21.84	0.40	-95.23	25.46	-13.00	-43.87	Horizontal
3 6880.00	-54.37	RMS	35.70	-20.12	0.52	-95.23	24.76	-13.00	-41.37	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 66 10M Ch132022 1RB49 QPSK
: LTE Band 66 10M Ch132121 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3435.00	-57.65	RMS	33.10	-22.79	0.79	-95.23	26.48	-13.00	-44.65	Vertical
2 5160.00	-56.55	RMS	34.34	-21.84	0.40	-95.23	25.78	-13.00	-43.55	Vertical
3 6880.00	-54.90	RMS	35.70	-20.12	0.52	-95.23	24.23	-13.00	-41.90	Vertical




ANT2

Part 27L Mode 5
LTE CA B66B 10M + 10M Ch132373 1RB49 QPSK + Ch132472 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 66 10M Ch132373 1RB49 QPSK
: LTE Band 66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3510.00	-58.02	RMS	32.76	-22.53	0.73	-95.23	26.25	-13.00	-45.02	Horizontal
2	5265.00	-57.11	RMS	34.67	-21.77	0.35	-95.23	24.87	-13.00	-44.11	Horizontal
3	7020.00	-55.63	RMS	35.66	-20.13	0.18	-95.23	23.89	-13.00	-42.63	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 66 10M Ch132373 1RB49 QPSK
: LTE Band 66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3510.00	-58.04	RMS	32.76	-22.53	0.73	-95.23	26.23	-13.00	-45.04	Vertical
2	5265.00	-57.17	RMS	34.67	-21.77	0.35	-95.23	24.81	-13.00	-44.17	Vertical
3	7020.00	-55.09	RMS	35.66	-20.13	0.18	-95.23	24.43	-13.00	-42.09	Vertical




ANT2

Part 27L Mode 5
LTE CA B66B 10M + 10M Ch132523 1RB49 QPSK + Ch132622 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 66 10M Ch132523 1RB49 QPSK
: LTE Band 66 10M Ch132622 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3540.00	-57.91	RMS	32.64	-22.43	0.70	-95.23	26.41	-13.00	-44.91	Horizontal
2	5310.00	-57.27	RMS	34.64	-21.76	0.38	-95.23	24.70	-13.00	-44.27	Horizontal
3	7080.00	-55.18	RMS	35.60	-20.05	0.31	-95.23	24.19	-13.00	-42.18	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 66 10M Ch132523 1RB49 QPSK
: LTE Band 66 10M Ch132622 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1							dB
1	3540.00	-57.94	RMS	32.64	-22.43	0.70	-95.23	26.38	-13.00	-44.94	Vertical
2	5310.00	-57.24	RMS	34.64	-21.76	0.38	-95.23	24.73	-13.00	-44.24	Vertical
3	7080.00	-54.99	RMS	35.60	-20.05	0.31	-95.23	24.38	-13.00	-41.99	Vertical




ANT0

Part 27L Mode 4
LTE B4 10M Ch20000 1RB0 QPSK
L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 10M Ch20000 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						dB
			3420.00	-57.40	RMS	33.10	-22.84	0.80	-95.23	26.77	-13.00	-44.40	Horizontal
			5130.00	-56.90	RMS	34.18	-21.88	0.46	-95.23	25.57	-13.00	-43.90	Horizontal
			6840.00	-54.43	RMS	35.72	-20.11	0.65	-95.23	24.54	-13.00	-41.43	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 10M Ch20000 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						dB
			3420.00	-57.66	RMS	33.10	-22.84	0.80	-95.23	26.51	-13.00	-44.66	Vertical
			5130.00	-56.68	RMS	34.18	-21.88	0.46	-95.23	25.79	-13.00	-43.68	Vertical
			6840.00	-54.40	RMS	35.72	-20.11	0.65	-95.23	24.57	-13.00	-41.40	Vertical




ANT0

Part 27L Mode 4
LTE B4 10M Ch20175 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 10M Ch20175 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dBuV
			3450.00	-56.96	RMS	33.10	-22.74	0.78	-95.23	27.13	-13.00	-43.96	Horizontal
			5190.00	-54.20	RMS	34.46	-21.80	0.33	-95.23	28.04	-13.00	-41.20	Horizontal
			6915.00	-55.02	RMS	35.73	-20.13	0.41	-95.23	24.20	-13.00	-42.02	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 10M Ch20175 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol		
			MHz	dBm		Factor	1				dB	dB	dBuV
			3450.00	-56.86	RMS	33.10	-22.74	0.78	-95.23	27.23	-13.00	-43.86	Vertical
			5190.00	-51.99	RMS	34.46	-21.80	0.33	-95.23	30.25	-13.00	-38.99	Vertical
			6915.00	-54.67	RMS	35.73	-20.13	0.41	-95.23	24.55	-13.00	-41.67	Vertical




ANT0

Part 27L Mode 4
LTE B4 10M Ch20350 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 10M Ch20350 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						dB
1	2	3	3495.00	-57.81	RMS	32.83	-22.58	0.74	-95.23	26.43	-13.00	-44.81	Horizontal
2	2	3	5235.00	-56.73	RMS	34.64	-21.78	0.33	-95.23	25.31	-13.00	-43.73	Horizontal
3	2	3	6975.00	-55.33	RMS	35.75	-20.15	0.22	-95.23	24.08	-13.00	-42.33	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 10M Ch20350 1RB0 QPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						dB
1	2	3	3495.00	-57.79	RMS	32.83	-22.58	0.74	-95.23	26.45	-13.00	-44.79	Vertical
2	2	3	5235.00	-57.13	RMS	34.64	-21.78	0.33	-95.23	24.91	-13.00	-44.13	Vertical
3	2	3	6975.00	-54.97	RMS	35.75	-20.15	0.22	-95.23	24.44	-13.00	-41.97	Vertical




ANT0






ANT0

Part 27L Mode 6
LTE CA B66B 10M + 10M Ch132373 1RB49 QPSK + Ch132472 1RB0 QPSK
M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 66 10M Ch132373 1RB49 QPSK
: LTE Band 66 10M Ch132472 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	1					dB	dB	
1	3510.00	-58.37	RMS	32.76	-22.53	0.73	-95.23	25.90	-13.00	-45.37	Horizontal
2	5265.00	-57.25	RMS	34.67	-21.77	0.35	-95.23	24.73	-13.00	-44.25	Horizontal
3	7020.00	-55.42	RMS	35.66	-20.13	0.18	-95.23	24.10	-13.00	-42.42	Horizontal




Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 66 10M Ch132373 1RB49 QPSK
: LTE Band 66 10M Ch132472 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	1					dB	dB	
1	3510.00	-57.92	RMS	32.76	-22.53	0.73	-95.23	26.35	-13.00	-44.92	Vertical
2	5265.00	-57.45	RMS	34.67	-21.77	0.35	-95.23	24.53	-13.00	-44.45	Vertical
3	7020.00	-55.15	RMS	35.66	-20.13	0.18	-95.23	24.37	-13.00	-42.15	Vertical




ANT0

Part 27L Mode 6
LTE CA B66B 10M + 10M Ch132523 1RB49 QPSK + Ch132622 1RB0 QPSK
H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 66 10M Ch132523 1RB49 QPSK
: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3540.00	-58.13	RMS	32.64	-22.43	0.70	-95.23	26.19	-13.00	-45.13	Horizontal
2	5310.00	-57.32	RMS	34.64	-21.76	0.38	-95.23	24.65	-13.00	-44.32	Horizontal
3	7080.00	-55.21	RMS	35.60	-20.05	0.31	-95.23	24.16	-13.00	-42.21	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 66 10M Ch132523 1RB49 QPSK
: LTE Band 66 10M Ch132622 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3540.00	-57.99	RMS	32.64	-22.43	0.70	-95.23	26.33	-13.00	-44.99	Vertical
2	5310.00	-57.23	RMS	34.64	-21.76	0.38	-95.23	24.74	-13.00	-44.23	Vertical
3	7080.00	-55.11	RMS	35.60	-20.05	0.31	-95.23	24.26	-13.00	-42.11	Vertical



ANT0


Part 90R Mode 1
LTE B14 5M Ch23305 1RB0 QPSK

L



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 14 5M Ch23305 1RB0 QPSK

Table with 12 columns: Freq, Level, Detector, Ant Factor, Amp, Cb, Filter, EIRPCF, Reading, Limit, Margin, Pol. Contains 3 rows of measurement data.




Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 14 5M Ch23305 1RB0 QPSK

Table with 12 columns: Freq, Level, Detector, Ant Factor, Amp, Cb, Filter, EIRPCF, Reading, Limit, Margin, Pol. Contains 3 rows of measurement data.




ANT0

Part 90R Mode 1
LTE B14 5M Ch23330 1RB0 QPSK
M



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 14 5M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1584.00	-64.64	RMS	27.78	-27.85	0.32	-95.23	30.34	-42.15	-22.49	Horizontal
			2376.00	-50.34	RMS	31.90	-26.06	0.37	-95.23	38.68	-13.00	-37.34	Horizontal
			3160.00	-59.00	RMS	32.50	-24.40	0.15	-95.23	27.98	-13.00	-46.00	Horizontal




Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 14 5M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1584.00	-65.35	RMS	27.78	-27.85	0.32	-95.23	29.63	-42.15	-23.20	Vertical
			2376.00	-49.77	RMS	31.90	-26.06	0.37	-95.23	39.25	-13.00	-36.77	Vertical
			3160.00	-59.21	RMS	32.50	-24.40	0.15	-95.23	27.77	-13.00	-46.21	Vertical




ANT0

Part 90R Mode 1
 LTE B14 5M Ch23335 1RB0 QPSK
 H



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 14 5M Ch23355 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin dB	Pol
						Factor	1	dB	dB				
			1586.00	-65.62	RMS	27.82	-27.85	0.32	-95.23	29.32	-42.15	-23.47	Horizontal
			2384.00	-50.35	RMS	31.94	-26.04	0.37	-95.23	38.61	-13.00	-37.35	Horizontal
			3176.00	-59.34	RMS	32.50	-24.36	0.14	-95.23	27.61	-13.00	-46.34	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 14 5M Ch23355 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin dB	Pol
						Factor	1	dB	dB				
			1586.00	-65.41	RMS	27.82	-27.85	0.32	-95.23	29.53	-42.15	-23.26	Vertical
			2384.00	-50.24	RMS	31.94	-26.04	0.37	-95.23	38.72	-13.00	-37.24	Vertical
			3176.00	-59.57	RMS	32.50	-24.36	0.14	-95.23	27.38	-13.00	-46.57	Vertical




ANT0

Part 90R Mode 2
 LTE B14 10M Ch23330 1RB0 QPSK
 M



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 14 10M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1576.00	-64.97	RMS	27.70	-27.88	0.32	-95.23	30.12	-42.15	-22.82	Horizontal
			2368.00	-56.20	RMS	31.92	-26.08	0.36	-95.23	32.83	-13.00	-43.20	Horizontal
			3152.00	-59.24	RMS	32.50	-24.43	0.16	-95.23	27.76	-13.00	-46.24	Horizontal




Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 14 10M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1576.00	-65.44	RMS	27.70	-27.88	0.32	-95.23	29.65	-42.15	-23.29	Vertical
			2368.00	-58.08	RMS	31.92	-26.08	0.36	-95.23	30.95	-13.00	-45.08	Vertical
			3152.00	-59.10	RMS	32.50	-24.43	0.16	-95.23	27.90	-13.00	-46.10	Vertical




ANT1

Part 90R Mode 3
LTE B14 5M Ch23305 1RB0 QPSK
L



Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 14 5M Ch23305 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin Pol	
						Factor	1	dB	dB			dB	dB
			1576.00	-65.29	RMS	27.70	-27.88	0.32	-95.23	29.80	-42.15	-23.14	Horizontal
			2364.00	-60.50	RMS	31.96	-26.08	0.35	-95.23	28.50	-13.00	-47.50	Horizontal
			3152.00	-58.86	RMS	32.50	-24.43	0.16	-95.23	28.14	-13.00	-45.86	Horizontal




Site : 03CH07-HY
Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
Mode : LTE Band 14 5M Ch23305 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin Pol	
						Factor	1	dB	dB			dB	dB
			1576.00	-65.07	RMS	27.70	-27.88	0.32	-95.23	30.02	-42.15	-22.92	Vertical
			2364.00	-60.55	RMS	31.96	-26.08	0.35	-95.23	28.45	-13.00	-47.55	Vertical
			3152.00	-59.07	RMS	32.50	-24.43	0.16	-95.23	27.93	-13.00	-46.07	Vertical




ANT1

Part 90R Mode 3
 LTE B14 5M Ch23330 1RB0 QPSK
 M



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Horizontal
 Mode : LTE Band 14 5M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit dBm	Margin dB	Pol
						Factor	1	dB	dB	dBuV	dBm			
			1581.00	-65.44	RMS	27.72	-27.86	0.32	-95.23	29.61	-42.15	-23.29	Horizontal	
			2372.00	-61.05	RMS	31.90	-26.07	0.36	-95.23	27.99	-13.00	-48.05	Horizontal	
			3162.00	-59.18	RMS	32.50	-24.40	0.15	-95.23	27.80	-13.00	-46.18	Horizontal	



Site : 03CH07-HY
 Condition: 700 AC BAND 3m HF_ANT_00075962 Vertical
 Mode : LTE Band 14 5M Ch23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit dBm	Margin dB	Pol
						Factor	1	dB	dB	dBuV	dBm			
			1581.00	-65.16	RMS	27.72	-27.86	0.32	-95.23	29.89	-42.15	-23.01	Vertical	
			2372.00	-60.42	RMS	31.90	-26.07	0.36	-95.23	28.62	-13.00	-47.42	Vertical	
			3162.00	-59.10	RMS	32.50	-24.40	0.15	-95.23	27.88	-13.00	-46.10	Vertical	