









EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

<p>EUT View 1</p>	 A photograph showing the external components of the EUT. At the top is a black rectangular panel with a fine grid pattern. Below it is a white, bulb-shaped base with a threaded bottom. To the right of the base is a black power adapter with two prongs and a USB cable. A black ruler is placed vertically on the left side of the components for scale. The background is a blue textured surface.
<p>EUT View 2</p>	 A close-up photograph of the EUT device. The device is black and oval-shaped with a white border. It features a lens at the top, a yellow indicator light in the middle, and a small rectangular area at the bottom. A black ruler is placed vertically to the left of the device for scale. The background is a blue textured surface.

<p>EUT View 3</p>	
<p>EUT View 4</p>	

<p>EUT View 5</p>	
<p>EUT View 6</p>	

<p>EUT View 7</p>	 A photograph of a white, rounded rectangular device with a black face and three circular sensors. A ruler is placed next to it for scale. The ruler shows measurements in millimeters and centimeters. The device is positioned vertically, and the ruler is placed horizontally to its left.
<p>EUT View 8</p>	 A photograph of the back of the white device. It shows a QR code, FCC/CE markings, and a charging port. The device is oriented vertically, and the markings are clearly visible.

EUT View 9

