# **Table of contents**

1.	Description	. 1
2.	Specification	. 1
3.	Operation	. ′

#### 1. Description

This product is a one-in-one wireless charging bracket, the input end is a TYPE-C mother-socket interface, the input voltage is 5V/9V, and the output Support Qi standard BPP 5W and MPP 15W. Magnetic wireless charge support iPhone 12 series, iPhone 13 series, iPhone 14 series, iPhone 15 series wireless charging, The product uses self-developed CE223 QI2 module.

## 2. Specification

Model	MPP15-1TCNB-J
Input	5V/3A, 9V/2.22A
Output	5W/7.5W/15W
Wireless Charging Frequency	110.5~384kHz
Operation Temperature Range	0~40℃

### 3. Operation

- 3.1. Connect the wireless charger to the power adapter, and connect the power adapter to the power supply.
- 3.2. Place your device (which supports wireless charging) on the wireless charger.
- 3.3. Please take out the device after it is fully charged.

#### FCC STATEMENT

- 1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.
- 2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

#### **Radiation Exposure Statement**

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.