







EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

<p>EUT View 1</p>	
<p>EUT View 2</p>	

<p>EUT View 3</p>	 A black, dome-shaped electronic component is shown from a top-down perspective. It is placed on a blue textured mat. A black ruler with white markings is positioned to the left and bottom of the component. The ruler shows measurements in millimeters, with markings for 10, 20, 30, 40, 50, 60, 70, 80, 90, and 100 mm. The component is approximately 40 mm in diameter.
<p>EUT View 4</p>	 A black, dome-shaped electronic component is shown from a top-down perspective, similar to View 3. It is placed on a blue textured mat. A black ruler with white markings is positioned to the left and bottom of the component. The ruler shows measurements in millimeters, with markings for 10, 20, 30, 40, 50, 60, 70, 80, 90, and 100 mm. The component is approximately 40 mm in diameter.

<p>EUT View 5</p>	 A black, dome-shaped electronic component is shown from a top-down perspective. It is placed on a blue textured mat. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The component's diameter is approximately 40 mm.
<p>EUT View 6</p>	 A black, dome-shaped electronic component is shown from a top-down perspective, similar to View 5. It is placed on a blue textured mat. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The component's diameter is approximately 40 mm.

