







EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

| | |
|--------------------------|--|
| <p>EUT View 1</p> |  |
| <p>EUT View 2</p> |  |

| | |
|--------------------------|--|
| <p>EUT View 3</p> |  A black plastic component is shown against a blue background. The component has a flat, oval-shaped base. A central vertical post rises from the base, featuring a hexagonal section and a conical top. A black ruler with white markings is placed horizontally below the component, showing measurements in millimeters. The ruler is oriented vertically in the image, with the 0 mark at the top and the 100 mark at the bottom. |
| <p>EUT View 4</p> |  A black plastic component is shown against a blue background. The component has a flat, oval-shaped base. A central vertical post rises from the base, featuring a hexagonal section and a conical top. A black ruler with white markings is placed horizontally below the component, showing measurements in millimeters. The ruler is oriented vertically in the image, with the 0 mark at the top and the 100 mark at the bottom. |

| | |
|--------------------------|--|
| <p>EUT View 5</p> |  A black electronic component, likely a connector or probe, is shown from a side perspective. It features a flat, circular base and a central cylindrical protrusion with a rounded top. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's base spanning approximately 40 mm. |
| <p>EUT View 6</p> |  A black electronic component, similar to the one in View 5, is shown from a different perspective. It features a flat, circular base and a central conical protrusion with a pointed top. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's base spanning approximately 40 mm. |