






## EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

<p><b>EUT View 1</b></p>	 <p>A photograph showing the external device (EUT) from a top-down perspective. The device is a small, black, circular component with a cable attached. It is placed on a light blue textured surface next to a black ruler for scale. The ruler has markings in centimeters and millimeters. The device is positioned vertically, with the cable extending upwards.</p>
<p><b>EUT View 2</b></p>	 <p>A photograph showing the external device (EUT) from a top-down perspective, showing the reverse side. The device is a small, black, circular component with a cable attached. It is placed on a light blue textured surface next to a black ruler for scale. The ruler has markings in centimeters and millimeters. The device is positioned vertically, with the cable extending upwards. The reverse side of the device shows some text and markings, including "CE", "F", and "M".</p>

<p>EUT View 3</p>	 A photograph showing a circular black device with a cable attached. The device is positioned next to a black L-shaped ruler for scale. The ruler has markings in millimeters and centimeters. The device is approximately 30mm in diameter. The cable is black and has a USB-C connector. The background is a light blue textured surface.
<p>EUT View 4</p>	 A photograph showing a circular black device with a cable attached, similar to View 3. The device is positioned next to a black L-shaped ruler for scale. The ruler has markings in millimeters and centimeters. The device is approximately 30mm in diameter. The cable is black and has a USB-C connector. The background is a light blue textured surface.

<p>EUT View 5</p>	
<p>EUT View 6</p>	