

Wireless Charger

WPC15-1LCNA

User Manual

CONETNES

1.0 INTRODUCTION -----	1
2.0 FEATURES -----	1
3.0 SPECIFICATIONS -----	1
4.0 PACKAGE CONTENTS -----	1
5.0 OPERATION-----	2
6.0 CONNECTION DIAGRAM -----	3

Magnetic Wireless Charger

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

1.0 INTRODUCTION

This product is a high-performance wireless charger. This product is suitable for mobile phones, and other productions based on wireless charging 5W /7.5W /10W/15W. Connect the wireless to a power charger, and then you can charge your device supported wireless charging (mobile phones, etc) by put it on the charger directly .It is helpful in long time journey and convenient for business!

2.0 FEATURES

- Transmitting terminal input: 5V3A 9V2A 12V1.5A
- Transmitting terminal output: 5W/7.5W/10W/15W
- Compliant with CE, FCC, standards
- It is light, smart and convenient to use

3.0 SPECIFICATIONS

Input	5V3A 9V2A 12V1.5A
Wireless charging output	5W 7.5W 10W 15W
Switch Frequency	110K-205K
Operating Temperature Range	0~35°C
Storage Temperature Range	-20 ~ 60°C
Operation Humidity	10% ~ 80% RH
Storage Humidity	5% ~ 95% RH
Size	59.70±0.15M 7.5MM±0.2MM
Weight	78±10 g

4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and

make sure the following items are contained in the shipping carton:

- Main unit x 1
- User Manual x 1

5.0 OPERATION

Operation Procedures

1. Connect the wireless charger with a powered adapter,

Operation Notes

1. For optimum performance, please use the wireless charger according to this user manual.
2. Please connect the wireless charger to a power adapter which output should be 5V3A or 9V2A or 12V/1.5A
3. Please unplug the wireless charger after using.
4. Do not use the wireless charger with an electronic product which is not in conformity with the specifications, so as to avoid any problem caused by specification mismatching.
5. It's normal that wireless charger will be a little overheated in the use process.
6. When the wireless charger stops working under some accidents occurs, you need to check whether the device is compatible with this charger.
7. Do not let the wireless charger close to fire, such as stove, candles and etc.
8. Do not let the wireless charger soak into liquid, such as swimming pool, bathtub, etc.
9. Do not wash the wireless charger with corrosive cleaner.
10. If the wireless charger cannot work properly, please contact the store or distributor in your area.
11. This device complies with Part 15 of the FCC Rules
12. Operation is subject to the following two conditions:
 - (1) This device may not cause harmful interference,
 - (2) This device must accept any interference received
13. Including interference that may cause undesired operation

FCC Warning

This device complies with Part 18 of the FCC Rules.

NOTE: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Refer to FCC Part 18.213(c) and KDB 784748 Annex A section A.5:

(a) Max. Electric Field Emissions: 6.01V/m
Max. Magnetic Field Emissions: 0.51A/m

(b) The maintenance of the system is the responsibility of the manufacturer.

(c) To prevent interference, the product should be as far away from devices operating at the same frequency as possible.

RF exposure considerations

This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

6.0 CONNECTION DIAGRAM

